

REFERENCES

A

Abrahamin, K. P., Rao, M. M., Abraham, K.P., Iyengar, G. N. K., Mallya, R. M. (Eds.), 1985, Thermodynamics and Metallurgical Processes, Proc. Int. Conf., Bangalore, India, July 15-18.

Alabyshev, A. F., Lantratov, M. F., 1963, Study of the thermodynamic properties of liquid metal solutions in the Sb-Zn-Cd system, Tr. Leningr. Politekhn. Inst. 223, 55-66.

Allen, N. P., 1930, Experiments on the influence of gases on the soundness of copper ingots J. Inst. Metals, 44, 81-86.

Alqasmi, R., Egan, J. J., 1983, Thermodynamics of liquid sodium-tin alloys using calcium fluoride solid electrolytes, Ber. Bunsenges. Phys. Chem, 87(9), 815-817, .

Ansara, I., and Dupin N, 1998, Cost 507 thermo chemical database for light metal alloys, European Commission DG X11, European Commission, Luxembourg.

Asryan, N., Mikula, A., 2004, Thermodynamic properties of liquid Bi-Sn alloys, Z. Metallkd. 95 (3) 132-135.

Azakami, T., Yazawa, A., 1967, Thermodynamic study of liquid copper alloys. II. Activities of bismuth and antimony in liquid copper-base alloys by vapor pressure measurements, N. Kogyo Kaishi, 83, 666-672.

Azakami, T., Yazawa, A., 1968, Thermodynamic studies of liquid copper alloys. III. Activities of zinc and cadmium in liquid copper-base alloys, N. Kogyo Kaishi, 84, 1663-1668.

B

Babanly M. B., Zamani, I. S., Azizula, A., Kulieva, A. A., 1990, Phase equilibriums and thermodynamic properties of the thallium(I) selenide-bismuth(III) selenide-selenium system, Z. Neorg. Khim., 35 (5), 1285-1289.

Babanly, M. B., Kulieva, N. A., 1986, Composition diagram and thermodynamic properties of the thallium-germanium-selenium system, Z. Neorg. Khim., 31 (9), 2365-2371.

- Bardi, G., Gigli, R., Malaspina, L., Piacente, V., 1973, Vapor pressure and sublimation enthalpy of anthraquinone and of 1,5- and 1,8-dihydroxyanthraquinones, *J. Chem. Engg. Data*, 18, 126-130.
- Bass, L., 1964, Potential of liquid junctions, *Trans. Faraday Soc.*, 60, 1914-1919.
- Behera, C. K., Shamsuddin, M., 2009, Thermodynamic investigations of Sn-Zn-Ga liquid solutions, *Thermochim. Acta*, 487(1-2), 18-25.
- Behera, C. K., Sonaye, A., 2013, Measurement of zinc activity in the ternary In-Zn-Sn alloys by EMF method, *Thermochim. Acta*, 568, 196-203.
- Benarchid, Y., David, N., Fiorani, J. M., Vilasi, M., 2009, Enthalpies of formation of Mo-Ru and Mo-Ru-Si compounds determined by high-temperature direct reaction synthesis calorimetry, *Thermochim. Acta*, 494, 26-29.
- Beyer, R. P; Ferrante, M. J.; Mrazek, R. V., 1983, An automated calorimeter for heat capacity measurements from 5 to 300 K. The heat capacity of cadmium sulfide from 5.37 to 301.8 K and the relative enthalpy to 1103.4 K, *15*, 827-834.
- Boa, D., Ansara, I., 1998, Thermodynamic assessment of the ternary system Bi-In-Pb *ThermochimicaActa*, 314 (1-2), 79-86.
- Bockris, J. O. M., White, J. L., Mackenzie, J. D. (Editors.), 1959, Physicochemical Measurements at High Temperatures, Butterworths, London, pp. 394.
- Borg, R. J., 1961, some thermodynamic properties of the cadmium-copper system *Trans. Am. Inst. Min. Met. Petro. Engrs.*, 221, 527-531.
- Botor, J., Zajaczkowski, A., Dziewidek, L., Siderov, G., 1991, The arsenic activity in the liquid iron-arsenic alloys, *Z. fuer Metallk.*, 82 (4), 304-349.
- Bouteiller, M. L., Matre, A. M., Farhi, R. F., Petot, C., 1977, Thermodynamic measurements in liquid tin-tellurium alloys, *Met. Trans. B*, 8B (2), 339-344.
- Braga, M.H., Vizdal, J., Kroupa, A., Ferreira, J., Soares, D., Malheiros, L.F., 2007, The experimental study of the Bi-Sn, Bi-Zn and Bi-Sn-Zn systems, *Calphad*, 31(4), 468-478.
- Brebrik, R. F., Smith, F. T. J., 1971, Partial and total vapor pressures over molten Bi_2Te_3 , *J. Electrochem. Soc.*, 118, 991-996.
- Bros, J.P., Laffitte, M., 1970, Enthalpies of formation in indium+tin alloys in the liquid state *J. Chem. Thermodyn.* 2, 151-152.

Brunetti, B., Gozzi, D., Iervolino, M., Piacente, V., Zanicchi, G., Parodi, N., Borzone, G., 2006, Bismuth activity in lead-free solder Bi-In-Sn alloys, Computer Coupling of Phase Diagrams and Thermochemistry, 30 (4), 431–442.

Bullock, G., 1959, Calorimeter with automatic control, J. Sci. Instr., 36, 20-22.

Burmeister, E., Jellinek, K., 1933, Vapor pressure and activities of a few binary metallic alloys, Z. fuer Physik. Chem. (A), 165, 121-32.

C

Chen, H. M., Chipman, J., 1947, Activity of chromium in liquid iron at 1595 °C, Transactions, ASM, 38, 70-113.

Chevalier, P.Y., 1988, A thermodynamic evalution of the Bi-In system, Calphad, 12 (4), 383-391.

Chipman, J., 1933, Equilibrium in the oxidation of liquid iron by steam and the free energy of ferrous oxide in liquid steel, J. Am. Chem. Soc., 55, 3131-3139.

Chipman, J., Murphy, D. W., 1935, Solubility of nitrogen in liquid iron, Transactions, Amer. Inst. of Min. and Metall. Engg., 116, 591-603.

Chirulli, G., Ferro, D., Piacente, V., 1983, Magnesium activity in liquid indium-magnesium alloy from vapor pressure measurements, Thermochim. Acta, 62 (2-3), 171-177.

Cho, S. A., Camisotti, R., Velez, M. H., 1990, Detailed assessment of partial thermodynamic quantities of tin in molten bismuth-tin alloys from electromotive force measurements, Metall. Trans. B, 21 (1), 87-96.

Cho, S. A., Ochoa, J. L., 1997, Detailed assessment of integral thermodynamic quantities of liquid Bi-Sn alloy solution system Metall. Mater. Trans. B, 28(6), 1081-1087.

Cormack, M. M., Chen, H.S., Kammlott G.W., Jin S., 1997, Significantly improved mechanical properties of Bi-Sn solder alloys by Ag-doping, J. Electron. Mater. 26 (8), 954-958.

Cunat, C. M. Dirand, J. P. Hilger and J. Hertz, 1978, J. Calorimet. Analyse Thermique 9B, 183-194.

D

Darby, J. B., Myles, K. M., 1972, Thermodynamic study of solid palladium-platinum alloys, Met. Trans. 3 (3), 653-657.

Darken, L.S., 1950, Application of the Gibbs-Duhem equation to ternary and multicomponent systems, Journal of the American Chemical Society, 72(7) 2909-2914.

Dastur, M. N., 1948, activity of vanadium in liquid iron by equilibrating liquid iron with H₂ / H₂O mixtures , Ph.D Thesis, Massachusetts Institute of technology, USA.

David, N., Aissaoui, K. E., Fiorani, J. M., Hertz, J., and Vilasi, M., 2004, Thermodynamic optimization of the In-Pb-Sn system based on new evaluations of the binary borders In-Pb and In-Sn Thermochim. Acta 413(1-2), 127–137.

Debski, A., Gasior, W., 2014, Calorimetric studies and thermodynamic properties of liquid Ag–Ca alloys, J. Chem. Thermodynamics, 77, 159–166.

Dinsdale, A. T., 1991, SGTE data for pure elements, Calphad, 15, 317-425.

E

Elmahfoudi, A., Sabbar, A., Flandorfer, H., 2012, Enthalpies of mixing of liquid systems for lead free soldering: Co-Sb-Sn, Intermetallics, 23, 128-133.

Eremenko, V. N., Lukashenko, G. M., Berezutskii, V. V., Pritula, V. L., 1979, Thermodynamic properties of molten alloys of nickel, cobalt, and iron with transition metals Termodin. Svoistva Met. Rasplavov, Mater. Vses. Soveshch. Termodin. Met. Splavov (Rasplavy), 4th Edition (2), 48-52.

Estell, T. H., Flengas, S. N., 1970, Electrical properties of solid oxide electrolytes, Chem. Rev., 70 (3), 339-376.

Eysel, W., 1994, The caloric calibration of scanning calorimeters, Thermochim. Acta, 247 (2), 129-168.

F

Ferro, D., Piacente, V., and Nappi, B., 1980, Zinc activity measurements in thallium-zinc alloys by the torsion-effusion technique, *J. Chemical Engineering Data*, 25 (1), 3-6.

Fimaa, K., and Flandorfer, H., 2009, Enthalpies of formation of Mo–Ru and Mo–Ru–Si compounds determined by high-temperature direct reaction synthesis calorimetry, *Thermochimica Acta*, 494, 26–29.

Fontana, M.G. and Chipman, J., 1936, Equilibrium in the reaction of hydrogen with ferrous oxide in liquid iron at 1600°C, *Transactions, ASM*, 24, 313-3132.

Frauenschill, H. and Halla, F., 1949, Activities in the ternary liquid system sodium-cadmium-mercury, *Z fuer. Elektrochem. Physik. Chem.*, 53, 144-151.

G

Gallagher, P. K. *Handbook of Thermal Analysis and Calorimetry*, 1, (Ed. M.E. Brown), Elsevier, Amsterdam, 1998.

Gavrichev, K. S., Guskov, V. N.; Greenberg, J.H., Feltgen, T.; Fiederle, M.; Benz, K. W., 2002, Low-temperature heat capacity of ZnTe, *J. Chem. thermodn.*, 34 (12), 2041-2047.

Girardi, D. J., 1941, Ph. D. thesis, University of Michigan.

Gnecco, F., Ricci, E., Amore, S., Giuranno, D., Borzone, G., Zanicchi, G., and Novakovic, R., 2007, Wetting behaviour and reactivity of lead free Au-In-Sn and Bi-In-Sn alloys on copper substrates, *International Journal of Adhesion and Adhesive*. 27(5), 409-416.

Goates, J. R., Cole, A. G. and Gray, E. L., 1951, Free energy of formation and solubility product constant of mercuric sulfide, *J. Am. Chem. Soc.*, 73, 3596-3597.

Gozzia, B. D., Iervolina, M., Piacentea, V., Zanichi, G., Parodi, N., and Borzone, G., 2006, Bismuth activity in lead-free solder Bi-In-Sn alloys, *Calphad*, 30 (4), 431-442.

Gregorczyk, Z., Stawarz, L., and Jurzyk, E., 1981, Thermodynamic properties of liquid (indium + bismuth), *J. Chem. Thermodyn.*, 13 (7), 647-653.

Gross, P., Levi, D. L., Lewin, R. H. and Natl, U. K., 1959, Activities in uranium-bismuth alloys and the free energies of uranium-bismuth compounds, Phys. Lab. Symposium.

Gross, P., Levi, D. L., Dewing, E. W. and Wilson, G. L., 1961, Metallurgical Society Conferences (Proceedings), 7, 403-408.

H

Hansen, M. and Anderko, K., 1958, Constitution of Binary Alloys, (New York: McGraw-Hill, pp 59.

Herbener, A. W., Siebert, C. A. and Duffendack, O. S., 1991, The vapor pressure and thermodynamic activities of zinc in solid α brasses, J. Metals, 2, 323-326.

Heumann, T. and Alpaut, O., 1964, The phase diagram of indium-tin, J. Less-Common Met., 6 (2), 108-117.

Hilderbrand, J. H., Foster, A. H. and Beebe, C. W., 1920, Vapor pressures of cadmium, lead and tin amalgams J. Am. Chem. Soc., 42, 545-548.

Hilderbrand, J. H., 1912, The vapor pressure of zinc amalgams, Trans. Am. Electrochem. Soc., 22, 319-334.

Hilderbrand, Joel. H. and Eastman, E. D., 1915, Vapor pressure of thallium amalgams, J. Am. Chem. Soc., 37, 2452-2459.

Hirst L. L. and Olson, A. R., 1929, A general method of measuring the partial pressures of mercury at room temperatures, J. Am. Chem. Soc., 51, 2398-2403.

Hultgren, R., Desai, P. D., Hawkins, D. T., 1973, Selected Values of the Thermodynamic Properties of Binary Alloys, Metals Park: American Society for Metals,, pp 451.

Hultgren, R., Desai, P.D., Hawkins, D.T., Gleiser, M., Kelley, K.K., 1973, Selected Values of the thermodynamic Properties of Binary Alloys, ASM International, Metals Park, Ohio, pp 1031.

Hultgren, R., Orr, R. L., Anderson, P. D., Kelley, K. K., 1963, Selected values of the thermodynamic properties of metals and alloys,.pp. 527-529 John Wiley & Sons, Inc, New York.

I

Ivanov, M., Lukashenko, G. M., 1983, Thermodynamic properties of molten silver-neodymium alloys, Z. Fiz. Khim., 57 (9), 2344-2345.

Ivanov, M. I., 1985, Thermodynamic properties of silver-terbium alloys, G. Kh. Biologichni Nauki, 5, 51-54.

Jacob, K. T., Waseda, Y., 1990, Thermodynamic properties of platinum-rich intermetallics in the platinum-gadolinium system, Mater. Trans., JIM, 31(2), 135-140.

Jacobson, N. S., Mehrotra, G. M., 1990, Thermodynamics of iron-aluminum alloys at 1573 K, Met. Trans. B, 24(3), 481-486.

Janke, D., Madara, J., Lukacs, S., Pokol, G., 2009, DSC investigations of amalgam formation in bi-sn-hg system doped with indium, Journal of Thermal Analysis and Calorimetry, 96 (2), 443–447.

Jellinek, K., Rosner, G. A., 1931, The vapor pressure and the activity of a volatile component in binary alloys at high temperatures, Z. fuer Physik. Chem. (A), 152, 67-94.

Jellinek, K., Wannow, H. A., 1935, The vapor pressures and activities of completely and partially miscible metals in liquid binary and ternary alloys with one and two volatile components, Z. fuer Physik. Chem., 41, 346-62.

Jellinek, K., Rosner, G. A., 1929, A development of the air-flow method for measuring vapor tensions at high temperatures, Z. fuer Physik. Chem., (A), 143, 51-54.

Jendrzejczyk-Handzlik, D., Fitzner, K., 2012, mixing enthalpies of liquid Au–Sb–Sn alloys, Monatsh Chem., 143, 1225-1233.

Jendrzejczyk-Handzlik, D., Handzlik, P., Fitzner, K., 2014, Enthalpies of mixing of liquid Ag–Ga, Cu–Ga and Ag–Cu–Ga alloys, Calphad, 44, 39-47.

Johnson, G. K., Papathodorou, G. N., Johnson C.E., 1980, The enthalpies of formation and high-temperature thermodynamic functions of the arsenic sulfides (As₄S₄) and (As₂S₃), J. Chem. Thermodyn., 12, 545-557.

K

- Katayama, I., Matsushima, S., Kozuka, Z., 1990, Activity measurement of manganese-bismuth alloys by the emf. Method with calcium fluoride solid electrolyte, Mater.Trans., JIM, 31 (9), 789-792.
- Katayama, I., Matsushima, S., Kozuka, Z., 1991, Activity measurements of manganese-indium alloys by the EMF method with calcium fluoride solid electrolyte, Mater.Trans., JIM, 32 (10), 943-946.
- Kattner, U. R., Boettinger, W. J., 1994, The Sn-Bi-Ag ternary phase diagram, J. Electron. Mater. 23 (7), 603-610.
- Kerimov, I.G., Mamedov, K. K., Mekhtiev, M. I., Kostryukov, V. N., 1971, Heat capacity of gallium and indium tellurides at low temperatures, Zh. Fiz. Khim., 45, 1969-1972.
- Kitchener, J. A., Bockris, J. O. M., Liberman, A., 1949, Activity of sulfur in liquid iron-influence of carbon Discussions, Faraday Soc., 4, 49-60.
- Kiukkola, K., Wagner, C., 1957, Galvanic cells for the determination of the standard molar free energy of formation of metal halides, oxides, and sulfides at elevated temperatures J. Electrochem. Soc., 104, 308-316.
- Kleppa, O.J., 1956, Heat of formation of solid and liquid alloys in the systems silver-cadmium, silver-indium, and silver-antimony at 450°C, J. Phys. Chem. 60 (7), 846-852.
- Kleppa, O.J., 1960, A new twin high-temperature reaction calorimeter, The heats of mixing in liquid sodium-potassium nitrates, J. Phys. Chem., 64, 1937-1940.
- Knott, S., Li, Z., Wang, C.H., Mikula, A., 2010, Electromotive Force Measurements in the Ternary System Bi-In-Zn, Metall. Mater. Trans. A 41, (12), 3130-3135.,
- Knudsen, M., 1909, The Law of the Molecular Flow and Viscosity of Gases Moving through Tubes, Ann. Physik., 28, 75-130.
- Kopach, I., Lukashenko, E. E., Bakhireva T. P., 1973, Izvesiya Akademii Nauk SSSR, Metally 1, pp 86.
- Korhonen, T.M., Kivilahti, J. K., 1998, Thermodynamics of the Sn-In-Ag solder system, J. Electron. Mater. 27(3), 149–158.

- Koyama, Y., Suzuki, H., Nittono, O., 1984, Phase transformation in tin-(8.0-9.5) at.% indium alloys Scripta Met. 18 (7), 715-717.
- Kozin, L. F., Deirova, A. M., Nigmetova, R. S., 1975, Thermodynamic properties of cadmium-zinc-mercury system molten ternary alloys, Termodynam. Svoistva Metal. Splavov, 45, 242-244.
- Kozin, L. F., Nigmetova, R. S., Deirova, A. M., 1971, Activities of components of ternary amalgam systems, Z. Fiz. Khim., 45 (8), 1906-1911.
- Kozin, L. F., Nigmetova, R. S., Shpakova, S. G., 1979, Thermodynamic properties of mercury-gallium-bismuth system molten alloys, Izv. Akad. Nauk Kazakhskoi, 5, 27-32.
- Kozuka, Z., Moriyama, J., Kushima, I., 1960, Activities of the component metals in fused binary alloys (Zn-Cd system and Zn-Sn system), Denki Kagaku, 28 (9), 456-460.
- Kozuka, Z., Moriyama, J., Kushima, I., 1960, Activities of zinc in a fused ternary alloy (Zn-Al-Mg system), Denki Kagaku, 28 (12), 691-694.
- Kozuka, Z., Moriyama, J., Kushima, I., 1961, Activity of zinc in a fused ternary alloy system (Zn-Sn-Al system), Denki Kagaku, 29 (4), 235-238.
- Kubaschewski, O. (Ed.), 1972, Metallurgical Chemistry, Proceeding of the Symposium held at Brunel Univ. and NPL, July 14-16, 1971, published by HMSO, London.
- Kubaschewski, O., Alcock, C. B., 1979, 'Metallurgical thermochemistry', 5th edn., Pergamon, Oxford.
- Kubaschewski, O., Alcock, C. B., 1979, Metallurgical Thermochemistry, 5th edition, New York.
- Kummer, J. T., Reiss, H., Mcaldin, J. O., 1972, "Progess in Solid State Chemistry". (Eds.), Pergamon press, Oxford, 7, 141-175.
- Kutsenok, I. B., Geiderikh, V. A., 1984, Determination of the steady-state value of electromotive force of concentration reference electrodes of galvanic cells, Fiz. Khim. Electrokhim., 43, 18-22.

L

- Langmuir, I., 1914, The vapor pressure of metallic tungsten, *Phys. Rev.*, 2(2), 329-342.
- Lee, B. J., Oh, C. S., Shim, J. H., 1996, Thermodynamic assessments of the Sn-In and Sn-Bi binary systems, *J. Electron. Mater.*, 25 (6), 983–991.
- Lee, B. J., 1996, Thermodynamic assessments of the Sn-Zn and In-Zn binary systems, *Calphad*, 20 (4), 471-480.
- Lee, J. H., Lee D. N., 2001, Use of Thermodynamic Data to Calculate Surface Tension and Viscosity of Sn-Based Soldering Alloy Systems, *J. Electron. Mater.* 30 (9), 1112-1119.
- Lee, Y. K., Yazawa, A., 1969, Thermodynamic study of the liquid aluminum-gold system, *Tohoku Daigaku Senko Seiren Kenkyusho Iho*, 25 (1), 1-8.
- Levin, E. S., Geld, P. V., 1979, Evaluation of the activities of components of cobalt-aluminum melts based on mass-spectrometric data, *Zh. Fiz. Khim.*, 53 (11), 2846-2849.
- Liang, H., Bever, M. B., Floe, C. F., 1946, the solubility of hydrogen in molten iron-silicon alloys, *Transactions, Am. Inst. of Min. and Metall. Engg.*, 167, 395-398.
- Liu, C. H., Angus, J.C, 1969, Electromotive force investigation of the bismuth-tellurium system, *J. Electrochem. Soc.*, 116(8), 1054-1060.
- Liu, X.J., Liu, H.S., Ohnuma, I., Kainuma, R., Ishida, K., Itabashi, S., Kameda, K., Yamaguchi, K., 2001, Experimental determination and thermodynamic calculation of the phase equilibria in the Cu-In-Sn system, *Journal of Electronic Materials*, 30(9), 1093-1103.
- Luef, C., Flandorfer, H., Ipser, H., 2004, Enthalpies of mixing of liquid alloys in the In-Pd-Sn system and the limiting binary systems, *Thermochimca Acta* 417(1), 47–57.
- Luef, C., Paul, A., Flandorfer, H., Kodentsov, A., Ipser, H., 2005, Enthalpies of mixing of metallic systems relevant for lead-free soldering: Ag–Pd and Ag–Pd–Sn, *J. Alloys Compd.* 39, 167–176.
- Lutsyk V. I. , Vorobeva, V. P., 2015, Three-dimensional model of phase diagram of Au-Bi-Sb system for clarification of thermodynamic calculations, *Russian Journal of Physical Chemistry A*, 89 (10), 1715-1722.

M

Malakhov, D. V., Liu , X. J., Ohnuma, I., Ishida, K., 2000, Thermodynamic calculation of phase equilibria of the Bi-Sn-Zn system, Journal of Phase Equilibria, 21 (6), 514-520.

Marshall, S., Chipman, J., 1942, the carbon-oxygen equilibrium in liquid iron Transactions, ASM, 30, 695-741.

Massalski, T.B. (Ed.), 1986, Binary Alloy Phase Diagrams, American Society for Metals, vol. 1 pp. 1401.

Massalski, T.B., 1986, Binary Alloy Phase Diagrams,, Metals Park, OH: ASM, 38, pp.19.

Masson, D. B., Pradhan, S. S., 1973, Measurement of vapor pressure of indium over α -silver-indium using atomic absorption, met. Trans., 4, 991-995.

Michael, E. B, 2001, Introduction to Thermal Analysis, Techniques and Applications, second edition, Kluwer Academic Publishers, Netherlands.

Miller, R. W., 1927, The vapor pressure of potassium amalgams, J. Am. Chem. Soc., 49, 3003-3010.

Moelans, N., Hari Kumar, K.C., Wollants, P., 2003, Thermodynamic optimization of the lead-free solder system Bi-In-Sn-Zn, J. Alloys Compd. 360(1), 98-106.

Morris, J. P., Williams, A. J., 1949, the effect of silicon on the activity of sulfur in liquid iron, Transactions, ASM, 41, 1425-1439.

Morris, J.W., Freer Goldstein J. L., Mei, Z., 1993, Microstructure and mechanical properties of tin-indium and tin-bismuth solders, JOM 45 (7), 25-27.

Mose, Z., Zakulski, W., Rzyman, K., Gasior, W., Panek, Z., Katayama, I. , Matsuda, T., Fukuda, Y., Lida, T., Zajaczkowski Z., Botor, J., 1998, New thermodynamic data for liquid aluminum-magnesium alloys from emf, vapor pressures, and calorimetric studies, J. Phase Equilibria, 19 (1), 38-47.

Muggianu, Y. M., Gambino, M., Bros, J. P., 1975, Enthalpies of formation of liquid alloys bismuth-gallium-tin at 723 K. Choice of an analytical representation of integral and partial excess functions of mixing, J. Chim. Phys. 72 (1), 83-88.

Murray, W.T., Ohare, P. A. G, 1984, Thermochemistry of inorganic sulfur compounds. II. Standard enthalpy of formation of germanium disulfide, J. Chem. Thermodyn., 16, 335-341.

N

Nanko, M. Kishi, Y., Maruyama, T., 1998, Activity of aluminum in Pt-Al solid solution by EMF method with CaF₂ solid electrolyte, Mater. Trans., JIM, 39(12), 1238-1242.

Nigmatova, R. S., Kozin, L. F., Deirova, A. M., 1975, Thermodynamic properties of liquid ternary alloys of the cadmium-thallium-mercury system Termodynam. Svoistva Metal. Splavov, 43, 308-311.

Nigmatova, R. S., Boltrukovich, N. V., 1986, Thermodynamic properties of liquid ternary alloys of the mercury-gallium-aluminum system, Zh. Fiz. Khim., 60 (10), 2613-2616.

Nikolskaya, A. V., Lomov, A. L., Gerashimov, Y. I., 1959, Investigation of thermodynamic properties of binary metallic systems by the e.m.f. method. V. The copper-bismuth system, Z. Fiz. Khim., 33, 1134-1139.

O

Ohare, P.A.G., 1986, The standard molar enthalpy of formation at 298.15 K of crystalline germanium diselenide (GeSe₂). Thermochemical germanium-selenium bond dissociation enthalpies. Revised values for the standard molar heat of formation of germaniumtetrafluoride (g) and selenium hexafluoride (g), 18, 555-562.

Ohtani, H., Ishida, K. A., 1994, a thermodynamic study of the phase equilibria in the Bi-Sn-Sb system J. Electron. Mater. 23 (8), 747-755.

Oriani, R. A., 1956, Electrochemical techniques in the thermodynamics of metallic systems J. Electrochem. Soc., 103, 194-201.

P

Paasch, S., Schaller, H. J., Bunsenges, B., 1983, Thermodynamic properties of palladium-X alloys, with X = Gd, Y, Ce, Phys. Chem, 87(9), 812-814.

Pedder, J. S., Barratt, S., 1933, The determination of the vapor pressures of amalgams by a dynamic method, J. Chem. Soc.(London), 56, 537-546.

Piacente, V., Scardala, P., Ferro, D., Gigli, R., 1985, Vaporization study of o-, m-, and p-chloroaniline by torsion-weighing effusion vapor pressure measurements, *J. Chem. Eng. Data*, 30, 372-376.

Poindexter, F. E., 1926, the vapor pressure of solid sodium and solid potassium amalgams, *Phys. Rev.*, 28 (2), 208-228.

Prasad, R., Venugopal, V., Sood, D. D., 1977, Vapor pressure of bismuth calculated from magnesium + bismuth and lead + bismuth alloys using a transpiration technique, *J. Chem. Thermodyn.*, 9 (6), 593-601 .

Pratt, J. N., 1990, Applications of solid electrolytes in thermodynamic studies of materials: a review, *Met. Trans. A*, 21(5), 1223-1250.

Predel, B., GSdecke, T., 1975, Ternary system tin-indium-thallium, *Z. Metallkd*, 66, 1035-1046.

Predel, B., Bornstein, L., 1992, Numerical Data and Functional Relationship in Science and Technology: Group IV. Macroscopic and Technical Properties of Matter, Berlin: Springer, pp. 235.

Predel, B., Rothacker, D., 1966, Thermodynamic investigation of mercury-cadmium and mercury-bismuth alloys *J. Less-Common Metals*, 10 (6), 392-401.

R

Rapp, R. A., Bunshah, R. F. (Ed.), 1970, 'Physicochemical Measurements in metals research', Parts I and II of 'Techniques in Metals Research', Vol. IV, Interscience, New York.

Ratajczak, R., Terpilowski, J., 1969 Thermodynamic properties of HgTe, *Rocznik Chemii*, 43(9), 1609-1613.

Ratajczak, R., Terpilowski, J., 1968, Thermodynamic properties of mercury selenide, *Rocznik Chemii*, 42(2), 433-436.

Reddy, R. G., Yahya, A. M., Brewer, L., 2001, Thermodynamic properties of Ti-Al intermetallics, *J. Alloys and Compounds*, 321(2), 223-227.

Richards, A. W., 1961, Physical Chemistry of Process Metallurgy, G. R. St. Pierre, Ed., Interscience, New York, 7 (1), 353-354.

Rosenquist, T., 1949, Transactions, American Institute of Mining and Metallurgical Engineers, 185, 451-451.

Rosenthal, F. D., Mills, G. J., Dunkerley, F. J., 1958, Thermodynamic study of liquid lead-zinc solution Trans. Met. Soc., AIME, 212, 153-161.

Roth, W. L., 1972, Stoichiometry and structure of the superionic conductor silver β -alumina, J. Solid State Chem., 4(1), 60-75.

S

Sabbah, R., Xuwu, A. N., Chickos, J. S., Planas Leitao, M. L., Roux, M.V., Torres, L. A., 1999, Reference materials for calorimetry and differential thermal analysis, Thermochim. Acta, 331(2), 93-204.

Sabbar, M. A., Flandorferb, H., Ipser, H., 2010, Enthalpies of mixing of liquid In-Sn and In-Sn-Zn alloys, Thermochim. Acta, 502, 66–72.

Samson-Himmelstjerna, H.O., 1936, the enthalpies of mixing of Bi-Sn system, Z. Metallk., 28, 197-202.

Sarge, S. M., Gmelin, E., Hohne, G. W. H., Cammenga, H. K., Hemminger, W., Scardal, P., Piacente, V., Ferro, D., 1990, Lead activity in liquid indium-lead alloy determined from vapor pressure measurements, J. Materials Science Letter, 9(10), 1197-1199.

Scatchard, G., Lin, T., 1962, Equilibrium of α -silver-zinc-cadmium alloys with zinc and cadmium vapors, J. Am. Chem. Soc., 84, 28-35.

Schaller, H. J., Bretschneider, T., 1985, Thermodynamics of cobalt-aluminum alloys, Z. Metallkd., 76 (2), 143-146.

Schlieper, A., Blachnik, R., 1996, Calorimetric investigations of liquid Ge-Te and Si-Te alloys, Journal of alloys and compounds, 235, 237-243.

Schneider A., Schmidt, H., 1942, the vapor pressures of Zn and Cd over their binary alloys with Cu, Ag and Au, Z. fuer Elektrochem. Physik. Chem., 48, 627-639.

Schneider A., Stoll, E. K., 1941, Metal vapor pressure. I. Vapor pressure of magnesium over aluminum-magnesium alloys, Z. fuer Elektrochem. Physik. Chem., 47, 519-527,.

Schneider, A., Stoll, E. K., 1941, Metal vapor pressure. II. Vapor pressure of zinc over aluminum-zinc alloys, Z. fuer Elektrochem. Physik. Chem., 47, 527-535.

Schultz, C., Riazance, N., Payne, S., 1966, U. S Bureau of Mines, Investigation Report, R. I., 6807.

- Seltz, H., Dehaven, J.C., 1935, Free energy and heat of formation of the intermetallic compound CdSb, Am. Inst. Mining Met. Engrs., Inst. Metals Div., 622, 1035-1042.
- Seltz, H., Dunkerley, F. J., 1942, A thermodynamic study of the tin-bismuth system, J. Am. Chem. Soc., 64, 1392-1395.
- Sharkey, R. L., Pool, J., 1972, Partial heats of mixing in the bismuth-tin system, Met. Trans., 3 (7), 1773-1776.
- Sherman, C. W., Elvander, H. I., Chipman, J., 1950, the activity of Sulphur in liquid iron, Transactions, Ame. Inst. of Mining and Metall. Engg., 188, 334-340.
- Shevchenko, M. A., Ivanov, M. I., Berezutski, V. V., Sudavtsova, V. S., 2016, Thermodynamic Properties of Alloys of the Binary Bi-Yb System, Russ. J. of Phy. Chem. A, 90(4), 723-734.
- Shoji, Y., Matsui, T., Nakamura, K., Inoue, T., 1997, Vapor pressure measurements of La-Gd alloys, J. Nucl. Mater., 247, 37-40.
- Sieverts, A., 1912, The Solubility of Hydrogen in Copper, Iron and Nickel, Z. Phys. Chem., 77, 59-613.
- Smoronova, O. Y., Nigmetova, R. S., 1974, The Thermodynamic properties of molten alloys of the indium-bismuth-mercury ternary system V, Akad. Nau. Kazak. 7, 47-52.
- Smoronova, O. Y., Nigmetova, R. S., Kozin, L. F., 1974, Thermodynamic properties of ternary indium-thallium-mercury system liquid alloys, I. Akad. Nau. Kazak. 24 (6), 73-77.
- Srinivasa, R. S., Edwards, J. G., 1984, Analysis and thermodynamics of the vapor phase over liquid indium telluride (InTe) at 1106 ± 2 K, J. Electrochem. Soc., 131(12), 2954-2957.
- Steiler, J. M., Ribound, P. V., Onilion, M., Olette, M., 1972, 'International Symposium on thermodynamics of alloys', Munster, W. Germany.
- Su, C. H., Tung, T., Mubarak A., Brebrick, R. F., 1984, Measurement of the partial pressures of cadmium and zinc and thermodynamic analysis of the germanium-cadmium and germanium-zinc systems, High Temp. Sci., 18, 197-212.
- Suganuma, K., Opin, C., 2001, Advances in lead-free electronics soldering, Solid State Mater.5 (1), 55-64.

Suleimanova, D. M., Mmedov, A. N., Kuliev, A. A., 1974, Thermodynamic properties of lead-arsenic molten alloys studied by the emf. Measurement method, I. Vyss. Ucheb. Zaved. Khimiya I Khimicheskaya technologiya, 17 (3), 365-367.

Swofford, H. S., Jr. Elliot, R. B. Guy, 1968, Inorganic Chemistry, 7 (4), 666-674.

Tashy, S., Kenneth, R., Victor, S., 1968, USA Claiming House Feb. Sci. Tech. Inform, 37.

T

Taylor, P. B., 1927, Electromotive force of the cell with transference and theory of interdiffusion of electrolytes J. Phys. Chem., 31, 1478-1500.

Teberko, A. V., Vaisburd, S. E., 1983, Vapor pressure of silver over copper-silver melts Protsessy. Metall. Nizk.Davleniyakh, 65, 128-31.

Terpilowski, J., Zaleska, E., Gawel, W., 1965, Thermodynamic characteristics of the solid thallium-tellurium system, Rocz. Chem., 39, 1367-1375.

Terpilowski, J., Ratajczak, R., 1967, Thermodynamic properties of zinc selenide, Rocz. Chem., 41 (3), 429-433.

Terpilowski, J., Zaleska, E., Gawel, W., 1968, Electrochemical investigations of thallium-selenium solid systems, Rocz. Chem., 42(11), 1845-1848.

Terpilowski, Z., 1958, Thermodynamic properties of liquid metallic solutions. II. The bismuth-indium system, Arch. Hutnic., 3, 226-237.

Terpilowski, Z., 1959, Thermodynamic properties of liquid metallic solutions. V. The In-Sb system, Arch. Hutnic., 4, 355-370.

Terpilowski, Z., Gregorczy, Z., 1961, Thermodynamic properties In-Pb system, Arch. Hutnic., 6, 137-146.

Ticknor, L. B., Bever, M. B., 1951, a method for determining the energy stored during cold-working of metals, J. Appl. Phys., 22, 1297-1298.

U

Ugai, Y. A., Somilov, A. M., Semenova, G. V., Goncharov, E. G., 1986, A thermodynamic analysis of the interaction of the antimony-arsenic system components, Zh. Fiz. Khim., 60, 25-28.

V

Vacher, H. C., Hamilton, E. H., 1931, The carbon-oxygen equilibrium in liquid iron, Transactions, A. Inst. of Min. and Metall. Engg., 409, 890-810.

Vasilev, V. P., Somov, A. P., Nikolskya, A. V., Gerasimov, Y. I., 1968, Thermodynamic properties of bismuth selenide studied by an electromotive force method, Zh. Fiz. Khim, 42 (3), 675-677.

Vasilev, V. P., Nikolskya, A. V., Gerasimov, Y. I., 1971, Thermodynamic characteristics of higher sulfides of thallium and some regularities in the III b subgroup monochalcogenide series, Dokl. Akad. Nauk SSSR, 199 (5), 1094-1097.

Vasilev, V. P., Nikolskya, A. V., Barchinskaya, A. B., Gerasimov, Y. I., 1967, Thermodynamic properties of thallium monoselenide, Dokl. Akad. Nauk. SSSR, 176 (6), 1335-1338.

Vasilev, V. P., Nikolskya, A. V., Barchinskaya, A. B., Gerasimov, Y. I., 1969, Thermodynamic properties of the lower selenide of thallium (Tl_2Se), Dokl. Akad. Nauk. SSSR, 188(6), 1318-1320.

Vasilev, V. P., Nikolskya, A. V., Gerasimov, Y. I., 1968, Thermodynamic study of thallium tellurides by the electromotive force method, Akad. Nauk, SSSR, Neorg. Mater., 4 (7), 1040-1046.

Vasilev, V. P., Nikolskya, A. V., Gerasimov, Y. I., 1971, Thermodynamic study of thallium-selenium system alloys by the emf. Method, Zh. Fiz. Khim, 45(8) 2061-2063.

Vassiliev, V., Feutelais, Y., Sghaier, M., Legendre, B., 1998, Liquid-state electrochemical study of the system indium-tin, Thermochim. Acta 315, 129-134.

Vianco, P.T., Rejent, J.A., 1999, Properties of ternary Sn-Ag-Bi solder alloys: Part I. Thermal properties and microstructural analysis, J. Electron. Mater. 28(10), 1127-1137.

W

Wagner, C., 1962, 'Thermodynamics of Alloys', Addison-Wesley, Massachusetts, pp. 51-53.

Wagner, C., Werner, A., 1963, the role of displacement reactions in the determination of activities in alloys with the aid of galvanic cells, J. Electrochem. Soc., 110, 326-332.

White, J., Skelly, H., 1947, the determination of the equilibrium constant of the reaction between molten iron and hydrogen sulfide, JISI, 155, 201-212.

Wittig, F. E., Huber, F., 1958, the energetic of metallic systems. VII. Heats of mixing in the liquid binary systems bismuth-tin and bismuth-lead at 475°C Z. Phys. Chem (Frankfurt), 18, 330-334.

Wittig, F. E., Scheidt, P., 1961, Energetics of metallic systems. XIV. Heats of mixing in the binary systems of indium and thallium with tin and lead, Z. Phys. Chem (Munich), 28 120-142.

Wittig, F.E., Muller, E., 1959, Energetics of metallic systems. X. Heats of mixing in the binary systems bismuth-indium, bismuth-thallium, and indium-thallium, Z. Phys. Chem, 21, 47-73.

Witusiewicz, V.T., Hecht, U., Ottger, B. B., Rex, S., 2007, Thermodynamic re-optimization of the Bi-In-Sn system based on new experimental data, J. Of alloys and compound, 428 (1-2), 115–124.

Wojtaszek, Z., Kuzyk, H., 1974, Nauk. Univ. Jagiellon, Phase diagram of the indium-tin system in the range 60-100 atomic % tin, Pr. Chem., 19, 281-291.

X

Xia, Z., Shi, Y., Chen, Z., 2002, Evaluation on the characteristics of tin-silver-bismuth solder, J. Mater. Eng. Perform. 11(1), 107-111.

Y

Yazawa, A., Kawashima, T., Itagaki, K., 1968, Calorimetric measurement of Bi-Sn at 417 °C, J. Jpn. Inst. Met. 32, 1281-1287.

Z

Zajaczkowski, A., Czernecki, Z., Botor, J., 1997, Thermodynamic properties of liquid copper-rich Cu-Pb alloys, Arch. of Metallurgy, 42 (1), 11-23.

Zajaczkowski, A., Botor, J., 1994, Thermodynamics of the gallium-antimony system determined by vapor pressure measurements, Z. fuer Metallk., 85 (7), 472-478.

Zajaczkowski, A., Botor, J., 1995, Thermodynamics of the Al-Sb system determined by vapor pressure measurements, Z. fuer Metallk., 86 (9), 590-596.

- Zivkovic, D., Mitovski, A., Balanovic, L., 2010, Dragan Manasijevic and Zivan Zivkovi, Thermodynamic analysis of liquid In–Sn alloys using Oelsen calorimetry, *J. Therm. Anal. Calorim.*, 102 (3), 827–830.
- Zivkovic, D., Milosavljevi, A., Mitovski, A., Marjanovi, B., 2007, Comparative thermodynamic study and characterization of ternary ag–in–sn alloys, *J. of Therm. Anal. And Calorim.*, 89 (1) 137–142.
- Zuoan, L., Knott, S., Mikula, A., 2007, Calorimetric investigations of liquid Bi–In–Zn alloys, *Act. Material.*, 55, 2417–2422.
- Zuoan, L., Knott, S., Qiao, Z., Mikula, A., 2006, Calorimetric Investigations of Liquid Cu-In-Sn Alloys, *Mater. Transactions*, 47(8), 2025-2032.