

## List of Tables

Table No	Table Caption	Page No.
<b>Table 1.1</b>	Classification of ferroelectrics [after Cheong et al. (2007)].	17
<b>Table 2.1</b>	Estimated particle size and results of EDX analysis of BF-0.50PT samples.	62
<b>Table 2.2</b>	Estimated particle size and results of EDX analysis of BF-0.40PT samples.	63
<b>Table 2.3</b>	Estimated particle size and results of EDX analysis of BF-0.35PT samples.	65
<b>Table 2.4</b>	Results of EDX analysis of BF-0.30PT samples with different sizes.	66
<b>Table 2.5</b>	Results of EDX analysis of BF-0.25PT samples with different sizes.	68
<b>Table 2.6</b>	Results of EDX analysis of BF-0.20PT samples with different sizes.	69
<b>Table 2.7</b>	Results of EDX analysis.	70
<b>Table 3.1</b>	Details of Rietveld fitting parameters for SXRD pattern of BF-0.50PT sample having different particle size.	83
<b>Table 3.2</b>	Refined structural parameters of BF-0.25PT of different sizes using Ic space group obtained from synchrotron x-ray diffraction.	90
<b>Table 3.3</b>	Rietveld refinement results of Lab X-ray diffraction data of BF-0.xPT (x=0.20, 0.25, 0.30, 0.35 and 0.40).	98
<b>Table 4.1</b>	Character table and basis vector (magnetic) of space group P4mm at $k = (1/2, 1/2, 1/2)$ .	106
<b>Table 4.2</b>	Fe-O bond lengths ( $\text{\AA}$ ) of the dominant phase constituting the core of BF-0.5PT samples as a function of particle size.	114
<b>Table 4.3</b>	Rietveld refined positional coordinates, thermal parameters and lattice parameters of 18 nm size powder of BF-0.50PT at 4K and 300K. The magnetic R-factor for the coexisting phase is rather high due to the diffuse nature of the neutron peak component.	117
<b>Table 5.1 a</b>	Character table and basis vector (magnetic) of space group Cc at $k = 0,0,0$	124

<b>Table 5.1 b</b>	Character table and basis vector (magnetic) of space group Cc at $k = 0,0,1$	125
<b>Table 5.2</b>	Refined structural parameters of BF-0.25PT using Cc space group as obtained from neutron powder diffraction.	135
<b>Table 5.3</b>	Details of bond length and bond angle of BF-0.25PT of different sizes and bulk BiFeO <sub>3</sub> [Goswami et al (2011)].	139