

- Ahn**, C.H., Rabe, K.M., and Triscone, J.M., Ferroelectricity at nanoscale: local polarization in oxides thin films and heterostructures. *Science* 303,488, **2004**.
- Alivisatos**, A. P., Semiconductor clusters, nanocrystals, and quantum dots. *Science* 271, 933–937, (1996).
- Allwood**, D. A., Xiong, G., Faulkner, C. C., Atkinson, D., Petit, D. and Cowburn, R. P., Magnetic Domain-Wall Logic, *Science*, 309, 1688, **2005**.
- Ambrose**, T. and Chien, C.L., Finite-Size effect and uncompensated magnetization in thin antiferromagnetic CoO layer. *Phys. Rev. Lett.* 76, 1743, **1996**.
- Anderson**, P. W., Antiferromagnetism. Theory of superexchange interaction. *Phys. Rev.*, 79, 350-356, **1950**.
- Arnold**, D. C., Knight K. S., Morrison F. D., and Lightfoot P., “Ferroelectric-Paraelectric Transition in BiFeO₃: Crystal Structure of the Orthorhombic β Phase”, *Phys. Rev. Lett.* 102, 027602, **2009**.
- Arnold**, D.C., Knight, K.S., Catalan, G., Redfern, S.A.T., Scott, J.F. Lightfoot, P. and Morrison, F.D., The β to γ transition in BiFeO₃, A Powder Neutron Diffraction Study, *Adv. Funct. Mater.*, 20, 2116–2123, **2010**.
- Atanasov**, M. and Reinen, D., Density functional studies on the lone pair effect of the trivalent group V elements: I. electronic structure, vibronic coupling, and chemical criteria for the occurrence of lone pair distortions in AX₃ molecules (A=N to Bi; X=H, and F to I), *J. Phys. Chem. A*, 105, 5450–5467, **2001**.
- Banik**, S., Banu, N. and Das, I., Evolution from non-Griffiths phase to Griffiths phase: Giant enhancement of magnetoresistance in nanocrystalline (La_{0.4}Y_{0.6})_{0.7}Ca_{0.3}MnO₃ compound, *J. Alloy. Compd.*, 745 753-760, **2018**.
- Benitez**, M.J., Petracic, O., Salabas, E.L., Radu, F., Tüysüz, H., Schüth, F. and Zabel, H., Evidence for core shell magnetic behaviour in antiferromagnetic Co₃O₄ nanowires. *Phys Rev. Lett.*, 101, 097206, **2008**.
- Bennett**, J., Bell, A.J., Stevenson, T.J., Smith, R.I., Sterianou, I., Reaney, I.M. and Comyn, T.P., Multiferroic properties of BiFeO₃-(K_{0.5}Bi_{0.5})TiO₃ ceramics, *Mat. Letters*, 94, 172–175, **2013**.
- Betouras**, J. J., Giovannetti, G. and van den Brink J., Multiferroicity Induced by Dislocated Spin-Density Waves, *Phys. Rev. Lett.*, 98, 257602, **2007**

- Bhattacharjee**, S., Senyshyn, A., Krishna. P.S.R., Fuess, H., and Pandey, D., Simultaneous change of nuclear and magnetic structures across the morphotropic phase boundary in $(1-x)\text{BiFeO}_3\text{-}x\text{PbTiO}_3$ Appl. Phys. Lett. 97, 262506, **2010**.
- Bhattacharjee**, S. and Pandey, D., Stability of the various crystallographic phases of the multiferroic, $1-x\text{BiFeO}_3\text{-}x\text{PbTiO}_3$ system as a function of composition and temperature, J. Appl. Phys., 107, 124112, **2010**.
- Bhattacharjee**, S., Senyshyn A., Krishna P. S. R., Fuess H. and Pandey D., Simultaneous changes of nuclear and magnetic structures across the morphotropic phase boundary in $(1-x)\text{BiFeO}_3\text{-}x\text{PbTiO}_3$, Appl. Phys. Lett., 97, 262506, **2010**.
- Bhattacharjee**, S. and Pandey, D., Effect of stress induced monoclinic to tetragonal phase transformation in the multiferroic $(1-x)\text{BiFeO}_3\text{-}x\text{PbTiO}_3$ system on the width of the morphotropic phase boundary and the tetragonality, J. Appl. Phys., 110, 084105, **2011**.
- Bhattacharjee**, S. and Pandey, D., Stability of the various crystallographic phases of the multiferroic $(1-x)\text{BiFeO}_3\text{-}x\text{PbTiO}_3$ system as a function of composition and temperature, J. Appl. Phys. 107, 124112, **2010**.
- Bhattacharjee**, S. Tripathi, S. and Pandey, D., Morphotropic phase boundary in $(1-x)\text{BiFeO}_3\text{-}x\text{PbTiO}_3$: Phase coexistence region and unusually large tetragonality, Appl. Phys. Lett. 91, 042903, **2007**.
- Bhattacharjee**, S., Pandey, V., Kotnala, R.K. and Pandey, D., Unambiguous evidence for magnetoelectric coupling of multiferroic origin in $0.73\text{BiFeO}_3\text{-}0.27\text{PbTiO}_3$, Appl. Phys. Lett. 94, 012906, **2009**.
- Bhattacharjee**, S., Senyshyn, A., Fuess, H. and Pandey, D., Morin-type spin-reorientation transition below the Neel transition in the monoclinic compositions ' of $(1-x)\text{BiFeO}_3\text{-}x\text{PbTiO}_3$ ($x = 0.25$ and 0.27): A combined dc magnetization and x-ray and neutron powder diffraction study, Phys. Rev. B., 87, 054417, **2013**.
- Bhattacharjee**, S., Taji, K., Moriyoshi, C., Kuroiwa, Y. and Pandey, D., Temperature-induced isostructural phase transition, associated large negative volume expansion, and the existence of a critical point in the phase diagram of the multiferroic $(1-x)\text{BiFeO}_3\text{-}x\text{PbTiO}_3$ solid solution system, Phy. Rev. B., 84, 104116, **2011**.
- Bhattacharjee**, S., Tripathi, S. and Pandey, D., Morphotropic phase boundary in $(1-x)\text{BiFeO}_3\text{-}x\text{PbTiO}_3$: phase coexistence region and unusually large tetragonality, Appl. Phys. Lett., 91, 042903, **2007**.

- Bhattacharjee**, S., Ph.d. thesis, Institute of Technology, Banaras Hindu University, **2012**
- Binder**, K., Statistical mechanics of finite three-dimensional ising models, *Physica* 62, 508, **1972**
- Blundell**, S., Magnetism Condensed Mater, Published in the United States by Oxford University Press Inc., New York, **2001**.
- Bose**, S. and Ayyub, P., A review of finite size effects in quasi-zero dimensional superconductors, *Rep. Prog. Phys.*, 77, 116503, **2014**.
- Caglioti**, G., Paoletti, A. and Ricci, F. P., Choice of Collimator for a Crystal Spectrometer for Neutron Diffraction, *Nucl. Instrum.*, 3, 223-228, **1958**.
- Carvajal**, J. R., Laboratoire Leon Brillouin, CEA-CNRS, France, FULLPROF
- Catalan**, G. and Scott, J. F., Physics and Applications of Bismuth Ferrite, *Adv. Mater.*, 21, 2463–2485. **2009**.
- Chaigeneau**, J., Kait J.M., Malibert C. and Bogicevic C., Morphotropic phase boundaries in $(\text{BiScO}_3)_{1-x}(\text{PbTiO}_3)_x$ ($0.60 < x < 0.75$) and their relation to chemical composition and polar order, *Phys. Rev. B* 76, 0941111, **2007**.
- Chen**, J., Xing X. R., Liu G. R., Li J. H., and Liu Y. T., “Structure and negative thermal expansion in the PbTiO_3 – BiFeO_3 system”, *Appl. Phys. Lett.* 89, 101914 , **2006**.
- Chen**, C., Cheng, J., Yu, S., Che, L. and Meng, Z., Hydrothermal synthesis of perovskite bismuth ferrite crystallites, *J. Crys. Grwth.* 291 135–139, **2006**.
- Chen**, J., Fan, L., Ren, Y., Pan, Z., Deng, J., Yu, R. and Xing, X., Unusual Transformation from Strong Negative to Positive Thermal Expansion in PbTiO_3 - BiFeO_3 Perovskite, *Phys. Rev. Lett.* 110, 115901, **2013**.
- Cheong**, S. W. and Mostovoy, M., Multiferroics: a magnetic twist for ferroelectricity, *Nature Materials*, 6, 13-20, **2007**.
- Choudhary** R. N. P., Barik S. K., Katiyar R. S., Impedance spectroscopic studies of BiFeO_3 - $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x})\text{O}_3$ nanocomposites, *Modern Phys. Lett. B*, 23, 2655-2664, **2009**.
- Cohen**, R. E., Origin of ferroelectricity in perovskite oxides, *Nature*, 358, 136–138, **1992**.
- Comyn**, T.P., Stevenson, T., Jawad, M.A., Marshall, W.G., Smith, R.I., Albilllos, J.H. Cywinski, R. and Bell, A.J., Pressure induced para-antiferromagnetic switching in BiFeO_3 – PbTiO_3 as determined using in-situ neutron diffraction, *J. Appl. Phys.* 113, 183910, **2013**.

- Correas** C., T. Hungria and A. Castro, Mechanosynthesis of the whole $x\text{BiFeO}_3-(1-x)\text{PbTiO}_3$ multiferroic system: structural characterization and study of phase transitions, *J. Mater. Chem.* 21, 3125-3132, **2011**.
- Cullity**, B. D., Introduction to magnetic materials, Addison-Wesley Publishing Company, Inc. Philippines, **1972**.
- Das**, S. R., Choudhary, R. N. P., Bhattacharya, P., Katiyar, R. S., Dutta, P., Manivannan, A. and Seehra, M. S., Structural and multiferroic properties of La-modified BiFeO_3 ceramics, *J. Appl. Phys.* 101, 034104, **2007**.
- Deisenhofer**, J., Braak, D., Krug von Nidda, H.-A., Hemberger, J., Eremina, R. M., Ivanshin, V. A., Balbashov, A. M., Jug, G., Loidl, A., Kimura, T. and Tokura, Y., Observation of a Griffiths Phase in Paramagnetic $\text{La}_{1-x}\text{Sr}_x\text{MnO}_3$, *Phys. Rev. Lett.*, 95, 257202, **2005**.
- Dhanalakshmi**, B., Pratap, K., Parvatheswara Rao, B. and Subba Rao, P.S.V., Effects of Mn doping on structural, dielectric and multiferroic properties of BiFeO_3 nanoceramics, *J. Alloys and Compd.*, 676, 193-201, **2016**.
- Dieguez**, O. and Iniguez J., First-principles investigation of morphotropic transitions and phase-change functional responses in $\text{BiFeO}_3\text{-BiCoO}_3$ multiferroic solid solutions, *Phys. Rev. Lett.*, 107, 057601, **2011**.
- Dormann**, J. L., Fiorani, D. and Tronc, E., Collective magnetic state in nanoparticle system. *Adv. Chem. Phys.* 98, 283, **1997**.
- Dormann**, J.L and Fiorani, D. (ed) Magnetic properties of fine particles. (Amsterdam: North- Holland, **1992**).
- Dutta**, A., Gayathri, N. and Ranganathan, R., Effect of particle size on the magnetic and transport properties of $\text{La}_{0.875}\text{Sr}_{0.125}\text{MnO}_3$, *Phys. Rev. B* 68, 054432, **2003**.
- Dzyaloshinskii**, I., A thermodynamic theory of weak ferromagnetics, *J. Phys. Chem. Solids*, 4, 241–55, **1958**.
- Ederer**, C. and Spaldin, N. A., Weak ferromagnetism and magnetoelectric coupling in bismuth ferrite, *Phys. Rev. B*, 71, 060401, **2005**.
- Eerenstein** ,W., Mathur ,N.D. , and Scott ,J.F, Multiferroic and magnetoelectric materials, *Nature (London)* 442, 759 ,**2006**.

- Eerenstein**, W., Morrison, F. D., Dho, J., Blamire, M. G., Scott, J. F., Mathur, N. D., Comment on “Eitaxial BiFeO₃ multiferroic thin film heterostructures”, Science, 307, 1203, **2005**.
- Eibschütz**, M., Shtrikman, S. and Treves, Mossbauer Studies of Fe⁵⁷ in Orthoferrites, D. Phys. Rev. 156, 562, **1967**.
- Fedulov** S. A., Ladyzhinskii P. B., Pyatigorskaya I. L. and Venevtsev Yu. N., Complete Phase Diagram of the PbTiO₃-BiFeO₃ system, Soviet Physics-Solid State, 6, 375-378, **1964**.
- Fiebig**, M., Revival of the magnetoelectric effect, J. Phys. D: Appl. Phys., 38, R123, **2005**.
- Fiorani**, D., (ed) Surface effects in magnetic nanoparticles (Springer, New York, **2005**).
- Fischer**, P., Polomska, M., Sosnowska, I. and Szymanski, M., Temperature dependence of the crystal and magnetic structures of BiFeO₃, J. Phys. C: Solid State Phys., 13, 1931-1940, **1980**.
- Freitas**, V.F., Cótica, L.F., Santos,I.A., Garcia, D. and Eiras, J.N., Synthesis and multiferroism in mechanically processed BiFeO₃-PbTiO₃ceramics, J. Europ. Cera. Soc., 31, 2965-2973, **2011**.
- Ghosh**, S., Dasgupta, S., Sen, A. and Maiti, H.S., Low-Temperature Synthesis of Nanosized Bismuth Ferrite by Soft Chemical Route, J. Am. Ceram. Soc., 88, 1349–1352, **2005**.
- Glazer**, A. M., Simple Ways of Determining Perovskite Structures, ActaCrystallogr. Sec. A 31, 756 **1975**, ActaCrystallogr. Sec. B 28, 3384 **1972**.
- Golosovsky**, I.V., Vakhrushev, S.B., Garcia-Munoz, J.L., Brunelli, M., Zhu, W.M., Ye, Z.G. and Skumryev, V., Neutron diffraction study of the (BiFeO₃)_{1-x}(PbTiO₃)_x solid solution: nanostructured multiferroic system, J. Phys. Condens. Matter 27 046004, **2015**.
- Goswami**, S., Bhattacharya, D. and Choudhury, P., Particle size dependence of magnetization and noncentrosymmetry in nanoscale BiFeO₃, J. Appl. Phys., 109, 07D737, **2011**.
- Goto**, T., Kimura, T., Lawes, G., Ramirez, A.P. and Tokura,Y., Ferroelectricity and Giant Magnetocapacitance in Perovskite Rare-Earth Manganites, Phys. Rev. Lett. 92, 257201 **2004**.

- Griffiths**, R.B., Nonanalytic Behavior Above the Critical Point in a Random Ising Ferromagnet, Phys. Rev. Lett., 23, 17-19, **1969**.
- Gupta**, S., Bhattacharjee, S., Pandey, D., Bansal, V., Bhargava, S.K., Peng, J.L. and Garg, A., Absence of morphotropic phase boundary effects in BiFeO₃–PbTiO₃ thin films grown via a chemical multilayer deposition method, Appl. Phys. A., 104, 395–400, **2011**.
- Hasan**, M., Islam, M.F., Mahbub, R., Hossain, M.S. and Hakim, M.A., A soft chemical route to the synthesis of BiFeO₃ nanoparticles with enhanced magnetization, Mat. Res. Bull., 73, 179–186, **2016**.
- Haumont**, R., Kreisel, J., Bouvier, P. and Hippert, F., Phonon anomalies and the ferroelectric phase transition in multiferroic BiFeO₃, Phys. Rev. B, 73, 132101, **2006**.
- He**, C., Torija, M. A., Wu, J., Lynn, J. W., Zheng, H., Mitchell, J. F., and Leighton, C., Non-Griffiths-like clustered phase above the Curie temperature of the doped perovskite cobaltite La_{1-x}Sr_xCoO₃, Phys. Rev. B, 76, 014401, **2007**.
- Hill**, N. A., Why are there so few magnetic ferroelectrics?, J. Phys. Chem. B, 104, 6694–6709, **2000**.
- Hojo**, H., Oka,K., Shimizu, K., Yamamoto, H., Kawabe, R. and Azuma, M., Adv. Mater. 2018, 170565 (2018).
- Hongri**, L., Zuli, L., Qing, L. and Kailun, Y., Electric and magnetic properties of multiferroic (BiFeO₃)_{1-x}–(PbTiO₃)_x films prepared by the sol–gel process, J. Phys. D: Appl. Phys. 39, 1022–1027, **2006**.
- Horner**, H., Glassy Dynamics and Aging in Disordered Systems. In: Radons G., Just W., Häussler P. (eds) Collective Dynamics of Nonlinear and Disordered Systems. Springer, Berlin, Heidelberg, **2005**.
- Huang**, F., Wang, Z., Lu, X., Zhang, J., Min, K., Lin, W., Ti, R., Xu, T.T., He, J., Yue C., and Zhu, J., Peculiar magnetism of BiFeO₃ nanoparticles with size approaching the period of the spiral spin structure, Sci. Reports 3, 2907, **2013**.
- Hur**, N., Park S., Sharma P.A., Ahn J.S., Guha S. and Cheong S.W., Electric polarization reversal and memory in a multiferroic material induced by magnetic fields, Nature, 429, 392, **2004**.
- Ishikawa**, K., Yoshikawa, K. and Okada, N., Size effect on the ferroelectric phase transition in PbTiO₃ ultrafine particles Phys. Rev. B 37,5852 **1988**.

- Ivanov**, S. A., Nordblad P. and Tellgren R., Influence of PbZrO₃ doping on the structural and magnetic properties of BiFeO₃, Solid State Sci., **10**, 1875-1885, **2008**.
- Jacobson**, A. J. and Fender, B. E. F., A neutron diffraction study of the nuclear and magnetic structure of BiFeO₃, J. Phys. C: Solid State Phys., **8**, 844-850, **1975**.
- Jaffe** B., W. R. Cook, and H. Jaffe, “*Piezoelectric Ceramics*”, Academic, London, **1971**.
- Jiang**, W., Zhou, X.Z., Williams, G., Mukovskii, Y. and Glazyrin, K., Griffiths phase and critical behavior in single-crystal La_{0.7}Ba_{0.3}MnO₃: Phase diagram for La_{1-x}Ba_xMnO₃ ($x \leq 0.33$), Phys. Rev. B, **77**, 064424, **2008**.
- Jun**, Y.K., Moona, W.T., Chang, C.M., Kima, H.S., Ryua, H.S., Kimb, J.W., Kimb, K.H. and Hong S.H., Effects of Nb-doping on electric and magnetic properties in multiferroic BiFeO₃ ceramics, Solid State Commn., **135** 133–137, **2005**.
- Kaczmarek**, W. and Pajak, Z., Differential thermal analysis of phase transitions in (Bi_{1-x}La_x)FeO₃ solid solution, Solid State Comm., **17**, 807–810, **1975**.
- Kadomtseva**, A. M., Zvezdin, A. K., Popov, Yu. F., Pyatyakov, A. P. and Vorobiev, G. P., Space-time parity violation and magnetoelectric interactions in antiferrormagnets, JETP Lett., **79**, 571–581, **2004**.
- Kanai** T., Ohkoshi S.-I., Nakajima A., Watanabe T. and Hashimoto K., “A ferroelectric ferromagnet composed of (PLZT)_x(BiFeO₃)_{1-x} solid solution,” Adv. Mater. (7)13, 487-490, **2001**.
- Kasuya**, T., A Theory of Metallic Ferro- and Antiferromagnetism on Zener's Model, Prog. Theor. Phys., **16**, 45-57, **1956**.
- Katoch**, R., Sekhar, C.D., Adyam, V., Scott, J.F., Gupta, R. and Garg, A., Spin phonon interactions and magnetodielectric effects in multiferroic BiFeO₃–PbTiO₃, J. Phys. Condens. Matter. **28** 075901, **2016**.
- Kimura**, T., Goto, T., Shintani, H., Ishizaka, K., Arima, T. and Tokura, Y., Magnetic control of ferroelectric polarization, Nature, **426**, 55-58, **2003**.
- Kiselev**, S.V., Ozerov R.P., Ozhevskii O. P. A., Yamzin I. I. and Kocharov A. G., Nature of the spontaneous magnetic moment of the solid solution 0.92BiFeO₃-0.08Pb(Fe_{1/2}Nb_{1/2})O₃, Sov.Phys. Sol. State, **11**, 446-47, **1969**.
- Kodma**, R. H., Makhlof Salah ,A. , and Berkowitz ,A.E. , Finite size effects on antiferromagnetic NiO nanoparticles. Phys. Rev. Lett. **79**, 1393. **1997**.

- Komarneni**, S., Li, Q.H. and Roy, R., Microwave-hydrothermal processing of layered anion exchangers, *J. Mat. Resch.*, 11, 1866-1869, **1996**.
- Korchagina** S. K., Ivanov S. A., Proidakova V. Y., Rush S. N., Rybakova L. F. and Sadovskaya N. V., “Synthesis, structure, and properties of solid solutions based on bismuth ferrite inorganic materials,” 45, 568–573, **2009**.
- Kornev**, I. A., Lisenkov, S., Haumont, R., Dkhil, B. and Bellaiche, L., Finite-Temperature Properties of Multiferroic BiFeO₃, *Phys. Rev. Lett.*, 99, 227602, **2007**.
- Kothai**, V., Prasath Babu, R. and Ranjan, R., Metastable morphotropic phase boundary state in the multiferroic BiFeO₃–PbTiO₃, *J. Appl. Phys.* 114, 114102, **2013**.
- Kothai**, V., Senyshyn, A. and Ranjan, R., Competing structural phase transition scenarios in the giant tetragonality ferroelectric BiFeO₃-PbTiO₃: Isostructural vs multiphase transition, *J. Appl. Phys.* 113, 084102, **2013**.
- Kozheev**, D. F., Zalessky, A. V., Gippius, A. A., Morozova, E. N. and Bush, A. A., Spin modulation of ⁵⁷Fe NMR frequency and relaxation in BiFeO₃, *Physica B*, 329, 848–849, **2003**.
- Kubel**, F. and Schmid, H., Structure of a Ferroelectric and Ferroelastic Monodomain Crystal of the Perovskite. BiFeO₃. *Acta Cryst. B*, 46, 698-702, **1990**.
- Kumar** M. M., Palkar V. R., Srinivas K. and Suryanarayana S. V., Ferroelectricity in a pure BiFeO₃ ceramic, *Appl. Phys. Lett.*, 76, 2764, **2000**.
- Kundu**, S. and Nath, T. K., Evidence of electronic phase arrest and glassy ferromagnetic behaviour in (Nd_{0.4}Gd_{0.3})Sr_{0.3}MnO₃ manganite: comparative study between bulk and nanometric samples, *J. Phys. Condens. Matter* 23 356001, **2011**.
- Lang**, X. Y., Zheng, W. T. and Jiang, Q., Size and interface effects on ferromagnetic and antiferromagnetic transition temperatures, *Phys. Rev. B* 73, 224444, **2006**.
- Lebeugle**, D., Colson, D., Forget, A. and Viret, M., Very large spontaneous electric polarization in BiFeO₃ single crystals at room temperature and its evolution under cycling fields, *Appl. Phys. Lett.*, 91, 022907, **2007**.
- Lebeugle**, D., Colson, D., Forget, A., Viret, M., Bonville, P., Marucco, J.F. and Fusil, S., Room-temperature coexistence of large electric polarization and magnetic order in BiFeO₃ single crystals, *Phys. Rev. B*, 76, 024116, **2007**.

- Lee**, J. H., Choi H. J., Lee D., Kim M. G., Bark C. W., Ryu S., Oak M-A and Jang H. M., “Variations of ferroelectric off-centering distortion and 3d-4p orbital mixing in La-doped BiFeO₃ multiferroics,” Phys. Rev. B, 82 045113- 045121, **2010**.
- Lee**, M. H., Kim, D. J., Park, J. S., Kim, S. W., Song, T. K., Kim, M. H., Kim, W. -J., Do, D. and Jeong, I. K., High-Performance Lead-Free Piezoceramics with High Curie Temperatures Adv. Mater. 27, 6976, **2015**.
- Li**, M., Ning, M. Ma, Y., Wu, Q. and Ong, C.K., Room temperature ferroelectric, ferromagnetic and magnetoelectric properties of Ba-doped BiFeO₃ thin films, J. Phys. D: Appl. Phys., 40, 1603, **2007**.
- Lines**, M. E. and Glass, A. M., Principles and applications of ferroelectrics and related materials, Clarendon Press, Oxford, **1977**.
- Lottermoser**, T. and Fiebig, M., Magnetoelectric behavior of domain walls in multiferroic HoMnO₃, Phys. Rev. B, 70, 220407(R), **2004**.
- Lubk**, A., Gemming, S., and Spaldin, N. A., First-principles study of ferroelectric domain walls in multiferroic bismuth ferrite, Phys. Rev. B, 80, 101411, **2009**
- Mandal**, P.R. and Nath, T.K., Evolution of Griffith phase in hole doped double perovskite La_{2-x}Sr_xCoMnO₆ (x = 0.0, 0.5, and 1.0), Mater. Res. Express 2 066101, **2015**.
- Manna**, P.K., and Yusuf ,S.M., Two interface effects – Exchange bias and magnetic proximity .Phys Rep 535, 61 ,**2014**.
- Markovich**, V., Puzniak, R., Fita, I., Wisniewski, A., Mogilyansky, D., Dolgin, B., Gorodetsky, G. and Jung, G., Irreversibility, remanence, and Griffiths phase in Sm_{0.1}Ca_{0.9}MnO₃ nanoparticles, J. Appl. Phys. 113, 233911, **2013**.
- Mazumder**, R., Devi P.S., Bhattacharya, D., Choudhury, P. Sen, A. and Raja, M., Ferromagnetism in nanoscale BiFeO₃, Appl. Phys. Lett. 91, 062510, **2007**.
- Megaw**, H. D. and Darlington, C. N. W., Geometrical and structural relations in the rhombohedral perovskites, Acta Cryst. A, 31, 161-173, **1975**.
- Molina-Ruiz**, M., Lopeandía A.F. , Pi ,F. , Givord ,D. , Bourgeois ,O. , and Rodríguez-Viejo ,J., Evidence of finite-size effect on neel temperature in ultra thin layers of CoO grains. Phys. Rev. B 83, 140407(R) ,**2011**.
- Moriya**, T., Anisotropic superexchange interaction and weak ferromagnetism, Phys. Rev., 120, 91–98, **1960**.
- Mostovoy**, M., Ferroelectricity in Spiral Magnets, Phys. Rev. Lett., 96, 067601, **2006**

- Narayan**, B., Adhikari, S., Madras, G. and Ranjan, R., Trapping a Metastable Ferroelectric Phase by Size Reduction in Semiconducting Ferroelectric BiFeO₃-PbTiO₃ and Its Implications for Photocatalytic Response, *Phy. Rev. Appld.*, 7, 024018, **2017**.
- Neaton**, J. B., Ederer, C., Waghmare, U. V., Spaldin, N. A. and Rabe K. M., First-principles study of spontaneous polarization in multiferroic BiFeO₃. *Phys. Rev. B*, 71, 014113, **2005**.
- Palai**, R. , Katiyar, R. S., Schmid, H. , Tissot, P., Clark, S. J., Robertson, J., Redfern, S. A. T. , Catalan, G. and Scott, J. F., β phase and γ - β metal-insulator transition in multiferroic BiFeO₃, *Phys. Rev. B*, 77, 014110, **2008**.
- Palewicz**, A., Przeniosło, R., Sosnowska, I. and Hewat, A. W., Atomic displacements in BiFeO₃ as a function of temperature: neutron diffraction study, *Acta Cryst. B*, 63, 537–544, **2007**.
- Pálová**, L., Chandra, P. and Rabe K.M., Magnetostructural effect in the multiferroic BiFeO₃-BiMnO₃ checkerboard from first principles, *Phys. Rev. Lett.*, 104(3), 037202, **2010**.
- Pankhurst**, Q. A , Conolly , J. , Jones, S.K ,and Dobson, J. , Application of magnetic nanoparticles in biomedicine . *J. Phys. D: Appl. Phys.* 36, R167, **2003**.
- Park**, J., Lee, S. H., Lee, S., Gozzo, F., Kimura, H., Noda, Y., Choi, Y. J., Kiryukhin, V. K., Cheong, S. W., Jo, Y. Chio, E. S., Balicas, L., Jeon, G. S. and Park, J. G., Magnetoelectric Feedback among Magnetic Order, Polarization, and Lattice in Multiferroic BiFeO₃, *Jap. J. Appl. Phys.*, 80, 117414, **2011**.
- Park**, T.J., Papaefthymiou, G.C., Viescas, A.J., Lee, Y., Zhou, H. and Wong, S.S., Composition-dependent magnetic properties of BiFeO₃-BaTiO₃ solid solution nanostructures, *Phys. Rev. B*, 82, 024431, **2010**.
- Park**, T.J., Papaefthymiou, G.C., Viescas, A.J., Moodenbaugh, A.R. and Wong, S.S., Size-Dependent Magnetic Properties of Single-Crystalline Multiferroic BiFeO₃ Nanoparticles, *Nano Lett.*, 7, 766-772, **2007**.
- Patel**, J.P., Senyshyn, A., Fuess, H. and Pandey, D., Evidence for weak ferromagnetism, isostructural phase transition, and linear magnetoelectric coupling in the multiferroic Bi_{0.8}Pb_{0.2}Fe_{0.9}Nb_{0.1}O₃ solid solution, *Phys. Rev. B* 88, 104108, **2013**.
- Pathak**, A.K., Paudyal, D., Jayasekara, W.T., Calder, S., Kreyssig, A., Goldman, A. I., Gschneidner, Jr., K. A. and V. K. Pecharsky, V. K., Unexpected magnetism, Griffiths

phase, and exchange bias in the mixed lanthanide $\text{Pr}_{0.6}\text{Er}_{0.4}\text{Al}_2$, Phys. Rev. B 89, 224411, **2010**.

Peuchart, U., Bohatý, L. and Schneider, J., Ab Initio Structure Solution and Rietveld Refinement of the High-Temperature $\text{K}_2\text{MgWO}_2(\text{PO}_4)_2$ Phase ($T = 773$ K) from X-ray Powder Diffraction Data, J. Appl. Cryst., 31, 10-15, **1998**.

Popov, Yu. F., Zvezdin, A. K., Vorob'ev, G. P., Kadomtseva, A. M., Murashev, V. A. and Rakov, D. N., Linear magnetoelectric effect and phase transitions in bismuth ferrite, BiFeO_3 , JETP. Lett., 57, 69-73, **1993**.

Pradhan, A.K., Zhang, K., Hunter, D., Dadson, J.B. and Loiutts, G.B., Magnetic and electrical properties of single-phase multiferroic BiFeO_3 , J. Appl. Phys. 97, 093903, **2005**.

Pramanik, A. K. and Banerjee, A., Griffiths phase and its evolution with Mn-site disorder in the half-doped manganite $\text{Pr}_{0.5}\text{Sr}_{0.5}\text{Mn}_{1-y}\text{Ga}_y\text{O}_3$ ($y=0.0$, 0.025, and 0.05), Phys. Rev. B 81, 024431, **2010**.

Raevski, I. P. , Kubrin, S. P., Dellis, J. L., Raevskaia, S. I., Sarychev, D. A., Smotrakov, V. G., Eremkin, V. V. and Seredkina, M. A., A studies of Magnetic and Ferroelectric Phase Transitions in $\text{BiFeO}_3\text{-NaNbO}_3$ Solid Solution Ceramics, Ferroelectrics, 371:113–118, **2008**.

Ragini, Ranjan, R., Mishra, S.K. and Pandey, D., Room temperature structure of $\text{Pb}(\text{Zr}_x\text{Ti}_{1-x}\text{O}_3)\text{Pb}(\text{Zr}_x\text{Ti}_{1-x}\text{O}_3)$ around the morphotropic phase boundary region: A Rietveld study, J. Appl. Phys. 92, 3266, **2002**.

Ramesh R. and Spaldin N. A., Multiferroics: Progress and prospects in thin films, Nature Mater., 6, 21-29 **2007**.

Ramesh, R., and Spaldin, N.A, Multiferroics – progress and prospects in thin film. Nat. Mater. 6, 21, **2007**.

Rana, D. S., Takahashi, K., Mavani, K. R., Kawayama, I., Murakami, H., and Tonouchi, M., Thickness dependence of the structure and magnetization of BiFeO_3 thin films on $(\text{LaAlO}_3)_{0.3}(\text{Sr}_2\text{AlTaO}_6)_{0.7}$ (001) substrate, Phys. Rev. B, 75, 060405(R), **2007**.

Ranjan, R. and Raju, K.A., Unconventional mechanism of stabilization of a tetragonal phase in the perovskite ferroelectric $(\text{PbTiO}_3)_{1-x}(\text{BiFeO}_3)_x$, Phys. Rev. B, 82, 054119, **2010**.

- Ranjan**, R., Kothai, V., Senyshyn, A. and Boysen, H., Neutron diffraction study of the coupling between spin, lattice, and structural degrees of freedom in 0.8BiFeO₃-0.2PbTiO₃, *J. Appl. Phys.*, 109,063522 **2011**.
- Ranjan**, V., Omran, S.B. and Bellaiche, L., Isostructural phase transitions in GaN/ScN and InN/ScN superlattices, *Phy. Rev. B* 71, 195302, **2005**.
- Ravindran**, P., Vidya, R., Kjekshus, A. and Fjellvåg, H. Theoretical investigation of magnetoelectric behavior in BiFeO₃, *Phys. Rev. B*, 74, 224412, **2006**.
- Remeika**, J. P. and Glass, A. M., The growth and ferroelectric properties of high resistivity single crystals of lead titanate, *Mat. Res. Bull.*, 5, 37-46, **1970**.
- Roginskaya**, Y. E., Tomashpolskii, Y. Y., Venevtsev, Y. N., Petrov, V.M., and Zhdanov, G. S., The nature of the dielectric and magnetic properties of BiFeO₃. *Sov. Phys. JETP*, 23, 47-53, **1966**.
- Ruderman**, M. A. and Kittel, C. , Indirect Exchange Coupling of Nuclear Magnetic Moments by Conduction Electrons, *Phys. Rev.*, 96, 99–102, **1954**.
- Ruette**, B., Zvyagin, S., Pyatakov, A. P., Bush, A., Li, J. F., Belotelov, V. I., Zvezdin, A. K. and Viehland, D., Magnetic-field-induced phase transition in BiFeO₃ observed by high-field electron spin resonance: Cycloidal to homogeneous spin order, *Phys. Rev. B*, 69, 064114, **2004**.
- Rusakov** D. A., Abakumov A. M., Yamaura K., Belik A. A., Tendeloo G. V. and Muromachi E. T., Structural evolution of the BiFeO₃-LaFeO₃ system, *Chem. Mater.*, 23, 285–292, **2011**.
- Saber**, M. M., Egilmez, M., Mansour, A. I., Fan, I., Chow, K. H. and Jung, J., Evolution of Curie-Weiss behavior and cluster formation temperatures in Ru-doped Sm_{0.55}Sr_{0.45}MnO₃ manganites, *Phys. Rev. B* 82, 172401, **2010**.
- Sai Sunder**, V. V. S. S., Halliyal A., and Umarji A. M., Investigation of tetragonal distortion in the PbTiO₃–BiFeO₃ system by high-temperature x-ray diffraction, *J. Mater. Res.* 10, 1301-1306, **1995**.
- Salomon**, M. B. and Chun, S. H., Griffiths singularities and magnetoresistive manganites, *Phys. Rev. B* 68, 014411, **2003**.
- Schmid**, H., On a magnetoelectric classification of materials, *Int. J. Magn.* 4, 337 **1973**.
- Selbach**, S. M., Einarsrud, M.-A., Tybell, T. and Grande, T., Synthesis of BiFeO₃ by Wet Chemical Methods, *J. Am. Ceram. Soc.*, 90 3430-3434, **2007**.

- Selbach**, S. M., Tybell, T., Einarsrud, M. A. and T. Grande, The Ferroic Phase Transitions of BiFeO₃, *Adv. Mater.*, 20, 3692–3696, **2008**.
- Shirane**, G., Pepinsky R., and Frazer B. C., X-ray and neutron diffraction study of ferroelectric PbTiO₃, *Acta Cryst.* 9, 131-140, **1956**.
- Singh**, A. ,Pandey ,V., Kotnala ,R.K. and Pandey ,D. , Direct evidence of multiferroic magnetoelectric coupling in 0.9 BiFeO₃- 0.1 BiTiO₃. *Phys. Rev. Lett.* 101, 247602 , **2008**.
- Singh**, A., Moriyoshi, C., Kuroiwa, Y. and Pandey,D., Evidence for diffuse ferroelectric phase transition and cooperative tricritical freezing of random-site dipoles due to off-centered Bi³⁺ ions in the average cubic lattice of (Ba_{1-x}Bi_x)(Ti_{1-x}Fe_x)O₃, *Phys. Rev. B* 85, 064116, **2012**.
- Singh**, A., Senyshyn, A., Fuess, H., Chatterji, T. and Pandey, D., Neutron powder diffraction study of nuclear and magnetic structures of multiferroic (Bi_{0.8}Ba_{0.2})(Fe_{0.8}Ti_{0.2})O₃: Evidence for isostructural phase transition and magnetoelastic and magnetoelectric couplings, *Phys. Rev. B* 83, 054406, **2011**.
- Singh**, A., Senyshyn, A., Fuess, H., Kennedy, S.J. and Pandey, D., Magnetic transitions and site-disordered induced weak ferromagnetism in (1-x)BiFeO₃-xBaTiO₃, *Phys. Rev. B*, 89, 024108 **2014**.
- Singh**, A.K., Zaharko, O. and Pandey, D., Powder neutron diffraction study of phase transitions in and a phase diagram of (1-x)Pb(Mg_{1/3}Nb_{2/3}O₃)-xPbTiO₃ *Phys. Rev. B* 74, 024101, **2006**.
- Singh**, A.K.,Yoon, S., Baik, S., Shin, N. and Pandey, D., High-resolution synchrotron x-ray diffraction study of Zr-rich compositions of Pb(Zr_xTi_{1-x})O₃ (0.525≤x≤0.60): Evidence for the absence of the rhombohedral phase, *Appl. Phys. Lett.* 91, 192904, **2007**.
- Singh**, S. P., Yusuf, S. M., Yoon, S., Baik, S., Shin, N. and Pandey, D., Ferroic transitions in the multiferroic (1-x)Pb(Fe_{1/2}Nb_{1/2})O₃–xPbTiO₃ system and its phase diagram, *Acta Materialia* 58, 5381–5392, **2010**.
- Singh**, S.P., Yoon, S., Baik, S., Shin, N. and Pandey, D., Evidence for monoclinic crystal structure and negative thermal expansion below magnetic transition temperature in Pb(Fe_{1/2}Nb_{1/2})O₃, *Appl. Phys. Lett.* 90, 242915 **2007**.
- Singh**. J., M.Tech. thesis, Institute of Technology, Banaras Hindu University, **2011**
- Singh**, A Ph.d. thesis, Institute of Technology, Banaras Hindu University, **2012**

- Smith**, R. T., Achenbach G. D., Gerson R., and James W. J., Dielectric Properties of Solid Solutions of BiFeO₃ with Pb(Ti, Zr)O₃ at High Temperature and High Frequency, *J. Appl. Phys.* 39, 70-74, **1968**.
- Sosnowska**, I., Neumaier, T. P. and Steichele, E., Spiral magnetic ordering in bismuth ferrite, *J. Phys. C: Solid State Phys.*, 15, 4835-4846, **1982**.
- Sosnowska**, I., Schfer, W., Kockelmann, W., Andersen, K. H. and Troyanchuk, I. O., Crystal structure and spiral magnetic ordering of BiFeO₃ doped with manganese, *Appl. Phys. A*, 74, S1040-S1042, **2002**.
- Sosnowska**, I., Schfer, W., Kockelmann, W., Andersen, K. H. and Troyanchuk, I. O., Crystal structure and spiral magnetic ordering of BiFeO₃ doped with manganese, *Appl. Phys. A*, 74, S1040-S1042, **2002**.
- Stephens**, P.W., Phenomenological model of anisotropic peak broadening in powder diffraction, *J. Appl. Cryst.* 32, 281 **1999**.
- Stokes**, H. T., Hatch, D. M. and Campbell, B. J., New graphical user interface for calculating structural distortions using the ISOTROPY software, stokes.byu.edu/isotropy.html, *Acta Cryst. A*, 61, 325, **2005**.
- Sun**, S., Murray, C. B., Weller, D., Folks, L. and Moser,A., Monodisperse FePt Nanoparticles and Ferromagnetic FePt Nanocrystal Superlattices, *Science*, 287, 1989, **2000**.
- Suresh**, P. and Srinath, S., Effect of La substitution on structure and magnetic properties of sol-gel prepared BiFeO₃, *J. Appl. Phys.* 113, 17D920, **2013**.
- Szabó**, G.S , Cohen ,R.E., and Krakauer ,H., First-Principles study of piezoelectricity in PbTiO₃. *Phys. Rev. Lett.* 80, 4321 ,**1998**.
- Tabares-Munoz**, C., Rivera, J.P., Bezinges, A., Monnier A. and Schmid, H., Measurement of the Quadratic Magnetoelectric Effect on Single Crystalline BiFeO₃, *Jpn. J. Appl. Phys.*, 24, 1051, **1985**.
- Tang** ,Y.J , David J. Smith, Zink , B.L ,Hellman ,F., and Berkowitz ,A.E., Finite size effect on moment and ordering temperature in Antiferromagnetic CoO layers .*Phys. Rev. B* 67, 054408 , **2003**.
- Teage**, J. R., Gerson, R. and James, W. J., Dielectric hysteresis in single crystal BiFeO₃, *Solid State Commun.*, 8, 1073-1074, **1970**.

- Tokura**, Y., Materials science. Multiferroics as quantum electromagnets, Science, 312, 1481 **2006**.
- Tong**, P., Kim, B., Kwon, D., Qian,T., Lee, S.I., Cheong, S-W. and Kim, B.G., Griffiths phase and thermomagnetic irreversibility behavior in slightly electron-doped manganites $\text{Sm}_{1-x}\text{Ca}_x\text{MnO}_3$ ($0.80 \leq x \leq 0.92$), Phys. Rev. B 77, 184432, **2008**.
- Venevstev**, Y.N., Zhdanov, G.S., Solov'ev, S.N., Bezus, E.V., Ivanova, V.V., Fedulov, S.A. and Kapyshev, A.G., Crystal chemical studies of substances with perovskite type structure and special dielectric properties, Sov. Phys. Crystallogr. 5, 594, **1960**.
- Wang**, D. H., Goh, W. C., Ning, M. and Ong, C. K., Effect of Ba doping on magnetic, ferroelectric, and magnetoelectric properties in multiferroic BiFeO_3 at room temperature, Appl. Phys. Lett. 88, 212907, **2006**.
- Wang**, J., Neaton, J. B., Zheng, H., Nagarajan, V., Ogale, S. B., Liu, B., Viehland, D., Vaithyanathan, V., Schlom, D. G., Waghmare, U. V., Spaldin, N. A., Rabe, K. M., Wuttig, M. and Ramesh, R., Epitaxial BiFeO_3 multiferroic thin film heterostructures, Science, 299, 1719-1722, **2003**.
- Wang**, K. F., Liu, J. M. and Ren, Z. F., Multiferroicity: the coupling between magnetic and polarization orders, Advan. Phys., 58, 321–448, **2009**.
- Wang**, Y.P., Zhou, L., Zhang, M.F., Chen, X .Y., Liu, J.M. and Liu, Z.G., Room-temperature saturated ferroelectric polarization in BiFeO_3 ceramics synthesized by rapid liquid phase sintering, Appl. Phys. Lett. 84, 1731, **2004**.
- Wei**, J., Zhang, C. and Xu, Z., Low-temperature hydrothermal synthesis of BiFeO_3 microcrystals and their visible-light photocatalytic activity, Mat. Res. Bull. 47, 3513–3517, **2012**.
- Weschke**, E. , Ott , H. , Schierle ,E , Schüßler-Langeheine C., Vyalikh D.V, Kaindl,G., Leiner,V., Ay ,M., Schmitte ,T., Zabel ,H. ,Magnetic domain fluctuation in antiferromagnetic film observed with coherent resonant soft X- Ray scattering *et al.*, Phys. Rev. Lett. **93**, 157204 **2004**.
- Wollan**, E. O. and Koehler, W. C., Neutron diffraction study of the magnetic properties of the series of perovskite-type compounds $[(1-x)\text{La}-x\text{Ca}]\text{MnO}_3$, Phys. Rev., 100, 545–563, **1955**.
- Woodward**, D. I., Reaney I. M., Eitel R. E. and Randall C. A. Crystal and domain structure of the $\text{BiFeO}_3-\text{PbTiO}_3$ solid solution, J. Appl. Phys., 94, 3313, **2003**.

- Woodward** D.I. and Reaney I.M., A structural study of ceramics in the $(\text{BiMnO}_3)_x - (\text{PbTiO}_3)_{1-x}$ solid solution series, *J. Phys. Condens. Matter.* 16, 8823-8834, **2004**.
- Yashima**, M., Omoto, K., Chen, J., Kato, H., and Xing, X., Evidence for (Bi,Pb)- O Covalency in the High T_C Ferroelectric $\text{PbTiO}_3\text{-BiFeO}_3$ with Large Tetragonality, *Chem. Mater.* 23 (13), 3135, 2011.
- Yosida**, K., Magnetic Properties of Cu-Mn Alloys, *Phys. Rev.*, 106, 893–898, **1957**.
- Young**, R. A., The Rietveld Method, International Union of Crystallography Oxford University Press, New York, **1996**.
- Yun**, K. Y., Ricinschi D., Kanashima T., Noda M. and Okuyama M., Giant ferroelectric polarization beyond $150 \mu\text{C}/\text{cm}^2$ in BiFeO_3 thin film, *Jpn. J.Appl. Phys.* 43, L647 **2004**.
- Yusuf**, S.M., Manna ,P.K. , Mandar M. Shirolkar, Kulkarni ,S.K., Tewari ,R., and Dey ,G.K.,A study of excange bias in BiFeO_3 core and NiFe_2O_4 shell nanoparticles. *J. Appl. Phys.* 113, 173906 ,**2013**.
- Zalessky**, A. V., Frolov, A. A., Khimich, T. A., Bush, A. A., Pokatilov, V. S. and Zvezdin, A. K., ^{57}Fe NMR study of spin-modulated magnetic structure in BiFeO_3 , *Europhys. Lett.*, 50, 547–551, **2000**.
- Zeches** ,R.J. , Rossell ,M.D. , Zhang ,J.X., Hatt ,A.J., He ,Q., Yang ,C.H ,Kumar ,A.,Wang ,C.H., Melville ,A., Adamo ,C., *et al.*, A Strain- Driven morphotropic phase boundary in BiFeO_3 .*Science* 326, 977 ,**2009**.
- Zener**, C., Interaction between the d-Shells in the Transition Metals. II. Ferromagnetic Compounds of Manganese with Perovskite Structure, *Phys. Rev.*, 82, 403–405, **1951**.
- Zhang**, S. T., Lu, M. H., Wu, D., Chen, Y. F. and Ming, N. B., Larger polarization and weak ferromagnetism in quenched BiFeO_3 ceramics with a distorted rhombohedral crystal structure, *Appl. Phys. Lett.*, 87, 262907,**2005**.
- Zhang**, Y., Qi, J., Wang, Y., Tian, Y., Zhang, J., Hu,T., Wei, M., Liu,Y. and Yang, J., Tuning magnetic properties of BiFeO_3 thin films by controlling Mn doping concentration, *Cerm. Internl.* 44, 6054–6061, **2018**.
- Zhou**, S. M., Zhao, S. Y., Guo, Y. Q., Zhao, J. Y. and Shi, L., Griffiths phase and exchange bias in $\text{La}_{1-x}\text{Ca}_x\text{MnO}_3\text{La}_{1-x}\text{Ca}_x\text{MnO}_3$ ($x=0.50$ $x=0.50$, 0.67, and 0.75) nanoparticles, *J. Appl. Phys.*,107, 033906, **2010**.
- Zhu** W. M., Guo H. Y. and Ye Z. G., Structural and magnetic characterization of multiferroic $(\text{BiFeO}_3)_{1-x}(\text{PbTiO}_3)_x$ solid solutions, *Phys. Rev. B*. 78,014401 **2008**.

Zhu, W.M. and **Ye**, Z.-G., Effects of chemical modification on the electrical properties of 0.67BiFeO₃–0.33PbTiO₃ ferroelectric ceramics, *Cerm. Int.* 30, 1435 **2004**.