

Fig. No.	Figure Captions	Page No.
1.1	Synthesis & metabolism of GABA	11
1.2	Schematic representation of synthesis, storage, release, transport and metabolism of GABA.	12
1.3	Derivatives of nipecotic acid with reported GABA transport inhibition and anti-epileptic activity	16
3.1	The design strategy for the proposed compounds under Series 1 and Series 2 .	36
4.1	Possible mechanism of reaction for the synthesis of compounds 3S1a-3S1i & 4S1a-4S1i .	41
4.2	Possible mechanism of reaction for the synthesis of compounds 5S2a-5S2y	44
5.1	Conversion of MTT to formazan in the presence of mitochondrial dehydrogenase	70
5.2	Sequence alignment between GAT-1 and drosophila melanogaster dopamine transporter. Identical residues are colored in red, while similar residues are colored in yellow.	76
5.3	Ramachandran plot of the GAT-1. 3-dimensional model showing the dihedral angles of the amino acids	76
5.4	Docked pose of the tiagabine on homology modeled protein structure of GAT-1 GABA transporter. Ribbon representation of protein showing active site binding interaction of tiagabine (ball & stick model)	79
5.5	Docked pose of the 4S1a on modeled protein structure of GAT-1 GABA transporter. Ribbon representation of protein showing active site binding interaction of 4S1a (ball & stick model).	79
5.6	Docked pose of the 4S1b on modeled protein structure of GAT-1 GABA transporter. Ribbon representation of protein showing active site binding interaction of 4S1b (ball & stick model).ule	80
5.7	Docked pose of the 4S1i on modeled protein structure of GAT-1 GABA transporter. Ribbon representation of protein showing active site binding interaction of 4S1i (ball & stick model).	80
5.8	Protein RMSD (Left Y-Axis) and ligand RMSD (Right Y-Axis) values in Å with time in nanoseconds (X-Axis).	82
5.9	Protein RMSF (Left side) and ligand RMSF (Right side) values in Å with time in nanoseconds.	82
5.10	The detailed atomic interactions of ligand 4S1i with the key active amino acid residues.	83
5.11	Stacked bar charts of protein interactions with ligand 4S1i as monitored throughout the MD simulation.	83
5.12	3D Ribbon structure representation of docking conformation of the	109

	tiagabine in the hydrophobic pocket of homology modelled protein structure of GAT-1 GABA transporter.	
5.13	3D Ribbon structure representation of docking conformation of the compound 5S2d in the hydrophobic pocket of homology modelled protein structure of GAT-1 GABA transporter.	109
5.14	3D Ribbon structure representation of docking conformation of the compound 5S2w in the hydrophobic pocket of homology modelled protein structure of GAT-1 GABA transporter.	110
5.15	3D Ribbon structure representation of docking conformation of the compound 5S2y in the hydrophobic pocket of homology modelled protein structure of GAT-1 GABA transporter.	110
5.16	Protein RMSD (Left Y-Axis) and ligand RMSD (Right Y-Axis) values in Å with time in ns (X-Axis) for the molecular dynamics simulation run for the complex of 5S2w with GAT1 GABA transporter.	112
5.17	Protein RMSF (Left side) and ligand RMSF (Right side) values in Å with time in nsec.	113
5.18	The detailed atomic interactions of ligand 5S2w with the key active amino acid residues with GABA GAT-1 transporter protein	113
5.19	Stacked bar charts of protein interactions with ligand 5S2w as monitored throughout the MD simulation.	114
