

References

- Aelterman, P., Rabaey, K., Clauwaert, P., and Verstraete, W., "Microbial fuel cells for wastewater treatment," *Water Science and Technology*, **2006**, v. 54, n.8, pp. 9-15.
- Aelterman, P., Rabaey, K., Pham, H.T., Boon, N., and Verstraete, W., "Continuous electricity generation at high voltages and currents using stacked microbial fuel cells," *Environmental Science and Technology*, **2006**, v. 40, pp. 3388-3394.
- Allen, R.M., and Bennetto, H.P., "Microbial fuel-cells: electricity production from carbohydrates," *Applied Biochemistry and Biotechnology*, **1993**, v. 39, pp. 27-40.
- Bell, S., Foster, G., Fuller, M.W., Hughes, D., Le Brocq, K.-M. F., Leslie, E., et al., "Spectrophotometric measurement of rates of hexacyanoferrate reactions," *International Journal of Chemical Kinetics*, **1986**, v. 18, pp. 651-653.
- Bennetto, H.P., Stirling, J.L., Tanaka, K., and Vega, C. A., "Anodic reactions in microbial fuel cells," *Biotechnology and Bioengineering*, **1983**, v. 25, n. 2, pp. 559-568.
- Bi-nger, J.C., Ray, R., Little, B., and Ringeisen, B.R., "Diversifying biological fuel cell designs by use of nanoporouslters," *Environmental Science and Technology*, 2007, v. 41, pp. 1444-1449.
- Bond, D.R., and Lovley, D.R., "Electricity production by *Geobactersulfurreducens* attached to electrodes," *Applied and Environmental Microbiology*, **2003**, v. 69, pp. 1548-1555.
- Bullen, R.A., Arnot, T.C., Lakeman, J.B., and C., W.F., "Bio fuel cells and their development," *Biosensors and Bioelectronics*, **2006**, v. 21, pp. 2015-2045.
- Cheng, S., Liu, H., and Logan, B.E., "Increased performance of single-chamber microbial fuel cells using an improved cathode structure," *Electrochemistry Communications*, **2006**, v. 8, pp. 489-494.

- Cheng, S., Liu, H., and Logan, B.E., “Increased power generation in a continuous MFC with additive wastes through the porous anode and reduced electrode spacing,” *Environmental Science and Technology*, **2006**, v. 40, pp. 2426-2432.
- Cheng, S., Liu, H., and Logan, B.E., “Power densities using different cathode catalysts (pt and cotmpp) and polymer binders (naon and pdfc) in single chamber microbial fuel cells,” *Environmental Science and Technology*, **2006**, v. 40, n.01, pp. 364-369.
- Clauwaert, P., Rabaey, K., Aelterman, P., DeSchampelaere, L., Pham, T.H., Boeckx, et al., “Biological denaturation in microbial fuel cells,” *Environmental Science and Technology*, **2007**, v. 41, pp. 3354-3360.
- Collins, C.H., Lyne, P.M., and Grange, J.M. (Eds.). (1991). *Microbiological methods* (6th ed.). Butterworth-Heinemann.
- Crittenden, S.R., Sund, C.J., and Sumner, J.J., “Mediating electron transfer from bacteria to a gold electrode via a self-assembled monolayer,” *Langmuir*, **2006**, v. 22, pp. 9473-9476.
- D. Girija, K. Deepa, Francis Xavier, Irin Antony, and P.R. Shidhi, “Analysis of Cowdung microbiota-A Metagenomics Approach,” *Indian Journal of Biotechnology*, **2013**, vol-12, PP 372-378
- Davis, F., and Higson, S.P.J., “Bio fuel cells recent advances and applications,” *Biosensors and Bioelectronics*, **2007**, v. 22, pp. 1224-1235.
- Di-yan., “Electricity generation and H₂ evolution by microbial fuel cell,” *Journal of Environmental Sciences*, **2014**, v. XX, pp. 110–135.
- Du, Z., Li, H., and Gu, T., “A state-of-the-art review on microbial fuel cells: A promising technology for wastewater treatment and bio energy,” *Biotechnology Advances*, **2007**, v. 25, pp. 464-482.

- Engenhorst, T., “Design and characterization of a microbial fuel cell for simultaneous sewage treatment and electricity generation,” (research project at University of Waterloo, submitted as partial fulfilment of the requirements for the degree of Diploma Engg. in Biochemical Engineering), **2006**.
- Finkelstein, D.A., Tender, L.M., and Zeikus, J.G., “Effect of electrode potential on electrode-reducing microbiota,” *Environmental Science and Technology*, **2006**, v. 40, pp. 6990-6995.
- Forney, L.J., Liu, W.-T., Guckert, J.B., Kumagai, Y., Namkung, E., Nishihara, T., et al., “Structure of microbial communities in activated sludge: Potential implications for assessing the biodegradability of chemicals,” *Ecotoxicology and Environmental Safety*, **2001**, v. 49, pp. 40-53.
- Fox, J.D., and Robyt, J.F., “Miniaturization of 3 carbohydrate analyses using a micro sample plate reader,” *Analytical Biochemistry*, **1991**, v. 195, pp. 93-96.
- Franklin, R.B., Garland, J.L., Bolster, C.H., and Mills, A.L., “Impact of dilution on microbial community structure and functional potential: comparison of numerical simulations and batch culture experiments,” *Applied and Environmental Microbiology*, **2001**, v. 67, n.02, pp. 702-712.
- Franks, A.E.; Nevin, K.P., “Microbial fuel cells, a current review,” *Energies* **2010**, pp 899–919.
- Freguia, S., Rabaey, K., Yuan, Z., and Keller, J., “Electron and carbon balances in microbial fuel cells reveal temporary bacterial storage behaviour during electricity generation,” *Environmental Science and Technology*, **2007**, v. 41, pp. 2915-2921.
- Garland, J.L., “Analytical approaches to the characterization of samples of microbial communities using patterns of potential c source utilization,” *Soil Biology and Biochemistry*, **1996**, v. 28, n.02, pp. 213-221.

- Garland, J.L., and Mills, A.L., "Classification and characterization of heterotrophic microbial communities on the basis of patterns of community-level sole-carbon-source utilization," *Applied and Environmental Microbiology*, **1991**, v. 57, n.08, pp. 2351-2359.
- Garland, J.L., Mills, A.L., and Young, J. S., "Relative effectiveness of kinetic analysis v/s single point readings for classifying environmental samples based on community-level physiological probes (clpp)," *Soil Biology and Biochemistry*, **2001**, v. 33, pp. 1059-1066.
- Ghangrekar, M.M., and Shinde, V.B., "Performance of membrane-less microbial fuel cell treating wastewater and effect of electrode distance and area on electricity production," *Bio resource Technology*, **2007**, v. 98, pp. 2879-2885.
- Gil, G.C., Chang, I.S., Kim, B.H., Kim, M., Jang, J.K., Park, H.S., et al., "Operational parameters affecting the performance of a mediator-less microbial fuel cell," *Biosensors and Bioelectronics*, **2003**, v. 18, pp. 327-334.
- Grove, J.A., Kautola, H., Javadpour, S., Moo-Young, M., and Anderson, W.A., "Assessment of changes in the microorganism community in a bio shelter," *Biochemical Engineering Journal*, **2004**, v. 18, pp. 111-114.
- Gurpreet Kaur, Radha hawa, Jagadev Singh Kullar, "Bioremediation of Pharmaceuticals, pesticides, and petrochemicals with Gomeya/Cowdung," *ISEN Pharmacology*, **2011**, article ID 362459, pp. 7.
- H Marsh and F.R. Reinoso, "Activated Carbon," *Elsevier, Oxford, UK*, **2006**
- Haselrieder, W., "Utilization/design of sludge microbial fuel cells for sewage treatment and simultaneous electricity generation," (research project at University of Waterloo, submitted as partial fulfilment of the requirements for the degree of Diploma Engg. in Biochemical Engineering) **2007**.

- He, Z., Minteer, S.D., and Angenent, L.T., “Electricity generation from artificial wastewater using a dual microbial fuel cell,” *Environmental Science and Technology*, **2005**, v. 39, pp. 5262-5267.
- He, Z., Wagner, N., Minteer, S.D., and Angenent, L.T., “A dual microbial fuel cell with an interior cathode: Assessment of the internal resistance by impedance spectroscopy,” *Environmental Science and Technology*, **2006**, v. 40, n.17, pp. 5212-5217.
- Heilmann, J., and Logan, B.E., “In a single-compartment fuel cell using *Shewanella putrefactions*,” *Applied Microbiology and Biotechnology*, **2006**, v. 59, pp. 58-61.
- Heilmann, J., and Logan, B.E., “Production of electricity from proteins using a microbial fuel cell,” *Water Environment Research*, **2006**, v. 78, n.05, pp. 531-537.
- Hobson, P.N., and Wheatley, A.D. (Eds.), “Anaerobic digestion,” (1st ed.). Elsevier Applied Science, London and New York **2006**.
- Huggins, T.; Fallgren, P.H.; Jin, S.; Ren, Z.J., “Energy and performance comparison of microbial fuel cell and conventional aeration treating of wastewater,” *J. Microb. Biochem. Technol.* **2013**, S6:002, pp 1–5.
- Jianjun HU, Quanguo Zhang, DUU-Jong Lee, HUU HQO Ngo, “Feasible use of Microbial Fuel cells for pollution treatment,” *Renewable Energy*, Vol 129, part B, **2018**, pp 824-829.
- Kargi, F., and Eker, S., “Electricity generation with simultaneous wastewater treatment by a microbial fuel cell (MFC) with cu and cu-au electrodes,” *Journal of Chemical Technology and Biotechnology*, **2007**, v. 82, pp. 658-662.
- Kim, B.H., Chang, I.S., and Gadd, G.M. (2007). “Challenges in microbial fuel cell development and operation” *Applied Microbial Biotechnology*, **2007**, v. 76, pp. 485-494.

- Kim, B.H., Park, H.S., Kim, H.J., Kim, G.T., Chang, I.S., Lee, J., et al. "Enrichment of microbial community generating electricity using a fuel-cell-type electrochemical cell," *Applied Microbiology and Biotechnology*, **2004**, v. 63, pp. 672-681.
- Kim, J.R., Cheng, S., Oh, S.-E., and Logan, B.E., "Power generation using different cation, anion, and ultrafiltration membranes in microbial fuel cells," *Environmental Science and Technology*, **2007**, v. 41, pp. 1004-1009.
- Kim, J.R., Jung, S.H., Regan, J.M., and Logan, B.E., "Electricity generation and microbial community analysis of alcohol powered microbial fuel cells," *Bio resource Technology*, **2007**, v. 98, pp. 2568-2577.
- Kim, N., Choi, Y., Jung, S., and Kim, S., "Effect of initial carbon sources on the performance of microbial fuel cells containing *Proteus vulgaris*," *Biotechnology and Bioengineering*, **2000**, v. 70, n.01, pp. 109-114.
- Kumlanghan, A., Liu, J., Thavarungkul, P., Kanatharana, P., and Mattiasson, B., "Microbial fuel cell-based biosensor for fast analysis of biodegradable organic matter," *Biosensors and Bioelectronics*, **2007**, v. 22, pp. 2939-2944.
- Legendre, P., and Legendre, L., "Numerical ecology" (2nd ed.). Elsevier B.V. Amsterdam, **1998**.
- Liu, H., and Logan, B.E., "Electricity generation using an air-cathode single chamber microbial fuel cell in the presence and absence of a proton exchange membrane," *Environmental Science and Technology*, **2004**, v. 38, n.14, pp. 4040-4046.
- Liu, H., Grot, S., and Logan, B.E., "Electrochemically assisted microbial production of hydrogen from acetate," *Environmental Science and Technology*, **2005**, v. 39, pp. 4317-4320.

- Liu, H., Ramnarayanan, R., and Logan, B.E., "Production of electricity during wastewater treatment using a single chamber microbial fuel cell," *Environmental Science and Technology*, **2004**, v. 38, pp. 2281-2285.
- Logan, B.E., "Simultaneous wastewater treatment and biological electricity generation," *Water Science and Technology*, **2005**, v. 52, n.1-2, pp. 31-37.
- Logan, B.E., Hamelers, B., Rozendal, R., Schröder, U., Keller, J., Freguia, S., et al., "Microbial fuel cells: Methodology and technology," *Environmental Science and Technology*, **2006**, v. 40, n.17, 5181-5192.
- Logan, B.E., Oh, S.E., Kim, I., and Van Ginkel, S., "Biological hydrogen production measured in batch anaerobic respirometers," *Environmental Science and Technology*, **2002**, v. 36, pp. 2530-2535.
- Łomotowski, J.; Szpindor, A., "*Modern Wastewater Treatment Systems (in Polish)*," *Arkady: Warsaw, Poland*, **2002**.
- Lovely, D.R., "Microbial fuel cells: novel microbial physiologies and engineering approaches," *Current Opinion in Biotechnology*, **2006**, v. 17, pp. 327-332.
- McMurry, J.E.; Ballantine, D.S.; Hoeger, C.A.; Peterson, V.E.; Castellion, M.E. "Fundamentals of Inorganic, Organic and Biological Chemistry," *Pearson: London, UK*, **2009**.
- Menicucci, J., Beyenal, H., Marsili, E., Veluchamy, R.A., Demir, G., and Lewandowski, Z., "Procedure for determining maximum sustainable power generated by microbial fuel cells," *Environmental Science and Technology*, **2006**, v. 40, pp. 1062-1068.
- Milliken, C.E., and May, H.D., "Sustained generation of electricity by the spore forming, gram-positive *Desultobacterium hafniense* strain dcb2," *Applied Microbial and Cell Physiology*, **2007**, v. 73, pp. 1180-1189.

- Min, B., Kim, J.R., Oh, S.E., Regan, J.M., and Logan, B.E., "Electricity generation from swine wastewater using microbial fuel cells," *Water Research*, **2005**, v. 39, pp. 4961-4968.
- Moon, H., Chang, I.S., and Kim, B.H., "Continuous electricity production from artificial wastewater using a mediator-less microbial fuel cell," *Bio resource Technology*, **2006**, v. 97, pp. 621-627.
- Moon, H., Chang, I.S., Jang, J.K., and Kim, B.H., "Residence time distribution in microbial fuel cell and its influence on cod removal with electricity generation," *Biochemical Engineering Journal*, **2005**, v. 27, pp. 59-65.
- Morris, J.M., Jin, S., Wang, J., Zhu, C., and Urynowicz, M.A., "Lead dioxide as an alternative catalyst to platinum in microbial fuel cells," *Electrochemistry Communications*, **2007**, v. 09, pp. 1730-1734.
- Muller, A.W., Wentzel, M.C., and Ekama, G.A., "Experimental determination of the heterotroph anoxic yield in anoxic-aerobic activated sludge systems treating municipal wastewater," *Water SA*, **2004**, v. 30, n. 05, pp. 7-12.
- Oh, S.-E., and Logan, B.E., "Proton exchange membrane and electrode surface areas as factors that affect power generation in microbial fuel cells," *Applied Microbiology and Biotechnology*, **2006**, v. 70, n.02, pp. 162-169.
- Park, D.H. and Zeikus, "Impact of electrode composition on electricity generation in a single-compartment fuel cell using *sewanella putrefaciens*," *Applied Microbiology and Biotechnology*, **2002**, v. 59, pp. 58-61.
- Pham, T.H., Rabaey, K., Aelterman, P., Clauwaert, P., DeSchampelaire, L., Boon, N., et al., "Microbial fuel cells in relation to conventional anaerobic digestion technology," *Engineering Life Sciences*, **2006**, v. 06, n.03, pp. 285-292.

- Prasad, D., Arun, S., Murugesan, M., Padmanaban, S., Satyanarayanan, R.S., Berchmans, S., et al., "Direct electron transfer with yeast cells and construction of a mediator less microbial fuel cell", *Biosensors and Bioelectronics*, **2007**, v. 22, 2604-2610.
- Prasad, D., Sivaram, T.K., Berchmans, S., and Yegnaraman, V., "Microbial fuel cell constructed with a micro-organism isolated from sugar industry effluent, "*Journal of Power Sources*, **2006**, v. 160, pp. 991-996.
- R.C. Bansal and M. Goyal, "Activated carbon Adsorption," *CRC Press*, Boca Raton, Fla, USA, **2005**
- Rabaey, K., and Verstraete, W., "Microbial fuel cells: novel biotechnology for energy generation," *Trends in Biotechnology*, **2005**, v. 23, pp. 291-298.
- Rabaey, K., Clauwaert, P., Aelterman, P., and Verstraete, W., "Tubular microbial fuel cells for efficient electricity generation," *Environmental Science and Technology*, **2005**, v. 39, pp. 8077-8082.
- Rabaey, K., VanDeSompel, K., Maignien, L., Boon, N., Aelterman, P., Clauwaert, P., et al., "Microbial fuel cells for sludge removal," *Environmental Science and Technology*, **2006**, v. 40, n.17, pp. 5218-5224.
- Reguera, G., Nevin, K.P., Nicoll, J.S., Covalla, S.F., Woodard, T.L., and Lovely, D.R., "Bioluminescence and nanowire production leads to increased current in *Geobacter sulfurreducens* fuel cells," *Applied and Environmental Microbiology*, **2006**, v. 72, n. 11, pp. 7345-7348.
- Ren, Z.; Yan, H.; Wang, W.; Mench, M.M.; Regan, J.M., "Characterization of microbial fuel cells at microbially and electrochemically meaningful time scales," *Environ. Sci. Technol.* **2011**, 45, pp 2435–2441.

- Ringeisen, B.R., Henderson, E., Wu, P.K., Pietron, J., Ray, R., Little, B., et al., “High power density forms a miniature microbial fuel cell using *Shewanellaoneidensis dsp10*,” *Environmental Science and Technology*, **2006**, v. 40, pp. 2629-2634.
- Ringeisen, B.R., Ray, R., and Little, B., “A miniature microbial fuel cell operating with an aerobic anode chamber,” *Journal of Power Sources*, **2007**, v. 165, pp. 591-597.
- Rodrigo, M.A., Cañizares, P., Lobato, J., Paz, R., Sáez, C., and Linares, J.J., “Production of electricity from the treatment of urban waste water using a microbial fuel cell,” *Journal of Power Sources*, **2007**, v. 169, pp. 198-204.
- Roller, S.D., Bennetto, H.P., and Delaney, G.M., “Electron-transfer coupling in microbial fuel-cells: Comparison of redox-mediator reduction rates and respiratory rates of bacteria,” *Journal of chemical technology and biotechnology*, **1994**, v. 34, n.01, pp. 3-12.
- Rozendal, R.A., Hamelers, H.V.M., and Buisman, C.J.N., “Effects of membrane cation transport on ph and microbial fuel cell performance,” *Environmental Science and Technology*, **2006**, v. 40, n.17, pp. 5206-5211.
- S.A. Adeleye and S.I. Okorodu, “Bioelectricity from students’ hostel waste water using microbial fuel cell,” *International Journal of Biological and Chemical Science*, **2015**, v. 9, n. 2, pp.1038–1049.
- Sai Prasann Goud Gurrarn, Naga Sujatha Kothapalli, “A novel electricity generation with green technology by plant-e from living plants and bacteria: A natural Solar power from living power plant” 6th International Conference on Computer Applications in Electrical Engineering-Recent Advances (CERA) **2017**, pp. 146-151.
- Saleh N.J. Al-Saadi, Khalifa S. Al-Jabri, “Energy-efficient envelope design for residential buildings: a case study in Oman,” *Smart City Symposium Prague*, **2017**.

- Scott, K., and Murano, C., "Microbial fuel cells utilising carbohydrates," *Journal of Chemical Technology and Biotechnology*, **2007**, v. 82, pp. 92-100.
- Scott, K., Murano, C., and Rimbu, G., "A tubular microbial fuel cell," *Journal of Applied Electrochemistry*, **2007**, v. 37, pp. 1063-1068.
- Sheikh Shehab Uddin, Abu Hena Md Shatil, Kazi Shoffiuddin Roni, Abdullah Bin Walid, I., "Prototype design and overview of a low price microbial fuel cell" 4th International Conference on the Development in the in Renewable Energy Technology (ICDRET) **2016** pp. 1-6.
- Shin, S.-H., Choi, Y., Na, S.-H., Jung, S., and Kim, S., "Development of bipolar plate stack type microbial fuel cells," *Bulletin Korean Chemistry Society*, **2006**, v. 27, n.02, pp. 281-285.
- Sund, C.J., McMasters, S., Crittenden, S.R., Harrell, L.E., and Sumner, J.J., "Selection of electron mediators on current generation and fermentation in a microbial fuel cell," *Applied Microbial Biotechnology*, **2007**, v. 76, pp. 561-568.
- T.J. Badosz, "Activated Carbon Surfaces in Environmental Remediation," *Academic Press* **2006**.
- Tartakovsky, B., and Guiot, S.R., "A comparison of air and hydrogen peroxide oxygenated microbial fuel cell reactors," *Biotechnology Progress*, **2006**, v. 22, pp. 241-246.
- Taylor, L.R., "Aggregation, variance, and the mean," *Nature*, **1961**, v. 189, pp. 732-735.
- TerHeijne, A., Hamelers, H.V.M., and Buisman, C.J.N., "Microbial fuel cell operation with continuous biological ferrous iron oxidation of the catholyte," *Environmental Science and Technology*, **2007**, v. 41, pp. 4130-4134.
- TerHeijne, A., Hamelers, H.V.M., DeWilde, V., Rozendal, R.A., and Buisman, C. J. N., "A bipolar membrane combined with ferric iron reduction as an efficient cathode

- system in microbial fuel cells,” *Environmental Science and Technology*, **2006**, v. 40, n. 17, pp. 5200-5205.
- Weber, K.P., “Investigation of the mechanisms and fundamental variables affecting acid mine drainage treatment in wetland mesocosms,” Unpublished master's thesis, University of Waterloo, Ontario, Canada **2006**.
- Włodarczyk, B.; Włodarczyk, P.P., “Methanol electrooxidation with Cu–B catalyst,” *Infrastruct. Ecol. Rural Areas (Polish Acad. Sci. Crac.)* **2016**, 4, pp1483–1492.
- Włodarczyk, B.; Włodarczyk, P.P., “Microbial fuel cell with Cu–B cathode powering with wastewater from yeast production,” *J. Ecol. Eng.* **2017**, 18, pp 224–230.
- Włodarczyk, B.; Włodarczyk, P.P., “Microbial fuel cell with Ni-Co cathode powered with yeast wastewater,” *Energies* **2018**, 11, 3194.
- Włodarczyk, B.; Włodarczyk, P.P., “Use of Ni-Co alloy as cathode catalyst in single chamber microbial fuel cell,” *Ecol. Eng.* **2017**, 18, pp 210–216.
- Włodarczyk, P.P.; Włodarczyk, B., “Ni-Co alloy as catalyst for fuel electrode of hydrazine fuel cell,” *China-USA Bus. Rev.* **2015**, 14, pp 269–279.
- Włodarczyk, P.P.; Włodarczyk, B., “Possibility of Using Ni-Co Alloy as Catalyst for Oxygen Electrode of Fuel Cell,” *Chin. Bus. Rev.* **2015**, 14, pp 159–167.
- Wu, W.; Niu, H.; Yang, D.; Wang, S.-B.; Wang, J.; Lin, J.; Hu, C. “Controlled layer-by-layer deposition of carbon nanotubes on electrodes for microbial fuel cells,” *Energies*, **2019**, 12, 363.
- Xincao, Peng Liang, Xinshansong, Yuhuiwang, Yong Qiu, Xia Huang, Trickle filter in a bio cathode microbial fuel cell for efficient waste water treatment and energy production, *Science China Technological Sciences, Springer Link*, **2019**, pp 1869-1900 (online)

- You, S., Zhao, Q., Zhang, J., Jiang, J., and Zhao, S., "A microbial fuel cell using permanganate as the cathodic electron acceptor," *Journal of Power Sources*, **2006**, v. 162, pp. 1409-1415.
- You, S.J., Zhao, Q.L., Jiang, J.Q., and Zhang, J.N., "Treatment of domestic wastewater with simultaneous electricity generation in microbial fuel cell under continuous operation," *Chemical and Biochemical Engineering*, **2006**, v. 20, n.04, pp. 407-412.
- Young, T.G., Hadjipetrou, L., and Lilly, M.D., "The theoretical aspects of biochemical fuel cells," *Biotechnology and Bioengineering*, **1966**, v. 03, pp. 581-593.
- Zak, J.C., Willig, M.R., Moorhead, D.L., and Wildman, H. G., "Functional diversity of microbial communities: a quantitative approach," *Soil Biology and Biochemistry*, **1994**, v. 26, pp. 1101-1108.
- Zhang, E., Xu, W., Diao, G., and Shuang, C., "Electricity generation from acetate and glucose by sedimentary bacterium attached to electrode in microbial-anode fuel cells," *Journal of Power Sources*, **2006**, v. 161, pp. 820-825.
- Zhao, F., Harnisch, F., Schröder, U., Scholz, F., Bogdano, P., and Herrmann, I., "Application of pyrolysed iron phthalocyanine and catalyst-based oxygen reduction catalysts as cathode materials in microbial fuel cells," *Electrochemistry Communications*, **2005**, v. 07, pp. 1405-1410.
- Zhao, F., Harnisch, F., Schröder, U., Scholz, F., Bogdano, P., and Herrmann, I., "Challenges and constraints of using oxygen cathodes in microbial fuel cells," *Environmental Science and Technology*, **2006**, v. 40, n. 17, pp. 5193-5199.
- Zhiguang Zhu, Tsz Kin Tam, Fangfang Sun, Chun You, Y.H. Percival Zhang, "A high energy density sugar bio battery based on a synthetic enzymatic pathway," *Nature Communications*, **2014**, v. 5, n. 3026.