
References

- [1] D. Khomskii, “Classifying multiferroics: Mechanisms and effects,” *Physics (College Park. Md).*, vol. 2, 2009.
- [2] H. Schmid, “Some symmetry aspects of ferroics and single phase multiferroics,” *J. Phys. Condens. Matter*, vol. 20, no. 43, 2008.
- [3] S. Matteppanavar, I. Shivaraja, S. Rayaprol, and B. Angadi, “Low temperature dielectric and conductivity relaxation studies on magnetoelectric $\text{Pb}(\text{Fe}_{2/3}\text{W}_{1/3})\text{O}_3$,” *AIP Conf. Proc.*, vol. 1728, pp. 1–5, 2016.
- [4] R. Article, “Ramesh-Review-NatMat2007,” vol. 3, p. 9, 2006.
- [5] M. Naveed-Ul-Haq *et al.*, “A new (Ba, Ca) (Ti, Zr)O₃ based multiferroic composite with large magnetoelectric effect,” *Sci. Rep.*, vol. 6, no. January, pp. 1–10, 2016.
- [6] H. Schmid, “Multi-ferroic magnetoelectrics,” *Ferroelectrics*, vol. 162, no. 1, pp. 317–338, 1994.
- [7] N. A. Spaldin and M. Fiebig, “The renaissance of magnetoelectric multiferroics,” *Science (80-.)*, vol. 309, no. 5733, pp. 391–392, 2005.
- [8] V. K. Wadhawan, “Ferroic materials: A primer,” *Resonance*, vol. 7, no. 7, pp. 15–24, 2008.
- [9] W. Eerenstein, N. D. Mathur, and J. F. Scott, “Multiferroic and magnetoelectric

- ferroelectricity in magnetoelectric YMnO₃,” *Nat. Mater.*, vol. 3, no. 3, pp. 164–170, 2004.
- [18] J. L. Ribeiro, “Symmetry and magnetically driven ferroelectricity in rare-earth manganites RMnO₃ (R=Gd,Tb,Dy),” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 76, no. 14, pp. 1–9, 2007.
- [19] H. Katsura, N. Nagaosa, and A. V. Balatsky, “Spin current and magnetoelectric effect in noncollinear magnets,” *Phys. Rev. Lett.*, vol. 95, no. 5, pp. 1–4, 2005.
- [20] J. Peng *et al.*, “New iron-based multiferroics with improper ferroelectricity,” *J. Phys. D. Appl. Phys.*, vol. 51, no. 24, pp. 1–25, 2018.
- [21] Y. J. Choi, V. Kiryukhin, S.-W. Cheong, H. T. Yi, Q. Huang, and S. Lee, “Ferroelectricity in an Ising Chain Magnet,” *Phys. Rev. Lett.*, vol. 100, no. 4, pp. 6–9, 2008.
- [22] M. Fiebig, “Revival of the magnetoelectric effect,” *J. Phys. D. Appl. Phys.*, vol. 38, no. 8, 2005.
- [23] T. Jia, Z. Cheng, H. Zhao, and H. Kimura, “Domain switching in single-phase multiferroics,” *Appl. Phys. Rev.*, vol. 5, no. 2, 2018.
- [24] W. Kleemann, “Multiferroic and magnetoelectric nanocomposites for data processing,” *J. Phys. D. Appl. Phys.*, vol. 50, no. 22, 2017.
- [25] S. V. Suryanarayana, “Magnetoelectric interaction phenomena in materials,” *Bull. Mater. Sci.*, vol. 17, no. 7, pp. 1259–1270, 1994.
- [26] S. J. Blundell, “Properties of Perovskites and Other Oxides, by K. Alex Müller and Tom

-
- W. Kool,” *Contemp. Phys.*, vol. 53, no. 3, pp. 263–263, 2012.
- [27] A. M. Glazer, “Simple ways of determining perovskite structures,” *Acta Crystallogr. Sect. A*, 1975.
- [28] A. M. Glazer, “The classification of tilted octahedra in perovskites,” *Acta Crystallogr. Sect. B Struct. Crystallogr. Cryst. Chem.*, 2002.
- [29] M. Valant, A. Axelsson, N. Alford, and P. Bifeo, “Peculiarities of a Solid-State Synthesis of Multiferroic Polycrystalline BiFeO Peculiarities of a Solid-State Synthesis of Multiferroic,” *Society*, vol. 19, no. October, pp. 5431–5436, 2007.
- [30] J. R. Teague, R. Gerson, and W. J. James, “Dielectric hysteresis in single crystal BiFeO₃,” *Solid State Commun.*, vol. 8, no. 13, pp. 1073–1074, 1970.
- [31] P. Fischer and I. Sosnowska, “Temperature Dependence of the Crystal and Magnetic Structures BiFeO₃,” vol. 1931, no. November 2014, 2000.
- [32] T. Rojac, M. Kosec, and D. Damjanovic, “Large electric-field induced strain in BiFeO₃ceramics,” *J. Am. Ceram. Soc.*, vol. 94, no. 12, pp. 4108–4111, 2011.
- [33] E. Ruckenstein, “On the thermodynamic stability of microemulsions,” *J. Colloid Interface Sci.*, vol. 66, no. 2, pp. 369–371, 2004.
- [34] J. Wang, J. Wang, J. B. Neaton, H. Zheng, V. Nagarajan, and S. B. Ogale, “Epitaxial BiFeO₃ Multiferroic Thin,” *Science (80-.)*, vol. 1719, no. 299, pp. 1719–1722, 2003.
- [35] Z. X. Cheng *et al.*, “Structure, ferroelectric properties, and magnetic properties of the La-

- doped bismuth ferrite,” *J. Appl. Phys.*, vol. 103, no. 7, pp. 137–140, 2008.
- [36] S. Gupta, M. Tomar, and V. Gupta, “Raman spectroscopy of nanocrystalline Mn-doped BiFeO₃ thin films,” *J. Exp. Nanosci.*, vol. 8, no. 3, pp. 261–266, 2013.
- [37] H. Kanda, A. A. Belik, M. Azuma, M. Takano, and Y. Shimakawa, “Magnetic and structural properties of BiFe_{1-x}Mn_xO₃,” *J. Magn. Magn. Mater.*, vol. 310, no. 2, pp. 1177–1179, 2006.
- [38] L. Yan *et al.*, “Direct measurement of magnetoelectric exchange in self-assembled epitaxial BiFeO₃ - CoFe₂O₄ nanocomposite thin films,” *Appl. Phys. Lett.*, vol. 94, no. 19, pp. 1–4, 2009.
- [39] K. F. Wang, J. M. Liu, and Z. F. Ren, “Multiferroicity: The coupling between magnetic and polarization orders,” *Adv. Phys.*, vol. 58, no. 4, pp. 321–448, 2009.
- [40] C. R. Dela Cruz *et al.*, “Structural anomalies at the magnetic and ferroelectric transitions in R Mn₂ O₅ (R=Tb,Dy,Ho),” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 73, no. 10, pp. 3–6, 2006.
- [41] R. D. Shannon and C. T. Prewitt, “Effective ionic radii in oxides and fluorides,” *Acta Crystallogr. Sect. B Struct. Crystallogr. Cryst. Chem.*, vol. 25, no. 5, pp. 925–946, 2002.
- [42] M. Mostovoy, “Ferroelectricity in spiral magnets,” *Phys. Rev. Lett.*, vol. 96, no. 6, pp. 1–4, 2006.
- [43] Y. Cui, L. Zhang, G. Xie, and R. Wang, “Magnetic and transport and dielectric properties

- of polycrystalline TbMnO₃,” *Solid State Commun.*, vol. 138, no. 10–11, pp. 481–484, 2006.
- [44] M. Staruch, D. Violette, and M. Jain, “Structural and magnetic properties of multiferroic bulk TbMnO₃,” *Mater. Chem. Phys.*, vol. 139, no. 2–3, pp. 897–900, 2013.
- [45] K. Yamauchi, K. Shimizu, T. Aoyama, A. Iyama, T. Kimura, and S. Picozzi, “Giant spin-driven ferroelectric polarization in TbMnO₃ under high pressure,” *Nat. Commun.*, vol. 5, no. 1, pp. 1–7, 2014.
- [46] S. Giri, M. Patra, and S. Majumdar, “Exchange bias effect in alloys and compounds,” *J. Phys. Condens. Matter*, vol. 23, no. 7, 2011.
- [47] F. Tian *et al.*, “Giant spontaneous exchange bias triggered by crossover of superspin glass in Sb-doped Ni₅₀Mn₃₈Ga₁₂ Heusler alloys,” *Sci. Rep.*, vol. 6, no. July, pp. 1–8, 2016.
- [48] E. D. Lopaeva, I. Ruo Berchera, I. P. Degiovanni, S. Olivares, G. Brida, and M. Genovese, “Experimental realization of quantum illumination,” *Phys. Rev. Lett.*, vol. 110, no. 15, pp. 1–5, 2013.
- [49] L. G. Wang, C. M. Zhu, Z. M. Tian, H. Luo, D. L. G. C. Bao, and S. L. Yuan, “Negative magnetization and zero-field cooled exchange bias effect in Co_{0.8}Cu_{0.2}Cr₂O₄ ceramics,” *Appl. Phys. Lett.*, vol. 107, no. 15, pp. 0–5, 2015.
- [50] M. Gruber *et al.*, “Spin crossover in Fe(phen)₂(NCS)₂ complexes on metallic surfaces,” *J. Chem. Phys.*, vol. 146, no. 9, 2017.

-
- [51] J. Krishna Murthy and A. Venimadhav, "Reentrant cluster glass behavior in La₂CoMnO₆nanoparticles," *J. Appl. Phys.*, vol. 113, no. 16, pp. 1–6, 2013.
- [52] J. Barman, T. Bora, and S. Ravi, "Study of exchange bias and training effect in NiCr₂O₄," *J. Magn. Magn. Mater.*, vol. 385, pp. 93–98, 2015.
- [53] A. Hoffmann, "Symmetry Driven Irreversibilities at Ferromagnetic-Antiferromagnetic Interfaces," *Phys. Rev. Lett.*, vol. 93, no. 9, pp. 1–4, 2004.
- [54] J. Nogues and I. K. Schuller, "0827.J.Magn.Magn.Mater.1999,192,203.pdf," *J. Mag. Mag. Mater.*, vol. 192, pp. 203–232, 1999.
- [55] G. Vizdrik, S. Ducharme, M. Fridkin, and G. Yudin, "Kinetics of ferroelectric switching in ultrathin films," *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 68, no. 9, pp. 1–6, 2003.
- [56] C. Binek, "Training of the exchange-bias effect: A simple analytic approach," vol. 014421, pp. 1–5, 2004.
- [57] J. H. Lee, M. A. Oak, H. J. Choi, J. Y. Son, and H. M. Jang, "Rhombohedral-orthorhombic morphotropic phase boundary in BiFeO₃-based multiferroics: First-principles prediction," *J. Mater. Chem.*, vol. 22, no. 4, pp. 1667–1672, 2012.
- [58] S.-T. Zhang, Y. Zhang, M.-H. Lu, L.-H. Pang, and Y.-F. Chen, "Preparation, structures, and multiferroic properties of single phase Bi_{1-x}La_xFeO₃ (x=0–0.40) ceramics," *J. Appl. Phys.*, vol. 100, no. 11, p. 114108, 2006.

-
- [59] V. A. Khomchenko, I. O. Troyanchuk, M. I. Kovetskaya, and J. A. Paixão, “Mn substitution-driven structural and magnetic phase evolution in Bi_{1-x}Sm_xFeO₃ multiferroics,” *J. Appl. Phys.*, vol. 111, no. 1, 2012.
- [60] X. Zhang, Y. Sui, X. Wang, J. Tang, and W. Su, “Influence of diamagnetic Pb doping on the crystal structure and multiferroic properties of the BiFeO₃ perovskite,” *J. Appl. Phys.*, vol. 105, no. 7, pp. 103–106, 2009.
- [61] S. Chauhan *et al.*, “Multiferroic, magnetoelectric and optical properties of Mn doped BiFeO₃ nanoparticles,” *Solid State Commun.*, vol. 152, no. 6, pp. 525–529, 2012.
- [62] J. Wei, R. Haumont, R. Jarrier, P. Berhtet, and B. Dkhil, “Nonmagnetic Fe-site doping of BiFeO₃ multiferroic ceramics,” *Appl. Phys. Lett.*, vol. 96, no. 10, pp. 2008–2011, 2010.
- [63] J. Z. Huang, Y. Shen, M. Li, and C. W. Nan, “Structural transitions and enhanced ferroelectricity in Ca and Mn co-doped BiFeO₃ thin films,” *J. Appl. Phys.*, vol. 110, no. 9, 2011.
- [64] Z.-G. Ye, J. Wu, N. Li, Y. Jiang, L. Zheng, and Z. Xie, “Structure and multiferroic properties of Bi_(1-x)Dy_xFe_{0.90}Mg_{0.05}Ti_{0.05}O₃ solid solution,” *J. Appl. Phys.*, vol. 113, no. 5, p. 054102, 2013.
- [65] V. Dev Ashok *et al.*, “Exchange bias effect in BiFeO₃-NiO nanocomposite,” *J. Appl. Phys.*, vol. 115, no. 1, p. 013906, 2014.
- [66] V. A. Khomchenko *et al.*, “Intrinsic nature of the magnetization enhancement in heterovalently doped Bi_{1-x}A_xFeO₃ (A = Ca, Sr, Pb, Ba) multiferroics,” *J. Phys. D. Appl.*

- Phys.*, vol. 41, no. 10, 2008.
- [67] J. F. Scott *et al.*, “Phase transition and enhanced magneto-dielectric response in BiFeO₃ - DyMnO₃ multiferroics,” *J. Appl. Phys.*, vol. 117, no. 14, p. 144103, 2015.
- [68] V. Kothai, A. Senyshyn, and R. Ranjan, “Competing structural phase transition scenarios in the giant tetragonality ferroelectric BiFeO₃-PbTiO₃: Isostructural vs multiphase transition,” *J. Appl. Phys.*, vol. 113, no. 8, 2013.
- [69] A. Singh, A. Kumar, and D. Pandey, “Effect of synthesis route on structure and dielectric properties of (1-x)BiFeO₃-xBaTiO₃ solid solutions and its phase diagram,” *J. Appl. Phys.*, vol. 124, no. 22, 2018.
- [70] F. Yan, T. J. Zhu, M. O. Lai, and L. Lu, “Role of Pb(Zr_{0.52}Ti_{0.48})O₃ substitution in multiferroic properties of polycrystalline BiFeO₃ thin films,” *J. Appl. Phys.*, vol. 110, no. 11, p. 114116, 2011.
- [71] Y. Wu *et al.*, “Strong magnetoelectric coupling in multiferroic BiFeO₃- Pb(Zr_{0.52}Ti_{0.48})O₃ composite films derived from electrophoretic deposition,” *Appl. Phys. Lett.*, vol. 93, no. 19, 2008.
- [72] S. R. Das *et al.*, “Structural and multiferroic properties of La-modified BiFeO₃ ceramics,” *J. Appl. Phys.*, vol. 101, no. 3, 2007.
- [73] A. Singh, V. Pandey, R. K. Kotnala, and D. Pandey, “Direct evidence for multiferroic magnetoelectric coupling in 0.9BiFeO₃-0.1BaTiO₃,” *Phys. Rev. Lett.*, vol. 101, no. 24, pp. 1–4, 2008.

-
- [74] M. Kumar and K. L. Yadav, "Rapid liquid phase sintered Mn doped BiFeO₃ ceramics with enhanced polarization and weak magnetization," *Appl. Phys. Lett.*, vol. 91, no. 24, pp. 2005–2008, 2007.
- [75] M. Lorenz *et al.*, "Correlation of magnetoelectric coupling in multiferroic BaTiO₃-BiFeO₃ superlattices with oxygen vacancies and antiphase octahedral rotations," *Appl. Phys. Lett.*, vol. 106, no. 1, 2015.
- [76] M. S. Bernardo, T. Jardiel, M. Peiteado, A. C. Caballero, and M. Villegas, "Reaction pathways in the solid state synthesis of multiferroic BiFeO₃," *J. Eur. Ceram. Soc.*, vol. 31, no. 16, pp. 3047–3053, 2011.
- [77] M. M. Kumar, V. R. Palkar, K. Srinivas, and S. V. Suryanarayana, "Ferroelectricity in a pure BiFeO₃ ceramic," *Appl. Phys. Lett.*, vol. 76, no. 19, pp. 2764–2766, 2002.
- [78] A. K. Pradhan *et al.*, "Magnetic and electrical properties of single-phase multiferroic BiFeO₃," *J. Appl. Phys.*, vol. 97, no. 9, 2005.
- [79] K. Y. Yun, D. Ricinschi, T. Kanashima, and M. Okuyama, "Enhancement of electrical properties in polycrystalline BiFeO₃ thin films," *Appl. Phys. Lett.*, vol. 89, no. 19, pp. 2004–2007, 2006.
- [80] M. Ali, P. Adie, C. H. Marrows, D. Greig, B. J. Hickey, and R. L. Stamps, "Exchange bias using a spin glass," *Nat. Mater.*, vol. 6, no. 1, pp. 70–75, 2007.
- [81] K. R. Pirota *et al.*, "Magnetization reversal and exchange bias effects in hard/soft ferromagnetic bilayers with orthogonal anisotropies," *New J. Phys.*, vol. 14, no. 11, p.

- 113001, 2012.
- [82] Q. K. Ong, A. Wei, and X. M. Lin, “Exchange bias in Fe/ Fe₃ O₄ core-shell magnetic nanoparticles mediated by frozen interfacial spins,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 80, no. 13, pp. 1–6, 2009.
- [83] H. Béa *et al.*, “Tunnel magnetoresistance and robust room temperature exchange bias with multiferroic BiFeO₃ epitaxial thin films,” *Appl. Phys. Lett.*, vol. 89, no. 24, pp. 3–6, 2006.
- [84] G. Xu, J. Wen, C. Stock, and P. M. Gehring, “Phase instability induced by polar nanoregions in a relaxor ferroelectric system,” *Nat. Mater.*, vol. 7, no. 7, pp. 562–566, 2008.
- [85] F. Kubel and H. Schmid, “Structure of a ferroelectric and ferroelastic monodomain crystal of the perovskite BiFeO₃,” *Acta Crystallogr. Sect. B*, vol. 46, no. 6, pp. 698–702, 1990.
- [86] T. Rojac, M. Kosec, B. Budic, N. Setter, and D. Damjanovic, “Strong ferroelectric domain-wall pinning in BiFeO₃ ceramics,” *J. Appl. Phys.*, vol. 108, no. 7, 2010.
- [87] R. K. Mishra, D. K. Pradhan, R. N. P. Choudhary, and A. Banerjee, “Effect of yttrium on improvement of dielectric properties and magnetic switching behavior in BiFeO₃,” *J. Phys. Condens. Matter*, vol. 20, no. 4, 2008.
- [88] C. Hengky, X. Moya, N. D. Mathur, and S. Dunn, “Evidence of high rate visible light photochemical decolourisation of Rhodamine B with BiFeO₃ nanoparticles associated with BiFeO₃ photocorrosion,” *RSC Adv.*, vol. 2, no. 31, pp. 11843–11849, 2012.

-
- [89] P. Shahi *et al.*, “Effect of Pr- and Nd- doping on structural, dielectric, and magnetic properties of multiferroic Bi_{0.8}La_{0.2}Fe_{0.9}Mn_{0.1}O₃,” *J. Appl. Phys.*, vol. 115, no. 13, p. 134102, 2014.
- [90] Y. Li *et al.*, “Structural distortion and room-temperature ferromagnetization of Co-doped and (Eu, Co)-codoped BiFeO₃ nanoparticles,” *Mater. Lett.*, vol. 87, pp. 117–120, 2012.
- [91] I. O. Troyanchuk, M. V. Bushinsky, D. V. Karpinsky, O. S. Mantytskaya, V. V. Fedotova, and O. I. Prochnenko, “Structural transformations and magnetic properties of Bi_{1-x}Ln_xFeO₃ (Ln = La, Nd, Eu) multiferroics,” *Phys. Status Solidi Basic Res.*, vol. 246, no. 8, pp. 1901–1907, 2009.
- [92] A. K. Ghosh *et al.*, “Role of codoping on multiferroic properties at room temperature in BiFeO₃ ceramic,” *Solid State Commun.*, vol. 166, pp. 22–26, 2013.
- [93] M. K. Singh, R. S. Katiyar, and J. F. Scott, “New magnetic phase transitions in BiFeO₃,” *J. Phys. Condens. Matter*, vol. 20, no. 25, pp. 13–17, 2008.
- [94] M. Meng *et al.*, “Enlarged Mn 3s splitting and room-temperature ferromagnetism in epitaxially grown oxygen doped Mn₂N_{0.86} films,” *J. Appl. Phys.*, vol. 116, no. 17, pp. 0–4, 2014.
- [95] S. Chauhan, M. Kumar, S. Chhoker, S. C. Katyal, and M. Singh, “Substitution driven structural and magnetic transformation in Ca-doped BiFeO₃ nanoparticles,” *RSC Adv.*, vol. 6, no. 49, pp. 43080–43090, 2016.
- [96] S. Pattanayak, R. N. P. Choudhary, and P. R. Das, “Effect of Gd-substitution on phase

-
- transition and conduction mechanism of BiFeO₃,” *J. Mater. Sci. Mater. Electron.*, vol. 24, no. 8, pp. 2767–2771, 2013.
- [97] M. Bibes and A. Barthélémy, “Towards a magnetoelectric memory,” *Nat. Mater.*, vol. 7, no. 6, pp. 425–426, 2008.
- [98] S. Karimi, I. M. Reaney, Y. Han, J. Pokorny, and I. Sterianou, “Crystal chemistry and domain structure of rare-earth doped BiFeO₃ ceramics,” *J. Mater. Sci.*, vol. 44, no. 19, pp. 5102–5112, 2009.
- [99] D. Lebeugle, D. Colson, A. Forget, and M. Viret, “Very large spontaneous electric polarization in BiFeO₃ single crystals at room temperature and its evolution under cycling fields,” *Appl. Phys. Lett.*, vol. 91, no. 2, pp. 2000–2003, 2007.
- [100] B. Li, C. Wang, W. Liu, M. Ye, and N. Wang, “Multiferroic properties of La and Mn co-doped BiFeO₃ nanofibers by sol-gel and electrospinning technique,” *Mater. Lett.*, vol. 90, pp. 45–48, 2013.
- [101] R. Singh *et al.*, “Enhancement in electrical and magnetic properties with Ti-doping in Bi_{0.5}La_{0.5}Fe_{0.5}Mn_{0.5}O₃,” *J. Appl. Phys.*, vol. 121, no. 15, p. 154101, 2017.
- [102] M. K. Singh, H. M. Jang, S. Ryu, and M. H. Jo, “Polarized Raman scattering of multiferroic BiFeO₃ epitaxial films with rhombohedral R3c symmetry,” *Appl. Phys. Lett.*, vol. 88, no. 4, pp. 1–3, 2006.
- [103] S. Shankar, M. Kumar, A. K. Ghosh, and O. P. Thakur, “Conduction mechanism and dielectric properties of BiFeO₃–BaTiO₃ solid solutions,” *J. Mater. Sci. Mater. Electron.*,

- vol. 25, no. 11, pp. 4896–4901, 2014.
- [104] S. Kamba *et al.*, “Infrared and terahertz studies of polar phonons and magnetodielectric effect in multiferroic BiFeO₃ ceramics,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 75, no. 2, pp. 1–7, 2007.
- [105] W. Echtenkamp and C. Binek, “Electric control of exchange bias training,” *Phys. Rev. Lett.*, vol. 111, no. 18, pp. 1–5, 2013.
- [106] J. Krishna Murthy and A. Venimadhav, “Giant zero field cooled spontaneous exchange bias effect in phase separated La_{1.5}Sr_{0.5}CoMnO₆,” *Appl. Phys. Lett.*, vol. 103, no. 25, pp. 0–5, 2013.
- [107] T. Basu *et al.*, “Large spontaneous exchange bias in a weak ferromagnet Pb₆Ni₉(TeO₆)₅,” *Sci. Rep.*, vol. 7, no. 1, pp. 1–7, 2017.
- [108] T. J. Park, G. C. Papaefthymiou, A. J. Viescas, A. R. Moodenbaugh, and S. S. Wong, “Size-dependent magnetic properties of single-crystalline multiferroic BiFeO₃ nanoparticles,” *Nano Lett.*, vol. 7, no. 3, pp. 766–772, 2007.
- [109] S. H. Xie *et al.*, “Nanocrystalline multiferroic BiFeO₃ ultrafine fibers by sol-gel based electrospinning,” *Appl. Phys. Lett.*, vol. 93, no. 22, pp. 1–4, 2008.
- [110] T. Maity, S. Goswami, D. Bhattacharya, and S. Roy, “Superspin Glass Mediated Giant Spontaneous Exchange Bias in a Nanocomposite of BiFeO₃-Bi₂Fe₄O₉,” *Phys. Rev. Lett.*, vol. 110, no. 10, p. 107201, 2013.

-
- [111] B. Ahmmad, M. Z. Islam, A. Billah, and M. A. Basith, “Anomalous coercivity enhancement with temperature and tunable exchange bias in Gd and Ti co-doped BiFeO₃ multiferroics,” *J. Phys. D. Appl. Phys.*, vol. 49, no. 9, 2016.
- [112] S. Dong, Y. Yao, Y. Hou, Y. Liu, Y. Tang, and X. Li, “Dynamic properties of spin cluster glass and the exchange bias effect in BiFeO₃ nanocrystals,” *Nanotechnology*, vol. 22, no. 38, 2011.
- [113] X. Martí *et al.*, “Skin Layer of BiFeO_3 Single Crystals,” *Phys. Rev. Lett.*, vol. 106, no. 23, p. 236101, 2011.
- [114] L. W. Martin *et al.*, “Room temperature exchange bias and spin valves based on BiFeO₃/SrRuO₃/SrTiO₃/Si (001) heterostructures,” *Appl. Phys. Lett.*, vol. 91, no. 17, pp. 10–13, 2007.
- [115] T. Kimura, G. Lawes, T. Goto, Y. Tokura, and A. P. Ramirez, “Magnetoelectric phase diagrams of orthorhombic RMnO₃ (R=Gd, Tb, and Dy),” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 71, no. 22, pp. 1–13, 2005.
- [116] A. Kumar and D. Pandey, “The Ground state of BiFeO₃ : Low temperature magnetic phase transitions revisited,” *Condens. Matter-Materials Sci.*, pp. 1–31, 2016.
- [117] M. Guennou *et al.*, “Multiple high-pressure phase transitions in BiFeO₃,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 84, no. 17, pp. 1–10, 2011.
- [118] B. Malic *et al.*, “Dual strain mechanisms in a lead-free morphotropic phase boundary

- ferroelectric,” *Sci. Rep.*, vol. 6, no. 1, pp. 1–8, 2016.
- [119] G. S. Lotey and N. K. Verma, “Structural, magnetic, and electrical properties of Gd-doped BiFeO₃ nanoparticles with reduced particle size,” *J. Nanoparticle Res.*, vol. 14, no. 2, 2012.
- [120] N. Srivastava and P. C. Srivastava, “A study on exchange coupled structures of Fe/NiO and NiO/Fe interfaced with n- and p-silicon substrates,” *J. Appl. Phys.*, vol. 111, no. 12, 2012.
- [121] P. Mandal, R. Ananthkrishnan, D. Khastgir, O. P. Bajpai, S. Chattopadhyay, and S. Mandal, “Structural features, magnetic properties and photocatalytic activity of bismuth ferrite nanoparticles grafted on graphene nanosheets,” *New J. Chem.*, vol. 42, no. 13, pp. 10712–10723, 2018.
- [122] R. Sbiaa, I. Okamoto, M. Ranjbar, T. C. Chong, and S. N. Piramanayagam, “Advanced Magnetic Force Microscopy for High Resolution Magnetic Imaging,” *Nanosci. Nanotechnol. Lett.*, vol. 4, no. 6, pp. 628–633, 2012.
- [123] Y. Wang, J. Hu, Y. Lin, and C. W. Nan, “Multiferroic magnetoelectric composite nanostructures,” *NPG Asia Mater.*, vol. 2, no. 2, pp. 61–68, 2010.
- [124] M. J. Benitez, O. Petravic, H. Tüysüz, F. Schüth, and H. Zabel, “Fingerprinting the magnetic behavior of antiferromagnetic nanostructures using remanent magnetization curves,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 83, no. 13, pp. 1–9, 2011.
- [125] P. Yu, Y. H. Chu, and R. Ramesh, “Emergent phenomena at multiferroic

-
- heterointerfaces,” *Philos. Trans. R. Soc. A Math. Phys. Eng. Sci.*, vol. 370, no. 1977, pp. 4856–4871, 2012.
- [126] D. Bhattacharya, G. C. Das, T. Maity, S. Goswami, and S. Roy, “Spontaneous exchange bias in a nanocomposite of BiFeO_3 - $\text{Bi}_2\text{Fe}_4\text{O}_9$,” *J. Appl. Phys.*, vol. 113, no. 17, p. 17D916, 2013.
- [127] M. S. Kim *et al.*, “Structure, magnetic, and transport properties of Ti-substituted $\text{La}_{0.7}\text{Sr}_{0.3}\text{MnO}_3$,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 71, no. 1, pp. 1–8, 2005.
- [128] M. Abbate *et al.*, “Soft-x-ray-absorption studies of the location of extra charges induced by substitution in controlled-valence materials,” *Phys. Rev. B*, vol. 44, no. 11, pp. 5419–5422, 1991.
- [129] T. J. Regan *et al.*, “Chemical effects at metal/oxide interfaces studied by x-ray-absorption spectroscopy,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 64, no. 21, pp. 1–11, 2001.
- [130] J. Liu, J. W. Freeland, J. Chakhalian, H. N. Lee, and B. Gray, “Local electronic and magnetic studies of an artificial $\text{La}_2\text{FeCrO}_6$ double perovskite,” *Appl. Phys. Lett.*, vol. 97, no. 1, p. 013105, 2010.
- [131] Guo, Haizhong, Arunava Gupta, Maria Varela, Stephen Pennycook, and Jiandi Zhang. “Local valence and magnetic characteristics of $\text{La}_2\text{NiMnO}_6$.” *Physical Review B* 79, no. 17 (2009): 172402.
- [132] B. B. Nelson-Cheeseman, F. J. Wong, R. V. Chopdekar, E. Arenholz, and Y. Suzuki,

-
- “Room temperature magnetic barrier layers in magnetic tunnel junctions,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 81, no. 21, pp. 1–7, 2010.
- [133] C. C. Yang *et al.*, “Magnetic instability and oxygen deficiency in Na-doped TbMnO₃,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 74, no. 9, pp. 4–9, 2006.
- [134] J. Graetz, C. C. Ahn, H. Ouyang, P. Rez, and B. Fultz, “White lines and d-band occupancy for the 3 d transition-metal oxides and lithium transition-metal oxides,” *Phys. Rev. B*, vol. 69, no. 23, p. 235103, 2004.
- [135] F. Lin, D. Nordlund, I. M. Markus, T. C. Weng, H. L. Xin, and M. M. Doeff, “Profiling the nanoscale gradient in stoichiometric layered cathode particles for lithium-ion batteries,” *Energy Environ. Sci.*, vol. 7, no. 9, pp. 3077–3085, 2014.
- [136] W. S. Choi *et al.*, “Strain Control of Oxygen Vacancies in Epitaxial Strontium Cobaltite Films,” *Adv. Funct. Mater.*, vol. 26, no. 10, pp. 1564–1570, 2016.
- [137] P. Audehm *et al.*, “Pinned orbital moments-A new contribution to magnetic anisotropy,” *Sci. Rep.*, vol. 6, pp. 1–8, 2016.
- [138] C. Nistor *et al.*, “Exchange bias of TbPc₂ molecular magnets on antiferromagnetic FeMn and ferromagnetic Fe films,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 92, no. 18, pp. 1–7, 2015.
- [139] P. Uniyal and K. L. Yadav, “Pr doped bismuth ferrite ceramics with enhanced multiferroic properties,” *J. Phys. Condens. Matter*, vol. 21, no. 40, 2009.

-
- [140] M. Banerjee, A. Mukherjee, A. Banerjee, D. Das, and S. Basu, “Enhancement of multiferroic properties and unusual magnetic phase transition in Eu doped bismuth ferrite nanoparticles,” *New J. Chem.*, vol. 41, no. 19, pp. 10985–10991, 2017.
- [141] R. Katoch, C. D. Sekhar, V. Adyam, J. F. Scott, R. Gupta, and A. Garg, “Spin phonon interactions and magnetodielectric effects in multiferroic BiFeO₃-PbTiO₃,” *J. Phys. Condens. Matter*, vol. 28, no. 7, 2016.
- [142] P. Mandal, V. S. Bhadram, Y. Sundarayya, C. Narayana, A. Sundaresan, and C. N. R. Rao, “Spin-reorientation, ferroelectricity, and magnetodielectric effect in YFe_{1-x}Mn_xO₃ (0.1 ≤ x ≤ 0.40),” *Phys. Rev. Lett.*, vol. 107, no. 13, pp. 1–5, 2011.
- [143] S. K. Upadhyay, V. R. Reddy, and N. Lakshmi, “Study of (1-x) BaTiO₃-x Ni_{0.5}Zn_{0.5}Fe₂O₄ (x=5, 10 and 15%) magneto-electric ceramic composites,” *J. Asian Ceram. Soc.*, vol. 1, no. 4, pp. 346–350, 2013.
- [144] W. Liu, L. Shi, S. Zhou, J. Zhao, Y. Li, and Y. Guo, “Griffiths phase, spin-phonon coupling, and exchange bias effect in double,” vol. 193901, 2014.
- [145] R. Merlin, A. Pinczuk, and W. H. Weber, “Overview of Phonon Raman Scattering in Solids,” pp. 1–29, 2013.
- [146] E. Granado *et al.*, “Magnetic ordering effects in the Raman spectra of La_{1-x}Mn_xO₃,” *Phys. Rev. B*, vol. 60, no. 17, pp. 11879–11882, 1999.
- [147] J. Ray, A. K. Biswal, and P. N. Vishwakarma, “Low temperature magneto-dielectric measurements on BiFeO₃ lightly substituted by cobalt,” *J. Appl. Phys.*, vol. 117, no. 13,

- 2015.
- [148] C. G. Koops, “On the dispersion of resistivity and dielectric constant of some semiconductors at audiofrequencies,” *Phys. Rev.*, vol. 83, no. 1, pp. 121–124, 1951.
- [149] A. K. Biswal, J. Ray, P. D. Babu, V. Siruguri, and P. N. Vishwakarma, “Dielectric relaxations in $\text{La}_2\text{NiMnO}_6$ with signatures of Griffiths phase,” *J. Appl. Phys.*, vol. 115, no. 19, 2014.
- [150] S. Hunpratub, P. Thongbai, T. Yamwong, R. Yimnirun, and S. Maensiri, “Dielectric relaxations and dielectric response in multiferroic BiFeO_3 ceramics,” *Appl. Phys. Lett.*, vol. 94, no. 6, pp. 1–4, 2009.
- [151] G. Lawes, B. Ramachandran, A. Dixit, R. Naik, and M. S. Ramachandra Rao, “Weak ferromagnetic ordering in Ca doped polycrystalline BiFeO_3 ,” *J. Appl. Phys.*, vol. 111, no. 2, p. 023910, 2012.
- [152] G. L. Yuan, S. W. Or, and H. L. W. Chan, “Raman scattering spectra and ferroelectric properties of $\text{Bi}_{1-x}\text{Nd}_x\text{FeO}_3$ ($x=0-0.2$) multiferroic ceramics,” *J. Appl. Phys.*, vol. 101, no. 6, 2007.
- [153] A. Redinger and S. Siebentritt, “Loss Mechanisms in Kesterite Solar Cells,” *Copp. Zinc Tin Sulfide-Based Thin-Film Sol. Cells*, vol. 627, pp. 363–386, 2015.
- [154] M. Hücker *et al.*, “Stripe correlations of spins and holes and phonon heat transport in doped La_2CuO_4 ,” *Phys. Rev. B*, vol. 83, no. 10, p. 104506, 2011.

-
- [155] N. A. Spaldin and W. E. Pickett, "Computational design of multifunctional materials," *J. Solid State Chem.*, vol. 176, no. 2, pp. 615–632, 2003.
- [156] J. Liu, M. Li, L. Pei, B. Yu, D. Guo, and X. Zhao, "Effect of Ce doping on the microstructure and electrical properties of BiFeO₃ thin films prepared by chemical solution deposition," *J. Phys. D. Appl. Phys.*, vol. 42, no. 11, 2009.
- [157] S. T. Zhang *et al.*, "Substitution-induced phase transition and enhanced multiferroic properties of Bi_{1-x}La_xFeO₃ ceramics," *Appl. Phys. Lett.*, vol. 88, no. 16, pp. 2–5, 2006.
- [158] D. Kothari, V. Raghavendra Reddy, V. G. Sathe, A. Gupta, A. Banerjee, and A. M. Awasthi, "Raman scattering study of polycrystalline magnetoelectric BiFeO₃," *J. Magn. Mater.*, vol. 320, no. 3–4, pp. 548–552, 2008.
- [159] J. Liu, L. Fang, F. Zheng, S. Ju, and M. Shen, "Enhancement of magnetization in Eu doped BiFeO₃ nanoparticles," *Appl. Phys. Lett.*, vol. 95, no. 2, pp. 1–4, 2009.
- [160] M. K. Singh, W. Prellier, M. P. Singh, R. S. Katiyar, and J. F. Scott, "Spin-glass transition in single-crystal BiFeO₃," *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 77, no. 14, pp. 1–5, 2008.
- [161] T.-L. Phan, N. Van Khiem, S.-C. Yu, J. R. Rhee, M.-H. Phan, and N. X. Phuc, "Electronic and magnetic phase diagram of La_{0.5}Sr_{0.5}Co_{1-x}Fe_xO₃ (0 ≤ x ≤ 0.6) perovskites," *J. Appl. Phys.*, vol. 97, no. 10, p. 10A508, 2005.
- [162] Y. Sheng *et al.*, "Magnetic interactions in BiFe_{0.5}Mn_{0.5}O₃ films and BiFeO₃/BiMnO₃ superlattices," *Sci. Rep.*, vol. 5, no. 1, pp. 1–8, 2015.

- [163] D. Wu, H. Zai, T. Qiu, M. X. Xu, and Q. Xu, “The magnetic properties of Bi(Fe_{0.95}Co_{0.05})O₃ ceramics,” *Appl. Phys. Lett.*, vol. 95, no. 11, p. 112510, 2009.
- [164] R. Schmidt *et al.*, “Magnetoimpedance spectroscopy of epitaxial multiferroic thin films,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 86, no. 3, pp. 1–10, 2012.
- [165] C. L. Jia, T. L. Wei, C. J. Jiang, D. S. Xue, A. Sukhov, and J. Berakdar, “Mechanism of interfacial magnetoelectric coupling in composite multiferroics,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 90, no. 5, pp. 1–6, 2014.