

LIST OF FIGURES

Figure no.	Figure caption	Page no.
Figure 2.1.	Non-linear relationship between CNS permeation tendency and lipophilicity.	7
Figure 2.2.	Insignificance of molecular weight, lipophilicity and hydrogen bonds on BBB penetration.	9
Figure 4.1	Scheme: Conjugation of folic acid to gelatin	27
Figure5.1	Structure of folic acid	43
Figure5.2	Important nucleus of folic acid	44
Figure 5.3	¹ HNMR spectrum of a) Folic acid and b) Folic acid δ 6.6-8.6	45
Figure 5.4	DQCOSY NMR spectrum of a) Folic acid and b) Folic acid δ 1.0-4.5	46
Figure5.5	Spectrum of Folic acid a) ¹³ C NMR and b) gDQHSQC	48
Figure 5.6	¹ HNMR spectrum of a) Gelatin and b) Gelatin δ 0.00 – 5.00	50
Figure 5.7	¹³ C NMR spectrum of Gelatin	51
Figure 5.8	¹ HNMR spectrum of a) Folic acid δ 6.60 – 8.60 and b) Gelatin folate δ 5.50 – 8.50	52
Figure 5.9	Spectrum of Gelatin folate a) ¹³ C NMR and b) gDQHSQC	53
Figure 5.10	IR spectrum of a) Folic acid and b) Gelatin A	55
Figure 5.11	IR spectrum of EDC and Gelatin Folate	56
Figure 5.12	Overlaid IR spectrum of Folic acid, Gelatin A and Gelatin Folate	57
Figure 5.13	DSC thermograms of folic acid	57
Figure 5.14	DSC thermograms of gelatin	58
Figure 5.15	DSC thermograms of EDC	58
Figure 5.16	DSC thermograms of Gelatin folate	59
Figure 5.17	Combined view DSC thermogram of EDC, folic acid,	59

Figure no.	Figure caption	Page no.
	Gelatin and gelatin-folate	
Figure 5.18	X-ray diffractogram of Gelatin, Folic acid and gelatin folate.	60
Figure 5.19	SEM micrograms of gelatin, FA and Gelatin-folate.	62
Figure 5.20	Calibration curve of phenytoin sodium in phosphate buffer pH 6.8	64
Figure 5.21	HPLC chromatogram of a) Blank, b) 2 µg/ml, c) 6 µg/ml of phenytoin sodium in phosphate buffer pH 6.8	65
Figure 5.22	HPLC chromatogram of a) 25 µg/ml, b) 50 µg/ml, c) 100 µg/ml of phenytoin sodium in phosphate buffer pH 6.8	66
Figure 5.23	HPLC chromatogram of release studies at a) 0.5 hr, b) 1 hr, c) 2 hr of phenytoin sodium in phosphate buffer pH 6.8	72
Figure 5.24	Effect of percentage of polymer on cumulative % of drug release	73
Figure 5.25	Effect of degree of cross-linking on cumulative % of drug release	73
Figure 5.26	Effect of duration of cross-linking on cumulative % of drug release	74
Figure 5.27	Effect of % drug loading on cumulative % of drug release	74
Figure 5.28	FTIR spectra of native gelatin, 25% Glutaraldehyde, Phenytoin sodium and gelatin nanoparticles.	78
Figure 5.29	FTIR spectra of gelatin nanoparticles crosslinked for 4 hours and 8 hours.	79
Figure 5.30	DSC thermogram of Phenytoin sodium	80
Figure 5.31	DSC thermogram of Phenytoin sodium, gelatin and gelatin nanoparticles	81
Figure 5.32	DSC thermogram of Phenytoin sodium, gelatin folate and gelatin folate nanoparticles	81
Figure 5.33	X-ray diffractogram of phenytoin sodium, placebo gelatin nanoparticles, gelatin nanoparticles,	82

Figure no.	Figure caption	Page no.
Figure 5.34	X-ray diffractogram of and placebo gelatin folate nanoparticles.	83
Figure 5.35:	X-ray diffractogram of gelatin folate nanoparticles,	83
Figure 5.36	SEM micrograms of gelatin nanoparticles and gelatin folate nanoparticles	84
Figure 5.37	GCHS chromatogram of blank 1	87
Figure 5.38	GCHS chromatogram of blank 2	87
Figure 5.39	GCHS chromatogram of standards	88
Figure 5.40	GCHS chromatogram of blank 2	89
Figure 5.41	GCHS chromatogram of folic acid	89
Figure 5.42	GCHS chromatogram of gelatin	90
Figure 5.43	GCHS chromatogram of gelatin folate	90
Figure 5.44	GCHS chromatogram of phenytoin sodium	91
Figure 5.45	GCHS chromatogram of formulation GT3	91
Figure 5.46	GCHS chromatogram of formulation GF1	92
Figure 5. 47	ED ₅₀ of DPH and its formulation against MES induced seizure	93
Figure 5. 48	Calibration curve of DPH in rat control plasma (spiked)	94
Figure 5. 49	Calibration curve of DPH in rat control plasma (Extracted)	95
Figure 5.50	HPLC chromatogram of blank plasma	96
Figure 5.51	HPLC chromatogram of a) 25, b)50, c)100 µg/ml of phenytoin sodium in plasma (Spiked)	97
Figure 5.52	HPLC chromatogram of a) 25, b)50, c)100 µg/ml of phenytoin sodium in plasma (Extracted)	98
Figure 5.53	HPLC chromatogram of Plasma samples at 2 hr of a) DPH Soln, b) Gtn-NP and c) Gtn-FA-NP	99
Figure 5.54	HPLC chromatogram of Blank Brain	100
Figure 5.55	HPLC chromatogram of a) 25, b)50, c)100 µg/ml of phenytoin sodium in brain (Spiked)	101
Figure 5.56	HPLC chromatogram of a) 25, b)50, c)100 µg/ml of	102

Figure no.	Figure caption	Page no.
	phenytoin sodium in brain (Extracted)	
Figure 5.57	HPLC chromatogram of brain samples at 2 hr of a) DPH Soln, b) Gtn-NP and c) Gtn-FA-NP	103
Figure 5.58	Concentrations Vs time profile of phenytoin sodium in plasma	104
Figure 5.59	Concentrations Vs time profile of phenytoin sodium in brain	105