
References

Akhavan, O. and Ghaderi, E., Toxicity of graphene and graphene oxide nanowalls against bacteria. *ACS Nano* 4, 5731-5736, 2010.

Amin, M. A., El-Rehim, S. S. A., El-Sherbini, and Abbas, M. N., et al. Polyacrylic acid as a corrosion inhibitor for aluminium in weakly alkaline solutions. Part I: Weight loss, polarization, impedance EFM and EDX studies, *Corros. Sci.*, 51, 658-667, 2009.

Arbatti, M., Shan, X. and Cheng, Z. Y., Ceramic-polymer composites with high dielectric constant, *Adv. Mater.*, 19, 369-1372, 2007.

Bai, H., Li, C. and Wang, X. L., et al. A pH-sensitive graphene oxide composite hydrogel, *Chem. Commun.*, 46, 2376-2378, 2010.

Balandin, A. A., Ghosh, S. and Bao, W. Z., et al. Superior thermal conductivity of single-layer graphene, *Nano Lett.*, 8, 902-907, 2008.

Banerjee, S., Mishra, A., Singh, M. M., Maiti, B., Ray, B. and Maiti, P., 2011. Highly efficient polyurethane ionomer corrosion inhibitor: the effect of chain structure, *Rsc Adv.*, 1, 199-210, 2011.

Bhattacharya, P., Dhibar, S., Hatui, G., Mandal, A., Das, T. and Das, C. K., Graphene decorated with hexagonal shaped M-type ferrite and polyaniline wrapper: a potential candidate for electromagnetic wave absorbing and energy storage device applications, *RSC Adv.*, 4, 17039-17053, 2014.

Bian, J., Lin, H. L., Sancaktar, E., et al. Fabrication of microwave exfoliated graphite oxide reinforced thermoplastic polyurethane nanocomposites: Effects of filler on morphology, mechanical, thermal and conductive properties, *Compos. Part A*: 47, 72-82, 2013.

Bishop, J. B., Phillips, L.G. and Mustoe, T. A., A prospective randomized evaluator-blinded trial of two potential wound healing agents for the treatment of venous stasis ulcers, *J. Vasc. Surg.*, 16, 251-257, 1992.

Bosman, A. W., Janssen, H. M. and Meijer, E. W., About dendrimers: Structure, physical properties and applications, *Chem. Rev.*, 99, 1655-1688, 1999.

Bourlinos, A. B., Gournis, D., Petridis, D. and Dekany, I., et al. Graphite oxide: Chemical reduction to graphite and surface modification with primary aliphatic amines and amino acids, *Langmuir*, 19, 6050-6055, 2003.

Brodie, B. C., On the atomic weight of graphite, *Philos. Trans. R. Soc. London*, 149, 249-259, 1859.

Buschmann, J., Harter, L. and Calcagni, M., et al. Tissue engineered bone grafts based on biomimetic nanocomposite PLGA/amorphous calcium phosphate scaffold and human adipose-derived stem cells, *Injury* 43, 1689-1697, 2012.

Cai, D., Jin, J., Yusoh, K., Rafiq, R. and Song, M., High performance polyurethane/functionalized graphene nanocomposites with improved mechanical and thermal properties, *Compos. Sci. Technol.*, 72, 702-707, 2012.

Camposa, E., Cordeiroa, R., Santos, A. C. and Gil, M. H., et al. Design and characterization of bi-soft segmented polyurethane microparticles for biomedical application, *Colloids Surf., B: Biointerfaces*, 88, 477- 482, 2011.

Cao, Q., Chen, S., Hu, J. and Liu, P., Study on the liquefied-MDI-based shape memory polyurethanes, *J. Appl. Polym. Sci.*, 106, 993-1000, 2007.

Cao, X., Dong, H. and Li, C. M., New nanocomposite materials reinforced with flax cellulose nanocrystals in waterborne polyurethane, *Biomacromolecules*, 8, 899-904, 2007.

Cao, Y. W., Feng, J. C. and Wu, P. Y., Preparation of organically dispersible graphene nanosheet powders through a lyophilization method and their poly(lactic acid) composites, *Carbon*, 48, 3834-3839, 2010.

Che, Q. T., Zhu, Z. F., and Chen, N., et al., Methylimidazolium group -Modified polyvinyl chloride (PVC) doped with phosphoric acid for high temperature proton exchange membranes, *Mater. Des.*, 87, 1047-1055, 2015.

Chen, H., Jiang, C., Yu, C., Zhang, S., Liu, B. Kong, J., Protein chips and nanomaterials for application in tumor marker immunoassays. *Biosens. Bioelectron.*, 24,3399-3411, 2009.

Chen, H., Muller, M. B. and Li, D., Mechanically strong, electrically conductive and biocompatible graphene paper, *Adv. Mater.*, 20, 3557-3561, 2008.

Chen, T. K., Tien, Y. I. and Wei, K. H., Synthesis and characterization of novel segmented polyurethane/clay nanocomposites, *Polymer*, 41, 1345-1353, 2000.

Chen, Y. C., Zhou, S., Yang, H. and Wu, L. Structure and properties of polyurethane/nanosilica composites, *J. Appl. Polym. Sci.*, 95, 1032-1039, 2005.

Cherng, J. Y., Hou, T. Y., Shih, M. F., Talsma, H. and Hennink, W. E., Polyurethane-based drug delivery systems, *Int. J. Pharm.*, 450, 145- 162, 2013.

Cho, J. W., Kim, J. W, Jung, Y. C. and Goo, N. S., Electroactive shape-memory polyurethane composites incorporating carbon nanotubes, *Macromol. Rapid Commun.*, 26, 412-416, 2005.

Choi, J. T., Dao, T. D., Oh, K. M., Lee, H. I., Jeong, H. M. and Kim, B. K., *Smart. Mater.Struct.*, 21, 075017-075026, 2012.

Choi, J. T., Kim, D. H., Ryu, K. S., Kim, B. K., et al. Functionalized graphene sheet/polyurethane nanocomposites:Effect of particle size on physical properties, *Macromol. Res.*, 19, 809-814, 2011.

Chowdhury, S. M., Lalwani, G., Zhang, K., Yang, J. Y., Neville, K. and Sitharaman, B., Cell specific cytotoxicity and uptake of graphene nanoribbons, *Biomaterials*, 34, 283-293, 2013.

Ciardelli, G., Rechichi, A., Cerrai, P., Tricoli, M., Barbani, N. and Giusti, P., Segmented polyurethanes for medical applications: Synthesis, characterization and *in vitro* enzymatic degradation studies, *Macromol. Symp.*, 218, 261-271, 2004.

Corr, S. J., Raoof, M., Cisneros, B. T., Kuznetsov, O., and Curley, S. A., Cytotoxicity and variant cellular internalization behavior of water-soluble sulfonated nanographene sheets in liver cancer cells, *Nanoscale Res. Lett.*, 8, 1-10, 2013.

Cyriac, A., Lee, S. H. and Lee, B. Y., et al. Preparation of flame-retarding poly(propylene carbonate), *Green-chem.*, 13, 3469-3475, 2011.

da Silva, G. R., da Silva-Cunha, A., and Oréface, R. L., et al., Biodegradation of polyurethanes and nanocomposites to non-cytotoxic degradation products, *Polym. Degrad. Stab.*, 95, 491-499, 2010.

Deka, H. and Karak, N. Bio-based hyperbranched polyurethane/clay nanocomposites: adhesive, mechanical, and thermal properties, *Polym. Adv. Technol.*, 22, 973-980, 2009.

Depan, D., Kumar, A. P. and Singh, R. P., Cell proliferation and controlled drug release studies of nanohybrids based on chitosan-g-lactic acid and montmorillonite, *Acta Biomater.*, 5, 93-100, 2009.

Dikin, D. A., Stankovich, S., Zimney, T. and Ruoff, R. S., et al. Preparation and characterization of graphene oxide paper, *Nature*, 448, 457-460, 2007.

Ding, J. N., Fan, Y., Zhao, C. X., Liu, Y. B., Yuan, N. Y. et al. Electrical conductivity of waterborne polyurethane/graphene composites prepared by solution mixing, *J. Compos. Mater.*, 0(0) 1-6, 2011.

Discher, B. M., Won, Y. Y., Discher, D. E. and Hammer, D. A. et al., Polymersomes: tough vesicles made from diblock copolymers, *Science*, 284, 1143-1146, 1999.

Dong, L., Gari, R. R. S., Li, Z., and Hou, S., Graphene-supported platinum and platinum-ruthenium nanoparticles with high electrocatalytic activity for methanol and ethanol oxidation, *Carbon*, 48, 781-7, 2010.

Duarte, M. A. C., Wagner, N., Chapana, J. R., Morszeck, C., Thie, M. and Giersig, M., Fabrication and biocompatibility of carbon nanotube-based 3D networks as scaffolds for cell seeding and growth, *Nano Lett.*, 4, 2233-2236, 2004.

Duch, M. C., Budinger, G. R. S., and Mutlu, G. M., et al. Minimizing oxidation and stable nanoscale dispersion improves the biocompatibility of graphene in the lung, *Nano Lett.* 11, 5201-5207, 2011.

Emtsev, K. V., Bostwick, A., Horn, K. and Seyller, T., Towards wafer-size graphene layers by atmospheric pressure graphitization of silicon carbide, *Nat. Mater.*, 8, 203-207, 2009.

Englert, J. M., Dotzer, C. and Hirsch, A., et al. Covalent bulk functionalization of graphene, *Nat. Chem.*, 3, 279-286, 2011.

Fan, X., Peng, W., Li, Y., Li, X., Wang, S., and Zhang, F., et al., Deoxygenation of exfoliated graphite oxide under alkaline conditions: a green route to graphene preparation, *Adv. Mater.*, 20, 4490-4493, 2008.

Feng, L., Zhang, S. and Liu, Z., Graphene based gene transfection, *Nanoscale*, 3, 1252-1257, 2011.

Ganta, S. R., Piesco, N. P., Long, P., and Agarwal, S., et al. Vascularization and tissue infiltration of a biodegradable polyurethane matrix, *J. Biomed. Mater. Res.*, 64, 242-248, 2003.

- Gavgani, J. N., Adelnia, H. and Gudarzi, M. M., Intumescent flame retardant polyurethane/reduced graphene oxide composites with improved mechanical, thermal, and barrier properties, *J. Mater. Sci.*, 49, 243-254, 2014.
- Geim, A. K. and Novoselov, K. S., The rise of graphene, *Nat. Mater.*, 6, 183-191, 2007.
- Gillies, E. R., Jonsson, T. B. and Frechet, J. M. J., Stimuli-responsive supramolecular assemblies of linear-dendritic copolymers, *J. Am. Chem. Soc.*, 126, 11936-11943, 2004.
- Gilman, J. W., Jackson, C. L. and Giannelis, E. P., et al. Flammability properties of polymer-layered-silicate nanocomposites, polypropylene and polystyrene nanocomposites, *Chem. Mater.*, 12, 1866-1873, 2000.
- Goenka, S., Sant, V. and Sant, S., Graphene-based nanomaterials for drug delivery and tissue engineering, *J. Control Release*, 173, 75-88, 2014.
- Gordon, R. F. Proc. of the Int. Conf. on shape memory and superelastic technologies, 1st, Pacific Grove, CA, March 7-10, Pelton, A. R.; Hodgson, D.; Duerig, T. (Eds.), MIAS, Monterey, CA, pp. 115-120, 1994.
- Grossiord, N., Loos, J., Regev, O. and Koning, C. E., Toolbox for dispersing carbon nanotubes into polymers to get conductive nanocomposites, *Chem Mater.*, 18, 1089-99, 2006.
- Gu, X., Wu, J. and Mather, P. T., Polyhedral oligomeric silsesquioxane (POSS) suppresses enzymatic degradation of PEG-PCL based multiblock polyurethanes by surface passivation mechanism, *Biomacromolecules*, 12, 3066-3077, 2011.
- Guan, J., Fujimoto, K. L., Sacks, M. S. and Wanger, W. R., Preparation and characterization of highly porous, biodegradable polyurethane scaffolds for soft tissue applications, *Biomaterials*, 26, 3961-3971, 2005.
- Gupta, A. K. and Gupta, M., Synthesis and surface engineering of iron oxide nanoparticles for biomedical applications, *Biomaterials*, 26, 3995-4021, 2005.
- Harrison, B. S. and Atala, A., Carbon nanotube applications for tissue engineering, *Biomaterials*, 28, 344-353, 2007.

He, D., Cheng, K., Peng, T., and Shichun, M., et al. Bifunctional effect of reduced graphene oxides to support active metal nanoparticles for oxygen reduction reaction and stability, *J. Mater. Chem.*, 22, 21298-304, 2012.

He, D., Kou, Z., Xiong, Y., Cheng, K., Chen, X., Pan, M. and Mu, S., Simultaneous sulfonation and reduction of graphene oxide as highly efficient supports for metal nanocatalysts. *Carbon*, 66, 312-319, 2014.

Hofmann, A., Ritz, U. and Rommens, P. M., et al. The effect of human osteoblasts on proliferation and neo-vessel formation of human umbilical vein endothelial cells in a long-term 3D co-culture on polyurethane scaffolds, *Biomaterials* 29, 4217-4226, 2008.

Hofmann, U. and Koing, E., Untersuchungen über Graphitoxyd, *Anorg. Allg. Chem.*, 234, 311-336, 1937.

Howard, G.T., Biodegradation of polyurethane: a review, *Int. Biodeterior. Biodegrad.*, 49, 245-252, 2002.

Hsiao, S. T., Ma, C. C. M., and Li, S. M., et al. Using a non-covalent modification to prepare a high electromagnetic interference shielding performance graphene nanosheet/water-borne polyurethane composite, *Carbon*, 60, 57-66, 2013.

Hsu, S. H., Tseng, H. J, and Lin, Y. C., The biocompatibility and antibacterial properties of waterborne polyurethane-silver nanocomposites, *Biomaterials*, 31, 6796-6808, 2010.

Hsu, S., Tang, C. and Tseng, H., Biocompatibility of poly(ether)urethane-gold nanocomposites, *J. Biomed. Mater. Res., Part A*, 79A, 759-770. 2006.

Huang, X., Yin, Z., Wu, S., Qi, X., He, Q., Zhang, Q., Yan, Q., Boey, F. and Zhang, H., Graphene-based materials: Synthesis, characterization, properties, and applications, *Small*, 7, 1876-1902, 2011.

Hummers, W. S. and Offeman, R. E., Preparation of Graphitic Oxide, *J. Am. Chem. Soc.*, 80, 1339-1339, 1958.

Hung, H. S., Wu, C. C., Chien, S. and Hsu, S. H., The behavior of endothelial cells on polyurethane nanocomposites and the associated signaling pathways, *Biomaterials*, 30, 1502-1511, 2009.

Innocenzi, P., Malfatti, L., Kidchob, T. and Falcaro, P., ChemInform Abstract: Order-disorder in self-assembled mesostructured silica films, *Chem. Mater.*, 21, 2555-2564, 2009.

Jain, S. and Bates, F., On the origins of morphological complexity in block copolymer surfactants, *Science*, 300, 460-464, 2003.

Kalbacova, M., Broz, A., Kong, J. and Kalbac, M., Graphene substrates promote adherence of human osteoblasts and mesenchymal stromal cells, *Carbon*, 48, 4323-4329, 2010.

Karak, N., Rana, S. and Cho, J. W., Synthesis and characterization of castor-oil-modified hyperbranched polyurethanes, *J. Appl. Polym. Sci.*, 112, 736-743, 2009.

Kaur, G., Adhikari, R., and Gunatillake, P., et al. Graphene/polyurethane composites: fabrication and evaluation of electrical conductivity, mechanical properties and cell viability. *RSC Adv.*, 5, 98762-98772, 2015.

Kim, H., Abdala, A. A. and Macosko, C. W., Graphene/polymer nanocomposites, *Macromolecules*, 43, 6515-6530, 2010.

Kim, H., Miura, Y. and Macosko, C. W., Graphene/polyurethane nanocomposites for improved gas barrier and electrical conductivity, *Chem. Mater.* 22, 3441-3450, 2010.

Kim, J., Kim, H. S., Lee, N. and Hyeon, T. et al. Multifunctional Uniform nanoparticles composed of a magnetite nanocrystal core and a mesoporous silica shell for magnetic resonance and fluorescence imaging and for drug delivery, *Angew. Chem., Int. Ed.* 47, 8438-8441, 2008.

Kim, J., Piao, Y. and Hyeon, T., Multifunctional nanostructured materials for multimodal imaging and simultaneous imaging and therapy, *Chem. Soc. Rev.*, 38, 372-390, 2009.

Kim, K. S., Zhao, Y., Jang, H., Lee, S. Y., Kim, J. M., Kim, K. S., Ahn, J. H., Kim, P., Choi, J. Y. and Hong, B. H., Large-scale pattern growth of graphene films for stretchable transparent electrodes, *Nature* 457, 706-710, 2009.

Kim, N. H., Kuila, T. and Lee, J. H., Simultaneous reduction, functionalization and stitching of graphene oxide with ethylenediamine for composites application, *J. Mater. Chem. A*, 1, 1349-1358, 2013.

Kim, Y., Zhu, J., Yeom, B., and Kotov, N. A., et al. Stretchable nanoparticle conductors with self-organized conductive pathways, *Nature*, 500, 59-63, 2013.

Koerner, H., Price, G., Pearce, N. A. and Vaia, R., et al. Remotely actuated polymer nanocomposites-stress-recovery of carbon-nanotube-filled thermoplastic elastomers, *Nat Mater.*, 3,115-20, 2004.

Krol, P., Krol, B., Pielichowska, K. and Spirkova, M., Composites prepared from the waterborne polyurethane cationomers-modified graphene. Part I. Synthesis, structure, and physicochemical properties, *Colloid Polym. Sci.*, 293, 421-431, 2015.

Krol, P., Synthesis methods, chemical structures and phase structures of linear polyurethanes. Properties and applications of linear polyurethanes in polyurethane elastomers, copolymers and ionomers., *Prog. Mater. Sci.* 52, 915-1015, 2007.

Ku, S. H. and Park, C. B., Myoblast differentiation on graphene oxide, *Biomaterials*, 34, 2017-2023, 2013.

Kuan, H. C., Ma, C. C. M., Chang, W. P., Yuen, S. M, Wu, H. H and Lee, T. M., Synthesis, thermal, mechanical and rheological properties of multiwall carbon nanotube/waterborn polyurethane nanocomposites, *Compos. Sci. Technol.* 65, 1703-1710, 2005.

Kuilla, T., Bhadra, S., Yao, D. and Lee, J. H., Recent advances in graphene based polymer composites, *Prog. Polym. Sci.*, 35, 1350-1375, 2010.

Kumar, G. S., Roy, R., Sen, D. and Chattopadhyay, K. K., Amino-functionalized graphene quantum dots: origin of tunable heterogeneous photoluminescence, *Nanoscale*, 6, 3384-3391, 2014.

Kwok, C. S., Horbett, T. A. and Ranter, B. D., Design of infection-resistant antibiotic-releasing polymers. II. Controlled release of antibiotics through a plasma-deposited thin film barrier, *J. Control. Rel.* 62, 301-311, 1999.

Lai, L., Chen, L., Zhan, D., Sun, L., and Lin, J. et al., One-step synthesis of NH₂-graphene from in situ graphene-oxide reduction and its improved electrochemical properties, *Carbon*, 49, 3250-3257, 2011.

Lalit, S. and Henrard, L., Charge carriers in few-layer graphene films, *Phys. Rev.Lett.*, 97, 036803-036806, 2006.

Lan, P. N., Corneillie, S., Schacht, E., Davies, M. and Shard. A., Synthesis and characterization of segmented polyurethanes based on amphiphilic polyether diols, *Biomaterials*, 17, 2273- 2280, 1996.

Landa, M., Canales, J., Santamaria, A., et al. Effect of MWCNTs and graphene on the crystallization of polyurethane based nanocomposites, analyzed via calorimetry, rheology and AFM microscopy, *Polym. Test.* 35, 101-108, 2014.

Lee, H. T. and Lin, L.H., Waterborne polyurethane / clay nanocomposites: Novel effect of the clay and its interlayer ions on the morphology and physical and electrical properties, *Macromolecules*, 39, 6133-6141, 2006.

Lee, W. C., Wang, Y. and Lim, C. T., et al. Origin of enhanced stem cell growth and differentiation on graphene and graphene oxide, *ACS Nano*, 5, 7334-7341, 2011.

Lee, Y. R., Raghu, A. V., Jeong, H. M. and Kim, B. K., Properties of waterborne polyurethane / functionalized graphene sheet nanocomposites prepared by an in situ method, *Macromol. Chem. Phys.*, 210, 1247-1254, 2009.

Leenaerts, O., Partoens, B. and Peeters, F. M., Water on graphene: Hydrophobicity and dipole moment using density functional theory, *Phys. Rev. B*, 79, 235440-235444, 2009.

Lendlein, A. and Langer, R., Biodegradable, elastic shape-memory polymers for potential biomedical applications, *Science*, 296, 1673-1676, 2002.

Lendlein, A., Jiang, H. Y., Junger, O. and Langer, R., Light-induced shape-memory polymers, *Nature*, 434, 879-882, 2005.

Levchik, S.V. and Weil, E.D., Thermal decomposition, combustion and fire retardancy of polyurethanes-a review of the recent literature, *Polym. Int.* 53, 1585-1610, 2004.

Li, C., Adamcik, J. and Mezzenga, R., Biodegradable nanocomposites of amyloid fibrils and graphene with shape-memory and enzyme-sensing properties, *Nat. Nanotech.*, 7, 421-427, 2012.

Li, C., Wang, L. L., Yang, Z., Kim, G., Chen, H. F. and Ge, Z. G., A viscoelastic chitosan-modified three-dimensional porous poly(l-lactide-co- ϵ -caprolactone) scaffold for cartilage tissue engineering, *J. Biomater. Sci. Polym.* 23, 405-424, 2012.

Li, D., Muller, M. B., Gilje, S., Kaner, R. B. and Wallace, G. G., Processable aqueous dispersions of graphene nanosheets *Nat. Nanotechnol.*, 3, 101-105, 2008.

Li, F., Qi, L., Yang, J., Xu, M., Luo, X. and Ma, D., Polyurethane/conducting carbon black composites: Structure, electric conductivity, strain recovery behavior, and their relationships, *J. Appl. Polym. Sci.*, 75, 68-77, 2000.

Li, W., Tang, X. Z., Zhang, H. B. and Mai, Y. W., et al. Simultaneous surface functionalization and reduction of graphene oxide with octadecylamine for electrically conductive polystyrene composites, *Carbon*, 49, 4724-4730, 2011.

Li, X. L., Wang, X. R., Zhang, L., Lee, S.W. and Dai, H. J., Chemically derived, ultrasmooth graphene nanoribbon semiconductors, *Science*, 319, 1229-1232, 2008.

Li, X. S., Cai, W. W., An, J. H., Kim, S. and Ruoff, R. S., et al., Large-Area Synthesis of High-Quality and Uniform Graphene Films on Copper Foils, *Science*, 324, 1312-1314, 2009.

Liang, J., Huang, Y., Zhang, L., Wang, Y., Ma, Y. and Guo, T., et al. Molecular-level dispersion of graphene into poly(vinyl alcohol) and effective reinforcement of their nanocomposites, *Adv. Funct. Mater.*, 19, 2297-2302, 2009.

Liu, F., Sun, J., Zhu, L., Meng, X., Qi, C., and Xiao, F. S., Sulfated graphene as an efficient solid catalyst for acid-catalyzed liquid reactions. *J. Mater. Chem.*, 22, 5495-5495, 2012.

Liu, H. and Webster, T. J., Nanomedicine for implants: A review of studies and necessary experimental tools, *Biomaterials*, 28, 354-369, 2007.

Liu, J., Cui, L. and Losic, D., Graphene and graphene oxide as new nanocarriers for drug delivery applications, *Acta Biomater.*, 9, 9243-9257, 2013.

Liu, Z., Robinson, J. T. and Sun, X. M., et al. PEGylated nanographene oxide for delivery of water-insoluble cancer drugs, *J. Am. Chem. Soc.*, 130, 10876-10877, 2008.

Loh, K. P., Bao, Q., Ang, P. K. and Yang, J., The chemistry of graphene, *J. Mater. Chem.*, 20, 2277-2289, 2010.

Lu, C. H., Yang, H. H. and Zhu, C. L., et al. A graphene platform for sensing biomolecules, *Angew. Chem. Int. Ed.*, 121, 4879-4881, 2009.

Luo, S. G., Tan, H. M., Zhang, J. G., Wu, Y. J., Pei, F. K. and Meng, X. H., Catalytic mechanisms of triphenyl bismuth, dibutyltin dilaurate, and their combination in polyurethane-forming reaction, *J. Appl. Polym. Sci.*, 65, 1217-1225, 1997.

Luo, X., Zhang, P., and Cao, M., et al. Preparation and physical properties of functionalized graphene/waterborne polyurethane UV-curing composites by click chemistry, *Polym. Int.*, 65, 415-422, 2016.

Ma, H. L., Zhang, H. B. and Dasari, A., et al. Functionalization and reduction of graphene oxide with p-phenylene diamine for electrically conductive and thermally stable polystyrene composites, *ACS Appl. Mater. Interfaces*, 4, 1948-1953, 2012.

Maiti, P., Batt, C. A. and Giannelis, E. P., New biodegradable polyhydroxybutyrate/layered silicate nanocomposites, *Biomacromolecules*, 8, 3393-3400, 2007.

Marcano, D. C., Kosynkin, D.V., Berlin, J. M. and Tour, J. M et al. Improved synthesis of graphene oxide, *ACS Nano*, 4, 4806-4814, 2010.

Mi, H. Y., Salick, M. R. and Turng, L. S., et al. Characterization of thermoplastic Polyurethane/polylactic acid (TPU/PLA) tissue engineering scaffolds fabricated by microcellular injection molding, *Mater. Sci. Eng. C* 33, 4767-4776, 2013.

Mishra, A, Singh, S. K., Dash, D., Aswal, V. K., Maiti, B., Misra, M. and Maiti, P., Self-assembled aliphatic chain extended polyurethane nanobiohybrids: Emerging hemocompatible biomaterials for sustained drug delivery, *Acta Biomater.*, 10, 2133-2146, 2014.

Mishra, A., Aswal, V. K. and Maiti, P. Nanostructure to microstructure self-assembly of aliphatic polyurethanes: The effect on mechanical properties, *J. Phys. Chem. B*, 114, 5292-5300, 2010.

Mishra, A., Purkayastha, B. P. D., Roy, J. K., Aswal, V. K. and Maiti, P., Tunable Properties of self-assembled polyurethane using two-dimensional nanoparticles: Potential nano-biohybrid., *Macromolecules*, 43, 9928-9936, 2010.

Mishra, A., Purkayastha, B. P. D., Roy, J. K., Aswal, V. K. and Maiti, P., Nanoparticle controlled self-assembly in varying chain extended polyurethanes as potential nanobiomaterials, *J. Phys. Chem. C*, 116, 2260-2270, 2012.

Mondrinos, M. J., Dembzyński, R. and Zhou, J. et al. Porogen-based solid freeform fabrication of polycaprolactone-calcium phosphate scaffolds for tissue engineering, *Biomaterials* 27, 4399-4408, 2006.

Moniruzzaman, M. and Winey, K. I., Polymer nanocomposites containing carbon nanotubes, *Macromolecules*, 39, 5194-205, 2006.

Moniruzzaman, M. and Winey, K. I., Polymer nanocomposites containing carbon nanotubes, *Macromolecules*, 39, 5194-5205, 2006.

Montjovent, M. O., Mark, S., Mathieu, L., Scaletta, C., Pioletti, D. P., et al. Human fetal bone cells associated with ceramic reinforced PLA scaffolds for tissue engineering, *Bone*, 42, 554-564, 2008.

Morones, J. R., Elechiguerra, J. L. and Camacho, A., et al. The bactericidal effect of silver nanoparticles., *Nanotechnology*, 16, 2346-2353, 2005.

Nair, B. R., Gregoriou, V. G. and Hammond, P. T., FT-IR studies of side chain liquid crystalline thermoplastic elastomers, *Polymer*, 41, 2961-2970, 2001.

Nawaj, K., Khan, U. and Coleman, J. H. et al. Observation of mechanical percolation in functionalized graphene oxide/elastomer composites, *Carbon*, 50, 4489-4494, 2012.

Nayak, T. R., Andersen, H., Makam, V. S. and Ozyilmaz, B., et al. Graphene for controlled and accelerated osteogenic differentiation of human mesenchymal stem cells, *ACS Nano*, 5, 4670-4678, 2011.

Nguyen, D. A., Lee, Y. R. and Kim, B. K., et al., Morphological and physical properties of a thermoplastic polyurethane reinforced with functionalized graphene sheet, *Polym Int.*, 58, 412-417, 2009.

Ni, Z. H., Yu, T., Lu, Y. H., Wang, Y. Y. and Shen, Z., et al. Uniaxial strain on graphene: Raman spectroscopy study and band-gap opening, *ACS Nano*, 2, 2301-2305, 2008.

Nieto, A., Dua, R., Zhang, C., Boesl, B., Ramaswamy, S. and Agarwal, A., Three dimensional graphene foam / polymer hybrid as a high strength biocompatible scaffold, *Adv. Funct. Mater.*, 25, 3916-3924, 2015.

Novoselov, K. S., Geim, A. K. and Morozov, S. V., et al. Electric field effect in atomically thin carbon films, *Science*, 306, 666-669, 2004.

Ohta, T., Bostwick, A., Seyller, T., Horn, K. and Rotenberg, E., Controlling the electronic structure of bilayer graphene, *Science*, 313, 951-954, 2006.

Ortel, G., Polyurethane handbook, Chemistry-raw materials-processing-application properties, Carl Hanser Verlag, Munich, 1993.

Paredes, J. I., Villar-Rodil, S., Martínez-Alonso, A. and Tascón, J. M. D., Graphene oxide dispersions in organic solvents, *Langmuir*, 24, 10560-10564, 2008.

Park, J. H., Cho, Y. W., Kwon, I. C., Jeong, S. Y. and Bae, Y. H., Assessment of PEO/PTMO multiblock copolymer/segmented polyurethane blends as coating materials for urinary catheters: in vitro bacterial adhesion and encrustation behavior, *Biomaterials*, 23, 3991-4000, 2002.

Park, S. and Ruoff, R. S., Chemical methods for the production of graphenes, *Nat. Nanotechnol.*, 4, 217-224, 2009.

Patel, D. K., Rana, D., Aswal, V. K., Srivastava, S., Roy, P. and Maiti, P., Influence of graphene on self-assembly of polyurethane and evaluation of its biomedical properties, *Polymer*, 65, 183-192, 2015.

Patel, D. K., Singh, R. K., Singh, S. K., and Maiti, P., et al. Graphene as a chain extender of polyurethanes for biomedical applications, *RSC Adv.*, 6, 58628-58640, 2016.

Peppas, N. A. and Langer, R., New challenges in biomaterials, *Science*, 263, 1715-1720, 1994.

Ping, P., Wang, W., Chen, X. and Jing, X., The influence of hard-segments on two-phase structure and shape memory properties of PCL-based segmented polyurethanes, *J. Polym. Sci. Pol. Phys.* 45, 557-570, 2007.

Pokharel, P., Choi, S. and Lee, D. S., The effect of hard segment length on the thermal and mechanical properties of polyurethane/graphene oxide nanocomposites, *Compos. PartA* 69, 168-177, 2015.

Prosa, T. J., Winokur, M. J., Moulton, J., Smith, P. and Heeger, A. J., X-ray structural studies of poly(3-alkylthiophenes): an example of an inverse comb, *Macromolecules*, 25, 4364-4372, 1992.

Pulskamp, K., Diabate, S. and Krug, H. F., Carbon nanotubes show no sign of acute toxicity but induce intracellular reactive oxygen species in dependence on contaminants, *Toxicol. Lett.*, 168, 58-74, 2007.

- Qian, Y., Lindsay, C. I., Macosko, C. and Stein, A., Synthesis and properties of vermiculite-reinforced polyurethane nanocomposites, *ACS Appl. Mater. Interfaces* 3, 3709-3717, 2011.
- Qu, L. T., Liu, Y. and Baek, J. B., et al. Nitrogen-doped graphene as efficient metal-free electrocatalyst for oxygen reduction in fuel cells, *ACS Nano*, 4, 1321-1326, 2010.
- Quan, H., Zhang, B. Q., Zhao, Q., Yuen, R. K. K. and Li, R. K. Y., Facile preparation and thermal degradation studies of graphite nanoplatelets (GNPs) filled thermoplastic polyurethane (TPU) nanocomposites, *Compos. Part A* 40, 1506-1513, 2009.
- Raghu, A. V., Lee, Y. R., Jeong, H. M. and Shin, C. M., Preparation and physical properties of waterborne polyurethane/functionalized graphene sheet nanocomposites, *Macromol. Chem. Phys.*, 209, 2487-2493, 2008.
- Rao, C. N. R., Sood, A. K. and Subrahmanyam, K. S., et al. Graphene: The new two-dimensional nanomaterial, *Angew. Chem. Int. Ed.*, 48, 7752-7777, 2009.
- Rastogi, R. P., Singh, S. P., Hader, D. P. and Sinha, R. P., Detection of reactive oxygen species (ROS) by the oxidant-sensing probe 2',7'-dichlorodihydrofluorescein diacetate in the cyanobacterium *Anabaena variabilis* PCC 7937, *Biochem. Biophys. Res. Commun.*, 397, 603-607, 2010.
- Riess, G., Micellization of block copolymers, *Prog. Polym. Sci.*, 28, 1107-1170, 2003.
- Rinaldo, C., Prodosmo, A., Siepi, F. and Soddu, S. Biochem., HIPK2: a multitalented partner for transcription factors in DNA damage response and development, *Cell Biol.*, 85, 411-418, 2007.
- Rogulska, M., Kultys, A. and Podkoscielny, W., Studies on thermoplastic polyurethanes based on new diphenylethane-derivative diols. II. Synthesis and characterization of segmented polyurethanes from HDI and MDI, *Eur Polym J*, 43, 1402-14, 2007.
- Rokickia, G., Parzuchowska, P. G. and Mazureka, M., Non-isocyanate polyurethanes: synthesis, properties, and applications, *Polym. Adv. Technol.*, 26, 707-761, 2015.
- Ryoo, S. R., Kim, Y. K., Kim, M. H. and Min, D. H., Behaviors of NIH-3T3 fibroblasts on graphene/carbon nanotubes: Proliferation, focal adhesion, and gene transfection studies, *ACS Nano*, 4, 6587-6598, 2010.

Saha, M. C., Kabir, M. E. and Jeelani, S., Enhancement in thermal and mechanical properties of polyurethane foam infused with nanoparticles, *Mater. Sci. Eng. A*, 479, 213-222, 2008.

Saint, S.; Elmore, J. G.; Koepsell, T. D. et al., The efficacy of silver alloy-coated urinary catheters in preventing urinary tract infection: a meta-analysis, *Am. J. Med.*, 05, 236-41, 1998.

Schierholz, J. M., Steinhäuser, H., Rump, A. F. E., Berkels, R. and Pulverer, G., Controlled release of antibiotics from biomedical polyurethanes: morphological and structural features, *Biomaterials*, 18, 839-844, 1997.

Shah, D., Maiti, P., Jiang, D. D. and Giannelis, E. P., Effect of nanoparticle mobility on toughness of polymer nanocomposites, *Adv. Mater.*, 17, 525-8, 2005.

Shen, H, Zhang, L., Liu, M. and Zhang, Z., Biomedical applications of graphene, *Theranostics*, 2, 283-294, 2012.

Shim, S. H., Kim, K. T., Lee, J. U. and Jo, W. H., Facile method to functionalize graphene oxide and its application to poly(ethylene terephthalate)/graphene composite, *ACS Appl. Mater. Interfaces*, 4, 4184- 419, 2012.

Silva, G. R. D., Cunha Jr, A. D. S., Cohen., F. B., Ayres, E. and Oréface, R. L., Biodegradation of polyurethanes and nanocomposites to non-cytotoxic degradation products, *Polym. Degrad. Stab.*, 95, 491-499, 2010.

Singh, N. K., Purkayastha, B. P. D., Roy, J. K., Banik, R. M., Gonugunta, P., Misra, M. and Maiti, P., Tuned biodegradation using poly(hydroxybutyrate-co-valerate) nanobiohybrids: Emerging biomaterials for tissue engineering and drug delivery, *J. Mater. Chem.*, 21, 15919-15927, 2011.

Singh, N. K., Singh, S. K., Dash, D., Gonugunta, P., Misra, M. and Maiti, P., CNT induced β -phase in polylactide: Unique crystallization, biodegradation, and biocompatibility. *J. Phys. Chem. C*, 117, 10163-10174, 2013.

Singh, N. K., Singh, S. K., Dash, D., Purkayastha, B. P. D., Roy, J. K. and Maiti, P., Nanostructure controlled anti-cancer drug delivery using poly(3-caprolactone) based nanohybrids, *J. Mater. Chem.*, 22, 17853-17863, 2012.

Singh, S. K., Singh, M. K., Kulkarni, P. P., and Dash, D., Amine-modified graphene: Thrombo-protective safer alternative to graphene oxide for biomedical applications, *ACS Nano*, 6, 2731-2740, 2012.

- Sridhar, V., Lee, I., Chun, H. H. and Park, H., Graphene reinforced biodegradable poly(3-hydroxybutyrate-co-4-hydroxybutyrate) nano-composites, *exp. Polym.Lett.*, 7, 320-328, 2013.
- Staudenmaier, L., Verfahren zur Darstellung der Graphitsäure, *Ber. Dtsch. Chem. Ges.*, 31, 1481-1487, 1898.
- Steele, B. C., and Heinzl, A., Materials for fuel-cell technologies, *Nature*, 414, 345-52, 2001.
- Su, Q., Pang, S., Alijani, V., Li, C., Feng, X. and Mullen, K., Composites of graphene with large aromatic molecules, *Adv. Mater.*, 21, 3191-3195, 2009.
- Sun, X., Liu, Z., Welsher, K., Robinson, J. T., Goodwin, A., Zaric, S. and Dai, H., Nano-graphene oxide for cellular imaging and drug delivery, *Nano Res.*, 1, 203-212, 2008.
- Sutter, P. W., Flege, J. I. and Sutter, E. A., Epitaxial graphene on ruthenium, *Nat. Mater.*, 7, 406-411, 2008.
- Thakur, S. and Karak, N., Bio-based tough hyperbranched polyurethane-graphene oxide nanocomposites as advanced shape memory materials, *RSC Adv.*, 3, 9476-9482, 2013.
- Tombros, N., Jozsa, C., Popinciuc, M., Jonkman, H. T. and Wees, B. J., Electronic spin transport and spin precession in single graphene layers at room temperature, *Nature*, 448, 571-574, 2007.
- Tsurumaki, A., Tajima, S., Iwata, T., and Scrosati, B., et al. (2015). Antistatic effects of ionic liquids for polyether-based polyurethanes, *Electrochim. Acta*, 175, 13-17, 2015.
- Velankar, S. and Cooper, S. L., Microphase separation and rheological properties of polyurethane melts; Effect of block length, *Macromolecules*, 31, 9181-9192, 1998.
- Versteegen, R. M., Sijbesma, R. P. and Meijer, E. W., Synthesis and Characterization of Segmented Copoly(ether urea)s with Uniform Hard Segments, *Macromolecules*, 38, 3176-3184, 2005.
- Wang, C. B. and Cooper, S. L., Morphology and properties of segmented polyether polyurethaneureas, *Macromolecules*, 16, 775-786, 1983.

Wang, C., Waje, M., Wang, X., and Yan, Y., et al. Proton exchange membrane fuel cells with carbon nanotube based electrodes, *Nano Lett.*, 4, 345-8, 2004.

Wang, J. L., Wang, L. L., and Feng, R. J., et al., Synthesis and characterization of novel anion exchange membranes containing bi-imidazolium-based ionic liquid for alkaline fuel cells, *Solid State Ionics*, 278, 144-151, 2015.

Wang, Q. H. and Hersam, M. C., Room-temperature molecular-resolution characterization of self-assembled organic monolayers on epitaxial graphene, *Nat. Chem.*, 1, 206-211, 2009.

Wang, Q. and O'Hare, D., Recent advances in the synthesis and application of layered double hydroxide (LDH) nanosheets, *Chem. Rev.*, 112, 4124-4155, 2012.

Wang, R., Xu, C., Bi, X., and Ding, Y., Nanoporous surface alloys as highly active and durable oxygen reduction reaction electrocatalysts, *Energy Environ Sci.*, 5, 5281-6, 2012.

Wang, S., Chia, P. J., Chua, L. L., Zhao, L. H. and Ho, P. K. H., Band-like transport in surface-functionalized highly solution-processable graphene nanosheets, *Adv. Mater.*, 20, 3440-3446, 2008.

Wang, X., Hu, Y., Song, L., Lu, H. et al. In situ polymerization of graphene nanosheets and polyurethane with enhanced mechanical and thermal properties, *J. Mater. Chem.*, 21, 4222-4227, 2011.

Wang, X., Xing, W., Song, L., Yu, B., Hu, Y., and Yeoh, G. H., Preparation of UV-curable functionalized graphene/polyurethane acrylate nanocomposite with enhanced thermal and mechanical behaviors, *React. Funct. Polym.*, 73, 854-858, 2013.

Wang, X., Zhi, L., and Mullen, K., Transparent, conductive graphene electrodes for dye-sensitized solar cells, *Nano Lett.*, 8, 323-7, 2008.

Wang, Z. and Pinnavaia, T. J., Nanolayer reinforcement of elastomeric polyurethane, *Chem. Mater.*, 10, 3769-71, 1998.

Williams, S. R., Wang, W., Winey, K. I., and Long, T. E., Synthesis and morphology of segmented poly(tetramethylene oxide)-based polyurethanes containing phosphonium salts, *Macromolecules*, 41, 9072-9079, 2008.

Wu, C., Huang, X., W, G. and Jiang, P., et al. Hyperbranched-polymer functionalization of graphene sheets for enhanced mechanical and dielectric properties of polyurethane composites, *J. Mater. Chem.*, 22, 7010-7019, 2012.

Wu, S. L., Shi, T. J. and Zhang, L. Y., Latex co-coagulation approach to fabrication of polyurethane/ graphene nanocomposites with improved electrical conductivity, thermal conductivity, and barrier property, *J. Appl. Polym. Sci.*, 133, 43117-43130, 2016.

Xia, Y. Nanomaterials at work in biomedical research. *Nat. Mater.*, 7, 758-760, 2008.

Xie, X., Ju, L., Feng, X., and Liu, K., et al. Controlled fabrication of high-quality carbon nanoscrolls from monolayer graphene, *Nano Lett.*, 9, 2565-70, 2009.

Xu, H., Chang, J., Chen, Y., Fan, H. and Shi, B., Asymmetric polyurethane membrane with inflammation-responsive antibacterial activity for potential wound dressing application, *J. Mater. Sci.*, 48, 6625-6639, 2013.

Xu, R., Manias, E.; Snyder, A. J. and Runt, J., New biomedical poly(urethane urea)-layered silicate nanocomposites, *Macromolecules*, 34, 337-9, 2001.

Xu, Y., Zhao, L., Bai, H., Hong, W., Li, C. and Shi, G., Flexible graphene films via the filtration of water-soluble noncovalent functionalized graphene sheets, *J. Am. Chem. Soc.*, 130, 5856-5857, 2009.

Xuan, Y., Wu, Y. Q. and Shen, T., et al. Atomic-layer-deposited nanostructures for graphene-based nanoelectronics, *Appl. Phys. Lett.*, 92, 013101-3, 2008.

Yadav, S. K. and Cho, J. W., Functionalized graphene nanoplatelets for enhanced mechanical and thermal properties of polyurethane nanocomposites, *Appl. Surf. Sci.*, 266, 360-367, 2013.

Yan, D., Xu, L., Chen, C., Tang, J., Lia, Z., et al. Enhanced mechanical and thermal properties of rigid polyurethane foam composites containing graphene nanosheets and carbon Nanotubes, *Polym Int.*, 61, 1107-1114, 2012.

Yan, L., Zheng, Y. B. and Zhao, Y. et al. Chemistry and physics of a single atomic layer: strategies and challenges for functionalization of graphene and graphene-based materials *Chem. Soc. Rev.*, 41, 97-114, 2012.

Yang, H., Shan, C., Li, F., Han, D., Zhang, Q. and Niu, L., Covalent functionalization of polydisperse chemically-converted graphene sheets with amine-terminated ionic liquid, *Chem. Commun.*, 26, 3880-3882, 2009.

Yang, K., Li, Y., Tan, X., Peng, R. and Liu, Z., Behavior and toxicity of graphene and its functionalized derivatives in biological systems, *Small*, 9, 1492-1503, 2013.

Yang, W., Ratinac, K. R., Ringer, S. P., Thordarson, P., Gooding, J. J. and Braet, F., Carbon nanomaterials in biosensors: Should you use nanotubes or graphene? *Angew. Chem., Int. Ed.* 49, 2114-2138, 2010.

Yang, X., Zhang, X., Liu, Z., Ma, Y., Huang, Y. and Chen, Y., High-efficiency loading and controlled release of doxorubicin hydrochloride on graphene oxide, *J. Phys. Chem. C* 112, 17554-17558, 2008.

Yeh, F., Hsiao, B. S., Sauer, B. B., Michel, S. and Siesler, H. W., In-Situ Studies of Structure Development during Deformation of a Segmented Poly(urethane-urea) Elastomer, *Macromolecules* 36, 1940-1954, 2003.

Yousefi, N., Gudarzi, M. M., Zheng, Q. and Kim, J. K., et al. Highly aligned, ultralarge-size reduced graphene oxide/polyurethane nanocomposites: Mechanical properties and moisture permeability, *Compos. Part A*: 49, 42-50, 2013.

Yousefi, N., Gudarzi, M. M., Zheng, Q. and Kim, J. K., et al. Self-alignment and high electrical conductivity of ultralarge graphene oxide-polyurethane nanocomposites, *J. Mater. Chem.*, 22, 12709-12717, 2012.

Yu, B., Wang, X., Xing, W., Hu, Y., UV-curable functionalized graphene oxide/polyurethane acrylate nanocomposite coatings with enhanced thermal stability and mechanical properties, *Ind. Eng. Chem. Res.* 51, 14629-14636, 2012.

Zanello, L. P., Zhao, B., Hu, H. and Haddon, R. C., Bone cell proliferation on carbon nanotubes, *Nano Lett.*, 6, 562-567, 2006.

Zhang, D. D., Zu, S. Z. and Han, B. H. Inorganic-organic hybrid porous materials based on graphite oxide sheets, *Carbon*, 47, 2993-3000, 2009.

Zhang, J., Zhang, C. and Madbouly, S. A., In situ polymerization of bio-based thermosetting polyurethane/graphene oxide nanocomposites, *J. Appl. Polym. Sci.* 132, 41751, 2015.

Zhang, K., Zhang, L. L. and Zhao, X. S., et al. Graphene/polyaniline nanofiber composites as supercapacitor electrodes, *Chem. Mater.*, 22, 1392-1401, 2010.

Zhang, S., Yang, K., Feng, L. and Liu, Z., In vitro and in vivo behaviors of dextran functionalized graphene, *Carbon*, 49, 4040-4049, 2011.

Zhang, X., Yin, J., Peng, C. and Huang, Q., et al. Distribution and biocompatibility studies of graphene oxide in mice after intravenous administration, *Carbon*, 49, 986-995, 2011.

Zhang, Y., Wang, C., Pie, X., Wang, Q. and Wang, T., Shape memory polyurethanes containing azo exhibiting photoisomerization function, *J. Mater. Chem.*, 20, 9976-81, 2010.

Zhou, H., Zhang, B. and Wei, T. et al. The inhibition of migration and invasion of cancer cells by graphene via the impairment of mitochondrial respiration, *Biomaterials*, 35, 1597-1607, 2014.

Zhou, L., Yu, L., Ding, M., Li, J., Tan, H., Wang, Z. and Fu, Q., Synthesis and characterization of pH-sensitive biodegradable polyurethane for potential drug delivery applications, *Macromolecules*, 44, 857-864, 2011.

Zhu, S., Zhang, J., Qiao, C., Tang, S., Li, Y. and Yuan, W., et al. Strongly green-photoluminescent graphene quantum dots for bioimaging applications, *Chem. Commun.*, 47, 6858-6860, 2011.

Zilg, C., Thomson, R., Mülhaupt, R. and Finter, J., Polyurethane nanocomposites containing laminated anisotropic nanoparticles derived from organophilic layered silicates, *J. Adv. Mater.*, 11, 49-52, 1999.