

- Abdel Rahman, RM, Gabr, Y, Gawzy, M, Abdel Hamide, SG and Abdel Tawab, MS, Nucleophilic substitution and ring closure of carboxyhydrazide bearing 3-oxo-5,6-diphenyl-1,2,4-triazin-2-yl-moiety, Indian J. Heterocycl. Chem., 3, 281–286, 1994.
- Adams, CP and Brantner, VV Spending on new drug development, Health Econ., 19, 130–141, 2010.
- Adebayo, D and Bjarnason, I, Is non-steroidal anti-inflammation drug (NSAID) enteropathy clinically more important than NSAID gastropathy, Postgrad. Med. J., 82, 186-191, 2006.
- Akhter, M, Husain, A, Azad, B and Ajmal, M, Aroylpropionic acid based 2,5-disubstituted-1,3,4-oxadiazoles: Synthesis and their anti-inflammatory and analgesic activities, Eur. J. Med. Chem., 44, 2372–2378, 2009.
- Akhter, M, Akhter, N, Alam, MM, Zaman, MS, Saha, R and Kumar, A, Synthesis and biological evaluation of 2,5-disubstituted 1,3,4-oxadiazole derivatives with both COX and LOX inhibitory activity, J. Enzyme Inhib. Med. Chem., 26, 767-776, 2011.
- Almasirad, A, Mousavi, Z, Tajik, M, Assarzadeh, MJ and Shafiee, A, Synthesis, analgesic and anti-inflammatory activities of new methyl-imidazolyl-1,3,4-oxadiazoles and 1,2,4-triazoles, DARU J. Pharm. Sci., 22:22, 2014.
- Amin, KM, Hanna, MM, Abo-Youssef, HE and George, RF, Synthesis, analgesic and anti-inflammatory activities evaluation of some bi-, tri- and tetracyclic condensed pyrimidines, Eur. J. Med. Chem., 44, 4572-4584, 2009.
- Amir, M and Kumar, S, Anti-inflammatory and Gastro Sparing Activity of Some New Indomethacin Derivatives, Arch. Pharm. Chem. Life Sci., 338, 24–31, 2005.
- Amir, M and Kumar, S, Synthesis and evaluation of anti-inflammatory, analgesic, ulcerogenic and lipid peroxidation properties of ibuprofen derivatives, Acta Pharm., 57, 31-45, 2007a.
- Amir, M, Kumar, H and Javed, SA, Non-carboxylic analogues of naproxen: design, synthesis, and pharmacological evaluation of some 1,3,4-oxadiazole/thiadiazole and 1,2,4-triazole derivatives, Arch Pharm (Weinheim)., 340, 577–585, 2007b.
- Anderson, AC, The process of structure based drug design, Chem Biol., 10, 787-797, 2003.
- Ashour, HM, Shaaban, OG, Rizk, OH and El-Ashmawy, IM, Synthesis and biological evaluation of thieno [2',3':4,5]pyrimido[1,2-b][1,2,4]triazines and thieno[2,3-d][1,2,4]triazolo[1,5-a]pyrimidines as anti-inflammatory and analgesic agent, Eur. J. Med. Chem., 62, 341-351, 2013.
- Bahashwan, SA, Al-Harbi, NO, Fayed, AA, Amr AEGE, Shadid, KA, Ali, MA and Bassati, IMS, Pharmacological activities of some new polycyclic triazolopyrazolopyridazine derivatives, Intern. J. Biological Macromolecules, 51, 7- 17, 2012.
- Banerjee, AG, Kothapalli, LP, Sharma, PA, Thomas, AB, Nanda, RK, Shrivastava, SK and Khatanglekar, VV, A facile microwave assisted one pot synthesis of novel

- xanthene derivatives as potential anti-inflammatory and analgesic agents, Arab. J. Chem., DOI: 10.1016/j.arabjc.2011.06.001, 2011.
- Banerjee, AG, Das, N, Shengule, SA, Srivastava, RS and Srivastava SK, Synthesis, characterization, evaluation and molecular dynamics studies of 5, 6-diphenyl-1,2,4-triazin-3(2H)-one derivatives bearing 5-substituted 1,3,4-oxadiazole as potential anti-inflammatory and analgesic agents, Eur. J. Med. Chem., 101, 81-95, 2015.
- Banerjee, AG, Das, N, Shengule, SA, Sharma, PA, Srivastava, RS and Srivastava SK, Design, synthesis, evaluation and molecular modelling studies of some novel 5,6-diphenyl 1,2,4-triazin-3(2H)-ones bearing five-member heterocyclic moieties as potential COX-2 inhibitors: A hybrid pharmacophore approach, Bioorg. Chem., 69, 101-120, 2016.
- Bansal, M, Bala, M, Suthar, SK, Choudhary, S, Bhattacharya, S, Bhardwaj, V, Singla, S and Joseph, A, Design and synthesis of novel 2-phenyl-5-(1,3-diphenyl-1*H*-pyrazol-4-yl)-1,3,4-oxadiazoles as selective COX-2 inhibitors with potent anti-inflammatory activity, Eur. J. Med. Chem., 80, 167-174, 2014.
- Bentley, GA, Newton, SH and Starr, J, Studies on the antinociceptive action of α -agonist drugs and their interactions with opioid mechanisms, Br. J. Pharmacol., 79, 125-134, 1983.
- Bhandari, SV, Parikh, JK, Bothara, KG, Chitre, TS, Lokwani, DK, Devale, TL, Modhave, NS, Pawar, VS and Panda, S, Design, synthesis, and evaluation of anti-inflammatory, analgesic, ulcerogenicity, and nitric oxide releasing studies of novel indomethacin analogs as non-ulcerogenic derivatives, J. Enzyme Inhib. Med. Chem., 25, 520-530, 2010.
- Boström, J, Hogner, A, Llinàs, A, Wellner, E and Plowright, AT, Oxadiazoles in Medicinal Chemistry, J. Med. Chem., 55, 1817-1830, 2012.
- Burbuliene, MM, Jakubkiene, V, Mekuskiene, G, Udrėnaitė, E, Smicius, R and Vainilavicius, P, Synthesis and anti-inflammatory activity of derivatives of 5-[(2-disubstitutedamino-6-methylpyrimidin-4-yl)-sulfanyl]methyl]-3*H*-1,3,4-oxadiazole-2-thiones, Farmaco, 59, 767-774, 2004.
- Cai, H, Huang, X, Xu, S, Shen, H, Zhang, P, Huang, Y, Jiang, J, Sun, Y, Jiang, B, Wu, X, Yao, H and Xu, J, Discovery of novel hybrids of diaryl-1,2,4-triazoles and caffeic acid as dual inhibitors of cyclooxygenase-2 and 5-lipoxygenase for cancer therapy, Eur. J. Med. Chem., 108, 89-103, 2016.
- Cashman, JN, The mechanism of action of NSAIDS in analgesia, Drugs, 52, 13-23, 1996.
- Chandra, T, Garg, N, Lata, S, Saxena, KK and Kumar, A, Synthesis of substituted acridinyl pyrazoline derivatives and their evaluation for anti-inflammatory activity, Eur. J. Med. Chem., 45, 1772-1776, 2010.
- Charlier, C and Michaux, C, Dual inhibition of cyclooxygenase-2 (COX-2) and 5 lipoxygenase (5-LOX) as a new strategy to provide safer non-steroidal anti-inflammatory drugs, Eur. J. Med. Chem., 38, 645-659, 2003.

- Chattopadhyay, P, Besra, SE, Gomes, A, Das, M, Sur, P, Mitra, S and Vedasiromoni, JR, Anti-inflammatory activity of tea (*Camellia sinensis*) root extract, *Life Sci.*, 74, 1839–1849, 2004.
- Clark, DE and Pickett, SD, Computational methods for the prediction of 'drug-likeness', *Drug Discov. Today*, 5, 49–58, 2000.
- Collier, HO, Dinneen, LC, Johnson, CA and Schneider, C, The abdominal constriction response and its suppression by analgesic drugs in the mouse, *Br. J. Pharmacol. Chemother.*, 32, 295–310, 1968.
- Colpaert, FC, Meert, T, De Witte, P and Schmitt, P, Further evidence validating adjuvant arthritis as an experimental model of chronic pain in the rat, *Life Sci.*, 31, 67–75, 1982.
- Courtenay, JS, Dallman, MJ, Dayan, AD, Martin, A and Mosedale, B, Immunisation against heterologous type II collagen induces arthritis in mice, *Nature*, 283 666-668, 1980.
- Dadashpour, S, Tuylu Kucukkilinc, T, Unsal Tan, O, Ozadali, K, Irannejad, H and Emami, HS, Design, synthesis and in vitro study of 5,6-diaryl-1,2,4-triazine-3-ylthioacetate derivatives as COX-2 and β -amyloid aggregation inhibitors, *Arch. Pharm. (Weinheim)*, 348, 179-187, 2015.
- Dannhardt, G and Kiefer, W, Cyclooxygenase inhibitors- current status and future prospects, *Eur. J. Med. Chem.*, 36, 109–126, 2001.
- de Oliveira CS, Lira, BF, Barbosa-Filho, JM, Lorenzo, JG and de Athayde-Filho, PF, Synthetic approaches and pharmacological activity of 1,3,4-oxadiazoles: a review of the literature from 2000-2012, *Molecules*, 17, 10192-10231, 2012.
- Dekhane, DV, Pawar, SS, Gupta, S, Shingare, MS, Patil, CR and Thore, SN, Synthesis and anti-inflammatory activity of some new 4,5-dihydro-1,5-diaryl-1*H*-pyrazole-3-substituted-heteroazole derivatives, *Bioorg. Med. Chem. Lett.*, 21, 6527-6532, 2011.
- Deraedt, R, Jougney, S, Delevalce, F and Falhout, M, Release of prostaglandins E and F in an algogenic reaction and its inhibition, *Eur. J. Pharmacol.*, 61, 17–24, 1980.
- Di Martino, MJ, Campbell, GK, Wolf, CE and Hanna, N, The pharmacology of arachidonic acid induced rat paw edema, *Agents Actions*, 21, 303–305, 1987.
- Dionne, RA, Khan, AA and Gordon, SM, Analgesia and COX-2 inhibition, *Clin Exp Rheumatol.*, 19, S63-70, 2001.
- Dogné, JM, Claudiu T. Supuran, CT, and Pratico, D, Adverse Cardiovascular Effects of the Coxibs, *J. Med. Chem.*, 48, 2251–2257, 2005.
- Dunne, MW, in: Porth, CM (Ed.), *Pathophysiology: concepts of altered health states with contributors*, Lippincott, Philadelphia, 165–176, 1990.
- Edwards, T, Inflammation, pain, and chronic disease: an integrative approach to treatment and prevention, *Alternative Therapies in Health and Medicine*, 11, 20-27, 2005.

- El-Mariah, FAA, Saad, HA, Allimony, HA and Abdel-Rahman, RM, Synthesis and antimicrobial activity of some nitrogen heterocyclic systems: part III, Indian J. Chem., 39B, 36–41, 2000.
- El-Serwy, WS, Mohamed, NA, Abbas, EM and Abdel-Rahman, RF, Synthesis and anti-inflammatory properties of novel 1,2,4-triazole derivatives, Res. Chem. Intermed., 39, 2543–2554, 2013.
- Evans, D and Williamson, WRN, Chemistry of clinically active anti-inflammatory compounds, In: Anti-inflammatory Compounds, New York & Basel: Marcel Dekker, 193-302, 1987.
- Franks, AL and Slansky, JE, Multiple associations between a broad spectrum of autoimmune diseases, chronic inflammatory diseases and cancer, Anticancer Res., 32, 1119–1136, 2012.
- Fu, JY, MASFERRER, JL, Seibert, K, Raz, A and Needleman, P, The induction and suppression of prostaglandin H₂ synthase (cyclooxygenase) in human monocytes, J. Biol. Chem., 265, 16737-16740, 1990.
- Gaba, M, Singh, S, and Mohan, C, Benzimidazole: an emerging scaffold for analgesic and anti-inflammatory agents, Eur. J. Med. Chem., 76, 494-505, 2014.
- Gadad, K, Palkar, MB, Anand, K, Noolvi, MN, Boreddy, TS and Wagwade, J, Synthesis and biological evaluation of 2-trifluoromethyl/sulfonamido-5,6-diaryl substituted imidazo[2,1-*b*]-1,3,4-thiadiazoles: A novel class of cyclooxygenase-2 inhibitors, Bioorg. Med. Chem., 16, 276-283, 2008.
- Galigher, AE and Kozloff, EN, In: Essentials of Practical Microtechnique, ed. Lea and Febiger, Hagerstown Publications, Philadelphia, U.S.A, 2nd edn., Vol. 20, 77, 1971.
- Garavito, RM, Malkowski, MG and Dewitt, DL, The structures of prostaglandin endoperoxide H synthases-1 and -2, Prostaglandins and other Lipid Mediators, 68-69, 129-152, 2002.
- Garcia, LJ, Hamamura, L, Leite, MP and Rochae, SM, Pharmacological analysis of the acute inflammatory process induced in the rat's paw by local injection of carrageenin and by heating, Br. J. Pharmacol., 48, 88-96, 1973.
- Gaskin, D.J., and Richard, P, The economic costs of pain in the United States, J. Pain., 13, 715-724. 2012.
- Gilani, SJ, Khan, SA and Siddiqui, N, Synthesis and pharmacological evaluation of condensed heterocyclic 6-substituted 1,2,4-triazolo-[3,4-*b*]-1,3,4-thiadiazole and 1,3,4-oxadiazole derivatives of isoniazid, Bioorg. Med. Chem. Lett., 20, 4762–4765, 2010.
- Graham, DJ, COX-2 inhibitors, other NSAIDs and cardiovascular risk: The seduction of common sense, JAMA., 296, 1653-1656, 2006.
- Grant, NH, Alburn, HE and Kryzanauska, C, Stabilization of serum albumin by anti-inflammatory drugs, Biochem. Pharmacol., 19, 715-722, 1970.
- Grover, J, Bhatt, N, Kumar, V, Patel, NK, Gondaliya, BJ, Elizabeth Sobhia, M, Bhutani, KK and Jachak, SM, 2,5-Diaryl-1,3,4-oxadiazoles as selective COX-2 inhibitors and anti-inflammatory agents, RSC Adv., 5, 45535-45544, 2015.

- Haque, SE and Tauseef, M, Effect of aspirin and celecoxib on lens glutathione and soluble protein profile in naphthalene induced cataract in Wistar rats, *J. Pharm. Res.*, 10, 270-274, 2016.
- Heilman, WP, Heilman, RD, Scozzie, JA, Wayner RJ, Gullo, JM and Ariyan ZS, Synthesis and anti-inflammatory evaluation of 3-Methylthio- 1,2,4-triazines, 3-Alkoxy - 1,2,4-triazines, and 3-Aryloxy-1,2,4 -triazines, *J. Pharm.Sci.*, 69, 282-287, 1980.
- Howard, PA and Delafontaine, P, Nonsteroidal anti-inflammatory drugs and cardiovascular risk, *J. Am. Coll. Cardiol.*, 43, 519-525, 2004.
- Husain, A, Ahmad, A, Alam, MM, Ajmal, M and Ahuja, P, Fenbufen based 3-[5-(substituted aryl)-1,3,4-oxadiazol-2-yl]-1-(biphenyl-4-yl)propan-1-ones as safer anti-inflammatory and analgesic agents, *Eur. J. Med. Chem.*, 44, 3798-3804, 2009.
- Irannejad, H, Kebriaeezadeh, A, Zarghi, A, Montazer-Sadegh, F, Shafiee, A, Assadieskandar, A and Amini, M, Synthesis, docking simulation, biological evaluations and 3D-QSAR study of 5-Aryl-6-(4-methylsulfonyl)-3-(methylthio)-1,2,4-triazine as selective cyclooxygenase-2 inhibitors, *Bioorg. Med. Chem.*, 22, 865-873, 2014.
- James, MW and Hawkey, CJ, Assessment of non-steroidal anti-inflammatory drug (NSAID) damage in the human gastrointestinal tract, *Br. J. Clin. Pharmacol.*, 56, 146-155, 2003.
- Jayashankar, B, Rai, KML, Baskaran, N and Sathish, HS, Synthesis and pharmacological evaluation of 1,3,4-oxadiazole bearing bis(heterocycle) derivatives as anti-inflammatory and analgesic agents, *Eur. J. Med. Chem.*, 44, 3898-3902, 2009.
- Jiang, B, Zeng,Y, Li, MJ, Xu, JY, Zhang,YN, Wang, QJ, Sun, NY, Lu, T and Wu, XM, Design, synthesis, and biological evaluation of 1,5-diaryl-1,2,4-triazole derivatives as selective cyclooxygenase-2 inhibitors, *Arch. Pharm.*, 343, 500-508, 2010.
- Jiang, B, Huang, X, Yao, H, Jiang, J, Wu, X, Jiang, S, Wang, Q, Lu, T and Xu, J, Discovery of potential anti-inflammatory drugs: diaryl-1,2,4-triazoles bearing N-hydroxyurea moiety as dual inhibitors of cyclooxygenase-2 and 5-lipoxygenase, *Org. Biomol. Chem.*, 12, 2114-2127, 2014.
- Kadi, AA, El-frollosy, NR, Al-deeb, OA, Habib, EE, Ibrahim, TM and El-emam, AA, Synthesis, antimicrobial, and anti-inflammatory activities of novel 2-(1-adamantyl)-5-substituted-1,3,4-oxadiazoles and 2-(1-adamantylamino)-5-substituted-1,3,4-thiadiazoles, *Eur. J. Med. Chem.*, 42, 235-242, 2007.
- Kaldor, SW, Kalish, VJ, Davies, JF, Shetty BV, Fritz JE, Appelt, K, Burgess, JA, Campanale, KM, Chirgadze, NY, Clawson, DK, Dressman, BA, Hatch, SD, Khalil, DA, Kosa, MB, Lubbehusen, PP, Muesing, MA, Patick, AK, Reich, SH, Su, KS and Tatlock, JH, Viracept (nelfinavir mesylate, AG1343): a potent, orally bioavailable inhibitor of HIV-1 protease, *J Med Chem.*, 40, 3979-3985, 1997.

- Kannan, MM and Quine, SD, Ellagic acid inhibits cardiac arrhythmias, hypertrophy and hyperlipidaemia during myocardial infarction in rats, *Metabolism*, 62, 52-61, 2013.
- Kaur R, Dwivedi, AR, Kumar, B and Kumar, V, Recent Developments on 1,2,4-Triazole Nucleus in Anticancer Compounds: A Review, *Anticancer Agents Med. Chem.*, 16, 465-489, 2016.
- Khoshneviszadeha, M, Ghahremani, MH, Foroumadi, A, Miri, R, Firuzi, O, Madadkar-Sobhani, A, Edraki, N, Parsa, M, Shafiee, A, Design, synthesis and biological evaluation of novel anti-cytokine 1,2,4-triazine derivatives, *Bioorg. Med. Chem.*, 21, 6708–6717, 2013.
- King, EJ and Armstrong, AR, A convenient method for determining serum and bile phosphatase activity, *Can. Med. Assoc. J.*, 31, 376–381, 1934.
- Kontoyianni, M, McClellan, LM and Sokol, GN, Evaluation of Docking Performance: Comparative Data on Docking Algorithms, *J. Med. Chem.*, 47, 558-565, 2004.
- Konturek, PC, Kania, J, Burnat, G, Hahn, EG and Konturek, SJ, Prostaglandins as mediators of COX-2 derived carcinogenesis in gastrointestinal tract, *J. Physiol. Pharmacol.*, 56, S57-73, 2005.
- Kosaka, T, Miyata, A, Ihara, H, Hara, S, Sugimoto, T and Takeda, O, Characterization of the human gene (PTGS2) encoding prostaglandin-endoperoxide synthase 2, *Eur. J. Biochem.*, 221, 889– 897, 1994.
- Koster, R, Anderson, R and De Beer, EJ, Acetic acid for analgesic screening, *Fed. Proc.*, 18, 412–413, 1959.
- Kraemer, SA, Meade, EA and DeWitt, DL, Prostaglandin endoperoxide synthase gene structure: Identification of the transcriptional start site and 5'-flanking regulatory sequences, *Arch Biochem. Biophys.*, 293, 391–400, 1992.
- Küçükgüzel, SG, Küçükgzel, I, Tatar, E, Rollas, S, Şahin, F, Güllüce, M, De Clercq, E and Kabasakal, L, Synthesis of some novel heterocyclic compounds derived from diflunisal hydrazide as potential anti-infective and anti-inflammatory agents, *Eur. J. Med. Chem.*, 42, 893–901, 2007.
- Kulshrestha, A, Das, N, Banerjee, AG and Srivastava SK, Design, synthesis and pharmacological evaluation of some pyrazolopyrimidin-6(7H)-ones and tricyclic 8 oxo-dihydrooxazolopyrazolopyrimidin-9-iium chloride derivatives, *Arab. J. Chem.*, DOI: 10.1016/j.arabjc.2014.03.012, 2014.
- Kumar, A and Rajput, CS, Synthesis and anti-inflammatory activity of newer quinazolin-4-one derivatives, *Eur. J. Med. Chem.*, 44, 83–90, 2009.
- Kumar, D, Maruthi Kumar, N, Chang, KH and Shah, K, Synthesis and anticancer activity of 5-(3-indolyl)-1,3,4-thiadiazoles, *Eur. J. Med. Chem.*, 45, 4664-4668, 2010.
- Kumar, H, Javed, SA, Khan, SA and Amir, M, 1,3,4-Oxadiazole/thiadiazole and 1,2,4-triazole derivatives of biphenyl-4-yloxy acetic acid: Synthesis and preliminary evaluation of biological properties, *Eur. J. Med. Chem.*, 43, 2688–2698, 2008.

- Kumar, M, Kasala, ER, Bodduluru, LN, Dahiya, V and Lahkar, M, Baicalein protects isoproterenol induced myocardial ischemic injury in male Wistar rats by mitigating oxidative stress and inflammation, Inflamm. Res., 65, 613-622, 2016.
- Kumar, M, Kasala, ER, Bodduluru, LN, Dahiya, V, Sharma, D, Kumar, V and Lahkar, M, Animal models of myocardial infarction: Mainstay in clinical translation, Regul. Toxicol. Pharmacol., 76, 221-230, 2016.
- Kumar, R, Sirohi, TS, Singh, H, Yadav, R, Roy, RK, Chaudhary, A and Pandeya, SN, 1,2,4-triazine analogs as novel class of therapeutic agents, Mini Rev. Med. Chem., 14, 168-207, 2014.
- Kurumbail RG, Stevens AM, Gierse JK, McDonald JJ, Stegeman RA, Pak JY, Gildehaus D, Miyashiro JM, Penning TD, Seibert K, Isakson PC and Stallings WC, Structural basis for selective inhibition of cyclooxygenase-2 by anti-inflammatory agents, Nature, 384, 644-648, 1996.
- Kurumbail, RG, Kiefer, JR and Marnett LJ, Cyclooxygenase enzymes: Catalysis and inhibition, Curr. Opin. Struct. Biol., 11, 752-760, 2001.
- Luna, LG, Manual of histological staining methods of the Armed Forces Institute of Pathology, 3rd ed., McGraw-Hill, Blakiston Division, New York, 567, 1968.
- Lacefield, WB and Ho, PPK, 5,6-Diaryl, 1-2-4-triazines as topically active anti-inflammatory agents, US Patent 4021553, 1977.
- Laloo, D, Prasad, SK, Krishnamurthy, S and Hemalatha, S, Gastroprotective activity of ethanolic root extract of *Potentilla fulgens* Wall. ex Hook, J. Ethnopharmacol., 146, 505-514, 2013.
- Latha, RM, Geetha, T and Varalakshmi, P, Effect of *Vernonia cinerea* Less Flower Extract in Adjuvant-Induced Arthritis, Gen. Pharmacol.-Vasc. S., 31, 601-606, 1998.
- Li, Y, Geng, J, Liu, Y, Yu, S and Zhao, G, Thiadiazole-a promising structure in medicinal chemistry, Chem Med Chem., 8, 27-41, 2013.
- Lineweaver, H and Burk, DJ, The Determination of Enzyme Dissociation Constants, J. Am. Chem. Soc., 56, 658-666, 1934.
- Lipinski, CA, Lombardo, F, Dominy, BW and Feeney, PJ, Experimental and computational approaches to estimate solubility and permeability in drug discovery and development settings, Adv. Drug Deliv. Rev., 46, 3-26, 2001.
- Liu, C, Lin, J, Wroblewski, ST, Lin, S, Hynes, J, Wu, H, Dyckman, AJ, Li, T, Wityak, J, Gillooly, KM, Pitt, S, Shen DR, Zhang, RF, McIntyre, KW, Salter-Cid, L, Shuster, DJ, Zhang, H, Marathe, PH, Doweyko, AM, Sack, JS, Kiefer, SE, Kish, KF, Newitt, JA, McKinnon, M, Dodd, JH, Barrish, JC, Schieven, GL and Leftheris, K, Discovery of 4-(5-(cyclopropylcarbamoyl)-2-methylphenylamino)-5-methyl-n-propylpyrrolo[1,2-f][1,2,4]triazine-6-carboxamide (BMS-582949), a clinical p38 α MAP kinase inhibitor for the treatment of inflammatory diseases, J. Med. Chem., 53, 6629-6639, 2010.
- Loll, PJ, Picot, D and Garavito, RM, The structural basis of aspirin activity inferred from the crystal structure of inactivated prostaglandin H2 synthase, Nat. Struct. Biol., 2, 637-643, 1995.

- Lombardino, JG and Lowe III, JA, The role of the medicinal chemist in drug discovery — then and now, *Nat Rev Drug Discov.*, 3, 853-62, 2004.
- Maddila, S, Pagadala, R and Jonnalagadda, SB, 1,2,4-Triazoles: A Review of Synthetic Approaches and the Biological Activity, *Lett. Org. Chem.*, 10, 693-714, 2013.
- Makhlof, AA and Maklad, YA, Synthesis and analgesic-antiinflammatory activities of some 1,2,4-Triazine derivatives, *Arzneim.-Forsch.*, 54, 42-49, 2004.
- Manjunatha, K, Poojary, B, Lobo, PL, Fernandes, J and Kumari, NS, Synthesis and biological evaluation of some 1,3,4-oxadiazole derivatives, *Eur. J. Med. Chem.*, 45, 5225-5233, 2010.
- Marzouk, B, Marzouk, Z, Haloui, E, Fenina, N, Bouraoui, A and Aouni, M, Screening of analgesic and anti-inflammatory activities of *Citrullus colocynthis* from southern Tunisia, *J. Ethnopharmacol.*, 128, 15-19, 2010.
- McCleskey, EW and Gold, MS, Ion channels of nociception, *Annu. Rev. Physiol.*, 61, 835-856, 1999.
- McGettigan, P and Henry, D, Cardiovascular risk and inhibition of cyclooxygenase: a systematic review of the observational studies of selective and nonselective inhibitors of cyclooxygenase 2, *JAMA.*, 296, 1633-1644, 2006.
- McGettigan, P and Henry, D, Cardiovascular risk with non-steroidal anti-inflammatory drugs: systematic review of population-based controlled observational studies, *PLoS Med.*, 8, e1001098, 2011.
- Moise, M, Sunel, V, Profire, L, Popa, M, Desbrieres, J and Peptu, C, Synthesis and Biological Activity of Some New 1,3,4-Thiadiazole and 1,2,4-Triazole Compounds Containing a Phenylalanine Moiety, *Molecules*, 14, 2621-2631, 2009.
- Mullick, P, Khan, SA, Begum, T, Verma, S, Kaushik, D and Alam O, Synthesis of 1,2,4-triazine derivatives as potential anti-anxiety and anti-inflammatory agents, *Acta Poloniae Pharmaceutica - Drug Res.*, 66, 379-385, 2009.
- Nadendla, RR, Molecular modeling: A powerful tool for drug design and molecular docking, *Reson.*, 9, 51-60, 2004.
- Nigam, PK, Biochemical markers of myocardial injury, *Ind. J. Clin. Biochem.*, 22, 10-17, 2007.
- Ohkawa, H, Ohishi, N and Yagi, K, Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction, *Anal. Biochem.*, 95, 351-358, 1979.
- Oliver, SJ and Brahn, E, Combination therapy in rheumatoid arthritis: the animal model perspective, *J. Rheumatol. Suppl.*, 44, 56-60, 1996.
- Opie, EL, On the relation of necrosis and inflammation to denaturation of proteins, *J. Exp. Med.*, 115, 597-608, 1962.
- Oruç, EE, Koçyigit-Kaymakçıoglu, B, Oral, B, Altunbas-Toklu, HZ, Kabasakal, L and Rollas, S, Synthesis of Some Novel Azo Derivatives of 3,5-Dimethyl-1-(2-hydroxyethyl)pyrazole as Potent Analgesic Agents, *Arch. Pharm. Chem. Life Sci.*, 339, 267-272, 2006.

- Otterness, IG, The discovery of drugs to treat arthritis, A historical view, In: The Search for Antiinflammatory Drugs, Merluzzi, VJ and Adams, J, eds. Boston: Birkhäuser, 1–26, 1995.
- Özadali, K, Özkanli, F, Jain, S, Rao, PP and Velázquez-Martínez, CA, Synthesis and biological evaluation of isoxazolo[4,5-*d*]pyridazin-4-(5*H*)-one analogues as potent anti-inflammatory agents, *Bioorg. Med. Chem.*, 20, 2912–2922, 2012.
- Ozaki, Y, Antiinflammatory effect of Curcuma xanthorrhiza Roxb, and its active principles, *Chem. Pharm. Bull.*, 38, 1045–1048, 1990.
- Palusa, SKG, Udupi, RH, Himabindu, V and Sridhara, AM, Synthesis and evaluation of a series of pyrimidine substituted 1,3,4-oxadiazole derivatives as antimicrobial and anti-inflammatory agents, *Org. Commun.*, 4, 82–93, 2011.
- Panthong, A, Kanjanapothi, D, Taesotikul, T, Wongcome, T and Reutrakul, V, Anti-inflammatory and antipyretic properties of *Clerodendrum petasites* S. Moore, *J. Ethnopharmacol.*, 85, 151–156, 2003.
- Paprocka, R, Wiese, M, Eljaszewicz, A, Helmin-Basa, A, Gzella, A, Modzelewska-Banachiewicz, B and Michalkiewicz, J, Synthesis and anti-inflammatory activity of new 1,2,4-triazole derivatives, *Bioorg. Med. Chem. Lett.*, 25, 2664–2667, 2015.
- Pattan, S, Gadhave, P, Tambe, V, Dengale, S, Thakur, D, Hiremath SV, Shete, RV and Derotarse, P, Synthesis and evaluation of some novel 1,2,4-triazole derivatives for antimicrobial, anti-tubercular and anti-inflammatory activities, *Ind. J. Chem.*, 51B, 297–301, 2012.
- Peters, JM, Morishima, H, J M Ward, JM, Coakley, CJ, Kimura, S, and Gonzalez, FJ, Role of CYP1A2 in the toxicity of long-term phenacetin feeding in mice, *Toxicol. Sci.*, 50, 82–89, 1999.
- Picot, D, Loll, PJ and Garavito, RM, The X-ray crystal structure of the membrane protein prostaglandin H2 synthase-1, *Nature*, 367, 243–249, 1994.
- Pluta, K, Morak-Mlodawska, B and Jelen, M, Recent progress in biological activities of synthesized phenothiazines, *Eur. J. Med. Chem.*, 46, 3179–3189, 2011.
- Pohle, T, Brzozowski, T, Becker, JC, Vander Voort, IR, Markmann, A, Konturek, SJ, Moniczewski, A, Domschke, W and Konturek, JW, Role of reactive oxygen metabolites in aspirin-induced gastric damage in humans: gastroprotection by vitamin C, *Aliment Pharmacol. Ther.*, 15, 677–687, 2001.
- Porro, CA and Cavazzuti, M, Spatial and temporal aspects of spinal cord and brainstem activation in the formalin pain model, *Prog. Neurobiol.*, 41, 565–607, 1993.
- Prescott, LF, Paracetamol (Acetaminophen), A Critical Bibliographic Review. 2nd Edn., London: Taylor & Francis, 2001.
- Radwan, MA, Ragab, EA, Sabry, NM and El-Shenawy, SM, Synthesis and biological evaluation of new 3-substituted indole derivatives as potential anti-inflammatory and analgesic agents, *Bioorg. Med. Chem.*, 15, 3832–3841, 2007.

- Rainsford, KD, History and development of ibuprofen, In: Ibuprofen. A Critical Bibliographic Review, London: Taylor & Francis, 1–24, 1999a.
- Rainsford, KD, Pharmacology and toxicology of ibuprofen, In: Ibuprofen, A Critical Bibliographic Review, London: Taylor & Francis, 145–275, 1999b.
- Rainsford, KD, History and development of salicylates, In: Aspirin and related drugs, London & New York: Taylor & Francis, 1–23, 2004.
- Rainsford, KD, The discovery, development and novel actions of nimesulide, In: Nimesulide – Actions and Uses, Basel: Birkhäuser Verlag, 1–61, 2005.
- Ramesh, B and Bhalgat, CM, Novel dihydropyrimidines and its pyrazole derivatives: Synthesis and pharmacological screening, Eur. J. Med. Chem., 46, 1882–189, 2011.
- Reitman, S and Frankel, S, A colorimetric method for the determination of serum glutamic oxalacetic and glutamic pyruvic transaminases, Am. J. Clin. Pathol., 28, 56–63, 1956.
- Rigo, B and Couturier, D, Studies on pyrrolidinones. Synthesis of 5-(5-oxo-2-pyrrolidinyl)-1,3,5-oxadiazole-2-thione derivatives, J. Heterocyclic Chem., 22, 287–288, 1985.
- Roberts II, LJ and Morrow, JD, Analgesic, antipyretic and anti-inflammatory agents and drugs employed in the treatment of gout, In: Goodman & Gilman's The Pharmacological Basis of Therapeutics, ed. Hardman, JG and Limbird, LE, McGraw-Hill, 10th edn., Ch. 27, 687–731, 2001.
- Rostom, SAF, El-Ashmawy, IM, El Razik, HAA, Badr, HM and Ashour, HM, Design and synthesis of some thiazolyl and thiadiazolyl derivatives of antipyrine as potential non-acidic anti-inflammatory, analgesic and antimicrobial agents, Bioorg. Med. Chem., 17, 882–895, 2009.
- Rutenberg, EE and Stroud, RM, Binding of the anticancer drug ZD1694 to *E. coli* thymidylate synthase: assessing specificity and affinity, Structure, 4, 1317–1324, 1996.
- Ryckaert, JP, Ciccotti, G and Berendsen, HJC, Numerical integration of the Cartesian Equations of Motion of a System with Constraints: Molecular Dynamics of n-Alkanes, J. Comp. Physiol., 23, 327–341, 1977.
- Salgin-Gökşen, U, Gökhane-Kelekçi, N, Göktaş, Ö, Köysal, Y, Kılıç, E, Işık, S, Aktay, G and Özalp, M, 1-Acylthiosemicarbazides, 1,2,4-triazole-5(4H)-thiones, 1,3,4-thiadiazoles and hydrazones containing 5-methyl-2-benzoxazolinones: Synthesis, analgesic anti-inflammatory and antimicrobial activities, Bioorg. Med. Chem., 15, 5738–5751, 2007.
- Sallmann, AR, The history of diclofenac, Am. J. Med., 80, 29–33, 1986.
- Schenone, S, Brullo, C, Bruno, O, Bondavalli, F, Ranise, A, Filippelli, W, Rinaldi, B, Capuano, A and Falcone, G, New 1,3,4-thiadiazole derivatives endowed with analgesic and anti- inflammatory activities, Bioorg. Med. Chem., 14, 1698–1705, 2006.

- Schindler, T, Bornmann, W, Pellicena, P, Miller, WT, Clarkson, B and Kuriyan, J, Structural mechanism for STI-571 inhibition of abelson tyrosine kinase, *Science*, 289, 1938-1942, 2000.
- Schneider, V, Levesque, LE, Zhang, B, Hutchinson, T and Brophy, JM, Association of selective and conventional nonsteroidal anti-inflammatory drugs with acute renal failure: A population-based, nested case-control analysis, *Am. J. Epidemiol.*, 164, 881-889, 2006.
- Sharma, R, Sainy, J and Chaturvedi, SC, 2-Amino-5-sulfanyl-1,3,4-thiadiazoles: A new series of selective cyclooxygenase-2 inhibitors, *Acta Pharm.*, 58, 317-326, 2008.
- Shkair, AM, Shakya, AK, Raghavendra, NM and Naik, RR, Molecular Modeling, Synthesis and Pharmacological Evaluation of 1,3,4-Thiadiazoles as Anti-inflammatory and Analgesic Agent, *Med. Chem.*, 12, 90-100, 2016.
- Silvestrini, B, Guglielmotti, A, Sasò, L and Cheng, CY, Changes in concanavalin A-reactive proteins in inflammatory disorders, *Clin. Chem.*, 35, 2207-2211, 1989.
- Singla, P, Luxami, V and Paul, K, Triazine as a promising scaffold for its versatile biological behavior, *Eur. J. Med. Chem.*, 102, 39-57, 2015.
- Smith, WL and Song I, The enzymology of prostaglandin endoperoxide H synthases-1 and 2, *Prostaglandins and other Lipid Mediators*, 68-69, 115-128, 2002.
- Song, Y, Connor, DT, Sercel, AD, Sorenson, RJ, Doubleday, R, Unangst, PC, Roth, BD, Beylin, VG, Gilbertsen, RB, Chan, K, Schrier, DJ, Guglietta, A, Bornemeier, DA and Dyer DR, Synthesis, Structure-Activity Relationships, and in Vivo Evaluations of Substituted Di-*tert*-butylphenols as a Novel Class of Potent, Selective, and Orally Active Cyclooxygenase-2 Inhibitors. 2. 1,3,4- and 1,2,4-Thiadiazole Series, *J. Med. Chem.*, 42, 1161-1169, 1999.
- Spector, WG, The granulomatous inflammatory exudates, *Int. Rev. Exp. Pathol.*, 8, 1-55, 1969.
- Stanely, MPP and Roy, AJ, p-Coumaric acid attenuates apoptosis in isoproterenol-induced myocardial infarcted rats by inhibiting oxidative stress, *Int. J. Cardiol.*, 168, 3259-3266, 2013.
- Swingle, KF and Shideman, FE, Phases of the inflammatory response to subcutaneous implantation of a cotton Pellet and their modification by certain anti-inflammatory agents, *J. Pharmacol. Exp. Ther.*, 183, 226-234, 1972.
- Szelenyl, I and Thiemer, K, Distention ulcer as a model for testing of drugs for ulcerogenic side effects, *Arch. Toxicol.*, 41, 99-105, 1978.
- Takacs-Novak, K and Avdeef, A, Interlaboratory study of log P determination by shake-flask and potentiometric methods, *J. Pharm. Biomed. Anal.*, 14, 1405-1413, 1996.
- Takahashi, RN and Paz, MM, Influence of naloxone on analgesic effects of antidepressants in mice, *Braz. J. Med. Biol. Res.*, 20, 607-610, 1987.

- Tazawa, R, Xa, XM, Wu, KK and Wang, LH, Biochemical characterization of the genomic structure, chromosomal location and promoter of human prostaglandin h synthase-2 gene, *Biophys. Res. Commun.*, 203, 190–199, 1994.
- The Drugs and Cosmetics Act, 1940, As amended up to the 30th June 2005, Government of India, Ministry of Health and Family Welfare, 02, 2005.
- Tjolsen, A, Berge, OG, Hunskaar, S, Rosland, JH and Hole, K, The formalin test: an evaluation of the method, *Pain*, 51, 5–17, 1992.
- Tomchin, AB, Uryupov, OY and Smirnov AV, Thiourea and thiosemicarbazide derivatives: structure, transformations and pharmacological activity. Part III. Antihypoxic and anti-inflammatory activity of 1,2,4-Triazino[6,5-b]indole derivatives, *Pharm. Chem. J.*, 31, 632-637, 1997.
- Tsununi, K, Kyuki, K, Niwa, M, Mibu, H and Fujimura, H, Pharmacological investigations of the new anti-inflammatory agent 2-(10,11-dihydro-10-oxodibenzo[b,f]thiepin-2-yl)propionic acid. 1st communication: inhibitory effects of rat paw edema, *Arzneimittelforschung*, 36, 1976-8000, 1986.
- Turan-Zitouni, G, Kaplancikli, ZA, Özdemir, A, Chevallet P, Kandilci, HB and Gümüsel B, Studies on 1,2,4-Triazole Derivatives as Potential Anti-Inflammatory Agents, *Arch. Pharm. Chem. Life Sci.* 340, 586–590, 2007.
- Umapathy, E, Ndebia, EJ, Meeme, A, Adam, B, Menziwa, P, Nkeh-Chungag, BN and Iputo, JE, An experimental evaluation of *Albuca setosa* aqueous extract on membrane stabilization, protein denaturation and white blood cell migration during acute inflammation, *J. Med. Plant. Res.*, 4, 789-795, 2010.
- Upmanyu, N, Gupta, JK, Shah, K, and Mishra, P , Synthesis of new 1,2,4-triazoles as anti-inflammatory and anti-nociceptive agents, *Pharm. Chem. J.*, 45, 433-439, 2011.
- Vane, J, Towards a better aspirin, *Nature*, 367, 215-216, 1994.
- Vane, JR, Inhibition of Prostaglandin Synthesis as a Mechanism of Action for Aspirin-like Drugs, *Nature*, 231, 232–235, 1971.
- Vane, JR and Botting, RM, New insights into the mode of action of anti-inflammatory drugs, *Inflamm Res.*, 44, 1-10, 1995.
- Vane, JR, Bakhle, YS and Botting, RM, Cyclooxygenases 1 and 2, *Annu. Rev. Pharmacol. Toxicol.*, 38, 97-120, 1998.
- Varghese, JN, Development of neuraminidase inhibitors as anti-influenza virus drugs, *Drug Dev. Res.*, 46, 176–196, 1999.
- Veber, DF, Johnson, SR, Cheng, HY, Smith, BR, Ward, KW and Kapple, KD, Molecular Properties That Influence the Oral Bioavailability of Drug Candidates, *J. Med. Chem.*, 45, 2615-2623, 2002.
- Verma, AK and Martin, A, Synthesis characterization and anti-inflammatory activity of analogues of 1,3,4 -thiadiazole, *Int. J. of Pharm. Arch.*, 3, 1-5, 2014.
- Vijesh, AM, Isloor, AM, Shetty, P, Sundershan, S and Fun, HK, New pyrazole derivatives containing 1,2,4-triazoles and benzoxazoles as potent antimicrobial and analgesic agents, *Eur. J. Med. Chem.*, 62, 410-415, 2013.

- Wang, JL, Limburg, D, Graneto, MJ, Springer, J, Hamper, JRB, Liao, S, Pawlitz, JL, Kurumbail, RG, Maziasz, T, Talley, JJ, Kiefer, JR and Carter, J, The novel benzopyran class of selective cyclooxygenase-2 inhibitors. Part 2: The second clinical candidate having a shorter and favorable human half-life, *Bioorg. Med. Chem. Lett.*, 20, 7159-7163, 2010.
- Wang, JL, Limburg, D, Graneto, MJ, Springer, J, Hamper, JRB, Liao, S, Pawlitz, JL, Kurumbail, RG, Maziasz, T, Talley, JJ, Kiefer, JR and Carter, J, The novel benzopyran class of selective cyclooxygenase-2 inhibitors. Part 2: the second clinical candidate having a shorter and favorable human half-life, *Bioorg. Med. Chem. Lett.*, 20, 7159-7163, 2010.
- Wei, ET, Kiang, JG, Buchan, P and Smith, TW, Corticotropin-releasing factor inhibits neurogenic plasma extravasation in the rat paw, *Br. J. Pharmacol. Ther.*, 238, 783-787, 1986.
- Williams, CS and DuBois, RN, Prostaglandin endoperoxide synthase: why two isoforms? *Am. J. Physiol.*, 270, G393-400, 1996.
- Williams, LA, O'Connor, A, Latore, L, Dennis, O, Ringer, S, Whittaker, JA, Conrad, J, Vogler, B, Rosner, H and Kraus, W, The in vitro anti-denaturation effects induced by natural products and non-steroidal compounds in heat treated (immunogenic) bovine serum albumin is proposed as a screening assay for the detection of anti-inflammatory compounds, without the use of animals, in the early stages of the drug discovery process, *West Indian Med. J.*, 57, 327-331, 2008.
- Williams, TJ, Prostaglandin E2, prostaglandin I2 and the vascular changes of inflammation, *Br. J. Pharmacol.*, 65, 517-524, 1979.
- Winter, CA, Risley, EA and Nuss, GW, Carrageenin-induced edema in hind paw of the rat as an assay for antiinflammatory drugs, *Proc. Soc. Exp. Biol. Med.*, 11, 544-547, 1962.
- Wroblewski, ST, Lin, S, Hynes, J, Wu, H, Pitt, S, Shen, DR, Zhang, R, Gillooly, KM, Shuster, DJ, McIntyre, KW, Doweyko, AM, Kish, KF, Tredup, JA, Duke, GJ, Sack JS, McKinnon, M, Dodd, J, Barrish, JC, Schievenb, GL and Leftheris, K, Synthesis and SAR of new pyrrolo[2,1-f][1,2,4] triazines as potent p38 α MAP kinase inhibitors, *Bioorg. Med. Chem. Lett.*, 18, 2739-2744, 2008.
- Yeh, SY, Potentiation of pentazocine antinociception by tripelennamine in the rat, *J. Pharmacol. Exp. Ther.*, 235, 683-689, 1985.
- Yokoyama, C and Tanabe, T, Cloning of human gene encoding prostaglandin endoperoxide synthase and primary structure of the enzyme, *Biochem. Biophys. Res. Commun.*, 165, 888- 894, 1989.
- Yurttaş, L, Demirayak, S, İlgin, S and Atlı, O, In vitro antitumor activity evaluation of some 1,2,4-triazine derivatives bearing piperazine amide moiety against breast cancer cells, *Bioorg. Med. Chem.*, 22, 6313-6323, 2014.