## LIST OF TABLES

<u>Table No.</u>	<u>TITLE</u>	PAGE No.
Table 1.1	Electrical conductivity of some chromite and titanate-based	17
	perovskite ceramic materials in reducing atmosphere.	
Table 1.2	Electrical conductivity of some molybdenum based Double perovskite.	19
Table 2.1	Specifications of the raw materials with their grades, purity and	28
	manufacturer used for preparation of various electro-ceramic	
	samples.	
Table 2.2	Starting materials and firing schedule for various compositions.	28
Table 3.1	Various parameters obtained from Rietveld refinement analysis of the	55
	XRD data and the density measurements of La <sub>1-x</sub> Gd <sub>x</sub> CrO <sub>3</sub> (0.00 $\leq$ x	
	≤0.20) system.	
Table 3.2	Activation energy for conduction for various compositions of La <sub>1-</sub>	60
	$_{x}Gd_{x}CrO_{3}$ (0.00 $\leq$ x $\leq$ 0.20) system.	
Table 4.1	Various parameters obtained from Rietveld refinement of XRD data of	68
	the SNM-x system $(0.00 \le x \le 0.15)$ .	
Table 4.2	The Variation of average TEC value of SNM-x (x=0.00, 0.05, 0.10, and	71
	0.15) system.	
Table 4.3	Fitting results of Mo-3d XPS spectra and percentage of adsorbed	72
	oxygen of the system SNM-x ( $0.00 \le x \le 0.15$ ).	
Table 4.4	Activation energy of the system SNM-x ( $0.00 \le x \le 0.15$ ).	78
Table 5.1	Variation in lattice parameters of SLNM-x ( $x = 0.02, 0.04, 0.06, 0.08$	86
	and 0.10) system.	
Table 5.2	The XPS fitting results of Mo-3d spectra and percentage of adsorbed	90
	oxygen of the system SLNM-x ( $0.02 \le x \le 0.10$ ).	
Table 5.3	Activation energy of SLNM-x (x= 0.02, 0.04, 0.06, 0.08 and 0.10)	96
	system.	
Table 5.4	Variation in lattice parameters of SCNM-x ( $x = 0.01, 0.02, 0.03, 0.04$	103

	and 0.05) system.	
Table 5.5	The XPS fitting results of Mo-3d spectra and percentage of adsorbed	107
	oxygen of the system SCNM-x ( $0.01 \le x \le 0.05$ ).	
Table.5.6	Activation energy of SCNM-x ( $x = 0.01, 0.02, 0.03, 0.04$ and 0.05)	112
	system.	
Table5.7	Variation in lattice parameters of SCNM-x ( $x = 0.01, 0.02, 0.03, 0.04$	117
	and 0.05) system.	
Table5.8	Fitting results of Mo-3d XPS spectra and percentage of adsorbed	120
	oxygen of the system SSNM-x ( $0.01 \le x \le 0.05$ ).	
Table.5.9.	Activation energy of SSNM-x (x = $0.01$ , $0.02$ , $0.03$ , $0.04$ and $0.05$ )	124
	system.	

