

LIST OF TABLES

	Page No.
Table 1.1 Different type of Nanocomposites	14
Table 2.1 The synthesis of AgNPs as a function of 3-APTMS and GPTMS concentrations containing AgNO ₃ (0.025 M); “+” sign represents feasibility of AgNPs formation whereas “-” sign represents that AgNPs are not formed.	31
Table 2.2 Characteristics of different Silver nanoparticles (AgNPs) made from Cyclohexanone as a function of 3-APTMS concentration.	32
Table 2.3 Characteristics of different Silver nanoparticles (AgNPs) as a function of Cyclohexanone concentration.	33
Table 2.4 Characteristics of different Silver nanoparticles (AgNPs) made from Formaldehyde as a function of 3-APTMS concentration.	34
Table 2.5 Characteristics of different Silver nanoparticles (AgNPs) as a function of Formaldehyde concentration.	34
Table 2.6 Dispersibility of AgNPs in toluene and water made by using constant concentrations of 3-APTMS (0.05 M) and varying concentrations of GPTMS. “+” and “-” sign denotes increasing and decreasing extent of AgNPs dispersibility in water and toluene.	47
Table 2.7 Dispersibility of AgNPs in toluene and water made by using constant concentrations of 3-APTMS (0.1 M) and varying concentrations of GPTMS. “+” and “-” sign denotes increasing and decreasing extent of AgNPs dispersibility in water and toluene.	47

Table 2.8	Dispersibility of AgNPs in toluene and water made by using constant concentrations of 3-APTMS (0.5 M) and varying concentrations of GPTMS. “+” and “-” sign denotes increasing and decreasing extent of AgNPs dispersibility in water and toluene.	48
Table 3.1	Characteristics of different PdNPs as a function of 3-APTMS concentration.	71
Table 3.2	Characteristics of PdNPs as a function of Cyclohexanone and 3-APTMS concentration.	72
Table 3.3	Compositions of different Palladium nanoparticles (PdNPs) made through 3-APTMS and THF-HPO.	72
Table 3.4	Dispersibility of PdNPs in water, methanol, acetonitrile and toluene made by using varying concentrations of 3-APTMS and constant concentrations of Cyclohexanone. “+” and “-” sign denotes increasing and decreasing extent of PdNPs dispersibility in the same.	74
Table 3.5	Dispersibility of PdNPs in water, methanol, acetonitrile and toluene made by using varying concentrations of 3-APTMS and constant concentrations of THF-HPO. “+” and “-” sign denotes increasing and decreasing extent of PdNPs dispersibility in the same.	83
Table 5A.1	Kinetic parameters for the peroxidase-like activity of PBNP-AgNPs and PBNP-Au-Ag nanocomposite	126
Table 5A.2	Kinetic parameters for the peroxidase-like activity of PdNPs	128
Table 5B.1	Composition of modified carbon paste electrodes	133