

LIST OF TABLES

No.	Table Name	Page No.
1.1.	Substrate specificity and tissue distribution of MAO isozymes	9
1.2.	Comparison of amino acid residues involved in the formation of active site of human MAO-A and MAO-B	16
1.3.	(A) Non-selective MAO-A/MAO-B inhibitors (B) Selective MAO-A inhibitors (C) Selective MAO-B inhibitors (D) Molecules in clinical trials	17-19
1.4.	Localization and function of AChE	22
4.1.	Structural data of heterocyclic fragments (ISN-1 to ISN-3)	92
4.2.	Structural data of 2-amino-6-nitrobenzothiazole derived extended hydrazones (BTA-1 to BTA-30)	94-96
4.3.	Physicochemical characterization data of ISN-1 to ISN-3 , BTE and BTH	98
4.4.	Physicochemical characterization data of BTA-1 to BTA-30	98-100
4.5.	Structural data of 2-amino-5-nitrothiazole derived semicarbazones (NTA-1 to NTA-18)	146-147
4.6.	Physicochemical characterization data of NTA-1 to NTA-18	147-148
4.7.	Structural data of 3,4-(methylenedioxy)aniline derived semicarbazones (MDA-1 to MDA-14)	168-169
4.8.	Physicochemical characterization data of MDA-1 to MDA-14	169-170
4.9.	Structural data of 3-hydroxy-3-substituted oxindole analogues of isatin (HPO-1 to HPO-14)	191
4.10.	Physicochemical characterization data of HPO-1 to HPO-14	192
5.1.	<i>In-vitro</i> and computational MAO inhibition data for BTA-1 to BTA-30	210-211
5.2.	<i>In-vitro</i> and computational AChE inhibition data for BTA-1 to BTA-30	222-223
5.3.	Neurotoxicity screening results of selected compounds of BTA series	234
5.4.	Antioxidant activity of selected compounds of BTA series	235
5.5.	Estimation of biochemical parameters of compound BTA-29	236
5.6.	<i>In-silico</i> drug-likeness prediction studies for BTA-1 to BTA-30	237-238
5.7.	<i>In-silico</i> ADME prediction data of compounds BTA-1 to BTA-30	239-241

5.8.	<i>In-silico</i> toxicity prediction data of compounds BTA-1 to BTA-30	242-243
5.9.	<i>In-vitro</i> and computational MAO inhibition data for NTA-1 to NTA-18	247-248
5.10.	<i>In-vitro</i> and computational AChE inhibition data for NTA-1 to NTA-18	258-259
5.11.	Neurotoxicity screening results of selected compounds of NTA series	267
5.12.	Antioxidant activity of selected compounds of NTA series	267-268
5.13.	Estimation of biochemical parameters of NTA-1 and NTA-18	268-269
5.14.	<i>In-silico</i> prediction of drug-likeness for NTA-1 to NTA-18	270-271
5.15.	<i>In-silico</i> ADME prediction data of compounds NTA-1 to NTA-18	272-273
5.16.	<i>In-silico</i> toxicity prediction data of compounds NTA-1 to NTA-18	273-274
5.17.	<i>In-vitro</i> and computational MAO inhibition data for MDA-1 to MDA-14	278-279
5.18.	<i>In-vitro</i> and computational AChE inhibition data for compounds MDA-1 to MDA-14	287-288
5.19.	Neurotoxicity screening results of selected compounds of MDA series	295-296
5.20.	Antioxidant activity data of selected compounds of MDA series	296
5.21.	Estimation of biochemical parameters of MDA-7 and MDA-9	297
5.22.	<i>In-silico</i> drug-likeness prediction studies for MDA-1 to MDA-14	299
5.23.	<i>In-silico</i> ADME prediction data of compounds MDA-1 to MDA-14	300-301
5.24.	<i>In-silico</i> toxicity prediction data of compounds MDA-1 to MDA-14	302
5.25.	<i>In-vitro</i> and computational MAO inhibition data for HPO-1 to HPO-14	306-307
5.26.	<i>In-vitro</i> and computational AChE inhibition data for compounds HPO-1 to HPO-1	317
5.27.	Neurotoxicity screening results of selected compounds of HPO series	325-326
5.28.	Antioxidant activity data of selected compounds of HPO series	326

5.29.	Estimation of biochemical parameters of HPO-7 and HPO-9	327
5.30.	<i>In-silico</i> drug-likeness prediction studies for HPO-1 to HPO-14	329
5.31.	<i>In-silico</i> ADME prediction data of compounds HPO-1 to HPO-14	330-331
5.32.	<i>In-silico</i> toxicity prediction data of compounds HPO-1 to HPO-14	332