

References

- [1] M. Colombo, S. Carregal-Romero, M.F. Casula, L. Gutiérrez, M.P. Morales, I.B. Böhm, J. T. P. Heverhagen, W. J. Davide Parak, Biological applications of magnetic nanoparticles, *Chem. Soc. Rev.* 41 (2012) 4306.
- [2] S. Singamaneni, V.N. Bliznyuk, C. Binek, E.Y. Tsymbal, Magnetic nanoparticles: recent advances in synthesis, self-assembly and applications, *J. Mater. Chem.* 21 (2011) 16819.
- [3] D.K. Kim, J. Dobson, Nanomedicine for targeted drug delivery, *J. Mater. Chem.* 19 (2009) 6294.
- [4] N. Tran, T.J. Webster, Magnetic nanoparticles: biomedical applications and challenges, *J. Mater. Chem.* 20 (2010) 8760.
- [5] B.I. Kharisov, H. V. Rasika Dias, O. V Kharissova, V. Manuel Jiménez-Pérez, B. Olvera Pérez, B. Muñoz Flores, Iron-containing nanomaterials: synthesis, properties, and environmental applications, *RSC Adv.* 2 (2012) 9325.
- [6] R.A. Revia, M. Zhang, Magnetite nanoparticles for cancer diagnosis, treatment, and treatment monitoring: Recent advances, *Mater. Today.* 19 (2016) 157–168.
- [7] W. Wu, C.Z. Jiang, V.A.L. Roy, Designed synthesis and surface engineering strategies of magnetic iron oxide nanoparticles for biomedical applications, *Nanoscale.* 8 (2016) 19421–19474.
- [8] D. Shi, M.E. Sadat, A.W. Dunn, D.B. Mast, Photo-fluorescent and magnetic properties of iron oxide nanoparticles for biomedical applications, *Nanoscale.* 7 (2015) 8209–8232.
- [9] D. Ortega, Q.A. Pankhurst, Magnetic hyperthermia, in: 2013: pp. 60–88.
- [10] A.B. Salunkhe, V.M. Khot, S.H. Pawar, Magnetic Hyperthermia with Magnetic

- Nanoparticles: A Status Review, *Curr. Top. Med. Chem.* 14 (2014) 572–594.
- [11] Raul Valenzuela, *Magnetic Ceramics*, Cambridge University Press, 2005.
- [12] R.M. Cornell, U. Schwertmann, *The Iron Oxides Structure, Properties, Reactions, Occurrences and Uses*, Wiley-VCH GmbH & Co., 2003.
- [13] Q. Li, C.W. Kartikowati, S. Horie, T. Ogi, T. Iwaki, K. Okuyama, Correlation between particle size/domain structure and magnetic properties of highly crystalline Fe₃O₄ nanoparticles, *Sci. Rep.* 7 (2017) 9894.
- [14] K.M. Krishnan, A.B. Pakhomov, Y. Bao, P. Blomqvist, Y. Chun, M. Gonzales, K. Griffin, X. Ji, B. K. Roberts, Nanomagnetism and spin electronics: materials, microstructure and novel properties, *J. Mater. Sci.* 41 (2006) 793–815.
- [15] D.L. Leslie-Pelecky, R.D. Rieke, *Magnetic Properties of Nanostructured Materials*, *Chem. Mater.* 8 (1996) 1770–1783.
- [16] D. Kim, N. Lee, M. Park, B.H. Kim, K. An, T. Hyeon, Synthesis of Uniform Ferrimagnetic Magnetite Nanocubes, *J. Am. Chem. Soc.* 131 (2009) 454–455.
- [17] J. Sung Lee, J. Myung Cha, H. Young Yoon, J.-K. Lee, Y. Keun Kim, Magnetic multi-granule nanoclusters: A model system that exhibits universal size effect of magnetic coercivity, *Sci. Rep.* 5 (2015) 12135.
- [18] R. Arulmurugan, B. Jeyadevan, G. Vaidyanathan, S. Sendhilnathan, Effect of zinc substitution on Co–Zn and Mn–Zn ferrite nanoparticles prepared by co-precipitation, *J. Magn. Magn. Mater.* 288 (2005) 470–477.
- [19] P. Jiang, X. Yang, Y. Xin, Y. Qi, X. Ma, Q. Li, Z. Zhang, Facile synthesis of water-soluble and superparamagnetic Fe₃O₄ dots through a polyol-hydrolysis route, *J. Mater. Sci.* 48 (2013) 2365–2369.

- [20] L. Zhen, K. He, C.Y. Xu, W.Z. Shao, Synthesis and characterization of single-crystalline MnFe₂O₄ nanorods via a surfactant-free hydrothermal route, *J. Magn. Magn. Mater.* 320 (2008) 2672–2675.
- [21] K. Woo, J. Hong, S. Choi, H.-W. Lee, J. Ahn, C.S. Kim, S. W. Lee, Easy Synthesis and Magnetic Properties of Iron Oxide Nanoparticles, *Chem. Mater.* 16 (2004) 2814–2818.
- [22] C. Liu, Z.J. Zhang, Size-Dependent Superparamagnetic Properties of Mn Spinel Ferrite Nanoparticles Synthesized from Reverse Micelles, *Chem. Mater.* 13 (2001) 2092–2096.
- [23] J. Giri, T. Sriharsha, S. Asthana, T.K. Gundu Rao, A.K. Nigam, D. Bahadur, Synthesis of capped nanosized Mn_{1-x}Zn_xFe₂O₄ (0 ≤ x ≤ 0.8) by microwave refluxing for bio-medical applications, *J. Magn. Magn. Mater.* 293 (2005) 55–61.
- [24] M. Sangermano, P. Allia, P. Tiberto, G. Barrera, F. Bondioli, N. Florini, M. Messori, Photo-cured epoxy networks functionalized with Fe₃O₄ generated by non-hydrolytic sol-gel process, *Macromol. Chem. Phys.* 214 (2013) 508–516.
- [25] M.R. Ghazanfari, M. Kashefi, S.F. Shams, M.R. Jaafari, Perspective of Fe₃O₄ Nanoparticles Role in Biomedical Applications, *Biochem. Res. Int.* 2016 (2016) 1–32.
- [26] A. Bjørnerud, L. Johansson, The utility of superparamagnetic contrast agents in MRI: theoretical consideration and applications in the cardiovascular system, *NMR Biomed.* 17 (2004) 465–477.
- [27] C. Yang, A. Rait, K.F. Pirollo, J.A. Dagata, N. Farkas, E.H. Chang, Nanoimmunoliposome delivery of superparamagnetic iron oxide markedly enhances targeting and uptake in human cancer cells in vitro and in vivo, *Nanomedicine Nanotechnology, Biol. Med.* 4 (2008) 318–329.
- [28] A. Jordan, R. Scholz, P. Wust, H. Fähling, Roland Felix, Magnetic fluid hyperthermia

- (MFH): Cancer treatment with AC magnetic field induced excitation of biocompatible superparamagnetic nanoparticles, *J. Magn. Magn. Mater.* 201 (1999) 413–419.
- [29] P. Moroz, S.K. Jones, B.N. Gray, Magnetically mediated hyperthermia: current status and future directions, *Int. J. Hyperth.* 18 (2002) 267–284.
- [30] R.K. Gilchrist, R. Medal, W.D. Shorey, R.C. Hanselman, J.C. Parrott, C.B. Taylor, Selective Inductive Heating of Lymph Nodes, *Ann. Surg.* 146 (1957) 596–606.
- [31] R. Hergt, S. Dutz, M. Röder, Effects of size distribution on hysteresis losses of magnetic nanoparticles for hyperthermia, *J. Phys. Condens. Matter.* 20 (2008) 385214.
- [32] M. Mandal Goswami, Synthesis of Micelles Guided Magnetite (Fe₃O₄) Hollow Spheres and their application for AC Magnetic Field Responsive Drug Release, *Sci. Rep.* 6 (2016) 35721.
- [33] Z. Hedayatnasab, F. Abnisa, W.M.A.W. Daud, Review on magnetic nanoparticles for magnetic nanofluid hyperthermia application, *Mater. Des.* 123 (2017) 174–196.
- [34] Y. Jun, Y.-M. Huh, J. Choi, J.-H. Lee, H.-T. Song, Kim, et al., Nanoscale Size Effect of Magnetic Nanocrystals and Their Utilization for Cancer Diagnosis via Magnetic Resonance Imaging, *J. Am. Chem. Soc.* 127 (2005) 5732–5733.
- [35] G. Vallejo-Fernandez, O. Whear, A.G. Roca, S. Hussain, J. Timmis, V. Patel, K.O'. Grady, Mechanisms of hyperthermia in magnetic nanoparticles, *J. Phys. D. Appl. Phys.* 46 (2013) 312001.
- [36] S. Mørup, E. Tronc, Superparamagnetic relaxation of weakly interacting particles, *Phys. Rev. Lett.* 72 (1994) 3278–3281.
- [37] S. Dutz, R. Hergt, Magnetic particle hyperthermia—a promising tumour therapy?, *Nanotechnology.* 25 (2014) 452001.

- [38] V. Zavisova, M. Koneracka, J. Kovac, M. Kubovcikova, I. Antal, P. Kopcansky, B. Monika, M. Marta, The cytotoxicity of iron oxide nanoparticles with different modifications evaluated in vitro, *J. Magn. Magn. Mater.* 380 (2015) 85–89.
- [39] M.A. Gonzalez-Fernandez, T.E. Torres, M. Andrés-Vergés, R. Costo, P. de la Presa, C.J. Serna, M.P. Morales, C. Marquina, M.R. Ibarra, G.F. Goya, Magnetic nanoparticles for power absorption: Optimizing size, shape and magnetic properties, *J. Solid State Chem.* 182 (2009) 2779–2784.
- [40] H.M. Joshi, Y.P. Lin, M. Aslam, P. V. Prasad, E.A. Schultz-Sikma, R. Edelman, T. Meade, V. P. Dravid, Effects of Shape and Size of Cobalt Ferrite Nanostructures on Their MRI Contrast and Thermal Activation, *J. Phys. Chem. C.* 113 (2009) 17761–17767.
- [41] D. Sakellari, K. Brintakis, A. Kostopoulou, E. Myrovali, K. Simeonidis, A. Lappas, M. Angelakeris, Ferrimagnetic nanocrystal assemblies as versatile magnetic particle hyperthermia mediators, *Mater. Sci. Eng. C.* 58 (2016) 187–193.
- [42] J. Mohapatra, S. Nigam, J. Gupta, A. Mitra, M. Aslam, D. Bahadur, Enhancement of magnetic heating efficiency in size controlled MFe_2O_4 ($M = Mn, Fe, Co$ and Ni) nanoassemblies, *RSC Adv.* 5 (2015) 14311–14321.
- [43] E. Fantechi, C. Innocenti, M. Albino, E. Lottini, C. Sangregorio, Influence of cobalt doping on the hyperthermic efficiency of magnetite nanoparticles, *J. Magn. Magn. Mater.* 380 (2015) 365–371.
- [44] Y. Oh, N. Lee, H.W. Kang, J. Oh, In vitro study on apoptotic cell death by effective magnetic hyperthermia with chitosan-coated $MnFe_2O_4$, *Nanotechnology.* 27 (2016) 115101.
- [45] Y. Iqbal, H. Bae, I. Rhee, S. Hong, Magnetic heating of silica-coated manganese ferrite

- nanoparticles, *J. Magn. Magn. Mater.* 409 (2016) 80–86.
- [46] H. Basti, A. Hanini, M. Levy, L. Ben Tahar, F. Herbst, L.S. Smiri, K. Kacem, J. Gavard, C. Wilhelm, F. Gazeau, Size tuned polyol-made Zn_{0.9}M_{0.1}Fe₂O₄ (M = Mn, Co, Ni) ferrite nanoparticles as potential heating agents for magnetic hyperthermia: from synthesis control to toxicity survey, *Mater. Res. Express.* 1 (2014) 045047.
- [47] A. Gangwar, S.K. Alla, M. Srivastava, S.S. Meena, E.V. Prasadrao, R.K. Mandal, N. K. Prasad, Structural and magnetic characterization of Zr-substituted magnetite (Zr_xFe_{3-x}O₄, 0 ≤ x ≤ 1), *J. Magn. Magn. Mater.* 401 (2016) 559–566.
- [48] L. Zhang, W. Dong, H. Sun, Multifunctional superparamagnetic iron oxide nanoparticles: design, synthesis and biomedical photonic applications, *Nanoscale.* 5 (2013) 7664.
- [49] N.K. Prasad, V. Gohri, D. Bahadur, Nanoparticles of Pure and Substituted Maghemites (γ -M_xFe_{2-x}O₃) Where M = Al, Cr, Mn, Zn and 0 ≤ x ≤ 1.3): A Comparative Study, *J. Nanosci. Nanotechnol.* 11 (2011) 2710–2716.
- [50] P. De La Presa, Y. Luengo, M. Multigner, R. Costo, M.P. Morales, G. Rivero, A. Hernando, Study of heating efficiency as a function of concentration, size, and applied field in γ -Fe₂O₃ nanoparticles, *J. Phys. Chem. C.* 116 (2012) 25602–25610.
- [51] S.S. Shinde, S.S. Meena, S.M. Yusuf, K.Y. Rajpure, Mössbauer, Raman, and Magnetoresistance Study of Aluminum-Based Iron Oxide Thin Films, *J. Phys. Chem. C.* 115 (2011) 3731–3736.
- [52] N.K. Prasad, K. Rathinasamy, D. Panda, D. Bahadur, Mechanism of cell death induced by magnetic hyperthermia with nanoparticles of γ -Mn_xFe_{2-x}O₃ synthesized by a single step process, *J. Mater. Chem.* 17 (2007) 5042.
- [53] N.K. Prasad, K. Rathinasamy, D. Panda, D. Bahadur, TC-tuned biocompatible suspension

- of La_{0.73}Sr_{0.27}MnO₃ for magnetic hyperthermia, *J. Biomed. Mater. Res. Part B Appl. Biomater.* 85B (2008) 409–416.
- [54] T. Yamauchi, Y. Tsukahara, T. Sakata, H. Mori, T. Yanagida, T. Kawai, Y. Wada, Magnetic Cu–Ni (core–shell) nanoparticles in a one-pot reaction under microwave irradiation, *Nanoscale.* 2 (2010) 515.
- [55] S. Vasseur, E. Duguet, J. Portier, G. Goglio, S. Mornet, E. Hadová, K. Knížek, M. Maryško, P. Veverka, E. Pollert, Lanthanum manganese perovskite nanoparticles as possible in vivo mediators for magnetic hyperthermia, *J. Magn. Magn. Mater.* 302 (2006) 315–320.
- [56] S. Amiri, H. Shokrollahi, The role of cobalt ferrite magnetic nanoparticles in medical science, *Mater. Sci. Eng. C.* 33 (2013) 1–8.
- [57] G. Rana, U.C. Johri, A study on structural and magnetic properties of Ni-substituted magnetite nanoparticles, *J. Alloys Compd.* 577 (2013) 376–381.
- [58] E. Veena Gopalan, I.A. Al-Omari, K.A. Malini, P.A. Joy, D. Sakthi Kumar, Y. Yoshida, M. R. Anantharaman, Impact of zinc substitution on the structural and magnetic properties of chemically derived nanosized manganese zinc mixed ferrites, *J. Magn. Magn. Mater.* 321 (2009) 1092–1099.
- [59] J.M. Byrne, V.S. Coker, E. Cespedes, P.L. Wincott, D.J. Vaughan, R.A.D. Patrick, G. Van der Laan, E. Arenholz, F. Tuna, M. Bencsik, J. R. Lloyd, N. D. Telling, Biosynthesis of Zinc Substituted Magnetite Nanoparticles with Enhanced Magnetic Properties, *Adv. Funct. Mater.* 24 (2014) 2518–2529.
- [60] T. Nagata, *Rock Magnetism*, Maruzen Ltd., Tokyo, 1961, p. 350.
- [61] M. Jeun, S. Bae, A. Tomitaka, Y. Takemura, K.H. Park, S.H. Paek, K.W. Chung, Effects

- of particle dipole interaction on the ac magnetically induced heating characteristics of ferrite nanoparticles for hyperthermia, *Appl. Phys. Lett.* 95 (2009) 082501.
- [62] A. Urtizbera, E. Natividad, A. Arizaga, M. Castro, A. Mediano, Specific Absorption Rates and Magnetic Properties of Ferrofluids with Interaction Effects at Low Concentrations, *J. Phys. Chem. C.* 114 (2010) 4916–4922.
- [63] G.T. Landi, Role of dipolar interaction in magnetic hyperthermia, *Phys. Rev. B.* 89 (2014) 014403.
- [64] R. Ghosh, L. Pradhan, Y.P. Devi, S.S. Meena, R. Tewari, A. Kumar, S. Sharma, N. S. Gajbhiye, R. K. Vatsa, B. N. Pandey, R. S. Ningthoujam, Induction heating studies of Fe₃O₄ magnetic nanoparticles capped with oleic acid and polyethylene glycol for hyperthermia, *J. Mater. Chem.* 21 (2011) 13388.
- [65] J.M.H. Z. Kykol, J. Sabol, Cation distribution and magnetic properties of titanomagnetites Fe_{3-x}Ti_xO₄ (0 < x < 1), *Phys. Rev. B - Condens. Matter.* 43 (1991).
- [66] S.K. Shaw, S.K. Alla, S.S. Meena, R.K. Mandal, N.K. Prasad, Stabilization of temperature during magnetic hyperthermia by Ce substituted magnetite nanoparticles, *J. Magn. Magn. Mater.* 434 (2017) 181–186.
- [67] M. Engelhard, J. Herman, R. Wallace, D. Baer, As-Received, Ozone Cleaned and Ar⁺ Sputtered Surfaces of Hafnium Oxide Grown by Atomic Layer Deposition and Studied by XPS, *Surf. Sci. Spectra.* 18 (2011) 46.
- [68] U.B. Gawas, V.M.S. Verenkar, S.R. Barman, S.S. Meena, P. Bhatt, Synthesis of nanosize and sintered Mn_{0.3}Ni_{0.3}Zn_{0.4}Fe₂O₄ ferrite and their structural and dielectric studies, *J. Alloys Compd.* 555 (2013) 225–231.
- [69] A. Mitra, J. Mohapatra, S.S. Meena, C. V. Tomy, M. Aslam, Verwey Transition in

- Ultrasml-Sized Octahedral Fe₃O₄ Nanoparticles, *J. Phys. Chem. C.* 118 (2014) 19356–19362.
- [70] S.M. Patange, S.S. Desai, S.S. Meena, S.M. Yusuf, S.E. Shirsath, Random site occupancy induced disordered Néel-type collinear spin alignment in heterovalent Zn²⁺–Ti⁴⁺ ion substituted CoFe₂O₄, *RSC Adv.* 5 (2015) 91482–91492.
- [71] L.-Y. Zhang, H.-C. Gu, X.-M. Wang, Magnetite ferrofluid with high specific absorption rate for application in hyperthermia, *J. Magn. Magn. Mater.* 311 (2007) 228–233.
- [72] S.K. Alla, K.K. Devarakonda, E.V.P. Komarala, R.K. Mandal, N.K. Prasad, Ferromagnetic Fe-substituted Cerium Oxide Nanorods: Synthesis and characterization, *Mater. Des.* (2016).
- [73] K. Hagedorn, W. Li, Q. Liang, S. Dilger, M. Noebels, M.R. Wagner, J. S. Reparaz, A. Dollinger, Jörn Schmedt auf der Günne, T. Dekorsy, L. Schmidt-Mende, S. Polarz, Catalytically Doped Semiconductors for Chemical Gas Sensing: Aerogel-Like Aluminum-Containing Zinc Oxide Materials Prepared in the Gas Phase, *Adv. Funct. Mater.* 26 (2016) 3424–3437.
- [74] H. Kavas, A. Baykal, M.S. Toprak, Y. Köseoğlu, M. Sertkol, B. Aktaş, Cation distribution and magnetic properties of Zn doped NiFe₂O₄ nanoparticles synthesized by PEG-assisted hydrothermal route, *J. Alloys Compd.* 479 (2009) 49–55.
- [75] Q. Tian, Q. Wang, Q. Xie, J. Li, Aqueous Solution Preparation, Structure, and Magnetic Properties of Nano-Granular Zn_xFe_{3-x}O₄ Ferrite Films, *Nanoscale Res. Lett.* 5 (2010) 1518–1523.
- [76] S. Al Khabouri, S. Al Harthi, T. Maekawa, Y. Nagaoka, M.E. Elzain, A. Al Hinai, A.D. Al-Rawas, A.M. Gismelseed, A. A. Yousif, Composition, Electronic and Magnetic

- Investigation of the Encapsulated ZnFe₂O₄ Nanoparticles in Multiwall Carbon Nanotubes Containing Ni Residuals, *Nanoscale Res. Lett.* 10 (2015) 262.
- [77] J. Wan, X. Jiang, H. Li, K. Chen, Facile synthesis of zinc ferrite nanoparticles as non-lanthanide T1 MRI contrast agents, *J. Mater. Chem.* 22 (2012) 13500.
- [78] S.B. Goldhaber, Trace element risk assessment: essentiality vs. toxicity, *Regul. Toxicol. Pharmacol.* 38 (2003) 232–242.
- [79] C.F. Mallinson, J.E. Castle, J.F. Watts, Analysis of the Li KLL Auger Transition on Freshly Exposed Lithium and Lithium Surface Oxide by AES, *Surf. Sci. Spectra.* 20 (2013) 113–127.
- [80] S.K. Alla, A.D. Verma, V. Kumar, R.K. Mandal, I. Sinha, N.K. Prasad, Solvothermal synthesis of CuO–MgO nanocomposite particles and their catalytic applications, *RSC Adv.* 6 (2016) 61927–61933.