

REFERENCES

- Abbas, A., Al-Amer, A. M., Laoui, T., Al-Marri, M. J., Nasser, M. S., Khraisheh, M., & Atieh, M. A. (2016). Heavy metal removal from aqueous solution by advanced carbon nanotubes: critical review of adsorption applications. *Separation and Purification Technology*, 157, 141-161.
- Acheampong, M. A., Pakshirajan, K., Annachhatre, A. P., & Lens, P. N. (2013). Removal of Cu (II) by biosorption onto coconut shell in fixed-bed column systems. *Journal of Industrial and Engineering Chemistry*, 19(3), 841-848.
- Agrawal, A., & Sahu, K. K. (2006). Kinetic and isotherm studies of cadmium adsorption on manganese nodule residue. *Journal of Hazardous Materials*, 137(2), 915-924.
- Ahmad, A. A., & Hameed, B. H. (2010). Fixed-bed adsorption of reactive azo dye onto granular activated carbon prepared from waste. *Journal of hazardous materials*, 175(1), 298-303.
- Ahmaruzzaman, M. (2008). Adsorption of phenolic compounds on low-cost adsorbents: a review. *Advances in colloid and interface science*, 143(1), 48-67.
- Ahmaruzzaman, M., & Gupta, V. K. (2011). Rice husk and its ash as low-cost adsorbents in water and wastewater treatment. *Industrial & Engineering Chemistry Research*, 50(24), 13589-13613.
- Ai, L., Yue, H., & Jiang, J. (2012). Sacrificial template-directed synthesis of mesoporous manganese oxide architectures with superior performance for organic dye adsorption. *Nanoscale*, 4(17), 5401-5408.
- Ai, L., Zhang, C., & Chen, Z. (2011). Removal of methylene blue from aqueous solution by a solvothermal-synthesized graphene/magnetite composite. *Journal of hazardous materials*, 192(3), 1515-1524.
- Aksu, Z. (2005). Application of biosorption for the removal of organic pollutants: a review. *Process Biochemistry*, 40(3), 997-1026.
- Aksu, Z., & Gönen, F. (2004). Biosorption of phenol by immobilized activated sludge in a continuous packed bed: prediction of breakthrough curves. *Process biochemistry*, 39(5), 599-613.
- Al-Degs, Y., Khraisheh, M. A. M., & Tutunji, M. F. (2001). Sorption of lead ions on diatomite and manganese oxides modified diatomite. *Water Research*, 35(15), 3724-3728.
- Ali, I. (2012). New generation adsorbents for water treatment. *Chemical Reviews*, 112(10), 5073-5091.
- Alijani, H., Beyki, M. H., Shariatinia, Z., Bayat, M., & Shemirani, F. (2014). A new approach for one step synthesis of magnetic carbon nanotubes/diatomite earth

composite by chemical vapor deposition method: Application for removal of lead ions. *Chemical Engineering Journal*, 253, 456-463.

- Ansari, M. I., & Malik, A. (2007). Biosorption of nickel and cadmium by metal resistant bacterial isolates from agricultural soil irrigated with industrial wastewater. *Bioresource technology*, 98(16), 3149-3153.
- Anwar, J., Shafique, U., Salman, M., Dar, A., & Anwar, S. (2010). Removal of Pb (II) and Cd (II) from water by adsorption on peels of banana. *Bioresource technology*, 101(6), 1752-1755.
- Arancibia-Miranda, N., Baltazar, S. E., García, A., Muñoz-Lira, D., Sepúlveda, P., Rubio, M. A., & Altbir, D. (2016). Nanoscale zero valent supported by zeolite and montmorillonite: template effect of the removal of lead ion from an aqueous solution. *Journal of hazardous materials*, 301, 371-380.
- Argun, M. E., Dursun, S., Ozdemir, C., & Karatas, M. (2007). Heavy metal adsorption by modified oak sawdust: Thermodynamics and kinetics. *Journal of hazardous materials*, 141(1), 77-85
- Atkinson, B. W., Bux, F., & Kusan, H. C. (1998). Considerations for application of biosorption technology to remediate metal-contaminated industrial effluents. *Water S. A.*, 24(2), 129-135.
- Auta, M., & Hameed, B. H. (2013). Acid modified local clay beads as effective low-cost adsorbent for dynamic adsorption of methylene blue. *Journal of Industrial and Engineering Chemistry*, 19(4), 1153-1161.
- Auta, M., & Hameed, B. H. (2014). Chitosan–clay composite as highly effective and low-cost adsorbent for batch and fixed-bed adsorption of methylene blue. *Chemical Engineering Journal*, 237, 352-361.
- Azari, A., Kalantary, R. R., Ghanizadeh, G., Kakavandi, B., Farzadkia, M., & Ahmadi, E. (2015). Iron–silver oxide nanoadsorbent synthesized by co-precipitation process for fluoride removal from aqueous solution and its adsorption mechanism. *RSC Advances*, 5(106), 87377-87391.
- Babaeiveli, K., & Khodadoust, A. P. (2013). Adsorption of fluoride onto crystalline titanium dioxide: Effect of pH, ionic strength, and co-existing ions. *Journal of colloid and interface science*, 394, 419-427.
- Bansiwala, A., Pillewan, P., Biniwale, R. B., & Rayalu, S. S. (2010). Copper oxide incorporated mesoporous alumina for defluoridation of drinking water. *Microporous and Mesoporous Materials*, 129(1), 54-61.
- Bansiwala, A., Thakre, D., Labhshetwar, N., Meshram, S., & Rayalu, S. (2009). Fluoride removal using lanthanum incorporated chitosan beads. *Colloids and Surfaces B: Biointerfaces*, 74(1), 216-224.

- Baral, S. S., Das, N., Ramulu, T. S., Sahoo, S. K., Das, S. N., & Chaudhury, G. R. (2009). Removal of Cr (VI) by thermally activated weed *Salvinia cucullata* in a fixed-bed column. *Journal of hazardous materials*, 161(2), 1427-1435.
- Barathi, M., Kumar, A. S. K., Kumar, C. U., & Rajesh, N. (2014). Graphene oxide–aluminium oxyhydroxide interaction and its application for the effective adsorption of fluoride. *Rsc Advances*, 4(96), 53711-53721.
- Barron-Zambrano, J., Szygula, A., Ruiz, M., Sastre, A. M., & Guibal, E. (2010). Biosorption of Reactive Black 5 from aqueous solutions by chitosan: column studies. *Journal of environmental management*, 91(12), 2669-2675.
- Basner, M., Babisch, W., Davis, A., Brink, M., Clark, C., Janssen, S., & Stansfeld, S. (2014). Auditory and non-auditory effects of noise on health. *The Lancet*, 383(9925), 1325-1332.
- Bell, N. J., Ng, Y. H., Du, A., Coster, H., Smith, S. C., & Amal, R. (2011). Understanding the enhancement in photoelectrochemical properties of photocatalytically prepared TiO₂-reduced graphene oxide composite. *The Journal of Physical Chemistry C*, 115(13), 6004-6009.
- Bharali, R. K., & Bhattacharyya, K. G. (2015). Biosorption of fluoride on *Neem* (*Azadirachta indica*) leaf powder. *Journal of Environmental Chemical Engineering*, 3(2), 662-669.
- Bhatnagar, A., & Sillanpää, M. (2010). Utilization of agro-industrial and municipal waste materials as potential adsorbents for water treatment—a review. *Chemical Engineering Journal*, 157(2), 277-296.
- Bhatnagar, A., Kumar, E., & Sillanpää, M. (2011). Fluoride removal from water by adsorption—a review. *Chemical Engineering Journal*, 171(3), 811-840.
- Bhattacharyya, K. G., & Gupta, S. S. (2007). Adsorptive accumulation of Cd (II), Co (II), Cu (II), Pb (II), and Ni (II) from water on montmorillonite: Influence of acid activation. *Journal of Colloid and Interface Science*, 310(2), 411-424.
- Bhaumik, M., Leswif, T. Y., Maity, A., Srinivasu, V. V., & Onyango, M. S. (2011). Removal of fluoride from aqueous solution by polypyrrole/Fe₃O₄ magnetic nanocomposite. *Journal of hazardous materials*, 186(1), 150-159.
- Biswas, K., Gupta, K., & Ghosh, U. C. (2009). Adsorption of fluoride by hydrous iron (III)–tin (IV) bimetal mixed oxide from the aqueous solutions. *Chemical Engineering Journal*, 149(1), 196-206.
- Biswas, K., Gupta, K., Goswami, A., & Ghosh, U. C. (2010). Fluoride removal efficiency from aqueous solution by synthetic iron (III)–aluminum (III)–chromium (III) ternary mixed oxide. *Desalination*, 255(1), 44-51.

- Bohart, G. S., & Adams, E. Q. (1920). Some aspects of the behavior of charcoal with respect to chlorine. 1. *Journal of the American Chemical Society*, 42(3), 523-544.
- Boyd, G., & AW, A. (1947). LS, Myers Exchange adsorption of ions by organic zeolites II: Kinetics *J. Am. Chem. Soc.*, 69, 2836-2848.
- Bradder, P., Ling, S. K., Wang, S., & Liu, S. (2010). Dye adsorption on layered graphite oxide. *Journal of Chemical & Engineering Data*, 56(1), 138-141.
- Bulut, Y., & Baysal, Z. (2006). Removal of Pb (II) from wastewater using wheat bran. *Journal of Environmental Management*, 78(2), 107-113.
- Çabuk, A., Akar, T., Tunali, S., & Tabak, Ö. (2006). Biosorption characteristics of *Bacillus* sp. ATS-2 immobilized in silica gel for removal of Pb (II). *Journal of hazardous materials*, 136(2), 317-323.
- Calero, M., Hernáinz, F., Blázquez, G., Tenorio, G., & Martín-Lara, M. A. (2009). Study of Cr (III) biosorption in a fixed-bed column. *Journal of Hazardous Materials*, 171(1), 886-893.
- Cao, C. Y., Qu, J., Wei, F., Liu, H., & Song, W. G. (2012a). Superb adsorption capacity and mechanism of flowerlike magnesium oxide nanostructures for lead and cadmium ions. *ACS applied materials & interfaces*, 4(8), 4283-4287.
- Cao, C. Y., Qu, J., Yan, W. S., Zhu, J. F., Wu, Z. Y., & Song, W. G. (2012b). Low-cost synthesis of flowerlike α -Fe₂O₃ nanostructures for heavy metal ion removal: adsorption property and mechanism. *Langmuir*, 28(9), 4573-4579.
- Cao, X., Ma, L., Gao, B., & Harris, W. (2009). Dairy-manure derived biochar effectively sorbs lead and atrazine. *Environmental science & technology*, 43(9), 3285-3291.
- Carrow, J. K., & Gaharwar, A. K. (2015). Bioinspired polymeric nanocomposites for regenerative medicine. *Macromolecular Chemistry and Physics*, 216(3), 248-264.
- Cavas, L., Karabay, Z., Alyuruk, H., Doğan, H., & Demir, G. K. (2011). Thomas and artificial neural network models for the fixed-bed adsorption of methylene blue by a beach waste *Posidonia oceanica* (L.) dead leaves. *Chemical Engineering Journal*, 171(2), 557-562.
- Cechinel, M. A. P., & de Souza, A. A. U. (2014). Study of lead (II) adsorption onto activated carbon originating from cow bone. *Journal of Cleaner Production*, 65, 342-349.
- Chandra, S., Sahu, S., & Pramanik, P. (2010a). A novel synthesis of graphene by dichromate oxidation. *Materials Science and Engineering: B*, 167(3), 133-136.

-
- Chandra, V., Park, J., Chun, Y., Lee, J. W., Hwang, I. C., & Kim, K. S. (2010b). Water-dispersible magnetite-reduced graphene oxide composites for arsenic removal. *ACS nano*, 4(7), 3979-3986.
 - Chang, C. F., Chang, C. Y., & Hsu, T. L. (2011). Removal of fluoride from aqueous solution with the superparamagnetic zirconia material. *Desalination*, 279(1), 375-382.
 - Charumathi, D., & Das, N. (2012). Packed bed column studies for the removal of synthetic dyes from textile wastewater using immobilised dead *C. tropicalis*. *Desalination*, 285, 22-30.
 - Chathuranga, P. D., Dissanayake, D. M. R. E. A., Priyantha, N., Iqbal, S. S., & Mohamed Iqbal, M. C. (2014). Biosorption and desorption of lead (II) by *Hydrilla verticillata*. *Bioremediation Journal*, 18(3), 192-203.
 - Chen, D., Cao, L., Hanley, T. L., & Caruso, R. A. (2012). Facile synthesis of monodisperse mesoporous zirconium titanium oxide microspheres with varying compositions and high surface areas for heavy metal ion sequestration. *Advanced Functional Materials*, 22(9), 1966-1971.
 - Chen, L., Wang, T. J., Wu, H. X., Jin, Y., Zhang, Y., & Dou, X. M. (2011b). Optimization of a Fe–Al–Ce nano-adsorbent granulation process that used spray coating in a fluidized bed for fluoride removal from drinking water. *Powder technology*, 206(3), 291-296.
 - Chen, N., Zhang, Z., Feng, C., Sugiura, N., Li, M., & Chen, R. (2010). Fluoride removal from water by granular ceramic adsorption. *Journal of colloid and interface science*, 348(2), 579-584.
 - Chen, N., Zhang, Z., Feng, C., Zhu, D., Yang, Y., & Sugiura, N. (2011a). Preparation and characterization of porous granular ceramic containing dispersed aluminum and iron oxides as adsorbents for fluoride removal from aqueous solution. *Journal of hazardous materials*, 186(1), 863-868.
 - Chen, S., Yue, Q., Gao, B., Li, Q., Xu, X., & Fu, K. (2012). Adsorption of hexavalent chromium from aqueous solution by modified corn stalk: a fixed-bed column study. *Bioresource technology*, 113, 114-120.
 - Chen, Y., Zhang, Q., Chen, L., Bai, H., & Li, L. (2013). Basic aluminum sulfate@ graphene hydrogel composites: preparation and application for removal of fluoride. *Journal of Materials Chemistry A*, 1(42), 13101-13110.
 - Cheng, J., Meng, X., Jing, C., & Hao, J. (2014). La³⁺-modified activated alumina for fluoride removal from water. *Journal of hazardous materials*, 278, 343-349.
 - Chiron, N., Guilet, R., & Deydier, E. (2003). Adsorption of Cu (II) and Pb (II) onto a grafted silica: isotherms and kinetic models. *Water Research*, 37(13), 3079-3086.

-
- Chowdhury, S., & Balasubramanian, R. (2014). Recent advances in the use of graphene-family nanoadsorbents for removal of toxic pollutants from wastewater. *Advances in colloid and interface science*, 204, 35-56.
 - Chu, K. H. (2010). Fixed bed sorption: setting the record straight on the Bohart-Adams and Thomas models. *Journal of hazardous materials*, 177(1), 1006-1012.
 - Coston, J. A., Fuller, C. C., & Davis, J. A. (1995). Pb²⁺ and Zn²⁺ adsorption by a natural aluminum-and iron-bearing surface coating on an aquifer sand. *Geochimica et Cosmochimica Acta*, 59(17), 3535-3547.
 - Cruz-Olivares, J., Pérez-Alonso, C., Barrera-Díaz, C., Ureña-Nuñez, F., Chaparro-Mercado, M. C., & Bilyeu, B. (2013). Modeling of lead (II) biosorption by residue of allspice in a fixed-bed column. *Chemical engineering journal*, 228, 21-27.
 - Cui, L., Guo, X., Wei, Q., Wang, Y., Gao, L., Yan, L., Yan, T., & Du, B. (2015). Removal of mercury and methylene blue from aqueous solution by xanthate functionalized magnetic graphene oxide: sorption kinetic and uptake mechanism. *Journal of colloid and interface science*, 439, 112-120.
 - Daifullah, A. A. M., Yakout, S. M., & Elreefy, S. A. (2007). Adsorption of fluoride in aqueous solutions using KMnO₄-modified activated carbon derived from steam pyrolysis of rice straw. *Journal of Hazardous Materials*, 147(1), 633-643.
 - Dargahi, A., Golestanifar, H., Darvishi, P., Karami, A., Hasan, S. H., Poormohammadi, A., & Behzadnia, A. (2016). An investigation and comparison of removing heavy metals (lead and chromium) from aqueous solutions using magnesium oxide nanoparticles. *Pol. J. Environ. Stud*, 25(2), 557-562.
 - Das, D. P., Das, J., & Parida, K. (2003). Physicochemical characterization and adsorption behavior of calcined Zn/Al hydrotalcite-like compound (HTlc) towards removal of fluoride from aqueous solution. *Journal of Colloid and Interface Science*, 261(2), 213-220.
 - Das, N., Pattanaik, P., & Das, R. (2005). Defluoridation of drinking water using activated titanium rich bauxite. *Journal of Colloid and Interface Science*, 292(1), 1-10.
 - Deliyanni, E. A., Peleka, E. N., & Matis, K. A. (2009). Modeling the sorption of metal ions from aqueous solution by iron-based adsorbents. *Journal of hazardous materials*, 172(2), 550-558.
 - Demirbas, E., Dizge, N., Sulak, M. T., & Kobya, M. (2009). Adsorption kinetics and equilibrium of copper from aqueous solutions using hazelnut shell activated carbon. *Chemical Engineering Journal*, 148(2), 480-487.
 - Depci, T., Kul, A. R., & Önal, Y. (2012). Competitive adsorption of lead and zinc from aqueous solution on activated carbon prepared from Van apple pulp: study in single-and multi-solute systems. *Chemical engineering journal*, 200, 224-236.

- Dervin, S., Dionysiou, D. D., & Pillai, S. C. (2016). 2D nanostructures for water purification: graphene and beyond. *Nanoscale*, 8(33), 15115-15131.
- Dewanjee, S., Sahu, R., Karmakar, S., & Gangopadhyay, M. (2013). Toxic effects of lead exposure in Wistar rats: involvement of oxidative stress and the beneficial role of edible jute (*Corchorus olitorius*) leaves. *Food and chemical toxicology*, 55, 78-91.
- Dey, A. K. (2008). *Environmental Chemistry Sixth ed.* New Age International Publisher, New Delhi.
- Dissanayake, D. M. R. E. A., Wijesinghe, W. M. K. E. H., Iqbal, S. S., Priyantha, N., & Iqbal, M. C. M. (2016). Isotherm and kinetic study on Ni (II) and Pb (II) biosorption by the fern *Asplenium nidus* L. *Ecological Engineering*, 88, 237-241.
- Doğan, M., Özdemir, Y., & Alkan, M. (2007). Adsorption kinetics and mechanism of cationic methyl violet and methylene blue dyes onto sepiolite. *Dyes and Pigments*, 75(3), 701-713.
- Dotto, G. L., dos Santos, J. N., Rosa, R., Pinto, L. A. A., Pavan, F. A., & Lima, E. C. (2015). Fixed bed adsorption of Methylene Blue by ultrasonic surface modified chitin supported on sand. *Chemical Engineering Research and Design*, 100, 302-310.
- Dou, X., Mohan, D., Pittman, C. U., & Yang, S. (2012). Remediating fluoride from water using hydrous zirconium oxide. *Chemical Engineering Journal*, 198, 236-245.
- Dou, X., Zhang, Y., Wang, H., Wang, T., & Wang, Y. (2011). Performance of granular zirconium–iron oxide in the removal of fluoride from drinking water. *Water research*, 45(12), 3571-3578.
- Dreyer, D. R., Park, S., Bielawski, C. W., & Ruoff, R. S. (2010). The chemistry of graphene oxide. *Chemical Society Reviews*, 39(1), 228-240.
- Dreyer, D. R., Todd, A. D., & Bielawski, C. W. (2014). Harnessing the chemistry of graphene oxide. *Chemical Society Reviews*, 43(15), 5288-5301.
- Dubey, A., & Shiwani, S. (2012). Adsorption of lead using a new green material obtained from *Portulaca* plant. *International Journal of Environmental Science and Technology*, 9(1), 15-20.
- El-Naas, M. H., Alhaija, M. A., & Al-Zuhair, S. (2017). Evaluation of an activated carbon packed bed for the adsorption of phenols from petroleum refinery wastewater. *Environmental Science and Pollution Research*, 1-10.
- Emmanuel, K.A., Ramaraju, K.A., Rambabu, G., Veerabhadra Rao, A. (2008). Removal of fluoride from drinking water with activated carbons prepared from HNO activation—A comparative study. *Rasayan Journal of Chemistry*, 1, 802–818.

- Eustis, S., & El-Sayed, M. A. (2006). Why gold nanoparticles are more precious than pretty gold: noble metal surface plasmon resonance and its enhancement of the radiative and nonradiative properties of nanocrystals of different shapes. *Chemical society reviews*, 35(3), 209-217.
- Fan, L., Luo, C., Sun, M., Li, X., & Qiu, H. (2013). Highly selective adsorption of lead ions by water-dispersible magnetic chitosan/graphene oxide composites. *Colloids and Surfaces B: Biointerfaces*, 103, 523-529.
- Ferrari, A. C. (2007). Raman spectroscopy of graphene and graphite: disorder, electron-phonon coupling, doping and nonadiabatic effects. *Solid state communications*, 143(1), 47-57.
- Foo, K. Y., Lee, L. K., & Hameed, B. H. (2013). Preparation of tamarind fruit seed activated carbon by microwave heating for the adsorptive treatment of landfill leachate: a laboratory column evaluation. *Bioresource technology*, 133, 599-605.
- Foroughi-dahr, M., Esmaili, M., Abolghasemi, H., Shojamoradi, A., & Sadeghi Pouya, E. (2016). Continuous adsorption study of congo red using tea waste in a fixed-bed column. *Desalination and Water Treatment*, 57(18), 8437-8446.
- Franco, R., Sánchez-Olea, R., Reyes-Reyes, E. M., & Panayiotidis, M. I. (2009). Environmental toxicity, oxidative stress and apoptosis: manage a trois. *Mutation Research/Genetic Toxicology and Environmental Mutagenesis*, 674(1), 3-22.
- Franklin, L. B. (1991). *Wastewater Engineering: Treatment, Disposal and Reuse*; McGraw Hill, Inc.: New York
- Fu, F., & Wang, Q. (2011). Removal of heavy metal ions from wastewaters: a review. *Journal of environmental management*, 92(3), 407-418.
- Fu, J., Chen, Z., Wang, M., Liu, S., Zhang, J., Zhang, J., Han, R., & Xu, Q. (2015). Adsorption of methylene blue by a high-efficiency adsorbent (polydopamine microspheres): kinetics, isotherm, thermodynamics and mechanism analysis. *Chemical Engineering Journal*, 259, 53-61.
- Garg, B., Bisht, T., & Ling, Y. C. (2014). Graphene-based nanomaterials as heterogeneous acid catalysts: A comprehensive perspective. *Molecules*, 19(9), 14582-14614.
- Geim, A. M. A. (2007). Graphene: exploring carbon flatland. *Physics today*.
- Georgakilas, V., Otyepka, M., Bourlinos, A. B., Chandra, V., Kim, N., Kemp, K. C., Hobza, P., Zboril, R., & Kim, K. S. (2012). Functionalization of graphene: covalent and non-covalent approaches, derivatives and applications. *Chemical reviews*, 112(11), 6156-6214.

-
- Ghasemi, M., Naushad, M., Ghasemi, N., & Khosravi-Fard, Y. (2014). Adsorption of Pb (II) from aqueous solution using new adsorbents prepared from agricultural waste: adsorption isotherm and kinetic studies. *Journal of Industrial and Engineering Chemistry*, 20(4), 2193-2199.
 - Ghorai, S., & Pant, K. K. (2004). Investigations on the column performance of fluoride adsorption by activated alumina in a fixed-bed. *Chemical Engineering Journal*, 98(1), 165-173.
 - Ghosh, A., Chakrabarti, S., Biswas, K., & Ghosh, U. C. (2015). Column performances on fluoride removal by agglomerated Ce (IV)–Zr (IV) mixed oxide nanoparticles packed fixed-beds. *Journal of Environmental Chemical Engineering*, 3(2), 653-661.
 - Goel, J., Kadirvelu, K., Rajagopal, C., & Garg, V. K. (2005). Removal of lead (II) by adsorption using treated granular activated carbon: batch and column studies. *Journal of hazardous materials*, 125(1), 211-220.
 - Goel, J., Kadirvelu, K., Rajagopal, C., & Garg, V. K. (2005). Removal of lead (II) from aqueous solution by adsorption on carbon aerogel using a response surface methodological approach. *Industrial & engineering chemistry research*, 44(7), 1987-1994.
 - Gokhale, S. V., Jyoti, K. K., & Lele, S. S. (2009). Modeling of chromium (VI) biosorption by immobilized *Spirulina platensis* in packed column. *Journal of hazardous materials*, 170(2), 735-743.
 - Goswami, A., & Purkait, M. K. (2011). Kinetic and equilibrium study for the fluoride adsorption using pyrophyllite. *Separation Science and Technology*, 46(11), 1797-1807.
 - Gresch, R., Müller-Warmuth, W., & Dutz, H. (1979). X-ray photoelectron spectroscopy of sodium phosphate glasses. *Journal of Non-Crystalline Solids*, 34(1), 127-136.
 - Guo, B., Deng, F., Zhao, Y., Luo, X., Luo, S., & Au, C. (2014). Magnetic ion-imprinted and–SH functionalized polymer for selective removal of Pb (II) from aqueous samples. *Applied Surface Science*, 292, 438-446.
 - Guo, D., Lu, Y., Zhao, Y., & Zhang, X. (2015). Synthesis and physicochemical properties of graphene/ZrO₂ composite aerogels. *RSC Advances*, 5(16), 11738-11744.
 - Guo, S., Li, W., Zhang, L., Peng, J., Xia, H., & Zhang, S. (2009). Kinetics and equilibrium adsorption study of lead (II) onto the low cost adsorbent—*Eupatorium adenophorum spreng.* *Process Safety and Environmental Protection*, 87(5), 343-351.
 - Guo, X., Du, B., Wei, Q., Yang, J., Hu, L., Yan, L., & Xu, W. (2014). Synthesis of amino functionalized magnetic graphenes composite material and its application to

remove Cr (VI), Pb (II), Hg (II), Cd (II) and Ni (II) from contaminated water. *Journal of hazardous materials*, 278, 211-220.

- Gupta, S. S., & Bhattacharyya, K. G. (2011). Kinetics of adsorption of metal ions on inorganic materials: a review. *Advances in Colloid and Interface Science*, 162(1), 39-58.
- Gupta, S. S., Sreeprasad, T. S., Maliyekkal, S. M., Das, S. K., & Pradeep, T. (2012). Graphene from sugar and its application in water purification. *ACS applied materials & interfaces*, 4(8), 4156-4163.
- Gupta, V. K., & Ali, I. (2004). Removal of lead and chromium from wastewater using bagasse fly ash—a sugar industry waste. *Journal of colloid and interface science*, 271(2), 321-328.
- Gupta, V. K., Ali, I., & Saini, V. K. (2007). Defluoridation of wastewaters using waste carbon slurry. *Water Research*, 41(15), 3307-3316.
- Gupta, V. K., Ali, I., Saleh, T. A., Nayak, A., & Agarwal, S. (2012). Chemical treatment technologies for waste-water recycling—an overview. *RSC Advances*, 2(16), 6380-6388.
- Hamayun, M., Mahmood, T., Naeem, A., Muska, M., Din, S. U., & Waseem, M. (2014). Equilibrium and kinetics studies of arsenate adsorption by FePO₄. *Chemosphere*, 99, 207-215.
- Hameed, B. H., & Daud, F. B. M. (2008). Adsorption studies of basic dye on activated carbon derived from agricultural waste: *Hevea brasiliensis* seed coat. *Chemical Engineering Journal*, 139(1), 48-55.
- Han, R., Lu, Z., Zou, W., Daotong, W., Shi, J., & Jiujun, Y. (2006). Removal of copper (II) and lead (II) from aqueous solution by manganese oxide coated sand: II. Equilibrium study and competitive adsorption. *Journal of hazardous materials*, 137(1), 480-488.
- Hanafiah, M. A. K. M., Khalir, W. K. A. W. M., So'ad, S. Z. M., Ngah, W. S. W., & Zakaria, H. (2014). Effect of hydrogen peroxide treatment of rubber leaf powder in removing Pb (II) ions. In *Proceedings of the International Conference on Science, Technology and Social Sciences (ICSTSS) 2012* (pp. 617-626). Springer Singapore.
- Hanafiah, M. A., Ngah, W. S., Ibrahim, S. C., Zakaria, H., & Ilias, W. A. (2006). Kinetics and thermodynamic study of lead adsorption from aqueous solution onto rubber (*Hevea brasiliensis*) leaf powder. *Journal of Applied Sciences*, 6(13), 2762-2767.
- Hanumantharao, Y., Kishore, M., & Ravindhranath, K. (2011). Preparation and development of adsorbent carbon from *Acacia farnesiana* for defluoridation. *International Journal of Plant, Animal and Environmental Sciences*, 1(3), 209-223.

-
- Hao, L., Song, H., Zhang, L., Wan, X., Tang, Y., & Lv, Y. (2012). SiO₂/graphene composite for highly selective adsorption of Pb (II) ion. *Journal of colloid and interface science*, 369(1), 381-387.
 - Harrison, P. T. (2005). Fluoride in water: a UK perspective. *Journal of fluorine chemistry*, 126(11), 1448-1456.
 - Hasan, S. H., & Ranjan, D. (2010). Agro-Industrial Waste: A Low-Cost Option for the Biosorptive Remediation of Selenium Anions. *Industrial & Engineering Chemistry Research*, 49(19), 8927-8934.
 - Hasan, S. H., Ranjan, D., & Talat, M. (2010). Agro-industrial waste 'wheat bran' for the biosorptive remediation of selenium through continuous up-flow fixed-bed column. *Journal of Hazardous Materials*, 181(1), 1134-1142.
 - Hasan, S. H., Singh, K. K., Prakash, O., Talat, M., & Ho, Y. S. (2008). Removal of Cr (VI) from aqueous solutions using agricultural waste 'maize bran'. *Journal of Hazardous Materials*, 152(1), 356-365.
 - Hasan, S. H., Srivastava, P., Ranjan, D., & Talat, M. (2009). Biosorption of Cr (VI) from aqueous solution using *A. hydrophila* in up-flow column: optimization of process variables. *Applied microbiology and biotechnology*, 83(3), 567-577.
 - Hefne, J. A., Mekhemer, W. K., Al, N. M., Aldayel, O. A., & Alajyan, T. (2008). Kinetic and thermodynamic study of the adsorption of Pb (II) from aqueous solution to the natural and treated bentonite. *International Journal of Physical Sciences*, 3(11), 281-288.
 - Ho, Y. S., Chiu, W. T., Hsu, C. S., & Huang, C. T. (2004). Sorption of lead ions from aqueous solution using tree fern as a sorbent. *Hydrometallurgy*, 73(1), 55-61.
 - Hontoria-Lucas, C., Lopez-Peinado, A. J., López-González, J. D. D., Rojas-Cervantes, M. L., & Martin-Aranda, R. M. (1995). Study of oxygen-containing groups in a series of graphite oxides: physical and chemical characterization. *Carbon*, 33(11), 1585-1592.
 - Hu, J., Song, Z., Chen, L., Yang, H., Li, J., & Richards, R. (2010). Adsorption properties of MgO (111) nanoplates for the dye pollutants from wastewater. *Journal of Chemical & Engineering Data*, 55(9), 3742-3748.
 - Hu, R., Wang, X., Dai, S., Shao, D., Hayat, T., & Alsaedi, A. (2015). Application of graphitic carbon nitride for the removal of Pb (II) and aniline from aqueous solutions. *Chemical Engineering Journal*, 260, 469-477.
 - Hua, M., Zhang, S., Pan, B., Zhang, W., Lv, L., & Zhang, Q. (2012). Heavy metal removal from water/wastewater by nanosized metal oxides: a review. *Journal of Hazardous Materials*, 211, 317-331.

- Huang, H. H., Shih, W. C., & Lai, C. H. (2010). Nonpolar resistive switching in the Pt/MgO/Pt nonvolatile memory device. *Applied Physics Letters*, 96(19), 193505.
- Huang, X., Zhou, X., Zhou, L., Qian, K., Wang, Y., Liu, Z., & Yu, C. (2011). A facile one-step solvothermal synthesis of SnO₂/graphene nanocomposite and its application as an anode material for lithium-ion batteries. *ChemPhysChem*, 12(2), 278-281.
- Huang, Y. H., Hsueh, C. L., Huang, C. P., Su, L. C., & Chen, C. Y. (2007). Adsorption thermodynamic and kinetic studies of Pb (II) removal from water onto a versatile Al₂O₃-supported iron oxide. *Separation and Purification Technology*, 55(1), 23-29.
- Huang, Z. H., Zheng, X., Lv, W., Wang, M., Yang, Q. H., & Kang, F. (2011). Adsorption of lead (II) ions from aqueous solution on low-temperature exfoliated graphene nanosheets. *Langmuir*, 27(12), 7558-7562.
- Hussain, S., Aziz, H. A., Isa, M. H., Ahmad, A., Van Leeuwen, J., Zou, L., Beecham, S., & Umar, M. (2011). Orthophosphate removal from domestic wastewater using limestone and granular activated carbon. *Desalination*, 271(1), 265-272.
- Hutchins, R. A. (1973). New method simplifies design of activated-carbon systems. *Chemical Engineering*, 80(19), 133-138.
- Imamoglu, M., & Tekir, O. (2008). Removal of copper (II) and lead (II) ions from aqueous solutions by adsorption on activated carbon from a new precursor hazelnut husks. *Desalination*, 228(1-3), 108-113.
- Inyang, M., Gao, B., Ding, W., Pullammanappallil, P., Zimmerman, A. R., & Cao, X. (2011). Enhanced lead sorption by biochar derived from anaerobically digested sugarcane bagasse. *Separation Science and Technology*, 46(12), 1950-1956.
- Inyang, M., Gao, B., Yao, Y., Xue, Y., Zimmerman, A. R., Pullammanappallil, P., & Cao, X. (2012). Removal of heavy metals from aqueous solution by biochars derived from anaerobically digested biomass. *Bioresource technology*, 110, 50-56.
- Islam, A., Ahmad, H., Zaidi, N., & Kumar, S. (2014). Graphene oxide sheets immobilized polystyrene for column preconcentration and sensitive determination of lead by flame atomic absorption spectrometry. *ACS applied materials & interfaces*, 6(15), 13257-13265.
- Islam, M., & Patel, R. (2011). Thermal activation of basic oxygen furnace slag and evaluation of its fluoride removal efficiency. *Chemical engineering journal*, 169(1), 68-77.
- Islam, M., & Patel, R. K. (2007). Evaluation of removal efficiency of fluoride from aqueous solution using quick lime. *Journal of Hazardous Materials*, 143(1), 303-310.

-
- Islam, M., Mishra, P. C., & Patel, R. (2010). Physicochemical characterization of hydroxyapatite and its application towards removal of nitrate from water. *Journal of environmental management*, 91(9), 1883-1891.
 - Jagtap, S., Yenkie, M. K. N., Labhsetwar, N., & Rayalu, S. (2011). Defluoridation of drinking water using chitosan based mesoporous alumina. *Microporous and Mesoporous Materials*, 142(2), 454-463.
 - Jagtap, S., Yenkie, M. K., Das, S., & Rayalu, S. (2011). Synthesis and characterization of lanthanum impregnated chitosan flakes for fluoride removal in water. *Desalination*, 273(2), 267-275.
 - Jagtap, S., Yenkie, M. K., Labhsetwar, N., & Rayalu, S. (2012). Fluoride in drinking water and defluoridation of water. *Chemical reviews*, 112(4), 2454-2466.
 - Jain, S., & Jayaram, R. V. (2009). Removal of fluoride from contaminated drinking water using unmodified and aluminium hydroxide impregnated blue lime stone waste. *Separation Science and Technology*, 44(6), 1436-1451.
 - Ji, L., Zhou, L., Bai, X., Shao, Y., Zhao, G., Qu, Y., Wang, C., & Li, Y. (2012). Facile synthesis of multiwall carbon nanotubes/iron oxides for removal of tetrabromobisphenol A and Pb (II). *Journal of Materials Chemistry*, 22(31), 15853-15862.
 - Jiang, M. Q., Wang, Q. P., Jin, X. Y., & Chen, Z. L. (2009). Removal of Pb (II) from aqueous solution using modified and unmodified kaolinite clay. *Journal of Hazardous Materials*, 170(1), 332-339.
 - Jin, X., Yu, B., Chen, Z., Arocena, J. M., & Thring, R. W. (2014). Adsorption of Orange II dye in aqueous solution onto surfactant-coated zeolite: Characterization, kinetic and thermodynamic studies. *Journal of colloid and interface science*, 435, 15-20.
 - Jouad, E. M., Jourjon, F., Le Guillanton, G., & Elothmani, D. (2005). Removal of metal ions in aqueous solutions by organic polymers: use of a polydiphenylamine resin. *Desalination*, 180(1-3), 271-276.
 - Jurczuk, M., Brzóska, M. M., & Moniuszko-Jakoniuk, J. (2007). Hepatic and renal concentrations of vitamins E and C in lead-and ethanol-exposed rats. An assessment of their involvement in the mechanisms of peroxidative damage. *Food and chemical toxicology*, 45(8), 1478-1486.
 - Kabbashi, N. A., Atieh, M. A., Al-Mamun, A., Mirghami, M. E., Alam, M. D. Z., & Yahya, N. (2009). Kinetic adsorption of application of carbon nanotubes for Pb (II) removal from aqueous solution. *Journal of Environmental Sciences*, 21(4), 539-544.
 - Kadirvelu, K., Faur-Brasquet, C., & Cloirec, P. L. (2000). Removal of Cu (II), Pb (II), and Ni (II) by adsorption onto activated carbon cloths. *Langmuir*, 16(22), 8404-8409.

- Kalavathy, H., Karthik, B., & Miranda, L. R. (2010). Removal and recovery of Ni and Zn from aqueous solution using activated carbon from *Hevea brasiliensis*: batch and column studies. *Colloids and surfaces B: Biointerfaces*, 78(2), 291-302.
- Kamble, S. P., Dixit, P., Rayalu, S. S., & Labhsetwar, N. K. (2009). Defluoridation of drinking water using chemically modified bentonite clay. *Desalination*, 249(2), 687-693.
- Kanrar, S., Debnath, S., De, P., Parashar, K., Pillay, K., Sasikumar, P., & Ghosh, U. C. (2016). Preparation, characterization and evaluation of fluoride adsorption efficiency from water of iron-aluminium oxide-graphene oxide composite material. *Chemical Engineering Journal*, 306, 269-279.
- Karthikeyan, G., & Siva Ilango, S. (2007). Fluoride sorption using *Moringa Indica*-based activated carbon. *Iranian Association of Environmental Health*, 4, 21–28.
- Kaur, S., Rani, S., & Mahajan, R. K. (2015). Adsorption of dye crystal violet onto surface-modified *Eichhornia crassipes*. *Desalination and Water Treatment*, 53(7), 1957-1969.
- Khajeh, M., Laurent, S., & Dastafkan, K. (2013). Nanoadsorbents: classification, preparation, and applications (with emphasis on aqueous media). *Chemical reviews*, 113(10), 7728-7768.
- Khan, S., Cao, Q., Zheng, Y. M., Huang, Y. Z., & Zhu, Y. G. (2008). Health risks of heavy metals in contaminated soils and food crops irrigated with wastewater in Beijing, China. *Environmental pollution*, 152(3), 686-692.
- Khan, T. A., Chaudhry, S. A., & Ali, I. (2015). Equilibrium uptake, isotherm and kinetic studies of Cd (II) adsorption onto iron oxide activated red mud from aqueous solution. *Journal of Molecular Liquids*, 202, 165-175.
- Kobya, M., Demirbas, E., Senturk, E., & Ince, M. (2005). Adsorption of heavy metal ions from aqueous solutions by activated carbon prepared from apricot stone. *Bioresource technology*, 96(13), 1518-1521.
- Kocabaş-Ataklı, Z. Ö., & Yürüm, Y. (2013). Synthesis and characterization of anatase nanoadsorbent and application in removal of lead, copper and arsenic from water. *Chemical engineering journal*, 225, 625-635.
- Konicki, W., Sibera, D., Mijowska, E., Lendzion-Bieluń, Z., & Narkiewicz, U. (2013). Equilibrium and kinetic studies on acid dye Acid Red 88 adsorption by magnetic ZnFe₂O₄ spinel ferrite nanoparticles. *Journal of colloid and interface science*, 398, 152-160.
- Ku, Y., & Chiou, H. M. (2002). The adsorption of fluoride ion from aqueous solution by activated alumina. *Water, Air, & Soil Pollution*, 133(1), 349-361.

- Kuang, L., Liu, Y., Fu, D., & Zhao, Y. (2017). FeOOH-graphene oxide nanocomposites for fluoride removal from water: Acetate mediated nano FeOOH growth and adsorption mechanism. *Journal of Colloid and Interface Science*, 490, 259-269.
- Kuila, T., Bose, S., Mishra, A. K., Khanra, P., Kim, N. H., & Lee, J. H. (2012). Chemical functionalization of graphene and its applications. *Progress in Materials Science*, 57(7), 1061-1105.
- Kul, A. R., & Koyuncu, H. (2010). Adsorption of Pb (II) ions from aqueous solution by native and activated bentonite: kinetic, equilibrium and thermodynamic study. *Journal of Hazardous materials*, 179(1), 332-339.
- Kumar, E., Bhatnagar, A., Ji, M., Jung, W., Lee, S. H., Kim, S. J., Lee, G., Song, H., Choi, J.Y., Yang, J.S., & Jeon, B. H. (2009). Defluoridation from aqueous solutions by granular ferric hydroxide (GFH). *water research*, 43(2), 490-498.
- Kumar, E., Bhatnagar, A., Kumar, U., & Sillanpää, M. (2011). Defluoridation from aqueous solutions by nano-alumina: characterization and sorption studies. *Journal of hazardous materials*, 186(2), 1042-1049.
- Kumar, P. S., Ramalingam, S., Senthamarai, C., Niranjanaa, M., Vijayalakshmi, P., & Sivanesan, S. (2010). Adsorption of dye from aqueous solution by cashew nut shell: Studies on equilibrium isotherm, kinetics and thermodynamics of interactions. *Desalination*, 261(1), 52-60.
- Kumar, S., Nair, R. R., Pillai, P. B., Gupta, S. N., Iyengar, M. A. R., & Sood, A. K. (2014). Graphene oxide–MnFe₂O₄ magnetic nanohybrids for efficient removal of lead and arsenic from water. *ACS applied materials & interfaces*, 6(20), 17426-17436.
- Kundu, S., & Gupta, A. K. (2005). Analysis and modeling of fixed bed column operations on As (V) removal by adsorption onto iron oxide-coated cement (IOCC). *Journal of colloid and interface science*, 290(1), 52-60.
- Kundu, S., Kavalakatt, S. S., Pal, A., Ghosh, S. K., Mandal, M., & Pal, T. (2004). Removal of arsenic using hardened paste of Portland cement: batch adsorption and column study. *Water Research*, 38(17), 3780-3790.
- Kurniawan, T. A., Chan, G. Y., Lo, W. H., & Babel, S. (2006). Comparisons of low-cost adsorbents for treating wastewaters laden with heavy metals. *Science of the Total Environment*, 366(2), 409-426.
- Lagergren, S. (1898). About the theory of so-called adsorption of soluble substances. 24, 1–39
- Lai, C. H., & Chen, C. Y. (2001). Removal of metal ions and humic acid from water by iron-coated filter media. *Chemosphere*, 44(5), 1177-1184.

- Lataye, D. H., Mishra, I. M., & Mall, I. D. (2006). Removal of pyridine from aqueous solution by adsorption on bagasse fly ash. *Industrial & engineering chemistry research*, 45(11), 3934-3943.
- Ledesma, J., Bortolato, S. A., Boschetti, C. E., & Martino, D. M. (2013). Optimization of environmentally benign polymers based on thymine and polyvinyl sulfonate using plackett-burman design and surface response. *Journal of Chemistry*, 2013.
- Lee, C., Wei, X., Kysar, J. W., & Hone, J. (2008). Measurement of the elastic properties and intrinsic strength of monolayer graphene. *science*, 321(5887), 385-388.
- Lee, J. W., Ahn, T., Soundararajan, D., Ko, J. M., & Kim, J. D. (2011). Non-aqueous approach to the preparation of reduced graphene oxide/ α -Ni(OH)₂ hybrid composites and their high capacitance behavior. *Chemical Communications*, 47(22), 6305-6307.
- Lee, Y. C., & Yang, J. W. (2012). Self-assembled flower-like TiO₂ on exfoliated graphite oxide for heavy metal removal. *Journal of Industrial and Engineering Chemistry*, 18(3), 1178-1185.
- Leelavathi, A., Mukherjee, B., Nethravathi, C., Kundu, S., Dhivya, M., Ravishankar, N., & Madras, G. (2013). Highly photoactive heterostructures of PbO quantum dots on TiO₂. *RSC Advances*, 3(43), 20970-20977.
- Li, D., Müller, M. B., Gilje, S., Kaner, R. B., & Wallace, G. G. (2008b). Processable aqueous dispersions of graphene nanosheets. *Nature nanotechnology*, 3(2), 101-105.
- Li, Q., Zhai, J., Zhang, W., Wang, M., & Zhou, J. (2007). Kinetic studies of adsorption of Pb (II), Cr (III) and Cu (II) from aqueous solution by sawdust and modified peanut husk. *Journal of Hazardous Materials*, 141(1), 163-167.
- Li, W., Zhang, L., Peng, J., Li, N., Zhang, S., & Guo, S. (2008a). Tobacco stems as a low cost adsorbent for the removal of Pb (II) from wastewater: Equilibrium and kinetic studies. *Industrial crops and products*, 28(3), 294-302.
- Li, Y. H., Di, Z., Ding, J., Wu, D., Luan, Z., & Zhu, Y. (2005). Adsorption thermodynamic, kinetic and desorption studies of Pb²⁺ on carbon nanotubes. *Water research*, 39(4), 605-609.
- Li, Y. H., Ding, J., Luan, Z., Di, Z., Zhu, Y., Xu, C., Wu, D., & Wei, B. (2003c). Competitive adsorption of Pb²⁺, Cu²⁺ and Cd²⁺ ions from aqueous solutions by multiwalled carbon nanotubes. *Carbon*, 41(14), 2787-2792.
- Li, Y. H., Wang, S., Cao, A., Zhao, D., Zhang, X., Xu, C., Luan, Z., Ruan, D., Liang, J., Wu, D., & Wei, B. (2001). Adsorption of fluoride from water by amorphous alumina supported on carbon nanotubes. *Chemical Physics Letters*, 350(5), 412-416.

- Li, Y. H., Wang, S., Wei, J., Zhang, X., Xu, C., Luan, Z., Wu, D., Wei, B. (2002). Lead adsorption on carbon nanotubes. *Chemical Physics Letters*, 357(3), 263-266.
- Li, Y. H., Wang, S., Zhang, X., Wei, J., Xu, C., Luan, Z., & Wu, D. (2003a). Adsorption of fluoride from water by aligned carbon nanotubes. *Materials Research Bulletin*, 38(3), 469-476.
- Li, Y. H., Wang, S., Zhang, X., Wei, J., Xu, C., Luan, Z., Wu, D., & Wei, B. (2003b). Removal of fluoride from water by carbon nanotube supported alumina. *Environmental technology*, 24(3), 391-398.
- Li, Y., Du, Q., Wang, J., Liu, T., Sun, J., Wang, Y., Wang, Z., Xia, Y., & Xia, L. (2013). Defluoridation from aqueous solution by manganese oxide coated graphene oxide. *Journal of Fluorine Chemistry*, 148, 67-73.
- Li, Y., Duan, Y., Zheng, J., Li, J., Zhao, W., Yang, S., & Yang, R. (2013a). Self-assembly of graphene oxide with a silyl-appended spiropyran dye for rapid and sensitive colorimetric detection of fluoride ions. *Analytical chemistry*, 85(23), 11456-11463.
- Li, Y., Zhang, P., Du, Q., Peng, X., Liu, T., Wang, Z., Xia, Y., Zhang, W., Wang, K., Zhu, H., & Wu, D. (2011). Adsorption of fluoride from aqueous solution by graphene. *Journal of colloid and interface science*, 363(1), 348-354.
- Li, Z., Kong, Y., & Ge, Y. (2015). Synthesis of porous lignin xanthate resin for Pb 2+ removal from aqueous solution. *Chemical Engineering Journal*, 270, 229-234.
- Liang, H. W., Cao, X., Zhang, W. J., Lin, H. T., Zhou, F., Chen, L. F., & Yu, S. H. (2011b). Robust and highly efficient free-standing carbonaceous nanofiber membranes for water purification. *Advanced Functional Materials*, 21(20), 3851-3858.
- Liang, W., Zhan, L., Piao, L., & Rüssel, C. (2011a). Fluoride removal performance of glass derived hydroxyapatite. *Materials Research Bulletin*, 46(2), 205-209.
- Liao, X. P., & Shi, B. I. (2005). Adsorption of fluoride on zirconium (IV)-impregnated collagen fiber. *Environmental science & technology*, 39(12), 4628-4632.
- Lim, A. P., & Aris, A. Z. (2014). Continuous fixed-bed column study and adsorption modeling: Removal of cadmium (II) and lead (II) ions in aqueous solution by dead calcareous skeletons. *Biochemical Engineering Journal*, 87, 50-61.
- Lin, S. H., Teng, M. Y., & Juang, R. S. (2009). Adsorption of surfactants from water onto raw and HCl-activated clays in fixed beds. *Desalination*, 249(1), 116-122.
- Lin, T. F., & Wu, J. K. (2001). Adsorption of arsenite and arsenate within activated alumina grains: equilibrium and kinetics. *Water research*, 35(8), 2049-2057.

-
- Liu, F., Chung, S., Oh, G., & Seo, T. S. (2012). Three-dimensional graphene oxide nanostructure for fast and efficient water-soluble dye removal. *ACS applied materials & interfaces*, 4(2), 922-927.
 - Liu, G., & Lin, Y. (2005). Electrochemical sensor for organophosphate pesticides and nerve agents using zirconia nanoparticles as selective sorbents. *Analytical Chemistry*, 77(18), 5894-5901.
 - Liu, Q., Guo, H., & Shan, Y. (2010a). Adsorption of fluoride on synthetic siderite from aqueous solution. *Journal of Fluorine Chemistry*, 131(5), 635-641.
 - Liu, H., Deng, S., Li, Z., Yu, G., & Huang, J. (2010b). Preparation of Al-Ce hybrid adsorbent and its application for defluoridation of drinking water. *Journal of hazardous materials*, 179(1), 424-430.
 - Liu, Y., Shen, X., Xian, Q., Chen, H., Zou, H., & Gao, S. (2006). Adsorption of copper and lead in aqueous solution onto bentonite modified by 4'-methylbenzo-15-crown-5. *Journal of hazardous materials*, 137(2), 1149-1155.
 - Liu, Z., & Zhang, F. S. (2009). Removal of lead from water using biochars prepared from hydrothermal liquefaction of biomass. *Journal of Hazardous Materials*, 167(1), 933-939.
 - Loganathan, P., Vigneswaran, S., Kandasamy, J., & Naidu, R. (2013). Defluoridation of drinking water using adsorption processes. *Journal of Hazardous materials*, 248, 1-19.
 - Loh, K. P., Bao, Q., Ang, P. K., & Yang, J. (2010). The chemistry of graphene. *Journal of Materials Chemistry*, 20(12), 2277-2289.
 - Lu, L., Sahajwalla, V., Kong, C., & Harris, D. (2001). Quantitative X-ray diffraction analysis and its application to various coals. *Carbon*, 39(12), 1821-1833.
 - Luo, S., Xu, X., Zhou, G., Liu, C., Tang, Y., & Liu, Y. (2014). Amino siloxane oligomer-linked graphene oxide as an efficient adsorbent for removal of Pb (II) from wastewater. *Journal of hazardous materials*, 274, 145-155.
 - Luo, X., Wang, C., Wang, L., Deng, F., Luo, S., Tu, X., & Au, C. (2013). Nanocomposites of graphene oxide-hydrated zirconium oxide for simultaneous removal of As (III) and As (V) from water. *Chemical engineering journal*, 220, 98-106.
 - Luo, X., Wang, X., Bao, S., Liu, X., Zhang, W., & Fang, T. (2016). Adsorption of phosphate in water using one-step synthesized zirconium-loaded reduced graphene oxide. *Scientific Reports*, 6.
 - Lv, L., He, J., Wei, M., Evans, D. G., & Zhou, Z. (2007). Treatment of high fluoride concentration water by MgAl-CO₃ layered double hydroxides: kinetic and equilibrium studies. *Water Research*, 41(7), 1534-1542.

-
- Madarang, C. J., Kim, H. Y., Gao, G., Wang, N., Zhu, J., Feng, H., Goring, M., Kasner, M.L. & Hou, S. (2012). Adsorption behavior of EDTA-graphene oxide for Pb (II) removal. *ACS applied materials & interfaces*, 4(3), 1186-1193.
 - Mahdavi, M., Ahmad, M. B., Haron, M. J., Gharayebi, Y., Shameli, K., & Nadi, B. (2013). Fabrication and characterization of SiO₂/(3-aminopropyl) triethoxysilane-coated magnetite nanoparticles for lead (II) removal from aqueous solution. *Journal of Inorganic and Organometallic Polymers and Materials*, 23(3), 599-607.
 - Maheshwari, R. C. (2006). Fluoride in drinking water and its removal. *Journal of Hazardous materials*, 137(1), 456-463.
 - Mahmoud, H. R., Ibrahim, S. M., & El-Molla, S. A. (2016). Textile dye removal from aqueous solutions using cheap MgO nanomaterials: Adsorption kinetics, isotherm studies and thermodynamics. *Advanced Powder Technology*, 27(1), 223-231.
 - Malakootian, M., Moosazadeh, M., Yousefi, N., & Fatehizadeh, A. (2011). Fluoride removal from aqueous solution by pumice: case study on Kuhbonan water. *African Journal of Environmental Science and Technology*, 5(4), 299-306.
 - Maliyekkal, S. M., Sharma, A. K., & Philip, L. (2006). Manganese-oxide-coated alumina: a promising sorbent for defluoridation of water. *Water research*, 40(19), 3497-3506.
 - Maliyekkal, S. M., Shukla, S., Philip, L., & Nambi, I. M. (2008). Enhanced fluoride removal from drinking water by magnesia-amended activated alumina granules. *Chemical Engineering Journal*, 140(1), 183-192.
 - Marin, P., Módenes, A. N., Bergamasco, R., Paraíso, P. R., & Hamoudi, S. (2016). Synthesis, Characterization and Application of ZrCl₄-Graphene Composite Supported on Activated Carbon for Efficient Removal of Fluoride to Obtain Drinking Water. *Water, Air, & Soil Pollution*, 227(12), 479.
 - Marques, P. A. S. S., Rosa, M. F., & Pinheiro, H. M. (2000). pH effects on the removal of Cu²⁺, Cd²⁺ and Pb²⁺ from aqueous solution by waste brewery biomass. *Bioprocess and Biosystems Engineering*, 23(2), 135-141.
 - Masoumi, A., Hemmati, K., & Ghaemy, M. (2015). Structural modification of acrylonitrile-butadiene-styrene waste as an efficient nanoadsorbent for removal of metal ions from water: isotherm, kinetic and thermodynamic study. *RSC Advances*, 5(3), 1735-1744.
 - Matouq, M., Jildeh, N., Qtaishat, M., Hindiyeh, M., & Al Syouf, M. Q. (2015). The adsorption kinetics and modeling for heavy metals removal from wastewater by Moringa pods. *Journal of Environmental Chemical Engineering*, 3(2), 775-784.
 - McKay, G. (1995). *Use of Adsorbents for the Removal of Pollutants from Wastewater*. CRC press.

- Medellin-Castillo, N.A., Leyva-Ramos, R., Ocampo-Perez, R., Cruz, R.F.G.d.l., Aragon-Pina, A., Martinez-Rosales, J.M., Guerrero-Coronado, R.M., Fuentes-Rubio, L. (2007). Adsorption of fluoride from water solution on bone char. *Industrial & Engineering Chemistry Research*, 46(26), 9205-9212.
- Mezohegyi, G., van der Zee, F. P., Font, J., Fortuny, A., & Fabregat, A. (2012). Towards advanced aqueous dye removal processes: a short review on the versatile role of activated carbon. *Journal of Environmental Management*, 102, 148-164.
- Mishra, S. K., Tripathi, S. N., Choudhary, V., & Gupta, B. D. (2014). SPR based fibre optic ammonia gas sensor utilizing nanocomposite film of PMMA/reduced graphene oxide prepared by in situ polymerization. *Sensors and Actuators B: Chemical*, 199, 190-200.
- Mohammadi, S. Z., Karimi, M. A., Afzali, D., & Mansouri, F. (2010). Removal of Pb (II) from aqueous solutions using activated carbon from Sea-buckthorn stones by chemical activation. *Desalination*, 262(1), 86-93.
- Mohammed, N., Grishkewich, N., Waeijen, H. A., Berry, R. M., & Tam, K. C. (2016). Continuous flow adsorption of methylene blue by cellulose nanocrystal-alginate hydrogel beads in fixed bed columns. *Carbohydrate polymers*, 136, 1194-1202.
- Malhotra, B. D., Srivastava, S., & Augustine, S. (2015). Biosensors for food toxin detection: carbon nanotubes and graphene. In *MRS Proceedings (Vol. 1725, pp. mrsf14-1725)*. Cambridge University Press.
- Mohan, D., & Singh, K. P. (2002). Single-and multi-component adsorption of cadmium and zinc using activated carbon derived from bagasse—an agricultural waste. *Water research*, 36(9), 2304-2318.
- Mohan, D., Pittman, C. U., Bricka, M., Smith, F., Yancey, B., Mohammad, J., Steele, P. H., Alexandre-Franco, M. F., Gómez-Serrano, V., & Gong, H. (2007b). Sorption of arsenic, cadmium, and lead by chars produced from fast pyrolysis of wood and bark during bio-oil production. *Journal of colloid and interface science*, 310(1), 57-73.
- Mohan, S. V., Ramanaiyah, S. V., Rajkumar, B., & Sarma, P. N. (2007a). Removal of fluoride from aqueous phase by biosorption onto algal biosorbent *Spirogyra* sp.-IO2: Sorption mechanism elucidation. *Journal of Hazardous Materials*, 141(3), 465-474.
- Mohan, S., Kumar, V., Singh, D. K., & Hasan, S. H. (2016). Synthesis and characterization of rGO/ZrO₂ nanocomposite for enhanced removal of fluoride from water: kinetics, isotherm, and thermodynamic modeling and its adsorption mechanism. *RSC Advances*, 6(90), 87523-87538.
- Mohan, S., Kumar, V., Singh, D. K., & Hasan, S. H. (2017a). Effective removal of Lead ions using Graphene oxide-MgO nanohybrid from aqueous solution: Isotherm,

Kinetic and Thermodynamic modeling of adsorption. *Journal of Environmental Chemical Engineering*. <http://dx.doi.org/10.1016/j.jece.2017.03.031>

- Mohan, S., Singh, D. K., Kumar, V., & Hasan, S. H. (2017b). Effective removal of Fluoride ions by rGO/ZrO₂ nanocomposite from aqueous solution: Fixed bed column adsorption modelling and its adsorption mechanism. *Journal of Fluorine Chemistry*, 194, 40-50.
- Mohan, S., Singh, Y., Verma, D. K., & Hasan, S. H. (2015). Synthesis of CuO nanoparticles through green route using Citrus limon juice and its application as nanosorbent for Cr (VI) remediation: process optimization with RSM and ANN-GA based model. *Process Safety and Environmental Protection*, 96, 156-166.
- Mohapatra, M., Rout, K., Gupta, S. K., Singh, P., Anand, S., & Mishra, B. K. (2010). Facile synthesis of additive-assisted nano goethite powder and its application for fluoride remediation. *Journal of Nanoparticle Research*, 12(2), 681-686.
- Momčilović, M., Purenović, M., Bojić, A., Zarubica, A., & Randelović, M. (2011). Removal of lead (II) ions from aqueous solutions by adsorption onto pine cone activated carbon. *Desalination*, 276(1), 53-59.
- Mourabet, M., El Rhilassi, A., El Boujaady, H., Bennani-Ziatni, M., El Hamri, R., & Taitai, A. (2012). Removal of fluoride from aqueous solution by adsorption on Apatitic tricalcium phosphate using Box–Behnken design and desirability function. *Applied Surface Science*, 258(10), 4402-4410.
- Moyo, M., Chikazaza, L., Nyamunda, B. C., & Guyo, U. (2013). Adsorption batch studies on the removal of Pb (II) using maize tassel based activated carbon. *Journal of Chemistry*, 2013.
- Muhamad, H., Doan, H., & Lohi, A. (2010). Batch and continuous fixed-bed column biosorption of Cd²⁺ and Cu²⁺. *Chemical Engineering Journal*, 158(3), 369-377.
- Naiya, T. K., Bhattacharya, A. K., & Das, S. K. (2009). Adsorptive removal of Cd (II) ions from aqueous solutions by rice husk ash. *Environmental progress & sustainable energy*, 28(4), 535-546.
- Nassar, N. N. (2010). Rapid removal and recovery of Pb (II) from wastewater by magnetic nanoadsorbents. *Journal of hazardous materials*, 184(1), 538-546.
- Nawaz, S., Bhatti, H. N., Bokhari, T. H., & Sadaf, S. (2014). Removal of Novacron Golden Yellow dye from aqueous solutions by low-cost agricultural waste: Batch and fixed bed study. *Chemistry and Ecology*, 30(1), 52-65.
- Nevin, R. (2007). Understanding international crime trends: the legacy of preschool lead exposure. *Environmental research*, 104(3), 315-336.

-
- Nguyen, T. A. H., Ngo, H. H., Guo, W. S., Pham, T. Q., Li, F. M., Nguyen, T. V., & Bui, X. T. (2015a). Adsorption of phosphate from aqueous solutions and sewage using zirconium loaded okara (ZLO): fixed-bed column study. *Science of the Total Environment*, 523, 40-49.
 - Nguyen, T. C., Loganathan, P., Nguyen, T. V., Vigneswaran, S., Kandasamy, J., & Naidu, R. (2015b). Simultaneous adsorption of Cd, Cr, Cu, Pb, and Zn by an iron-coated Australian zeolite in batch and fixed-bed column studies. *Chemical Engineering Journal*, 270, 393-404.
 - Ni, Z., Wang, Y., Yu, T., & Shen, Z. (2008). Raman spectroscopy and imaging of graphene. *Nano Research*, 1(4), 273-291.
 - Nur, T., Loganathan, P., Nguyen, T. C., Vigneswaran, S., Singh, G., & Kandasamy, J. (2014). Batch and column adsorption and desorption of fluoride using hydrous ferric oxide: Solution chemistry and modeling. *Chemical Engineering Journal*, 247, 93-102.
 - Oguz, E., & Ersoy, M. (2014). Biosorption of cobalt (II) with sunflower biomass from aqueous solutions in a fixed bed column and neural networks modelling. *Ecotoxicology and environmental safety*, 99, 54-60.
 - Onyango, M. S., Kojima, Y., Aoyi, O., Bernardo, E. C., & Matsuda, H. (2004). Adsorption equilibrium modeling and solution chemistry dependence of fluoride removal from water by trivalent-cation-exchanged zeolite F-9. *Journal of Colloid and Interface Science*, 279(2), 341-350.
 - Özer, A. (2007). Removal of Pb (II) ions from aqueous solutions by sulphuric acid-treated wheat bran. *Journal of Hazardous Materials*, 141(3), 753-761.
 - Pan, B., Pan, B., Zhang, W., Lv, L., Zhang, Q., & Zheng, S. (2009). Development of polymeric and polymer-based hybrid adsorbents for pollutants removal from waters. *Chemical Engineering Journal*, 151(1), 19-29.
 - Pan, B., Xu, J., Wu, B., Li, Z., & Liu, X. (2013). Enhanced removal of fluoride by polystyrene anion exchanger supported hydrous zirconium oxide nanoparticles. *Environmental science & technology*, 47(16), 9347-9354.
 - Pandey, P. K., Sharma, S. K., & Sambhi, S. S. (2015). Removal of lead (II) from waste water on zeolite-NaX. *Journal of Environmental Chemical Engineering*, 3(4), 2604-2610.
 - Pandi, K., & Viswanathan, N. (2014). Synthesis of alginate bioencapsulated nano-hydroxyapatite composite for selective fluoride sorption. *Carbohydrate polymers*, 112, 662-667.
 - Pandi, K., & Viswanathan, N. (2016). A facile synthesis of metal ion-imprinted graphene oxide/alginate hybrid biopolymeric beads for enhanced fluoride sorption. *RSC Advances*, 6(79), 75905-75915.

- Parida, S. K., Dash, S., Patel, S., & Mishra, B. K. (2006). Adsorption of organic molecules on silica surface. *Advances in colloid and interface science*, 121(1), 77-110.
- Park, S., An, J., Potts, J. R., Velamakanni, A., Murali, S., & Ruoff, R. S. (2011). Hydrazine-reduction of graphite-and graphene oxide. *Carbon*, 49(9), 3019-3023.
- Patel, G., Pal, U., & Menon, S. (2009). Removal of fluoride from aqueous solution by CaO nanoparticles. *Separation Science and Technology*, 44(12), 2806-2826.
- Patrick, L. (2006). Lead toxicity part II: the role of free radical damage and the use of antioxidants in the pathology and treatment of lead toxicity. *Alternative Medicine Review*, 11(2), 114.
- Paudyal, H., Pangeni, B., Ghimire, K. N., Inoue, K., Ohto, K., Kawakita, H., & Alam, S. (2012). Adsorption behavior of orange waste gel for some rare earth ions and its application to the removal of fluoride from water. *Chemical engineering journal*, 195, 289-296.
- Paudyal, H., Pangeni, B., Inoue, K., Kawakita, H., Ohto, K., & Alam, S. (2013). Adsorptive removal of fluoride from aqueous medium using a fixed bed column packed with Zr (IV) loaded dried orange juice residue. *Bioresource technology*, 146, 713-720.
- Pearson, R. G. (1963). Hard and soft acids and bases. *Journal of the American Chemical Society*, 85(22), 3533-3539.
- Pezoti, O., Cazetta, A. L., Bedin, K. C., Souza, L. S., Martins, A. C., Silva, T. L., Júnior, O.O.S., Visentainer, J.V., & Almeida, V. C. (2016). NaOH-activated carbon of high surface area produced from guava seeds as a high-efficiency adsorbent for amoxicillin removal: Kinetic, isotherm and thermodynamic studies. *Chemical Engineering Journal*, 288, 778-788.
- Pimenta, M. A., Dresselhaus, G., Dresselhaus, M. S., Cancado, L. G., Jorio, A., & Saito, R. (2007). Studying disorder in graphite-based systems by Raman spectroscopy. *Physical chemistry chemical physics*, 9(11), 1276-1290.
- Poursaberi, T., Ganjali, M. R., & Hassanisadi, M. (2012). A novel fluoride-selective electrode based on metalloporphyrin grafted-grapheneoxide. *Talanta*, 101, 128-134.
- Pulido, M. D., & Parrish, A. R. (2003). Metal-induced apoptosis: mechanisms. *Mutation Research/Fundamental and Molecular Mechanisms of Mutagenesis*, 533(1), 227-241.
- Pyrzyńska, K., & Bystrzejewski, M. (2010). Comparative study of heavy metal ions sorption onto activated carbon, carbon nanotubes, and carbon-encapsulated magnetic nanoparticles. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 362(1), 102-109.

- Qaiser, S., Saleemi, A. R., & Umar, M. (2009). Biosorption of lead from aqueous solution by *Ficus religiosa* leaves: batch and column study. *Journal of hazardous materials*, 166(2), 998-1005.
- Qiusheng, Z., Xiaoyan, L., Jin, Q., Jing, W., & Xuegang, L. (2015). Porous zirconium alginate beads adsorbent for fluoride adsorption from aqueous solutions. *RSC Advances*, 5(3), 2100-2112.
- Qu, X., Alvarez, P. J., & Li, Q. (2013). Applications of nanotechnology in water and wastewater treatment. *Water research*, 47(12), 3931-3946.
- Rafique, A., Awan, M. A., Wasti, A., Qazi, I. A., & Arshad, M. (2012). Removal of fluoride from drinking water using modified immobilized activated alumina. *Journal of chemistry*, 2013.
- Rahman, N., & Khan, M. F. (2016). Nitrate removal using poly-o-toluidine zirconium (IV) ethylenediamine as adsorbent: Batch and fixed-bed column adsorption modelling. *Journal of Water Process Engineering*, 9, 254-266.
- Rajput, S., Pittman, C. U., & Mohan, D. (2016). Magnetic magnetite (Fe₃O₄) nanoparticle synthesis and applications for lead (Pb²⁺) and chromium (Cr⁶⁺) removal from water. *Journal of colloid and interface science*, 468, 334-346.
- Rangabhashiyam, S., Anu, N., Nandagopal, M. G., & Selvaraju, N. (2014). Relevance of isotherm models in biosorption of pollutants by agricultural byproducts. *Journal of Environmental Chemical Engineering*, 2(1), 398-414.
- Ranjan, D., Talat, M., & Hasan, S. H. (2009b). Biosorption of arsenic from aqueous solution using agricultural residue 'rice polish'. *Journal of Hazardous Materials*, 166(2), 1050-1059.
- Ranjan, D., Talat, M., & Hasan, S. H. (2009a). Rice polish: an alternative to conventional adsorbents for treating arsenic bearing water by up-flow column method. *Industrial & Engineering Chemistry Research*, 48(23), 10180-10185.
- Rao, G. P., Lu, C., & Su, F. (2007). Sorption of divalent metal ions from aqueous solution by carbon nanotubes: a review. *Separation and Purification Technology*, 58(1), 224-231.
- Ray, P. Z., & Shipley, H. J. (2015). Inorganic nano-adsorbents for the removal of heavy metals and arsenic: a review. *RSC Advances*, 5(38), 29885-29907.
- Reichenberg, D. (1953). Properties of ion-exchange resins in relation to their structure. III. Kinetics of exchange. *Journal of the American Chemical Society*, 75(3), 589-597.

-
- Ren, X., Chen, C., Nagatsu, M., & Wang, X. (2011). Carbon nanotubes as adsorbents in environmental pollution management: a review. *Chemical Engineering Journal*, 170(2), 395-410.
 - Ren, Y., Yan, N., Feng, J., Ma, J., Wen, Q., Li, N., & Dong, Q. (2012). Adsorption mechanism of copper and lead ions onto graphene nanosheet/ δ -MnO₂. *Materials Chemistry and Physics*, 136(2), 538-544.
 - Rivera-Utrilla, J., Bautista-Toledo, I., Ferro-García, M. A., & Moreno-Castilla, C. (2001). Activated carbon surface modifications by adsorption of bacteria and their effect on aqueous lead adsorption. *Journal of Chemical Technology and biotechnology*, 76(12), 1209-1215.
 - Roy, A., & Bhattacharya, J. (2012). Removal of Cu (II), Zn (II) and Pb (II) from water using microwave-assisted synthesized maghemite nanotubes. *Chemical engineering journal*, 211, 493-500.
 - Rubio, J., Souza, M.L., Smith, R.W., 2002. Overview of flotation as a wastewater treatment technique. *Miner. Eng.* 15, 139e155.
 - Ruparelia, J. P., Duttagupta, S. P., Chatterjee, A. K., & Mukherji, S. O. U. M. Y. A. (2008). Potential of carbon nanomaterials for removal of heavy metals from water. *Desalination*, 232(1), 145-156.
 - Hasan, S. H., & Srivastava, P. (2009). Batch and continuous biosorption of Cu²⁺ by immobilized biomass of *Arthrobacter* sp. *Journal of environmental management*, 90(11), 3313-3321.
 - Saadi, Z., Saadi, R., & Fazaeli, R. (2013). Fixed-bed adsorption dynamics of Pb (II) adsorption from aqueous solution using nanostructured γ -alumina. *Journal of Nanostructure in Chemistry*, 3(1), 1-8.
 - Sadaf, S., & Bhatti, H. N. (2014). Batch and fixed bed column studies for the removal of Indosol Yellow BG dye by peanut husk. *Journal of the Taiwan Institute of Chemical Engineers*, 45(2), 541-553.
 - Saeidi, N., Parvini, M., & Niavarani, Z. (2015). High surface area and mesoporous graphene/activated carbon composite for adsorption of Pb (II) from wastewater. *Journal of Environmental Chemical Engineering*, 3(4), 2697-2706.
 - Sahmoune, M. N., & Ouazene, N. (2012). Mass-transfer processes in the adsorption of cationic dye by sawdust. *Environmental Progress & Sustainable Energy*, 31(4), 597-603.
 - Salman, J. M., Njoku, V. O., & Hameed, B. H. (2011). Batch and fixed-bed adsorption of 2, 4-dichlorophenoxyacetic acid onto oil palm frond activated carbon. *Chemical Engineering Journal*, 174(1), 33-40.

-
- Saravanan, P., Vinod, V. T. P., Sreedhar, B., & Sashidhar, R. B. (2012). Gum kondagogu modified magnetic nano-adsorbent: An efficient protocol for removal of various toxic metal ions. *Materials Science and Engineering: C*, 32(3), 581-586.
 - Sarkar, M., Banerjee, A., Pramanick, P. P., & Sarkar, A. R. (2006). Use of laterite for the removal of fluoride from contaminated drinking water. *Journal of colloid and interface science*, 302(2), 432-441.
 - Sathish, R. S., Raju, N. S. R., Raju, G. S., Nageswara Rao, G., Kumar, K. A., & Janardhana, C. (2007). Equilibrium and kinetic studies for fluoride adsorption from water on zirconium impregnated coconut shell carbon. *Separation Science and Technology*, 42(4), 769-788.
 - Sathish, R. S., Sairam, S., Raja, V. G., Rao, G. N., & Janardhana, C. (2008). Defluoridation of water using zirconium impregnated coconut fiber carbon. *Separation Science and Technology*, 43(14), 3676-3694.
 - Sekar, M., Sakthi, V., & Rengaraj, S. (2004). Kinetics and equilibrium adsorption study of lead (II) onto activated carbon prepared from coconut shell. *Journal of colloid and interface science*, 279(2), 307-313.
 - Sekar, M., Sakthi, V., & Rengaraj, S. (2004). Kinetics and equilibrium adsorption study of lead (II) onto activated carbon prepared from coconut shell. *Journal of colloid and interface science*, 279(2), 307-313.
 - Senthil Kumar, P., Senthamarai, C., & Durgadevi, A. (2014). Adsorption kinetics, mechanism, isotherm, and thermodynamic analysis of copper ions onto the surface modified agricultural waste. *Environmental Progress & Sustainable Energy*, 33(1), 28-37.
 - Sepehr, M. N., Sivasankar, V., Zarrabi, M., & Kumar, M. S. (2013). Surface modification of pumice enhancing its fluoride adsorption capacity: An insight into kinetic and thermodynamic studies. *Chemical engineering journal*, 228, 192-204.
 - Shahat, A., Awual, M. R., Khaleque, M. A., Alam, M. Z., Naushad, M., & Chowdhury, A. S. (2015). Large-pore diameter nano-adsorbent and its application for rapid lead (II) detection and removal from aqueous media. *Chemical Engineering Journal*, 273, 286-295.
 - Shan, Y., & Gao, L. (2005). Synthesis and characterization of phase controllable ZrO₂-carbon nanotube nanocomposites. *Nanotechnology*, 16(6), 625.
 - Shan, Y., & Guo, H. (2013). Fluoride adsorption on modified natural siderite: Optimization and performance. *Chemical engineering journal*, 223, 183-191.
 - Sharififard, H., Pepe, F., Soleimani, M., Aprea, P., & Caputo, D. (2016). Iron-activated carbon nanocomposite: synthesis, characterization and application for lead removal from aqueous solution. *RSC Advances*, 6(49), 42845-42853.

- Sheela, T., Nayaka, Y. A., Viswanatha, R., Basavanna, S., & Venkatesha, T. G. (2012). Kinetics and thermodynamics studies on the adsorption of Zn (II), Cd (II) and Hg (II) from aqueous solution using zinc oxide nanoparticles. *Powder Technology*, 217, 163-170.
- Sheng, G., Wang, S., Hu, J., Lu, Y., Li, J., Dong, Y., & Wang, X. (2009). Adsorption of Pb (II) on diatomite as affected via aqueous solution chemistry and temperature. *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, 339(1), 159-166.
- Sheshmani, S., Nematzadeh, M. A., Shokrollahzadeh, S., & Ashori, A. (2015). Preparation of graphene oxide/chitosan/FeOOH nanocomposite for the removal of Pb (II) from aqueous solution. *International journal of biological macromolecules*, 80, 475-480.
- Silbergeld, E. K., Waalkes, M., & Rice, J. M. (2000). Lead as a carcinogen: experimental evidence and mechanisms of action. *American journal of industrial medicine*, 38(3), 316-323.
- Simate, G. S., & Ndlovu, S. (2015). The removal of heavy metals in a packed bed column using immobilized cassava peel waste biomass. *Journal of Industrial and Engineering Chemistry*, 21, 635-643.
- Singh, D. K., Mohan, S., Kumar, V., & Hasan, S. H. (2016). Kinetic, isotherm and thermodynamic studies of adsorption behaviour of CNT/CuO nanocomposite for the removal of As (III) and As (V) from water. *RSC Advances*, 6(2), 1218-1230.
- Singh, D. K., Kumar, V., Singh, V. K., & Hasan, S. H. (2016). Modeling of adsorption behavior of the amine-rich GOPEI aerogel for the removal of As (III) and As (V) from aqueous media. *RSC Advances*, 6(61), 56684-56697.
- Singh, K. K., Hasan, S. H., Talat, M., Singh, V. K., & Gangwar, S. K. (2009). Removal of Cr (VI) from aqueous solutions using wheat bran. *Chemical Engineering Journal*, 151(1), 113-121.
- Singh, K. K., Rastogi, R., & Hasan, S. H. (2005). Removal of Cr (VI) from wastewater using rice bran. *Journal of colloid and interface science*, 290(1), 61-68.
- Singh, T. S., & Pant, K. K. (2006). Kinetics and mass transfer studies on the adsorption of arsenic onto activated alumina and iron oxide impregnated activated alumina. *Water quality research journal of Canada*, 41(2), 147-156.
- Sinha, S., Pandey, K., Mohan, D., & Singh, K. P. (2003). Removal of fluoride from aqueous solutions by *Eichhornia crassipes* biomass and its carbonized form. *Industrial & engineering chemistry research*, 42(26), 6911-6918.

- Sitko, R., Zawisza, B., & Malicka, E. (2012). Modification of carbon nanotubes for preconcentration, separation and determination of trace-metal ions. *TrAC Trends in Analytical Chemistry*, 37, 22-31.
- Sivashankar, R., Sathya, A. B., Vasantharaj, K., & Sivasubramanian, V. (2014). Magnetic composite an environmental super adsorbent for dye sequestration—A review. *Environmental Nanotechnology, Monitoring & Management*, 1, 36-49.
- Soltani, R. D. C., Khorramabadi, G. S., Khataee, A. R., & Jorfi, S. (2014). Silica nanopowders/alginate composite for adsorption of lead (II) ions in aqueous solutions. *Journal of the Taiwan Institute of Chemical Engineers*, 45(3), 973-980.
- Song, J., Zou, W., Bian, Y., Su, F., & Han, R. (2011). Adsorption characteristics of methylene blue by peanut husk in batch and column modes. *Desalination*, 265(1), 119-125.
- Sountharajah, D. P., Loganathan, P., Kandasamy, J., & Vigneswaran, S. (2015). Adsorptive removal of heavy metals from water using sodium titanate nanofibres loaded onto GAC in fixed-bed columns. *Journal of hazardous materials*, 287, 306-316.
- Sreeprasad, T. S., Maliyekkal, S. M., Lisha, K. P., & Pradeep, T. (2011). Reduced graphene oxide–metal/metal oxide composites: facile synthesis and application in water purification. *Journal of hazardous materials*, 186(1), 921-931.
- Srivastav, A. L., Singh, P. K., Srivastava, V., & Sharma, Y. C. (2013). Application of a new adsorbent for fluoride removal from aqueous solutions. *Journal of hazardous materials*, 263, 342-352.
- Stafiej, A., & Pyrzyńska, K. (2007). Adsorption of heavy metal ions with carbon nanotubes. *Separation and purification technology*, 58(1), 49-52.
- Stone, V., Nowack, B., Baun, A., van den Brink, N., von der Kammer, F., Dusinska, M., Handy, R., Hankin, S., Hassellöv, M., Joner, E., & Fernandes, T. F. (2010). Nanomaterials for environmental studies: classification, reference material issues, and strategies for physico-chemical characterisation. *Science of the Total Environment*, 408(7), 1745-1754.
- Su, Q., Pan, B., Pan, B., Zhang, Q., Zhang, W., Lv, L., Wang, X., Wu, J., & Zhang, Q. (2009). Fabrication of polymer-supported nanosized hydrous manganese dioxide (HMO) for enhanced lead removal from waters. *Science of the Total Environment*, 407(21), 5471-5477.
- Sui, Z., Meng, Q., Zhang, X., Ma, R., & Cao, B. (2012). Green synthesis of carbon nanotube–graphene hybrid aerogels and their use as versatile agents for water purification. *Journal of Materials Chemistry*, 22(18), 8767-8771.

- Sujana, M. G., Mishra, A., & Acharya, B. C. (2013). Hydrous ferric oxide doped alginate beads for fluoride removal: Adsorption kinetics and equilibrium studies. *Applied Surface Science*, 270, 767-776.
- Sun, G., Li, X., Qu, Y., Wang, X., Yan, H., & Zhang, Y. (2008). Preparation and characterization of graphite nanosheets from detonation technique. *Materials Letters*, 62(4), 703-706.
- Sun, R., Zhang, H. B., Qu, J., Yao, H., Yao, J., & Yu, Z. Z. (2016). Supercritical carbon dioxide fluid assisted synthesis of hierarchical AlOOH@ reduced graphene oxide hybrids for efficient removal of fluoride ions. *Chemical Engineering Journal*, 292, 174-182.
- Sun, W., Li, L., Luo, C., & Fan, L. (2016). Synthesis of magnetic graphene nanocomposites decorated with ionic liquids for fast lead ion removal. *International journal of biological macromolecules*, 85, 246-251.
- Sundaram, C. S., Viswanathan, N., & Meenakshi, S. (2008). Defluoridation chemistry of synthetic hydroxyapatite at nano scale: equilibrium and kinetic studies. *Journal of Hazardous Materials*, 155(1), 206-215.
- Sundaram, C. S., Viswanathan, N., & Meenakshi, S. (2009). Defluoridation of water using magnesia/chitosan composite. *Journal of Hazardous Materials*, 163(2), 618-624.
- Sundaram, C. S., Viswanathan, N., & Meenakshi, S. (2009). Fluoride sorption by nano-hydroxyapatite/chitin composite. *Journal of hazardous materials*, 172(1), 147-151.
- Swain, S. K., Dey, R. K., Islam, M., Patel, R. K., Jha, U., Patnaik, T., & Airoidi, C. (2009). Removal of fluoride from aqueous solution using aluminum-impregnated chitosan biopolymer. *Separation Science and Technology*, 44(9), 2096-2116.
- Swain, S. K., Mishra, S., Patnaik, T., Patel, R. K., Jha, U., & Dey, R. K. (2012). Fluoride removal performance of a new hybrid sorbent of Zr (IV)–ethylenediamine. *Chemical Engineering Journal*, 184, 72-81.
- Swain, S. K., Patnaik, T., Patnaik, P. C., Jha, U., & Dey, R. K. (2013). Development of new alginate entrapped Fe (III)–Zr (IV) binary mixed oxide for removal of fluoride from water bodies. *Chemical engineering journal*, 215, 763-771.
- Swain, S. K., Patnaik, T., Singh, V. K., Jha, U., Patel, R. K., & Dey, R. K. (2011). Kinetics, equilibrium and thermodynamic aspects of removal of fluoride from drinking water using meso-structured zirconium phosphate. *Chemical engineering journal*, 171(3), 1218-1226.
- Tan, I. A. W., Ahmad, A. L., & Hameed, B. H. (2008). Adsorption of basic dye using activated carbon prepared from oil palm shell: batch and fixed bed studies. *Desalination*, 225(1-3), 13-28.

-
- Tan, Y., Chen, M., & Hao, Y. (2012). High efficient removal of Pb (II) by amino-functionalized Fe₃O₄ magnetic nano-particles. *Chemical engineering journal*, 191, 104-111.
 - Tanhaei, B., Ayati, A., Lahtinen, M., & Sillanpää, M. (2015). Preparation and characterization of a novel chitosan/Al₂O₃/magnetite nanoparticles composite adsorbent for kinetic, thermodynamic and isotherm studies of Methyl Orange adsorption. *Chemical Engineering Journal*, 259, 1-10.
 - Taty-Costodes, V. C., Fauduet, H., Porte, C., & Ho, Y. S. (2005). Removal of lead (II) ions from synthetic and real effluents using immobilized *Pinus sylvestris* sawdust: adsorption on a fixed-bed column. *Journal of Hazardous Materials*, 123(1), 135-144.
 - Tawabini, B., Al-Khalidi, S., Atieh, M., & Khaled, M. (2010). Removal of mercury from water by multi-walled carbon nanotubes. *Water science and technology*, 61(3), 591-598.
 - Tchomgui-Kamga, E., Alonzo, V., Nanseu-Njiki, C. P., Audebrand, N., Ngameni, E., & Darchen, A. (2010). Preparation and characterization of charcoals that contain dispersed aluminum oxide as adsorbents for removal of fluoride from drinking water. *Carbon*, 48(2), 333-343.
 - Teng, S. X., Wang, S. G., Gong, W. X., Liu, X. W., & Gao, B. Y. (2009). Removal of fluoride by hydrous manganese oxide-coated alumina: performance and mechanism. *Journal of Hazardous Materials*, 168(2), 1004-1011.
 - Teotia, S. P. S., Teotia, M., & Singh, R. K. (1981). Hydro-Geochemical Aspects of Endemic Skeletal Fluorosis in India- an Epidemiologic Study. *Fluoride*, 14(2), 69-74.
 - Teutli-Sequeira, A., Solache-Rios, M., Martinez-Miranda, V., & Linares-Hernandez, I. (2015). Behavior of fluoride removal by aluminum modified zeolitic tuff and hematite in column systems and the thermodynamic parameters of the process. *Water, Air, & Soil Pollution*, 226(8), 239.
 - Teymourian, H., Salimi, A., Firoozi, S., Korani, A., & Soltanian, S. (2014). One-pot hydrothermal synthesis of zirconium dioxide nanoparticles decorated reduced graphene oxide composite as high performance electrochemical sensing and biosensing platform. *Electrochimica Acta*, 143, 196-206.
 - Thakre, D., Rayalu, S., Kawade, R., Meshram, S., Subrt, J., & Labhsetwar, N. (2010). Magnesium incorporated bentonite clay for defluoridation of drinking water. *Journal of Hazardous Materials*, 180(1), 122-130.
 - Tibbetts, G. G., Lake, M. L., Strong, K. L., & Rice, B. P. (2007). A review of the fabrication and properties of vapor-grown carbon nanofiber/polymer composites. *Composites Science and Technology*, 67(7), 1709-1718.

-
- Tiwari, J. N., Tiwari, R. N., & Kim, K. S. (2012). Zero-dimensional, one-dimensional, two-dimensional and three-dimensional nanostructured materials for advanced electrochemical energy devices. *Progress in Materials Science*, 57(4), 724-803.
 - Tofighy, M. A., & Mohammadi, T. (2011). Adsorption of divalent heavy metal ions from water using carbon nanotube sheets. *Journal of Hazardous Materials*, 185(1), 140-147.
 - Tovar-Gómez, R., Moreno-Virgen, M. R., Dena-Aguilar, J. A., Hernández-Montoya, V., Bonilla-Petriciolet, A., & Montes-Moran, M. A. (2013). Modeling of fixed-bed adsorption of fluoride on bone char using a hybrid neural network approach. *Chemical engineering journal*, 228, 1098-1109.
 - Tripathy, S. S., Bersillon, J. L., & Gopal, K. (2006). Removal of fluoride from drinking water by adsorption onto alum-impregnated activated alumina. *Separation and Purification Technology*, 50(3), 310-317.
 - Turner, B. D., Binning, P., & Stipp, S. L. S. (2005). Fluoride removal by calcite: evidence for fluorite precipitation and surface adsorption. *Environmental science & technology*, 39(24), 9561-9568
 - Unuabonah, E. I., Olu-Owolabi, B. I., Fasuyi, E. I., & Adebowale, K. O. (2010). Modeling of fixed-bed column studies for the adsorption of cadmium onto novel polymer-clay composite adsorbent. *Journal of hazardous materials*, 179(1), 415-423.
 - Upadhyay, R. K., Soin, N., & Roy, S. S. (2014). Role of graphene/metal oxide composites as photocatalysts, adsorbents and disinfectants in water treatment: a review. *Rsc Advances*, 4(8), 3823-3851.
 - Upadhyayula, V. K., Deng, S., Mitchell, M. C., & Smith, G. B. (2009). Application of carbon nanotube technology for removal of contaminants in drinking water: a review. *Science of the total environment*, 408(1), 1-13.
 - Upasani, C. D., Khera, A., & Balararnan, R. (2001). Effect of lead with vitamin E, C, or Spirulina on malondialdehyde, conjugated dienes and hydroperoxides in rats. *Indian Journal of Experimental Biology*, 39, 70-74.
 - Valdez-Jiménez, L., Fregozo, C. S., Beltrán, M. M., Coronado, O. G., & Vega, M. P. (2011). Effects of the fluoride on the central nervous system. *Neurología (English Edition)*, 26(5), 297-300.
 - Van Benschoten, J. E., Reed, B. E., Matsumoto, M. R., & McGarvey, P. J. (1994). Metal removal by soil washing for an iron oxide coated sandy soil. *Water Environment Research*, 66(2), 168-174.

-
- Vanhecke, D., Rodriguez-Lorenzo, L., Kinnear, C., Durantie, E., Rothen-Rutishauser, B., & Fink, A. S. (2017). Assumption-free morphological quantification of single anisotropic nanoparticles and aggregates. *Nanoscale*.
 - Velazquez-Jimenez, L. H., Hurt, R. H., Matos, J., & Rangel-Mendez, J. R. (2013). Zirconium–carbon hybrid sorbent for removal of fluoride from water: oxalic acid mediated Zr (IV) assembly and adsorption mechanism. *Environmental science & technology*, 48(2), 1166-1174.
 - Vij, D. R. (Ed.). (2007). *Handbook of applied solid state spectroscopy*. Springer Science & Business Media.
 - Vijayaraghavan, K., Jegan, J., Palanivelu, K., & Velan, M. (2004). Removal of nickel (II) ions from aqueous solution using crab shell particles in a packed bed up-flow column. *Journal of hazardous materials*, 113(1), 223-230.
 - Vijayaraghavan, K., Jegan, J., Palanivelu, K., & Velan, M. (2005). Batch and column removal of copper from aqueous solution using a brown marine alga *Turbinaria ornata*. *Chemical Engineering Journal*, 106(2), 177-184.
 - Vilian, A. E., Chen, S. M., Ali, M. A., & Al-Hemaid, F. M. (2014). Direct electrochemistry of glucose oxidase immobilized on ZrO₂ nanoparticles-decorated reduced graphene oxide sheets for a glucose biosensor. *RSC Advances*, 4(57), 30358-30367.
 - Viswanathan, N., & Meenakshi, S. (2008a). Enhanced fluoride sorption using La (III) incorporated carboxylated chitosan beads. *Journal of Colloid and Interface Science*, 322(2), 375-383.
 - Viswanathan, N., & Meenakshi, S. (2008b). Selective sorption of fluoride using Fe (III) loaded carboxylated chitosan beads. *Journal of fluorine chemistry*, 129(6), 503-509.
 - Viswanathan, N., & Meenakshi, S. (2009). Synthesis of Zr (IV) entrapped chitosan polymeric matrix for selective fluoride sorption. *Colloids and Surfaces B: Biointerfaces*, 72(1), 88-93.
 - Viswanathan, N., & Meenakshi, S. (2010). Development of chitosan supported zirconium (IV) tungstophosphate composite for fluoride removal. *Journal of hazardous materials*, 176(1), 459-465.
 - Volesky, B. (2001). Detoxification of metal-bearing effluents: biosorption for the next century. *Hydrometallurgy*, 59(2), 203-216.
 - Volesky, B. (2007). Biosorption and me. *Water research*, 41(18), 4017-4029.
 - Volesky, B., Weber, J., & Park, J. M. (2003). Continuous-flow metal biosorption in a regenerable *Sargassum* column. *Water Research*, 37(2), 297-306.

- Wang, H., Chen, J., Cai, Y., Ji, J., Liu, L., & Teng, H. H. (2007). Defluoridation of drinking water by Mg/Al hydrotalcite-like compounds and their calcined products. *Applied clay science*, 35(1), 59-66.
- Wang, J., Tsuzuki, T., Tang, B., Hou, X., Sun, L., & Wang, X. (2012). Reduced graphene oxide/ZnO composite: reusable adsorbent for pollutant management. *ACS applied materials & interfaces*, 4(6), 3084-3090.
- Wang, J., Xu, W., Chen, L., Jia, Y., Wang, L., Huang, X. J., & Liu, J. (2013). Excellent fluoride removal performance by CeO₂-ZrO₂ nanocages in water environment. *Chemical engineering journal*, 231, 198-205.
- Wang, J., Zheng, S., Shao, Y., Liu, J., Xu, Z., & Zhu, D. (2010). Amino-functionalized Fe₃O₄@SiO₂ core-shell magnetic nanomaterial as a novel adsorbent for aqueous heavy metals removal. *Journal of Colloid and Interface Science*, 349(1), 293-299.
- Wang, L., Ma, W., Xu, L., Chen, W., Zhu, Y., Xu, C., & Kotov, N. A. (2010). Nanoparticle-based environmental sensors. *Materials Science and Engineering: R: Reports*, 70(3), 265-274.
- Wang, L., Zhang, J., Zhao, R., Li, Y., Li, C., & Zhang, C. (2010). Adsorption of Pb (II) on activated carbon prepared from *Polygonum orientale* Linn.: kinetics, isotherms, pH, and ionic strength studies. *Bioresource Technology*, 101(15), 5808-5814.
- Wang, S. G., Gong, W. X., Liu, X. W., Yao, Y. W., Gao, B. Y., & Yue, Q. Y. (2007). Removal of lead (II) from aqueous solution by adsorption onto manganese oxide-coated carbon nanotubes. *Separation and Purification Technology*, 58(1), 17-23.
- Wang, S. G., Ma, Y., Shi, Y. J., & Gong, W. X. (2009). Defluoridation performance and mechanism of nano-scale aluminum oxide hydroxide in aqueous solution. *Journal of chemical technology and biotechnology*, 84(7), 1043-1050.
- Wang, S., Ng, C. W., Wang, W., Li, Q., & Li, L. (2012). A comparative study on the adsorption of acid and reactive dyes on multiwall carbon nanotubes in single and binary dye systems. *Journal of Chemical & Engineering Data*, 57(5), 1563-1569.
- Wang, S., Sun, H., Ang, H. M., & Tadé, M. O. (2013). Adsorptive remediation of environmental pollutants using novel graphene-based nanomaterials. *Chemical Engineering Journal*, 226, 336-347.
- Wang, W., Li, M., & Zeng, Q. (2015). Adsorption of chromium (VI) by strong alkaline anion exchange fiber in a fixed-bed column: Experiments and models fitting and evaluating. *Separation and Purification Technology*, 149, 16-23.
- Wang, Y., Alsmeyer, D. C., & McCreery, R. L. (1990). Raman spectroscopy of carbon materials: structural basis of observed spectra. *Chem. Mater*, 2(5), 557-563.

- Wang, Y., Li, L., Luo, C., Wang, X., & Duan, H. (2016). Removal of Pb 2+ from water environment using a novel magnetic chitosan/graphene oxide imprinted Pb 2+. *International journal of biological macromolecules*, 86, 505-511.
- Wang, Y., Li, Y., Tang, L., Lu, J., & Li, J. (2009). Application of graphene-modified electrode for selective detection of dopamine. *Electrochemistry Communications*, 11(4), 889-892.
- Wang, Z., Yin, P., Qu, R., Chen, H., Wang, C., & Ren, S. (2013). Adsorption kinetics, thermodynamics and isotherm of Hg (II) from aqueous solutions using buckwheat hulls from Jiaodong of China. *Food chemistry*, 136(3), 1508-1514.
- Williams, G., Seger, B., & Kamat, P. V. (2008). TiO₂-graphene nanocomposites. UV-assisted photocatalytic reduction of graphene oxide. *ACS nano*, 2(7), 1487-1491.
- Wu, H. X., Wang, T. J., Chen, L., Jin, Y., Zhang, Y., & Dou, X. M. (2011). Granulation of Fe–Al–Ce hydroxide nano-adsorbent by immobilization in porous polyvinyl alcohol for fluoride removal in drinking water. *Powder Technology*, 209(1), 92-97.
- Wu, P. Y., Jiang, Y. P., Zhang, Q. Y., Jia, Y., Peng, D. Y., & Xu, W. (2016). Comparative study on arsenate removal mechanism of MgO and MgO/TiO₂ composites: FTIR and XPS analysis. *New Journal of Chemistry*, 40(3), 2878-2885.
- Wu, X., Zhang, Y., Dou, X., & Yang, M. (2007). Fluoride removal performance of a novel Fe–Al–Ce trimetal oxide adsorbent. *Chemosphere*, 69(11), 1758-1764.
- Wu, Y., Mi, X., Jiang, L., Li, B., & Feng, S. (2011). Equilibrium, kinetics and thermodynamics study on biosorption of Cr (VI) by fresh biomass of *Saccharomyces cerevisiae*. *Korean Journal of Chemical Engineering*, 28(3), 895-901.
- Wu, Z., Gu, Z., Wang, X., Evans, L., & Guo, H. (2003). Effects of organic acids on adsorption of lead onto montmorillonite, goethite and humic acid. *Environmental pollution*, 121(3), 469-475.
- Xiang, W., Zhang, G., Zhang, Y., Tang, D., & Wang, J. (2014). Synthesis and characterization of cotton-like Ca–Al–La composite as an adsorbent for fluoride removal. *Chemical Engineering Journal*, 250, 423-430.
- Xiang, Z., Lu, Y., Gong, X., & Luo, G. (2010). Absorption and desorption of gaseous toluene by an absorbent microcapsules column. *Journal of hazardous materials*, 173(1), 243-248.
- Xu, D., Tan, X., Chen, C., & Wang, X. (2008). Removal of Pb (II) from aqueous solution by oxidized multiwalled carbon nanotubes. *Journal of Hazardous Materials*, 154(1), 407-416.

- Xu, X., Li, Q., Cui, H., Pang, J., Sun, L., An, H., & Zhai, J. (2011). Adsorption of fluoride from aqueous solution on magnesia-loaded fly ash cenospheres. *Desalination*, 272(1), 233-239.
- Yaghmaeian, K., Moussavi, G., & Alahabadi, A. (2014). Removal of amoxicillin from contaminated water using NH_4Cl -activated carbon: continuous flow fixed-bed adsorption and catalytic ozonation regeneration. *Chemical Engineering Journal*, 236, 538-544.
- Yagub, M. T., Sen, T. K., Afroze, S., & Ang, H. M. (2014). Dye and its removal from aqueous solution by adsorption: a review. *Advances in colloid and interface science*, 209, 172-184.
- Yamashita, T., & Hayes, P. (2008). Analysis of XPS spectra of Fe^{2+} and Fe^{3+} ions in oxide materials. *Applied Surface Science*, 254(8), 2441-2449.
- Yang, H., Shan, C., Li, F., Zhang, Q., Han, D., & Niu, L. (2009). Convenient preparation of tunably loaded chemically converted graphene oxide/epoxy resin nanocomposites from graphene oxide sheets through two-phase extraction. *Journal of Materials Chemistry*, 19(46), 8856-8860.
- Yang, T., Liu, L. H., Liu, J. W., Chen, M. L., & Wang, J. H. (2012). Cyanobacterium metallothionein decorated graphene oxide nanosheets for highly selective adsorption of ultra-trace cadmium. *Journal of Materials Chemistry*, 22(41), 21909-21916.
- Yao, R., Meng, F., Zhang, L., Ma, D., & Wang, M. (2009). Defluoridation of water using neodymium-modified chitosan. *Journal of hazardous materials*, 165(1), 454-460.
- Yao, Y., Miao, S., Liu, S., Ma, L. P., Sun, H., & Wang, S. (2012). Synthesis, characterization, and adsorption properties of magnetic Fe_3O_4 @ graphene nanocomposite. *Chemical Engineering Journal*, 184, 326-332.
- Yoon, S. Y., Lee, C. G., Park, J. A., Kim, J. H., Kim, S. B., Lee, S. H., & Choi, J. W. (2014). Kinetic, equilibrium and thermodynamic studies for phosphate adsorption to magnetic iron oxide nanoparticles. *Chemical Engineering Journal*, 236, 341-347.
- Yu, B., Zhang, Y., Shukla, A., Shukla, S. S., & Dorris, K. L. (2001). The removal of heavy metals from aqueous solutions by sawdust adsorption—removal of lead and comparison of its adsorption with copper. *Journal of hazardous materials*, 84(1), 83-94.
- Yu, J. G., Yu, L. Y., Yang, H., Liu, Q., Chen, X. H., Jiang, X. Y., Chen, X. Q., & Jiao, F. P. (2015). Graphene nanosheets as novel adsorbents in adsorption, preconcentration and removal of gases, organic compounds and metal ions. *Science of the Total Environment*, 502, 70-79.
- Yu, X. Y., Luo, T., Jia, Y., Zhang, Y. X., Liu, J. H., & Huang, X. J. (2011). Porous hierarchically micro-/nanostructured MgO : morphology control and their excellent

performance in As (III) and As (V) removal. *The Journal of Physical Chemistry C*, 115(45), 22242-22250.

- Yuan, Y., Zhang, G., Li, Y., Zhang, G., Zhang, F., & Fan, X. (2013). Poly (amidoamine) modified graphene oxide as an efficient adsorbent for heavy metal ions. *Polymer Chemistry*, 4(6), 2164-2167.
- Zein, R., Suhaili, R., Earnestly, F., & Munaf, E. (2010). Removal of Pb (II), Cd (II) and Co (II) from aqueous solution using *Garcinia mangostana* L. fruit shell. *Journal of hazardous materials*, 181(1), 52-56.
- Zhang, F. F., Zhang, X. B., Dong, Y. H., & Wang, L. M. (2012). Facile and effective synthesis of reduced graphene oxide encapsulated sulfur via oil/water system for high performance lithium sulfur cells. *Journal of Materials Chemistry*, 22(23), 11452-11454.
- Zhang, G., He, Z., & Xu, W. (2012). A low-cost and high efficient zirconium-modified-Na-attapulgite adsorbent for fluoride removal from aqueous solutions. *Chemical Engineering Journal*, 183, 315-324.
- Zhang, L., & Webster, T. J. (2009). Nanotechnology and nanomaterials: promises for improved tissue regeneration. *Nano Today*, 4(1), 66-80.
- Zhang, L., Li, X., Yang, L. J., Li, Y., Chang, H. C., Chu, X. J., Zhang, J., Wang, X., & An, S. (2012). A rapid and selective isolation of rhodium from aqueous solution using nano-Al₂O₃. *Journal of Chemical & Engineering Data*, 57(10), 2647-2653.
- Zhang, L., Zhang, M., Guo, X., Liu, X., Kang, P., & Chen, X. (2010). Sorption characteristics and separation of tellurium ions from aqueous solutions using nano-TiO₂. *Talanta*, 83(2), 344-350.
- Zhang, Q., Pan, B., Pan, B., Zhang, W., Jia, K., & Zhang, Q. (2008). Selective sorption of lead, cadmium and zinc ions by a polymeric cation exchanger containing nano-Zr (HPO₃S)₂. *Environmental science & technology*, 42(11), 4140-4145.
- Zhang, Z., Tan, Y., & Zhong, M. (2011). Defluorination of wastewater by calcium chloride modified natural zeolite. *Desalination*, 276(1), 246-252.
- Zhao, G., Ren, X., Gao, X., Tan, X., Li, J., Chen, C., Huang, Y., & Wang, X. (2011). Removal of Pb (II) ions from aqueous solutions on few-layered graphene oxide nanosheets. *Dalton Transactions*, 40(41), 10945-10952.
- Zhao, J., Ren, W., & Cheng, H. M. (2012). Graphene sponge for efficient and repeatable adsorption and desorption of water contaminations. *Journal of Materials Chemistry*, 22(38), 20197-20202.
- Zheng, J., Chen, K. H., Yan, X., Chen, S. J., Hu, G. C., Peng, X. W., Yuan, J.G., Mai, B.X., & Yang, Z. Y. (2013). Heavy metals in food, house dust, and water from an

e-waste recycling area in South China and the potential risk to human health. *Ecotoxicology and environmental safety*, 96, 205-212.

- Zheng, Y., Wei, N., Fan, Z., Xu, L., & Huang, Z. (2011). Mechanical properties of grafold: a demonstration of strengthened graphene. *Nanotechnology*, 22(40), 405701.
- Zhou, G., Liu, C., Tang, Y., Luo, S., Zeng, Z., Liu, Y., Xu, R., & Chu, L. (2015). Sponge-like polysiloxane-graphene oxide gel as a highly efficient and renewable adsorbent for lead and cadmium metals removal from wastewater. *Chemical Engineering Journal*, 280, 275-282.
- Zhou, G., Luo, J., Liu, C., Chu, L., Ma, J., Tang, Y., Zeng, Z., & Luo, S. (2016). A highly efficient polyampholyte hydrogel sorbent based fixed-bed process for heavy metal removal in actual industrial effluent. *Water research*, 89, 151-160.
- Zhou, L., Ji, L., Ma, P. C., Shao, Y., Zhang, H., Gao, W., & Li, Y. (2014). Development of carbon nanotubes/CoFe₂O₄ magnetic hybrid material for removal of tetrabromobisphenol A and Pb (II). *Journal of hazardous materials*, 265, 104-114.
- Zhou, Q., Huang, J., Wang, J., Yang, Z., Liu, S., Wang, Z., & Yang, S. (2015). Preparation of a reduced graphene oxide/zirconia nanocomposite and its application as a novel lubricant oil additive. *RSC Advances*, 5(111), 91802-91812.
- Zhu, C., Guo, S., Fang, Y., & Dong, S. (2010). Reducing sugar: new functional molecules for the green synthesis of graphene nanosheets. *ACS nano*, 4(4), 2429-2437.
- Zou, W., Zhao, L., & Zhu, L. (2013). Adsorption of uranium (VI) by grapefruit peel in a fixed-bed column: experiments and prediction of breakthrough curves. *Journal of Radioanalytical and Nuclear Chemistry*, 295(1), 717-727.
- Zulfadhly, Z., Mashitah, M. D., & Bhatia, S. (2001). Heavy metals removal in fixed-bed column by the macro fungus *Pycnoporus sanguineus*. *Environmental Pollution*, 112(3), 463-470.