

## *List of Figures*

---

<b>Figure 1.1</b> Sources of water pollution.	4
<b>Figure 1.2</b> Schematic Diagram of various types of contaminants present in water.	5
<b>Figure 1.3</b> Sources of fluoride Contamination	9
<b>Figure 1.4</b> Sources of lead contamination	11
<b>Figure 1.5</b> Schematic presentation of reduced-dimensional systems	48
<b>Figure 1.6.</b> Typical scanning electron microscope (SEM) and transmission electron microscope (TEM) image of different types of 0D NSMs, which is synthesized by several research groups. (A) Quantum dots [20], (B) nanoparticles arrays, (C) core-shell nanoparticles, (D) hollow cubes, and (E) nanospheres	49
<b>Figure 1.7</b> Typical SEM image of different types of 1D NSMs, which is synthesized by several research groups. (A) Nanowires, (B) nanorods, (C) nanotubes, (D) nanobelts, (E) nanoribbons, and hierarchical nanostructures.	49
<b>Figure 1.8</b> SEM and TEM image of different kinds of 2D NSMs (A) Junctions (continuous islands), (B) branched structures, (C) nanoplates, (D) nanosheets, (E) nanowalls, and (F) nanodisks.	50
<b>Fig 1.9</b> Typical SEM and TEM image of different kinds of 3D NSMs, which is synthesized by our and several research groups. (A) Nanoballs (dendritic structures) (B) nanocoils, (C) nanocones, (D) nanopillers and (E) nanoflowers	51
<b>Figure 1.10</b> Different allotrope of carbon derived from the graphene sheets	68
<b>Figure 1.11</b> Schematic diagram of preparation of GO.	69
<b>Figure 1.12</b> Schematic representation of the graphene and graphene oxide	69
<b>Figure 2.1</b> Bragg's law of diffraction.	79
<b>Figure 2.2</b> Continuous up-flow fixed-bed column experimental setup	97
<b>Figure 2.3</b> A typical schematic diagram of breakthrough curve	100
<b>Figure 3.1</b> FT-IR spectra of GO, ZrO <sub>2</sub> , and rGO/ZrO <sub>2</sub>	111
<b>Figure 3.2</b> XRD pattern of GO rGO, ZrO <sub>2</sub> and rGO/ZrO <sub>2</sub>	112
<b>Figure 3.3a</b> Wide scan XPS spectra of rGO/ZrO <sub>2</sub>	113
<b>Figure 3.3b</b> Wide scan XPS spectra of rGO/ZrO <sub>2</sub> after fluoride adsorption	114
<b>Figure 3.3c</b> Core level C1s spectrum of GO	115
<b>Figure 3.3d</b> Core level C1s spectrum of rGO/ZrO <sub>2</sub>	115

---

<b>Figure 3.3e</b> Core level Zr3d spectrum of rGO/ZrO <sub>2</sub>	116
<b>Figure 3.4 (a)</b> SEM image GO	117
<b>Figure 3.4 (b)</b> SEM image of rGO/ZrO <sub>2</sub> at low magnification	118
<b>Figure 3.4 (c)</b> SEM image of rGO/ZrO <sub>2</sub> at high magnification	118
<b>Figure 3.5</b> EDX spectrum (d) GO (e) rGO/ZrO <sub>2</sub> (f) rGO/ZrO <sub>2</sub> after fluoride removal	119
<b>Figure 3.6</b> Elemental mapping of C, O and Zr	120
<b>Figure 3.7</b> Raman analysis of GO and rGO/ZrO <sub>2</sub>	121
<b>Figure 3.8</b> N <sub>2</sub> adsorption desorption isotherm of rGO/ZrO <sub>2</sub>	122
<b>Figure 3.9</b> pHzpc curve of the rGO/ZrO <sub>2</sub>	123
<b>Figure 3.10</b> Effect of pH on uptake capacity	124
<b>Figure 3.11</b> Effect of contact time and dose on uptake capacity	128
<b>Figure 3.12</b> Effect of fluoride concentration and temperature on uptake capacity	130
<b>Figure 3.13</b> Pseudo-First-order kinetic model	132
<b>Figure 3.14</b> Pseudo-Second-order kinetic model	132
<b>Figure 3.15</b> Mass transfer plot at different rGO/ZrO <sub>2</sub> dose	133
<b>Figure 3.16</b> Intraparticle diffusion plot at different rGO/ZrO <sub>2</sub> dose	134
<b>Figure 3.17</b> Richenberg diffusion plot at different rGO/ZrO <sub>2</sub> dose	135
<b>Figure 3.18</b> Freundlich isotherm plots at different temperatures	138
<b>Figure 3.19</b> Langmuir isotherm plots at different temperatures	139
<b>Figure 3.20</b> D-R isotherm plots at different temperatures	140
<b>Figure 3.21</b> Van't Hoff plot for the adsorption of fluoride on the rGO/ZrO <sub>2</sub>	142
<b>Figure 4.1</b> Breakthrough curve for fluoride adsorption at different bed heights	147
<b>Figure 4.2</b> Breakthrough curve for fluoride adsorption at different flow rates	148
<b>Figure 4.3</b> Breakthrough curve for fluoride adsorption at different Fluoride concentration	150

---

<b>Figure 4.4</b> Bed depth service time plot for fluoride adsorption onto rGO/ZrO <sub>2</sub> Nanocomposite	153
<b>Figure 4.5</b> Adsorption curve according to Thomas model	155
<b>Figure 4.6</b> Adsorption model according to Yoon–Nelson model	156
<b>Figure 4.7</b> Breakthrough curves for fluoride adsorption onto rGO/ZrO <sub>2</sub> during three adsorption-desorption cycles	159
<b>Figure 4.8</b> Linear plot of breakthrough time and fluoride uptake and critical bed length with respect to the number of cycles	161
<b>Figure 5.1</b> Schematic representation of synthesis of Graphene oxide/magnesium oxide GO/MgO nanocomposite	165
<b>Figure 5.2</b> FT-IR spectra of GO, MgO and GOMO	167
<b>Figure 5.3</b> XRD pattern of GO, MgO, and GOMO	168
<b>Figure 5.4a</b> Wide scan XPS spectra of GOMO before and after adsorption	169
<b>Figure 5.4b</b> Core level C1s spectrum of GO	170
<b>Figure 5.4c</b> Core level Mg2p spectrum of Mg	170
<b>Figure 5.5a</b> SEM image GO	171
<b>Figure 5.5b</b> SEM image GO/MgO	172
<b>Figure 5.5c</b> Low resolution SEM image GO/MgO	172
<b>Figure 5.5d</b> High resolution SEM image GO/MgO	173
<b>Figure 5.6a</b> EDS spectrum GO	174
<b>Figure 5.6b</b> EDX spectrum GO/MgO	174
<b>Figure 5.6c</b> EDX spectrum GO/MgO after lead adsorption	175
<b>Figure 5.7</b> (a-c) Elemental Mapping analysis of C,O and Mg	176
<b>Figure 5.8</b> Raman spectra of GO and GOMO	177
<b>Figure. 5.9</b> BET curve of GO and GOMO	178
<b>Figure 5.10</b> pHzpc curve	179
<b>Figure 5.11</b> Effect of pH on the adsorption performance	180

---

<b>Figure 5.12</b> Schematic diagram representing the interaction of GO with lead	182
<b>Figure 5.13</b> XRD pattern of GO/MgO after lead adsorption	184
<b>Figure 5.14</b> Core level XPS spectrum of Pb4f	184
<b>Figure 5.15</b> Effect of contact time and GO/MgO dose on uptake capacity	186
<b>Figure 5.16</b> Effect of initial lead concentration and temperature on uptake capacity	187
<b>Figure 5.17</b> Pseudo-First-order kinetic plot	189
<b>Figure 5.18</b> Pseudo-second-order kinetic plot	189
<b>Figure 5.19</b> Maas transfer kinetic plot	190
<b>Figure 5.20</b> Intraparticle diffusion plot	192
<b>Figure 5.21</b> Richenberg Model plot	193
<b>Figure 5.22</b> Freundlich Isotherm Plot	196
<b>Figure 5.23</b> Langmuir Isotherm Plot	197
<b>Figure 5.24</b> D-R Isotherm Plot	198
<b>Figure 5.25</b> Van't Hoff plot	201
<b>Figure 6.1</b> Breakthrough curve for lead adsorption at different bed heights	205
<b>Figure 6.2</b> Breakthrough curve for lead adsorption at different flow rate	207
<b>Figure 6.3</b> Breakthrough curve for lead adsorption at different lead concentration	208
<b>Figure 6.4</b> Bed depth service time plot for lead adsorption onto GO/MgO	210
<b>Figure 6.5</b> Adsorption curve according to Thomas model	214
<b>Figure 6.6</b> Adsorption curve according to Yoon-Nelson model	215
<b>Figure 6.7</b> Breakthrough curves for lead adsorption onto GO/MgO during three adsorption-desorption cycles	218
<b>Figure 6.8</b> Linear plot of breakthrough time and lead uptake and critical bed length with respect to the number of cycles	220