

Contents

TOPICS

| | Page No. |
|---|-------------|
| List of Figures | (i-vi) |
| List of Tables | (vii) |
| Preface | (viii-xv) |
| Chapter-I Introduction and Literature Review | 1-31 |
| 1.1 Dental Ceramics | 1 |
| 1.2 History of Dental Ceramics | 1 |
| 1.3 History of Dental Ceramics | 4 |
| 1.4 Metal-Ceramic Restorations | 6 |
| 1.5 Metal-Ceramic Restorations | 6 |
| 1.6 Clinical Failure of All-Ceramic Crowns | 8 |
| 1.7 Components of metal ceramic restoration | 8 |
| 1.7.1 Metal substructure | 9 |
| 1.7.2 Oxide layer | 9 |
| 1.7.3 Opaque layer | 9 |
| 1.7.4 Dentin porcelain layer | 9 |
| 1.7.5 Enamel porcelain layer | 10 |
| 1.7.6 External glaze | 10 |
| 1.8 Classification of dental porcelains | 10 |
| 1.9 Chemical components of dental porcelain | 11 |
| 1.9.1 Feldspar ($K_2O Al_2O_3 6SiO_2$) | 11 |

| | |
|---|-----------|
| 1.9.2 Quartz (SiO ₂) | 11 |
| 1.9.3 Alumina (Al ₂ O ₃) | 11 |
| 1.9.4 Kaolin (Al ₂ O ₃ -2SiO ₂ .2H ₂ O) | 12 |
| 1.10 Verities of low fusing porcelain for metal-ceramic Restoration | 12 |
| 1.10.1 Opaque porcelains | 12 |
| 1.10.2 Dentine porcelains | 13 |
| 1.10.3 Enamel porcelains | 13 |
| 1.10.4 Translucent porcelains | 13 |
| 1.10.5 Modifiers | 13 |
| 1.10.6 Stains and glazes | 14 |
| 1.11 Porcelain and glass-ceramic application on metals | 15 |
| 1.12 Heat treatment of dental porcelain | 15 |
| 1.13 Advantages and disadvantage of metal ceramics restoration | 17 |
| 1.14 Dental ceramics for PFM bonding | 17 |
| 1.15 Mechanochemical synthesis | 19 |
| 1.16 Leucite (K ₂ O Al ₂ O ₃ 2SiO ₂) | 20 |
| 1.16.1 Synthesis of leucite glass-ceramics | 21 |
| 1.17 Kalsilite (K ₂ O Al ₂ O ₃ SiO ₂) | 23 |
| 1.17.1 Synthesis of Kalsilite | 25 |
| 1.18 Bioactive Glasses | 25 |
| 1.19 Low temperature glass frit (LTF) | 27 |
| 1.20 Bioactive glass-ceramic composites for dental applications | 27 |

| | |
|---|--------------|
| Chapter II Objective of the Work | 32-33 |
| Statement of the problem | 34 |
| Chapter III Experimental Techniques | 35-62 |
| 3.1 Preparation of leucite using mechanochemical synthesis route | 36 |
| 3.2 Preparation of LTF | 37 |
| 3.3 Preparation and heat treatment of samples containing different wt. ratio of mechanochemically derived leucite and LTF | 38 |
| 3.4 Preparation of kalsilite using mechanochemical synthesis route | 39 |
| 3.5 Preparation and heat treatment of samples containing different wt. ratio of mechanochemically derived kalsilite and LTF | 40 |
| 3.6 Preparation of Bioglass | 40 |
| 3.7 Preparation of bioactive leucite/kalsilite based glass-ceramic composites | 41 |
| 3.8 Formulation of Al ₂ O ₃ added leucite based glass-ceramic composites | 43 |
| 3.9 Characterizations | 43 |
| 3.9.1 Powder X-ray diffraction (XRD) | 43 |
| 3.9.2 Coefficient of thermal expansion (CTE) using dilatometer | 47 |
| 3.9.3 Scanning electron microscope (SEM) | 48 |
| 3.9.4 Flexural strength testing | 50 |
| 3.9.5 Weibull statistical analysis | 52 |
| 3.9.6 Flame photometer for ion (alkali and alkaline earth ions) leachability test | 52 |
| 3.9.7 Fourier transforms infrared spectroscopy (FTIR) | 56 |
| 3.9.8 Bioactivity | 57 |
| 3.9.9 Cell lines and cell culture | 58 |

| | |
|--|-----------|
| 3.9.10 Cell viability assay | 58 |
| 3.9.11 Cell proliferation assay | 59 |
| 3.9.12 In-vitro cytotoxicity assay | 59 |
| 3.9.13 Detection of apoptosis | 60 |
| 3.9.14 Hemolysis assay | 60 |
| 3.9.15 SEM evaluation of cell morphology | 61 |
| 3.9.16 Statistical analysis | 61 |
| 3.9.17 Bulk density (BD) and Apparent porosity (AP) | 62 |

Chapter IV Results and Discussion

4.1 Mechanochemically Synthesized Leucite for Dental Veneering

| | |
|---|--------------|
| Glass Ceramics | 63-80 |
| 4.1.1 Phase analysis | 63 |
| 4.1.2 Coefficient of thermal expansion (CTE) | 67 |
| 4.1.3 Microstructure | 68 |
| 4.1.4 Flexural strength | 70 |
| 4.1.5 Ion leachability and surface morphology | 73 |
| 4.1.6 Summary of the results | 79 |

4.2 Mechanochemically Synthesized Kalsilite:

| | |
|---|--------------|
| Implementation as Dental Porcelain with Low Temperature Frit | 77-93 |
| 4.2.1 Phase analysis | 81 |
| 4.2.2 Coefficient of thermal expansion (CTE) | 86 |
| 4.2.3 Flexural strength | 88 |
| 4.2.4 Bulk density (BD) and apparent porosity (AP) | 89 |

| | |
|--|----------------|
| 4.2.5 Microstructure | 90 |
| 4.2.6 Ion leachability and surface morphology | 92 |
| 4.2.7 Summary of the results | 98 |
| 4.3 Mechanochemically synthesized leucite/kalsilite based bioactive glass ceramic composite for dental veneering | 99-116 |
| 4.3.1 Phase analysis | 99 |
| 4.3.2 Coefficient of thermal expansion | 102 |
| 4.3.3 Flexural strength | 103 |
| 4.3.4 Interface layer of the composites and the substrate | 105 |
| 4.3.5 Bioactivity in SBF | 106 |
| 4.3.6 Effect of composite materials on viability and cellular growth inhibition | 111 |
| 4.3.7 Apoptosis study | 112 |
| 4.3.8 Culture of SCC-25 cells on leucite and kalsilite glass–ceramic composites | 114 |
| 4.3.9 Summary of the results | 117 |
| 4.4 Effect of Al₂O₃ on leucite based bioactive glass-ceramic composite for dental veneering | 118-131 |
| 4.4.1 Phase analysis | 118 |
| 4.4.2 Microstructure | 120 |
| 4.4.3 Coefficient of thermal expansion | 123 |
| 4.4.4 Bulk density (BD) and apparent porosity (AP) | 124 |
| 4.4.5 Flexural strength | 125 |
| 4.4.6 Culture of SCC-25 cells on glass–ceramic composites | 126 |
| 4.4.7 Summary of the results | 131 |

Chapter V Conclusion and Scope for the Future Work **132-135**

8.1 Conclusion **132**

8.2 Scope for the future work **135**

References **136-154**

Outcomes of the thesis

(a) List of Publications in International Journals

(b) List of Research Papers in International and National Conferences