

Abe K., Murakami Y. and Tatsumi A. "Enzyme linking to DNA aptamers via a zinc finger as a bridge", *Chem. Commun.*, **51** (2015) 11467–11469.

Adlim M., Bakar M.A., Liew K.Y. and Ismail J., "Synthesis of chitosan stabilized platinum and palladium nanoparticles and their hydrogenation activity", *J Mol Catalysis A: Chemical*, **212** (2004) 141-149.

Ahmad R. and Sardar M., "Enzyme Immobilization: An Overview on Nanoparticles as Immobilization Matrix", *Biochemistry & Analytical Biochemistry*, **4** (2015)1000178-1000186.

Akbulut, D., Grant, K. A., and McLauchlin, J. "Development and application of real-time PCR assays to detect fragments of the Clostridium botulinum types A, B, and E neurotoxin genes for investigation of human foodborne and infant botulism", *Foodborne Pathog. Dis.*, **1** (2004) 247–257.

Alberts B., Johnson A., Lewis J., Martin R., Roberts K. and Walter P., "The cell Molecular Biology of the Cell", 4th edition New York: Garland Science, 2002.

Amin S., Soomro M.T., Memon N., Solangi A.R., Qureshi T. and Behzad A.R., "Disposable screen printed graphite electrode for the direct electrochemical determination of ibuprofen in surface water", *Environ Nanotech Monito & Manage.*, **1-2** (2014) 8-13.

Aoki H. and Tao H., "Gene sensors based on peptide nucleic acid (PNA) probes: relationship between sensor sensitivity and probe/target duplex stability", *The Analyst*, **130** (2005) 1478–1482.

Bardea A., Patolsky F., Dagan A. and Willner I., "Sensing and amplification of oligonucleotide – DNA interactions by means of impedance spectroscopy-a route to tay sachs sensor", *Chem Commun.*, **1** (1999) 21-22.

Bahadir E.B. and Sezgin M.K., "Applications of commercial biosensors in clinical, food, environmental, and biothreat/biowarfare analyses", *Analytical Biochemistry*, **478** (2015) 107–120.

Banik R.M., and Prakash R., "Microbial biosensor based on whole cell of Pseudomonas sp. for online measurement of p-nitrophenol", *Sens. Actuators B: Chem.*, **131** (2008) 295–300.

Barbuddhe S.B., Maier T., Schwarz G., Kostrzewa M., Hof H., Chakraborty T. and Hain T., "Rapid identification and typing of Listeria species by matrix-assisted laser desorption ionization-time of flight mass spectrometry", *Appl. Environ. Microbiol.*, **74** (2008) 5402–5407.

Bartlett P.N., Dawson D.H. and Farrington J., "Electrochemically polymerised films of 5-carboxyindole preparation and properties", *J. Chem. Soc. Faraday Trans.*, **88** (1992) 2685–2695.

- Bhattacharya S., Salamat S., Morisette D., Banada P., Akin D., Liu Y.S., Bhunia A.K., Ladisch M. and Bashir R., "PCR-based detection in a micro-fabricated platform", *Lab Chip*, **8** (2008) 1130–1136.
- Behera T.K., Sahu S.C., Satpati B., Bag B., Sanjay K., and Jena B.K., "Branched Platinum Nanostructures on Reduced Graphene: An excellent Transducer for Nonenzymatic Sensing of Hydrogen Peroxide and Biosensing of Xanthine", *Electrochimica Acta*, **206** (2016) 238–245.
- Berchmans S., Karthikeyan R., Gupta S., Poinern G. E. J., Issa T. B. and Singh P., "Glassy carbon electrode modified with hybrid films containing inorganic molybdate anions trapped in organic matrices of chitosan and ionic liquid for the amperometric sensing of phosphate at neutral pH", *Sens. Actuators B.*, **160** (2011) 1224–1231.
- Besinis A., Peralta T.D., Tredum C.J. and Handy R.D., "Review of nanomaterials in dentistry: Interaction with the oral Microinteraction clinical applications, Hazards, and benefits", *ACS Nano*, **9** (2015) 2255-2289.
- Bifulco L., Ingianni A. and Pompei R., "An internalin a probe-based genosensor for *Listeria monocytogenes* detection and differentiation", *BioMed research international*, **2013** (2013) 640163-640169.
- Bi H. and Duarte CM., "Performance enhanced UV/vis spectroscopic microfluidic sensor for ascorbic acid quantification in human blood", *Biosens bioelectron.*, **85**(2016) 568-572.
- Bonanni A. and Del Valle M., "Use of nanomaterials for impedimetric DNA sensors: A review", *Analytica Chimica Acta*, **678** (2010) 7–17.
- Borisov S.M. and Wolfbeis O.S., "Optical biosensors", *Chemical Reviews*, **108** (2008)423–461.
- Byrne B., Stack E., Gilmartin N., and O’Kennedy R., "Antibody-based sensors: Principles, problems and potential for detection of pathogens and associated toxins", *Sensors (Switzerland)*, **9** (2009) 4407–4445.
- Carter K.P., Young A.M., and Palmer A.E., "Fluorescent Sensors for Measuring Metal Ions in Living Systems", *Chem Rev.*, **114** (2014) 4564-4601.
- Castañeda M.T., Merkoçi A., Pumera M., and Alegret S., "Electrochemical genosensors for biomedical applications based on gold nanoparticles", *Biosens. Bioelectron.*, **22** (2007) 1961–1967.
- Chan K.Y., Ye W.W. and Zhang Y., "Ultrasensitive detection of *E. coli* O157:H7 with biofunctional magnetic bead concentration via nanoporous membrane based electrochemical immunosensor", *Biosens Bioelectron.*, **41** (2013) 532–537.
- Chen W.T., Hendrickson R.L., Huang C.P., Sherman D., Geng, T., Bhunia A.K. and Ladisch, M.R., "Mechanistic study of membrane concentration and recovery of *Listeria monocytogenes*", *Biotechnol. Bioeng.*, **89** (2004) 263–273.

Chen A. and Chatterjee S., "Nanomaterials based electrochemical sensors for biomedical applications", *Chem Soc Rev.*, **42** (2013) 5425-5438.

Chen L., Zheng H., Zhu X., Guo L., Qiu B., Chen G. and Chen Z., "Metal-organic frameworks-based biosensor for sequence-specific recognition of double-stranded DNA", *Analyst*, **138** (2013) 3490–3493.

Cheng X. R., Hau B. Y. H., Endo T. and Kerman K., "Au nanoparticle-modified DNA sensor based on simultaneous electrochemical impedance spectroscopy and localized surface plasmon resonance", *Biosens. Bioelectron.*, **53** (2014) 513–518.

Chiu N.F., Fan S.Y., Yang C.D., and Huang T.Y., "Carboxyl-functionalized graphene oxide composites as SPR biosensors with enhanced sensitivity for immunoaffinity detection", *Biosens. Bioelectron.*, (2016) In Press.

Choosakoonkiang S., Wiethoff C.M., Anchor doquy T.J., Koe G.S., Smith J.G. and Middaugh C.R., "Infrared spectroscopic characterization of the interaction of cationic lipids with plasmid DNA", *J Biol Chem.*, **276** (2001) 8037–8043.

Churchill R. L. T., Lee H. and Hall J. C., "Detection of *Listeria monocytogenes* and the toxin listeriolysin O in food", *J. Microbiol. Methods*, **64** (2006) 141–170.

Constantin Diculescu V., Chiorcea Paquim A.M., and Maria Oliveira Brett A., "Electrochemical DNA Sensors for Detection of DNA Damage", *Sensors*, **5** (2005)377–393.

Costa-Junior D. S., Pereira E. M. M. and Mansoor H. S. "Properties and biocompatibility of chitosan films modified by blending with PVA and chemically crosslinked", *J.Mater. Sci.: Mater. Med.*, **20** (2009) 553–561.

Crulhas B.R., Ramos N.P., Basso C.R., Costa V.E., Castro G.R., and Pedrosa V.A., "Fabrication and characterization of ferrocene containing hydrogel for glucose biosensor application", *International Journal of Electrochemical Science*, **9** (2014) 7596–7604.

Datta A.R., Laksanalamai P. and Marianne S., "Recent developments in molecular sub-typing of *Listeria monocytogenes*", *Food Addit. Contam.* **30** (2013)1437–1445.

Deng J. and Toh C.S., "Impedimetric DNA biosensor based on a nanoporous alumina membrane for the detection of the specific oligonucleotide sequence of dengue virus", *Sensors (Basel, Switzerland)*, **13** (2013) 7774–7785.

Drummond T.G., Hill M.G., and Barton J.K., "Electrochemical DNA sensors", *Nature Biotechnology*, **21**(2003) 1192–1199.

Estrada-Leypon O., Moya A., Guimera A., Gabriel G., Aquit M., Sanchez B. and Borros S., "Simultaneous monitoring of *Staphylococcus aureus* growth in a multi-parametric platform using microscopy and impedance spectroscopy", *Bioelectrochemistry*. **105** (2015) 56-64.

- Farabullini F., Lucarelli F., Palchetti I., Marrazza G., Mascini M., "Disposable electrochemical genosensor for the simultaneous analysis of different bacterial food contaminants", *Biosens. Bioelectron.*, **22** (2007) 1544–1549.
- Fei D., Li S., Ciorra C., and Ge Y., "Advanced Nanoparticles in Medical Biosensors", In *Biosensor Nanomaterials*. Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany, 2011, 37–55.
- Feng B. and Liu Y., "A Disposable Cholesterol Enzyme Biosensor Based on Ferrocene-Capped Gold Nanoparticle Modified Screen-Printed Carbon Electrode", *Int. J. Electrochem. Sci.*, **10** (2015) 4770–4778.
- Galandová J. and Labuda J., "Polymer interfaces used in electrochemical DNA-based biosensors", *Chemical Papers*, **63** (2009) 1–14.
- Gao Z.-D., Qu Y., Li T., Shrestha N.K., and Song Y.-Y., "Development of amperometric glucose biosensor based on Prussian Blue functionalized TiO₂ nanotube arrays.", *Scientific reports*, **4** (2014) 6891-6898.
- Gao H.W., Qin P., Lin C., Shang Z.M., Sun, W., "Electrochemical DNA biosensor for the detection of *Listeria monocytogenes* using toluidine blue as a hybridization indicator", *J. Iran. Chem. Soc.* **7** (2010) 119–127.
- Gatoo M.A., Naseem S., Arfat M.Y., et al., "Physicochemical properties of nanomaterials: implication in associated toxic manifestations", *BioMed research international*, **2014** (2014) 498420-498428.
- Garrec N., Picard-Bonnaud F., Pourcher A.M., "Occurrence of *Listeria* sp. and *L.monocytogenes* in sewage sludge used for land application: Effect of dewatering, liming and storage in tank on survival of *Listeria* species", *FEMS Immunol. Med. Microbiol.*, **35** (2003) 275–283.
- Geng P., Zhang X., Teng Y., Fu Y., Xu L., Xu M., Jin L., "A DNA sequence-specific electrochemical biosensor based on alginate acid-coated cobalt magnetic beads for the detection of *E. Coli*", *Biosens Bioelectron.*, **26** (2011) 3325–3330.
- Gerard M., Chaubey A., and Malhotra B.D., "Application of conducting polymers to biosensors", *Biosens. Bioelectron.*, **17** (2002) 345–359.
- Germano J., Martins V. C., Cardoso F. A., Almeida T. M., Sousa L., Freitas P. P. and Piedade M. S., "A Portable and Autonomous Magnetic Detection Platform for Biosensing", *Sensors*, **9** (2009) 4119–4137.
- Guan J.-G., Miao Y.-Q., and Zhang Q.J., "Impedimetric biosensors", *Journal of bioscience and bioengineering*, **97** (2004) 219–226.
- Giusti M.D., Tufi D., Aurigemma C., Cimmuto A.D., Trinti F., Mannocci A. and Boccia A., "Detection of *Escherichia coli* O157 in raw and cooked meat: comparison of conventional direct

culture method and Enzyme Linked Fluorescent Assay (ELFA)", *Indian J Public Health.*, **8** (2011) 22-28.

Guan H., Yu J. and Chi D., "Label free colorimetric sensing of melamine based on chitosan stabilized gold nanoparticles probes", *Food Control.*, **32** (2013) 35-44.

Gheorghe M. and Guiseppi-Elie A. "Electrical frequency dependent characterization of DNA hybridization" *Biosens. Bioelectron.* **19** (2003) 95–102.

Guo X., Kulkarni A., Doepke A., Halsall H.B., Suri I., Heineman W.R., "Carbohydrate-Based Label-Free Detection of *Escherichia coli* ORN 178 using Electrochemical Impedance Spectroscopy", *Anal Chem.*, **84** (2012) 241–246.

Gupta S., Prakash R. and McGilvray K.L., "Photochemically assisted formation of silver nanoparticles by dithizone, and its application in amperometric sensing of cefotaxime", *Journal of Materials Chemistry C*, **2** (2014) 6859-6866.

Gupta S, Singh A.K., Jain R.K., Chandra R., Prakash R., "Phenothiazine –capped gold nanoparticles: Photochemically assisted and application in electrosensing of phosphate ions", *Chem Electro Chem.*, **1** (2014) 793-798.

Gurunathan S. and Kim J.-H., "Synthesis, toxicity, biocompatibility, and biomedical applications of graphene and graphene-related materials", *International journal of nanomedicine*, **11**(2016) 1927–1945.

Gupta K, Soni D.K., Mishra S.K., Prakash R., Dubey S.K., "Label-free impedimetric detection of *Listeria monocytogenes* on poly 5-carboxy indole modified ssDNA probe", *J of Biotech.*, **200** (2015) 70-76.

Gupta K., Gupta S., Dubey S.K., Prakash R., "Genosensor based on nanostructured platinum modified glassy electrode for *Listeria* detection". *Anal Methods*, **7** (2015) 2616-2622.

Gupta S. and Prakash R., "Photochemically assisted formation of silver nanoparticles by dithizone and its application in amperometric sensing of cefotaxime" , *J. Mater. Chem. C*, **2** (2014) 6859–6866.

Gupta S.and Prakash R., "Photochemically mediated synthesis of a gold colloid by dithizone and its application in the amperometric sensing of thiocyanate", *Electroanalysis*, **26** (2014) 2337–2341.

Hayat A. and Marty J.L., "Disposable screen printed electrochemical sensors: Tools for environmental monitoring", *Sensors (Switzerland)*, **14** (2014) 10432–10453.

Hegde A., Bhat G.K, Mallya S., "Effect of stress on production of heat labile enterotoxin by *Escherichia coli*", *Indian J Med Microbiol.*, **27** (2009) 325-328.

Hodnik V., Anderluh G., "Toxin detection by Surface plasmon sensors", *Sensors (basel)*, **9** (2009) 1339-1354.

Holzinger M., Le Goff A., and Cosnier S., "Nanomaterials for biosensing applications: a review", *Frontiers in chemistry*, **2** (2014) 63-73.

Ikeda M., Yamaguchi N., and Nasu M., "Rapid On-chip flow Cytometric Detection of *Listeria monocytogenes* in Milk", *Journal of Health Science*, **55** (2009) 851–856.

Jadhav S., Bhave M., Palombo E.A., "Methods used for the detection and subtyping of *Listeria monocytogenes*", *J. Microbiol. Methods*, **88** (2012) 327–341.

Jadhav S., Sevier D., Bhave M., and Palombo E.A., "Detection of *Listeria monocytogenes* from selective enrichment broth using MALDI–TOF Mass Spectrometry", *Journal of Proteomics*, **97** (2014) 100–106.

Joanna M.L., Piotr G., Wegrzyn G., Wegrzyn A., Marcin L., "Simple Method for Plating *Escherichia coli* Bacteriophages Forming Very Small Plaques or No Plaques under Standard Conditions", *Appl Environ Microbiol.*, **74** (2008) 5113–5120.

Jollymore A., Johson M.S., Hawthorne I., "Submersible UV-Vis Spectroscopy for Quantifying Streamwater Organic Carbon Dynamics: Implementation and Challenges before and after Forest Harvest in a Headwater Stream", *Sensors(Basel)*, **12** (2012) 3798–3813.

Joshi L., Prakash R., "Synthesis of conducting poly (5-carboxyindole)/Au nanocomposite: investigation of structural and nanoscale electrical properties" , *Thin Solid Films*, **534** (2013) 120–125.

Juskowiak B., "Nucleic acid-based fluorescent probes and their analytical potential", *Analytical and bioanalytical chemistry*, **399** (2011) 3157–3176.

Kashish, Sandeep Gupta S.K.D. and R.P., "Genosensor based on a nanostructured, platinum modified glassy carbon electrode for *Listeria* detection", *Analytical Methods*, **7** (2015).

Kafka J., Panke O., Abendroth B., Lisdat F., "A label free DNA sensor based on impedance spectroscopy", *Electrochim Acta.*, **53** (2008) 7467-7474.

Kesik M., Kanik F.E. and Hizalan G. "A functional immobilization matrix based on a conducting polymer and functionalized gold nanoparticles: Synthesis and its application as an amperometric glucose biosensor", *Polymer (United Kingdom)*, **54** (2013) 4463–4471.

Kim D.C. and Kang D.J., "Molecular Recognition and Specific Interactions for Biosensing Applications", *Sensors*, **8** (2008) 6605–6641.

- Kleijn S. E. F., Lai S. C. S., Koper M. T. M. and Unwin P. R., "Electrochemistry at nanoparticles", *Angew. Chem., Int. Ed.*, **53** (2014) 3558–3586.
- Korri-Youssoufi H., Yassar A., "Electrochemical probing of DNA based on oligonucleotide-functionalized polypyrrole", *Biomacromolecules*, **2** (2001) 58–64.
- Kumar S., Sen A., Kumar S., et al., "Polyaniline modified flexible conducting paper for cancer detection", *Applied Physics Letters*, **108** (2016) 203702-203706.
- Kwon S. J. and Bard A. J., "DNA analysis by application of Pt nanoparticle electrochemical amplification with single label response". *J. Am. Chem. Soc.*, **134** (2012) 10777–10779.
- Kyoui D., Takahashi H., Miya S., Kuda T. and Kimura B., "Comparison of the major virulence-related genes of *Listeria monocytogenes* in Internalin A truncated strain 36-25-1 and a clinical wild-type strain." *BMC Microbiol.* **14** (2014) 15-19.
- Ladd J., Taylor A., and Jiang S., "SPR Biosensors for Food Safety", *Springer Ser Chem Sens Biosens.*, **4** (2006) 207–227.
- Law J.W.F., Ab Mutalib N.S., Chan K.G., and Lee L.H., "Rapid methods for the detection of foodborne bacterial pathogens: principles, applications, advantages and limitations", *Frontiers in microbiology*, **5** (2014) 770-788.
- Lee Y.Y., Parker S.G. and Barfidokht A., "A Ruthenium Based Organometallic Complex for Biosensing that is both a Stable Redox Label and a Homobifunctional Linker", *Electroanalysis*, **27** (2015) 1078–1085.
- Lei Y., Chen W. and Mulchandani A., "Microbial biosensors", *Analytica Chimica Acta*, **568** (2006) 200–210.
- Leitner G., Melamed D., Drabkin N., Heller Ed., "An enzyme-linked immunosorbent assay for detection of antibodies against *Escherichia coli*: association between indirect hemagglutination test and survival", *Avian Dis.*, **34** (1990) 58-62.
- Lee J.H., Kang S., Lee J.Y. and Jung J.H., "A tetrazole based metallogel induced with Ag + ion and its silver nanoparticle in catalysis", *Soft Matter.*, **8** (2012) 6557-6563.
- Li G., Li X., Wan, J., Zhang, S., "Dendrimers-based DNA biosensors for highly sensitive electrochemical detection of DNA hybridization using reporter probe DNA modified with Au nanoparticles", *Biosens. Bioelectron.*, **24** (2009) 3281–3287.
- Lisdat F. and Schäfer D., "The use of electrochemical impedance spectroscopy for biosensing", *Anal Bioanal Chem.*, **391**(2008) 1555–1567.
- Li, X., Xia, J. and Zhang, S., "Label-free detection of DNA hybridization based on poly (indole-5-carboxylic acid) conducting polymer", *Anal. Chim. Acta.*, **622** (2008) 104–110.

Li C. Z., Liu Y., and Luong J. H. T., "Impedance sensing of DNA binding drugs using gold substrates modified with gold nanoparticles", *Anal. Chem.*, **77** (2005) 478–485.

Ligaj M., Oczkowski T., Jasnowska J., Musiał W.G. and Filipiak M., "Electrochemical genosensors for detection of *L. monocytogenes* and genetically-modified components in food", *Pol. J. Food Nutr. Sci.*, **12** (2003) 61–63.

Li Y., Afrasiabi R., Fathi F., Wang N., Xiang C., Love R., She Z. and Kraatz H.B., "Impedance based detection of pathogenic *E. coli* O157:H7 using a ferrocene-antimicrobial peptide modified biosensor", *Biosens Bioelectron.*, **58** (2014) 193–199.

Li G., Li X., Wan J., and Zhang S., "Dendrimers-based DNA biosensors for highly sensitive electrochemical detection of DNA hybridization using reporter probe DNA modified with Au nanoparticles", *Biosens Bioelectron.*, **24** (2009) 3281–3287.

Li K., Lai Y., Zhang W., Jin L., "Fe₂O₃@Au core/shell nanoparticle based electrochemical DNA biosensor for *Escherichia coli* detection". *Talanta*, **84** (2010) 607-613.

Li H., Fang X., Cao H., and Kong J., "Paper-based fluorescence resonance energy transfer assay for directly detecting nucleic acids and proteins", *Biosens Bioelectron.*, **80** (2016) 79-83.

Li Q., Cheng W., Zhang D., Yu T., Yin Y., Ju H., and Ding S., "Rapid and Sensitive Strategy for Salmonella Detection Using an Inv A Gene-Based Electrochemical DNA Sensor", *Int. J. Electrochem. Sci.*, **7** (2012) 844–856.

Li S., Singh J., Li H., and Banerjee I.A., eds., *Biosensor Nanomaterials*, Wiley-VCH Verlag GmbH & Co. KGaA, Weinheim, Germany, 2011.

Li Y., Zhao M. and Chen J., "Flexible chitosan/carbon nanotubes aerogel, a robust matrix for in-situ growth and non-enzymatic biosensing applications", *Sensors and Actuators B: Chemical*, **232** (2016) 750–757.

Liu W., Sun S., Cao Z., Zhang X., Yao K., Lu W.W., Luk K.D., "An investigation on the physicochemical properties of chitosan/DNA polyelectrolyte complexes", *Biomaterials*, **26** (2005) 2705-2711.

Liu H.C., Tsai C.C. and Wang G.J., "Glucose biosensors based on a gold nanodendrite modified screen printed electrode", *Nanotechnology*, **24** (2013) 215101-215109.

Ligaj M., Oczkowski T., Jasnowska J., Musiał W.G., and Filipiak M., "Electrochemical genosensors for detection of *L. monocytogenes* and genetically-modified components in food and genetically-modified components in food", *Polish Journal of Food and Nutrition Sciences*, **12** (2003) 61–63.

Lin L., Liu Y., Tang L., and Li J., "Electrochemical DNA sensor by the assembly of graphene and DNA-conjugated gold nanoparticles with silver enhancement strategy", *The Analyst*, **136** (2011) 4732–4737.

Liu X.G., Xing X.J., Li B., et al., "Fluorescent assay for alkaline phosphatase activity based on graphene oxide integrating with λ exonuclease", *Biosensors and Bioelectronics*, **81** (2016) 460–464.

Low J.C., Davies R.C., and Donachie W., "Purification of listeriolysin O and development of an immunoassay for diagnosis of listeric infections in sheep", *Journal of clinical microbiology*, **30** (1992) 2705–2708.

Loukiadis E., Kerouredan M., Beutin L., Oswald E., Brugere H., "Characterisation of shiga toxin gene (stx)-*Escherichia coli* isolates from waste water of slaughter houses in France", *Appl Environ Microbiol.*, **72** (2006) 3245-3251.

Low J.C., Davies R.C., Donachie W., "Purification of listeriolysin O and development of an immunoassay for diagnosis of listeric infection in sheep", *J. Clin.Microbiol.*, **30** (1992) 2705–2708.

Mansouri S., Lavigne P., Corsi K., Benderdour M., Beaumont E., and Fernandes J.C., "Chitosan-DNA nanoparticles as non-viral vectors in gene therapy: Strategies to improve transfection efficacy", *European Journal of Pharmsmaceutics and Biopharmaceutics*, **57** (2004) 1–8.

Martin-Mateos P. and Crespo-Garcia S., "Remote diffuse reflectance spectroscopy sensor for tissue engineering monitoring based on blind signal separation", *Biomed Opt Express*, **1** (2014) 3231–3237.

Mao H.Q., Roy K. and Troung-Le V.L., "Chitosan-DNA nanoparticles as gene carriers: Synthesis, characterization and transfection efficiency", *Journal of Controlled Release*, **70** (2001) 399–421.

Mao S., Sun W., and Kissel T., "Chitosan-based formulations for delivery of DNA and siRNA", *Advanced Drug Delivery Reviews*, **62** (2010) 12–27.

Martins T.D., Carlos A., Ribeiro C., et al., "Chapter 5: New Insights on Optical Biosensors : Techniques, Construction and Application", *State of the Art in Biosensors - General Aspects*, (2013) 112–139.

Mao H.Q., Roy K., Troung-le V.L., Janes K.A., Wang Y., Lin K.Y., August J.T. and Leong K.W. "Chitosan-DNA nanoparticles as gene carriers: Synthesis, characterization and transfection efficiency", *J. Control Release*. **70** (2001) 399-421.

Mao S., Sun W. and Kissel T., "Chitosan-based formulations for delivery of DNA and siRNA." *Adv. Drug Delivery Rev.*, **82** (2010) 12–27.

Medintz I.L., Uyeda H.T., Goldman E.R., and Mattoussi H., "Quantum dot bioconjugates for imaging, labelling and sensing", *Nature Materials*, **4** (2005) 435–446.

Mehrotra P., "Biosensors and their applications – A review", *Journal of Oral Biology and Craniofacial Research*, **6** (2016) 1–7.

- Mejri M.B., Baccar H., Baldrich E., Del-Campo F.J., Helali S., Ktari T., Simonian A., Aouni M. and Abdelghani A., "Impedance biosensing using phages for bacteria detection: generation of dual signals as the clue for in-chip assay confirmation", *Biosens. Bioelectron.*, **26** (2010) 1261–1267.
- Meryam Sardar R.A., "Enzyme Immobilization: An Overview on Nanoparticles as Immobilization Matrix", *Biochemistry & Analytical Biochemistry*, **4** (2015) 1000178-1000186.
- Miodek A., Mejri-Omrani N., Khoder R., and Korri-Youssoufi H., "Electrochemical functionalization of polypyrrole through amine oxidation of poly (amidoamine) dendrimers: Application to DNA biosensor", *Talanta*, **154** (2016) 446–454.
- Minehan D.S., Marx K.A. and Tripathy S.K., "Kinetics of DNA binding to electrically conducting polypyrrole films." *Macromolecules*. **27** (1994) 777–783.
- Mohan S., Nigam P., Kundu S., Prakash R., "A label-free genosensor for BRCA1 related sequence based on impedance spectroscopy", *Analyst*, **135** (2010) 2887–2893.
- Mohan S., Srivastava P., Maheshwari S. N., Sundar S. and Prakash R., "Nano-structured nickel oxide based DNA biosensor for detection of visceral leishmaniasis (Kala-azar)", *Analyst*, **136** (2011) 2845–2851.
- Mook P., O'Brien S.J., Gillespie I.A., "Concurrent conditions and human Listeriosis", *Emerg. Infect. Dis.*, **17** (2011) 38–43.
- Moradi N., Mousavi M. F., Mehrgardi M. A. and Noori A., "Preparation of new electrochemical sensor for single base mismatch detection in DNA." *Anal. Methods*, **5** (2013) 6531–6538.
- Nakamura H., Shimomura-Shimizu M., and Karube I., "Development of microbial sensors and their application", *Advances in Biochemical Engineering/Biotechnology*, **109** (2007) 351–394.
- Nakamura H., Mogi Y., Akimoto T., Naemura K., Kato T., Yano K. and Karube I., "An enzyme chromogenic surface plasmon resonance biosensor probe for hydrogen peroxide determination using a modified Trinder's reagent", *Biosens Bioelectron.*, **24** (2008) 455–460.
- Nie G., Zhang Y., Guo Q., Zhang S., "Label-free DNA detection based on a novel nanostructured conducting poly (indole-6-carboxylic acid) films", *Sens. Actuators B: Chem.* **139** (2009) 592–597.
- Ochi S., Shimizu T., Ohtani K., Ichinose Y., Arimitsu H., Tsukamoto K., Kato M. and Tsuji T., "Nucleotide sequence analysis of the enterotoxigenic *Escherichia coli* Ent plasmid", *DNA Res.* **16** (2009) 299-309.

- Ohk S.H., Koo O.K., Sen T., Yamamoto C.M. and Bhunia A.K., "Antibody-aptamer functionalized fibre-optic biosensor for specific detection of *Listeria monocytogenes* from food", *J. Appl. Microbiol.*, **109** (2010) 808–817.
- Pachaury R., Godara A. and Kataria A.K., "Plasmid profiling and detection of ST and LT (enterotoxin) genes in *E. coli* isolates from diarrhoeic calves, kids and lambs", *ELBA Bioflux.*, **5** (2013) 14-20.
- Pandey P.C., Upadhyay S., and Sharma S., "TTF-TCNQ functionalized ormosil based electrocatalytic biosensor: A comparative study on bioelectrocatalysis", *Electroanalysis*, **15** (2003) 1115–1119.
- Pang D.W. and Abruna H. D., "Micro method for investigation of interactions between DNA and redox-active molecules", *Anal. Chem.*, **70** (1998) 3162–3169.
- Parkash M. and Skladal P., "Electrochemical Biosensors - Principles and Applications", *Journal of Applied Biomedicine*, (2008) 57–64.
- Patel M.K., Ali M.A., Zafaryab M., et al., "Biocompatible nanostructured magnesium oxide-chitosan platform for genosensing application", *Biosensors & bioelectronics*, **45** (2013) 181–188.
- Pauliukaite R., Malinauskas A., Zhylyak G., and Spichiger-Keller U.E., "Conductive organic complex salt TTF-TCNQ as a mediator for biosensors. An overview", *Electroanalysis*, **19** (2007) 2491–2498.
- Pejcic B, Marco RD, Parkinson G. "The role of biosensors in the detection of emerging infectious diseases", *Analyst*, **131** (2006)1079–1090.
- Peng H., Soeller C., Vigar N., Kilmartin P.A., Cannell M.B., Bowmaker G.A., Cooney, R.P., Travas-Sejdic J., "Label-free electrochemical DNA sensor based on functionalized conducting copolymer", *Biosens. Bioelectron.*, **20** (2005) 1821–1828.
- Peng L., Feng A., Huo M., Yuan J., "Ferrocene-based supramolecular structures and their applications in electrochemical responsive systems". *Chem Commun.*, **50** (2015) 13005-13014.
- Peng H., Zhang L., Soeller C., and Travas-Sejdic J., "Conducting polymers for electrochemical DNA sensing", *Biomaterials*, **30** (2009) 2132–2148.
- Perumal V. and Hashim U., "Advances in biosensors: Principle, architecture and applications", *Journal of Applied Biomedicine*, **12** (2014)1–15.
- Poltronieri P., de Balsi M.D., D'Urso O.F., "Detection of *Listeria monocytogenes* through real-time PCR and biosensor method", *Plant Soil Environ.*, **55** (2009) 363–369.

Prakash R., Srivastava R., Pandey P., "Copper(II) ion sensor based on electropolymerized undoped conducting polymers", *J. Solid State Electrochem.*, **6** (2002) 203–208.

Prestel H., Gahr a., Niessner R., "Detection of heavy metals in water by fluorescence spectroscopy: on the way to a suitable sensor system", *Fresenius J Anal Chem.*, **368** (2000)182–91.

Poh H.L., Bonanni A. and Pumera M., "Nanoporous carbon as a sensing platform for DNA detection: The use of impedance spectroscopy for hairpin-DNA based assay", *RSC Adv.*, **2** (2012) 1021–1024.

Putzbach W. and Ronkainen N.J., "Immobilization techniques in the fabrication of nanomaterial-based electrochemical biosensors: a review", *Sensors (Basel, Switzerland)*, **13** (2013) 4811–4840.

Radhakrishnan S. and Kim S.J., "An enzymatic biosensor for hydrogen peroxide based on one-pot preparation of CeO₂-reduced graphene oxide nanocomposite", *RSC Adv.*, **5** (2015) 12937–12943.

Rahman M.A., Kumar P., Park D., et al., "Electrochemical Sensors Based on Organic Conjugated Polymers", *Polymer*, **8** (2008) 118–141.

Ram S., Vajpayee P., Shankar R., "Culture-independent quantitative detection of enterotoxigenic *Escherichia coli* in surface waters by real-time PCR with molecular beacon", *Environ Sci Technol.*, **42** (2008) 4577–4582.

Randviir E.P., Metters J.P., Stainton J., and Banks C.E., "Electrochemical impedance spectroscopy versus cyclic voltammetry for the electroanalytical sensing of capsaicin utilising screen printed carbon nanotube electrodes", *The Analyst*, **138** (2013) 2970–2981.

Rao K. S. V. K., Naidu V. K., Subha M. C. S., Sairam M., and Aminabhavi T. M., "Novel chitosan –based PH –sensitive interpenetrating network microgels for the controlled release of cefadroxil", *Carbohydr. Polym.*, **66** (2006) 333–344.

Raofa M., Jans K., Bryce G., Ebrahim S., Lagae L. and Witrouw A., "Improving the selectivity by using different blocking agents in DNA hybridization assays for SiGe bio-molecular sensors", *Microelectron Eng.*, **111**(2013) 421–424.

Rahman M., Li X.-B., Lopa N., Ahn S. and Lee J.-J., "Electrochemical DNA Hybridization Sensors Based on Conducting Polymers", *Sensors*, **15** (2015) 3801–3829.

Rajkhowa S., Hussain I., Rajkhowa C., "Detection of heat-stable and heat-labile enterotoxin genes Of *Escherichia coli* in diarrhoeic faecal samples of mithun (*Bos frontalis*) calves by polymerase chain reaction", *J Appl Microbiol.*, **106** (2009) 455–458.

Ramjee Pallela, Pranjali Chandra, Hui-Bog Noh Y.B.S., "An amperometric nanobiosensor using a biocompatible conjugate for early detection of metastatic cancer cells in biological fluid", *Biosens. Bioelectron.*, **85** (2016) 883-890.

Redondo-Marugan J., Petit-Dominguez M.D., Casero E., et al., "Sol-gel derived gold nanoparticles biosensing platform for Escherichia coli detection", *Sensors and Actuators, B: Chemical*, **182** (2013) 307–314.

Reimhult E. and Hook F., "Design of surface modifications for nanoscale sensor applications", *Sensors (Basel, Switzerland)*, **15** (2015) 1635–1675.

Rioux R.M., Song H., Grass M., Habas S., Niesz K., Hoefelmeyer J.D., Yang P., Somorjai G.A. "Monodisperse platinum nanoparticles of well-defined shape: Synthesis, characterization, catalytic properties and future prospects", *Top Catal.*, **39** (2006) 167-174.

Richardson S.C.W., Kolbe H.V.J., and Duncan R., "Potential of low molecular mass chitosan as a DNA delivery system: Biocompatibility, body distribution and ability to complex and protect DNA", *International Journal of Pharmaceutics*, **178** (1999) 231–243.

Rodríguez A. and Valer E., "Immunosensors: Concepts and Structures for Fast and Accurate Sensing", *Herbicides - Advances in Research. In Tech*, 2013.

Rodríguez B.A.G., Trindade E.K.G. and Cabral D.G.A., "Nanomaterials for Advancing the Health Immunosensor, In *Biosensors - Micro and Nanoscale Applications*. InTech, 2015.

Rodríguez-Mozaz S., Marco M.-P., Lopez De Alda M.J., and Barceló D., "Biosensors for environmental applications: Future development trends", *Pure Appl. Chem.*, **76** (2004) 723–752.

Sadki, S., Schottland, P., Brodiec, N., Sabouraud, G., "The mechanisms of pyrrole electro-polymerization", *Chem. Soc. Rev.*, **29** (2000) 283–293.

Şenel M., Nergiz C., and Çevik E., "Novel reagentless glucose biosensor based on ferrocene cored asymmetric PAMAM dendrimers", *Sensors and Actuators, B: Chemical*, **176** (2013) 299–306.

Shi L., Liang G., Li X. and Liu X., "Label-free fluorescent sensor for detection of Pb²⁺ and Hg²⁺", *Anal. Methods*, **4** (2012) 1036–1040.

Sharma H., Mutharasan R., "Rapid and sensitive immunodetection of *Listeria monocytogenes* in milk using a novel piezoelectric cantilever sensor", *Biosens. Bioelectron.*, **45** (2013) 158–162.

Shimidzu T., "Functionalized conducting polymers for development of new polymeric reagents", *React. Polym. Ion Exch. Sorbents*, **6** (1987) 221–227.

- Singh A., Choudhary M., Singh M.P., Verma H.N., Singh S.P, Arora K., “DNA functionalized direct electro-deposited Gold nanoaggregates for efficient detection of *Salmonella typhi*”, *Bioelectrochemistry*, **105** (2015) 7-15.
- Soni D. K. and Dubey S. K., “Phylogenetic analysis of the *Listeria monocytogenes* based on sequencing of 16S rRNA and *hlyA* genes”, *Mol Biol. Rep.*, **41**(2014) 8219–8229.
- Son W.G., Graham T.A., Gannon V.P., “Immunological Characterization of *Escherischia coli* O157; H7 intimin gamma1”, *Clin Diag Lab Immunol.*, **1** (2002) 46-53.
- Srivastava M., Srivastava S.K, Nirala N.R. and Prakash R., “Chitosan based Polyaniline –Au Nanocomposite Biosensor for determination of Cholesterol”, *Anal Methods.*, **6** (2014) 817-824.
- Soni D.K., Singh R.K., Singh D.V., Dubey S.K., “Characterization of *Listeria monocytogenes* isolated from Ganges water, human clinical and milk samples at Varanasi, India”, *Infect. Genet. Evol.* **14** (2013) 83–91.
- Stephen Inbaraj B. and Chen B.H., "Nanomaterial-based sensors for detection of foodborne bacterial pathogens and toxins as well as pork adulteration in meat products", *Journal of Food and Drug Analysis*, **24** (2016)15–28.
- Stemmers F.J., Ferguson J.A., Walt D.R., “Screening unlabeled DNA targets with randomly ordered fiber optic gene arrays”, *Nat. Biotechnol.*, **18** (2000) 91–94.
- Tamer U., Seçkin A.İ., Temur E., et al., "Fabrication of Biosensor Based on Polyaniline/Gold Nanorod Composite", *International Journal of Electrochemistry*, **2011** (2011)1–7.
- Tang D., Yuan R., Chai Y., Dai J., Zhong X., Liu Y., “Ultrasensitive potentiometric immunosensor based on SA and OCA techniques for immobilization of HBsAb with colloidal Au and polyvinyl butyral as matrixes”, *Bioelectrochemistry*, **6** (2004) 15–22.
- Tang J., Lu M., and Tang D., “Target-initiated impedimetric proximity ligation assay with DNAzyme design for in situ amplified biocatalytic precipitation”, *Analyst*, **139** (2014) 2998–3001.
- Tegou E., Magana M. and Katsogridaki A.E., "Terms of endearment: Bacteria meet graphene nanosurfaces", *Biomaterials*, **89** (2016) 38–55.
- Thompson L.A., Kowalik J., Josowicz M., Janata J., “Label-free DNA hybridization sensor based on a conducting polymer”, *J. Am. Chem. Soc.*, **125** (2003) 324–325.
- Tolba M., Tlili M.U., Eichenseher C., Loessner, M.J., Zourob M., “A bacteriophage endolysin-based electrochemical impedance biosensor for the rapid detection of *Listeria* cells”, *Analyst*, **137** (2012) 5749–5756.

- Trnkova L., Adam V., Hubalek J., Babula P., and Kizek R., "Amperometric sensor for detection of chloride ions", *Sensors*, **8** (2008) 5619–5636.
- Velusamy V., Arshak K., Yang C.F., Yu L., Korostynska O., and Adley C., "Comparison Between DNA Immobilization Techniques on a Redox Polymer Matrix", *American Journal of Analytical Chemistry*, **2** (2011) 392–400.
- Wang Z. L., "Transmission Electron Microscopy of Shape-Controlled Nanocrystals and Their Assemblies", *J. Phys. Chem. B*, **104** (2000) 1153–2117.
- Wu L.W., Liu Q.J., Wu Z.W., Lu Z.H. "Electrochemical detection of toxin gene in *Listeria monocytogenes*", *Yi Chuan.*, **32** (2010) 512–516.
- Yamada K., Choi W., Lee I., Cho B.K., and Jun S., "Rapid detection of multiple foodborne pathogens using a nanoparticle-functionalized multi-junction biosensor", *Biosens Bioelectron.*, **77** (2016)137–143.
- Yang L., Banada P.P., Liu Y.S., Bhunia A.K. and Bashir R., "Conductivity and pH dual detection of growth profile of healthy and stressed *Listeria monocytogenes*", *Biotechnol. Bioeng.*, **92** (2005) 685–694.
- Yang L. and Bashir R., "Electrical/electrochemical impedance for rapid detection of foodborne pathogenic bacteria", *Biotechnol. Adv.*, **26** (2008) 135–150.
- Yan H., Wang Y., Qia H., Gao Q., Zhang C., "Electrogenerated chemiluminescence biosensor incorporating ruthenium complex-labelled Concanavalin A as a probe for the detection of *Escherichia coli*", *Biosens Bioelectron.* **35** (2012) 376–381.
- Yang T., Guan Q., Meng L., Yang R., Li Q., and Jao K., "A simple preparation method for large-area, wavy graphene oxide nanowalls and their application to freely switchable impedimetric DNA detection", *RSC Adv.*, **3** (2013) 22430–22435.
- Yang W., Ma Y., Tang J. and Yang X. "Green synthesis of monodisperse Pt nanoparticles and their catalytic properties", *Colloids Surf., A*, **302** (2007) 628–633.
- Zang F., Gerasopoulos K., Fan X.Z., Brown A.D., Culver J.N., and Ghodssi R., "Real-time monitoring of macromolecular biosensing probe self-assembly and on-chip ELISA using impedimetric microsensors", *Biosens Bioelectron.*, **81**(2016) 401–407.
- Zhang X., Ju H., Wang J., "Electrochemical Sensors, Biosensors and their Biomedical Applications", Elsevier, San Diego (2008)115-140.
- Zhang Y., Fu C., Liu L., Gong X., Zhang L., Zhu H., "Electrochemical measurement of *Clostridium tetani* using a reduced graphene oxide and polyaniline gold labeled nanoparticles probe", *Anal. Methods*, **6** (2014) 5771–5776.

Zhang Y., Zhang K. and Ma H., "Electrochemical DNA biosensor based on silver nanoparticles /poly(3-(3-pyridyl) acrylic acid)/carbon nanotubes modified electrode", *Anal. Biochem.*, **387** (2009)13–19.

Zhou L. Y., Zhang X. Y., Wang G. L., Jiao X. X., Luo H. Q. and Li N. B., "A simple and label-free electrochemical biosensor for DNA detection based on the super-sandwich assay", *Analyst*, **137** (2012) 5071–5075.

Ziegler C., "Biosensor development", *Current Opinion in Chemical Biology*, **2** (1998) 585–591.

Zunabovic M., Domigel K. J. and Kneifer W., "Practical relevance of methodologies for detecting and tracing of *Listeria monocytogenes* in ready to eat foods and manufacture environments", *LWT–Food Sci.Technol.*, **44** (2011) 351–362.