

---

---

---

---

## **REFERENCES**

---

- Ahmad, S., Kalra, A., & Stephen, H. (2010). Estimating soil moisture using remote sensing data: A machine learning approach. *Advances in Water Resources*, 33, 69-80
- Al-Shrafany, D., Rico-Ramirez, M., & Han, D. (2012). Calibration of Roughness Parameters using Rainfall Runoff Water Balance for Satellite Soil Moisture Retrieval. *Journal of Hydrologic Engineering*, 17, 704-714
- Augusteijn, M.F., Clemens, L.E., & Shaw, K. (1995). Performance evaluation of texture measures for ground cover identification in satellite images by means of a neural network classifier. *Geoscience and Remote Sensing, IEEE Transactions on*, 33, 616-626
- Baghdadi, N., King, C., Bourguignon, A., & Remond, A. (2002). Potential of ERS and Radarsat data for surface roughness monitoring over bare agricultural fields: Application to catchments in Northern France. *International Journal of Remote Sensing*, 23, 3427-3442
- Barrett, B.W., Dwyer, E., & Whelan, P. (2009). Soil moisture retrieval from active spaceborne microwave observations: An evaluation of current techniques. *Remote Sensing*, 1, 210-242
- Benediktsson, J.A., Sveinsson, J.R., Ersoy, O.K., & Swain, P.H. (1997). Parallel consensual neural networks. *IEEE Transactions on Neural Networks*, 8, 54-64
- Bertuzzi, P., CHAÀNZY, A., Vidal-Madjar, D., & Autret, M. (1992). The use of a microwave backscatter model for retrieving soil moisture over bare soil. *International Journal of Remote Sensing*, 13, 2653-2668
- Bouvet, A., Le Toan, T., & Lam-Dao, N. (2009). Monitoring of the rice cropping system in the Mekong Delta using ENVISAT/ASAR dual polarization data. *IEEE Transactions on Geoscience and Remote Sensing*, 47, 517-526
- Brown, S.C., Quegan, S., Morrison, K., Bennett, J.C., & Cookmartin, G. (2003). High-resolution measurements of scattering in wheat canopies-Implications for crop parameter retrieval. *IEEE Transactions on Geoscience and Remote Sensing*, 41, 1602-1610
- Bruckler, L., Witono, H., & Stengel, P. (1988). Near surface soil moisture estimation from microwave measurements. *Remote Sensing of Environment*, 26, 101-121
- Carreiras, J., Pereira, J., & Shimabukuro, Y.E. (2006). Land-cover mapping in the Brazilian Amazon using SPOT-4 vegetation data and machine learning classification methods. *Photogrammetric Engineering & Remote Sensing*, 72, 897-910
- Ceraldi, E., Franceschetti, G., Iodice, A., & Riccio, D. (2005). Estimating the soil dielectric constant via scattering measurements along the specular direction. *IEEE Transactions on Geoscience and Remote Sensing* 43, 295-305
- Chai, S.-S., Walker, J.P., Makarynskyy, O., Kuhn, M., Veenendaal, B., & West, G. (2009). Use of soil moisture variability in artificial neural network retrieval of soil moisture. *Remote Sensing*, 2, 166-190
- Chakraborty, M., Manjunath, K., Panigrahy, S., Kundu, N., & Parihar, J. (2005). Rice crop parameter retrieval using multi-temporal, multi-incidence angle Radarsat SAR data. *ISPRS Journal of Photogrammetry and Remote Sensing*, 59, 310-322

- Chang, D.-H., & Islam, S. (2000). Estimation of soil physical properties using remote sensing and artificial neural network. *Remote Sensing of Environment*, 74, 534-544
- Chauhan, N.S. (1997). Soil moisture estimation under a vegetation cover: Combined active passive microwave remote sensing approach. *International Journal of Remote Sensing*, 18, 1079-1097
- Chen, C., & McNairn, H. (2006). A neural network integrated approach for rice crop monitoring. *International Journal of Remote Sensing*, 27, 1367-1393
- Chen, C.T., Li, C.C., & Kao, C.H. (1991a). Senescence of rice leaves XXXI. Changes of chlorophyll, protein, and polyamine contents and ethylene production during senescence of a chlorophyll-deficient mutant. *Journal of Plant Growth Regulation*, 10, 201-205
- Chen, J., Lin, H., Liu, A., Shao, Y., & Yang, L. (2006). A semi-empirical backscattering model for estimation of leaf area index (LAI) of rice in southern China. *International Journal of Remote Sensing*, 27, 5417-5425
- Chen, S., Cowan, C.F., & Grant, P.M. (1991b). Orthogonal least squares learning algorithm for radial basis function networks. *IEEE Transactions on Neural Networks* 2, 302-309
- Choudhury, I., & Chakraborty, M. (2006). SAR signature investigation of rice crop using RADARSAT data. *International Journal of Remote Sensing*, 27, 519-534
- Civco, D.L. (1993). Artificial neural networks for land-cover classification and mapping. *International Journal of Geographical Information Science*, 7, 173-186
- Cookmartin, G., Saich, P., Shuan, Q., Cordey, R., Burgess-Allen, P., & Sowter, A. (2000). Modeling microwave interactions with crops and comparison with ERS-2 SAR observations. *IEEE Transactions on Geoscience and Remote Sensing*, 38, 658-670
- Cost, S.T. (1965). Measurements of the Bistatic Echo Area of Terrain of X Band. In, *Antenna Lab.* (pp. Rept. 1822-1822): Ohio State University
- Coste, S., Baraloto, C., Leroy, C., Marcon, É., Renaud, A., Richardson, A.D., Roggy, J.-C., Schimann, H., Uddling, J., & Héault, B. (2010). Assessing foliar chlorophyll contents with the SPAD-502 chlorophyll meter: a calibration test with thirteen tree species of tropical rainforest in French Guiana. *Annals of Forest Science*, 67, 607
- Cramer, W., Bondeau, A., Woodward, F.I., Prentice, I.C., Betts, R.A., Brovkin, V., Cox, P.M., Fisher, V., Foley, J.A., & Friend, A.D. (2001). Global response of terrestrial ecosystem structure and function to CO<sub>2</sub> and climate change: results from six dynamic global vegetation models. *Global change biology*, 7, 357-373
- Curie, N.C.W., G.W. (1989). Radar Reflectivity Measurement: Technique and Applications. In (pp. 61–91): Artech House, Norwood, MA

- Davidson, E., Savage, K., Verchot, L., & Navarro, R. (2002). Minimizing artifacts and biases in chamber-based measurements of soil respiration. *Agricultural and Forest Meteorology*, 113, 21-37
- Dawson, M. (1994). Applications of electromagnetic scattering models to parameter retrieval and classification. *Microwave Scattering and Emission Models and their Applications*
- de Matthaeis, P., & Lang, R.H. (2005). Microwave scattering models for cylindrical vegetation components. *Progress In Electromagnetics Research*, 55, 307-333
- De Matthaeis, P., Schiavon, G., & Solimini, D. (1994). Effect of scattering mechanisms on polarimetric features of crops and trees. *International Journal of Remote Sensing*, 15, 2917-2930
- De Roo, R.D. (1996). Theory and measurement of bistatic scattering of X-band microwaves from rough dielectric surfaces. In. USA: Michigan University, USA
- Del Frate, F., Ferrazzoli, P., Guerriero, L., Strozzi, T., Wegmuller, U., Cookmartin, G., & Quegan, S. (2004). Wheat cycle monitoring using radar data and a neural network trained by a model. *IEEE Transactions on Geoscience and Remote Sensing*, 42, 35-44
- Del Frate, F., Ferrazzoli, P., & Schiavon, G. (2003). Retrieving soil moisture and agricultural variables by microwave radiometry using neural networks. *Remote Sensing of Environment*, 84, 174-183
- Dharanibai, G., & Alex, Z. (2009). ANN technique for the evaluation of soil moisture over bare and vegetated fields from microwave radiometer data. *Indian Journal of Radio & Space Physics*, 38, 283-288
- Dobson, M.C., & Ulaby, F. (1981). Microwave backscatter dependence on surface roughness, soil moisture, and soil texture: Part III-Soil tension. *IEEE Transactions on Geoscience and Remote Sensing*, 51-61
- Dobson, M.C., & Ulaby, F.T. (1986). Active microwave soil moisture research. *IEEE Transactions on Geoscience and Remote Sensing*, 23-36
- Dobson, M.C., Ulaby, F.T., Hallikainen, M.T., & El-Rayes, M.A. (1985). Microwave Dielectric Behavior of Wet Soil-Part II: Dielectric Mixing Models. *IEEE Transactions on Geoscience and Remote Sensing*, GE-23, 35-46
- Domville, A.R. (1967). The Bistatic Reflection from Land and Sea of X-Band Radio Waves. pt. I, *GEC (Electronics) Ltd., Memo. SLM 1802, Stanmore, England*
- Domville, A.R. (1968). The Bistatic Reflection from Land and Sea of X-Band Radio Waves. pt. II, *GEC (Electronics) Ltd., Memo. SLM 2116, Stanmore, England*
- Domville, A.R. (1969). The Bistatic Reflection from Land and Sea of X-Band Radio Waves. pt. II Suppl., *GEC-AEI (Electronics) Ltd., Memo. SLM 2116 (Suppl.), Stanmore, England*

- Du, Y., Ulaby, F.T., & Dobson, M.C. (2000). Sensitivity to soil moisture by active and passive microwave sensors. *IEEE Transactions on Geoscience and Remote Sensing*, 38, 105-114
- Dubois, P.C., Van Zyl, J., & Engman, T. (1995). Measuring soil moisture with imaging radars. *IEEE Transactions on Geoscience and Remote Sensing*, 33, 915-926
- Elachi, C., & Van Zyl, J.J. (2006). *Introduction to the physics and techniques of remote sensing*: John Wiley & Sons
- Engman, E.T., & Chauhan, N. (1995). Status of microwave soil moisture measurements with remote sensing. *Remote Sensing of Environment*, 51, 189-198
- Erbek, F.S., Özkan, C., & Taberner, M. (2004). Comparison of maximum likelihood classification method with supervised artificial neural network algorithms for land use activities. *International Journal of Remote Sensing*, 25, 1733-1748
- Erten, E., Rossi, C., O, Y., x00Fc, x00Fc, x00Fc, ll, & x00Fc (2015). Polarization Impact in TanDEM-X Data Over Vertical-Oriented Vegetation: The Paddy-Rice Case Study. *IEEE Geoscience and Remote Sensing Letters*, 12, 1501-1505
- Ferrazzoli, P., Paloscia, S., Pampaloni, P., Schiavon, G., Sigismonti, S., & Solimini, D. (1997). The potential of multifrequency polarimetric SAR in assessing agricultural and arboreous biomass. *IEEE Trans. Geosci. Remote Sens.*, 35, 5-17
- Ferrazzoli, P., Paloscia, S., Pampaloni, P., Schiavon, G., Solimini, D., & Coppo, P. (1992). Sensitivity of microwave measurements to vegetation biomass and soil moisture content: a case study. *IEEE Transactions on Geoscience and Remote Sensing*, 30, 750-756
- Fitzjohn, C., Ternan, J., & Williams, A. (1998). Soil moisture variability in a semi-arid gully catchment: implications for runoff and erosion control. *Catena*, 32, 55-70
- Foody, G.M. (1995). Land cover classification by an artificial neural network with ancillary information. *International Journal of Geographical Information Systems*, 9, 527-542
- Foody, G.M., McCULLOCH, M.B., & Yates, W.B. (1995). Classification of remotely sensed data by an artificial neural network: issues related to training data characteristics. *Photogrammetric Engineering and Remote Sensing*, 61, 391-401
- Frizzelle, B.G., & Moody, A. (2001). Mapping continuous distributions of land cover: A comparison of maximum-likelihood estimation and artificial neural networks. *Photogrammetric Engineering and Remote Sensing*, 67, 693-706
- Fung, A.K., Li, Z., & Chen, K.-S. (1992). Backscattering from a randomly rough dielectric surface. *IEEE Transactions on Geoscience and Remote Sensing*, 30, 356-369

- Glenn, E.P., Neale, C.M.U., Hunsaker, D.J., & Nagler, P.L. (2011). Vegetation index-based crop coefficients to estimate evapotranspiration by remote sensing in agricultural and natural ecosystems. *Hydrological Processes*
- Gumma, M.K., Charyulu Deevi, K., Mohammed, I.A., Varshney, R.K., Gaur, P., & Whitbread, A.M. (2016). Satellite imagery and household survey for tracking chickpea adoption in Andhra Pradesh, India. *International Journal of Remote Sensing*, 37, 1955-1972
- Gupta, D.K., Kumar, P., Mishra, V.N., & Prasad, R. (2014). Soil Moisture estimation by ANN using Bistatic Scatterometer data. *ISPRS Ann. Photogramm. Remote Sens. Spatial Inf. Sci.*, II-8, 97-100
- Gupta, D.K., Kumar, P., Mishra, V.N., Prasad, R., Dikshit, P.K.S., Dwivedi, S.B., Ohri, A., Singh, R.S., & Srivastava, V. (2015). Bistatic measurements for the estimation of rice crop variables using artificial neural network. *Advances in Space Research*, 55, 1613-1623
- Gupta, R., Vijayan, D., & Prasad, T. (2006). The relationship of hyper-spectral vegetation indices with leaf area index (LAI) over the growth cycle of wheat and chickpea at 3nm spectral resolution. *Advances in Space Research*, 38, 2212-2217
- Hallikainen, M.T., Ulaby, F.T., Dobson, M.C., El-Rayes, M.A., & Lil-Kun, W. (1985). Microwave Dielectric Behavior of Wet Soil-Part 1: Empirical Models and Experimental Observations. *IEEE Transactions on Geoscience and Remote Sensing*, GE-23, 25-34
- Haykin, S. (1994). *Neural networks: a comprehensive foundation*, : Macmillan, New York, NY.
- Haykin, S. (1999a). Neural networks. *A Comprehensive Foundation*
- Haykin, S. (1999b). Neural Networks A Comprehensive Introduction. In: Prentice Hall, New Jersey
- Hewitson, B.C., & Crane, R.G. (1994). Looks and uses. *Neural Nets: Applications in Geography* (pp. 1-9): Springer
- Hoekstra, P., & Delaney, A. (1974). Dielectric properties of soils at UHF and microwave frequencies. *Journal of geophysical research*, 79, 1699-1708
- Hoogeboom, P. (1983). Classification of agricultural crops in radar images. *IEEE Transactions on Geoscience and Remote Sensing*, 329-336
- Hsu, K.l., Gupta, H.V., & Sorooshian, S. (1995). Artificial neural network modeling of the rainfall and runoff process. *Water Resources Research*, 31, 2517-2530
- Idso, S., Jackson, R., Reginato, R., Kimball, B., & Nakayama, F. (1975). The dependence of bare soil albedo on soil water content. *Journal of Applied Meteorology*, 14, 109-113

- Inoue, Y., Kurosu, T., Maeno, H., Uratsuka, S., Kozu, T., Dabrowska-Zielinska, K., & Qi, J. (2002). Season-long daily measurements of multifrequency (Ka, Ku, X, C, and L) and full-polarization backscatter signatures over paddy rice field and their relationship with biological variables. *Remote Sensing of Environment*, 81, 194-204.
- Jia, M., Tong, L., Chen, Y., Wang, Y., & Zhang, Y. (2013). Rice biomass retrieval from multitemporal ground-based scatterometer data and RADARSAT-2 images using neural networks. *Journal of Applied Remote Sensing*, 7, 073509-073509.
- Jiang, D., Yang, X., Clinton, N., & Wang, N. (2004). An artificial neural network model for estimating crop yields using remotely sensed information. *International Journal of Remote Sensing*, 25, 1723-1732.
- Jiang, H., & Cotton, W.R. (2004). Soil moisture estimation using an artificial neural network: a feasibility study. *Canadian Journal of Remote Sensing*, 30, 827-839.
- Jin, Y.-Q., & Liu, C. (1997). Biomass retrieval from high-dimensional active/passive remote sensing data by using artificial neural networks. *International Journal of Remote Sensing*, 18, 971-979.
- Karam, M., Fung, A.K., Lang, R.H., & Chauhan, N.S. (1992). A microwave scattering model for layered vegetation. *Geoscience and Remote Sensing, IEEE Transactions on*, 30, 767-784.
- Karkee, M., Steward, B.L., Tang, L., & Aziz, S.A. (2009). Quantifying sub-pixel signature of paddy rice field using an artificial neural network. *Computers and Electronics in Agriculture*, 65, 65-76.
- Kavzoglu, T., & Mather, P.M. (1999). Pruning artificial neural networks: an example using land cover classification of multi-sensor images. *International Journal of Remote Sensing*, 20, 2787-2803.
- Kerr, Y.H., Waldteufel, P., Richaume, P., Wigneron, J.-P., Ferrazzoli, P., Mahmoodi, A., Al Bitar, A., Cabot, F., Gruhier, C., & Juglea, S.E. (2012). The SMOS soil moisture retrieval algorithm. *Geoscience and Remote Sensing, IEEE Transactions on*, 50, 1384-1403.
- Khadhra, K.B. (2008). Surface Parameter Estimation using Bistatic Polarimetric X-band Measurements. In, *Deutsches Zentrum für Luft- und Raumfahrt Institut für Hochfrequenztechnik und Radarsysteme Oberpfaffenhofen*: von der Fakultät für Elektrotechnik u. Informationstechnik der Technischen Universität Chemnitz.
- Khadhra, K.B., Boerner, T., Hounam, D., & Chandra, M. (2012). Surface parameter estimation using bistatic polarimetric X-band measurements. *Progress In Electromagnetics Research B*, 39, 197-223.
- Kim, S., Kim, B., Kong, Y., & Kim, Y.-S. (2000). Radar backscattering measurements of rice crop using X-band scatterometer. *IEEE Transactions on Geoscience and Remote Sensing*, 38, 1467-1471.

- Kim, Y.-h., Hong, S.Y., & Lee, H. (2008). Radar backscattering measurement of a paddy rice field using multi-frequency (L, C and X) and full-polarization. In, *IGARSS 2008-2008 IEEE International Geoscience and Remote Sensing Symposium* (pp. IV-553-IV-556): IEEE
- Kim, Y., Jackson, T., Bindlish, R., Hong, S., Jung, G., & Lee, K. (2014). Retrieval of wheat growth parameters with radar vegetation indices. *IEEE Geoscience and Remote Sensing Letters*, *11*, 808-812
- Kim, Y., Lee, H., & Hong, S. (2013). Continuous monitoring of rice growth with a stable ground-based scatterometer system. *IEEE Geoscience and Remote Sensing Letters*, *10*, 831-835
- Kimes, D., Nelson, R., Manry, M., & Fung, A. (1998). Review article: Attributes of neural networks for extracting continuous vegetation variables from optical and radar measurements. *International Journal of Remote Sensing*, *19*, 2639-2663
- Kimes, D., Nelson, R., Salas, W., & Skole, D. (1999). Mapping secondary tropical forest and forest age from SPOT HRV data. *International Journal of Remote Sensing*, *20*, 3625-3640
- Kumar, P., Gupta, D.K., Mishra, V.N., & Prasad, R. (2015). Comparison of support vector machine, artificial neural network, and spectral angle mapper algorithms for crop classification using LISS IV data. *International Journal of Remote Sensing*, *36*, 1604-1617
- Lakshmi, V. (2013). Remote sensing of soil moisture. *ISRN Soil Science*, *2013*
- Le Toan, T., Ribbes, F., Wang, L.-F., Flouri, N., Ding, K.-H., Kong, J.A., Fujita, M., & Kurosu, T. (1997). Rice crop mapping and monitoring using ERS-1 data based on experiment and modeling results. *IEEE Transactions on Geoscience and Remote Sensing*, *35*, 41-56
- Li, K., Zhang, F., Shao, Y., Cai, A., Yuan, J., & Touzi, R. (2011). Polarization signature analysis of paddy rice in southern China. *Canadian Journal of Remote Sensing*, *37*, 122-135
- Lim, K.-S., Koo, V.C., & Ewe, H.-T. (2008). Multi-angular scatterometer measurements for various stages of rice growth. *Progress In Electromagnetics Research*, *83*, 385-396
- Lin, H., Chen, J., Pei, Z., Zhang, S., & Hu, X. (2009). Monitoring sugarcane growth using ENVISAT ASAR data. *IEEE Transactions on Geoscience and Remote Sensing*, *47*, 2572-2580
- Ling, Q., Huang, W., & Jarvis, P. (2011). Use of a SPAD-502 meter to measure leaf chlorophyll concentration in *Arabidopsis thaliana*. *Photosynthesis Research*, *107*, 209-214

- Liu, D., Du, Y., Sun, G., Yan, W.-Z., & Wu, B.-I. (2008). Analysis of InSAR sensitivity to forest structure based on radar scattering model. *Progress In Electromagnetics Research*, 84, 149-171
- Liu, S.-F., Liou, Y.-A., Wang, W.-J., Wigneron, J.-P., & Lee, J.-B. (2002). Retrieval of crop biomass and soil moisture from measured 1.4 and 10.65 GHz brightness temperatures. *IEEE Transactions on Geoscience and Remote Sensing*, 40, 1260-1268
- Lorite, I.J., García-Vila, M., Carmona, M.A., Santos, C., & Soriano, M.A. (2012). Assessment of the Irrigation Advisory Services' Recommendations and Farmers' Irrigation Management: A Case Study in Southern Spain. *Water resources management*, 1-23
- Macelloni, G., Paloscia, S., Pampaloni, P., Marliani, F., & Gai, M. (2001). The relationship between the backscattering coefficient and the biomass of narrow and broad leaf crops. *IEEE Trans. Geosci. Remote Sens.*, 39, 873-884
- Mattia, F., Le Toan, T., Picard, G., Posa, F.I., D'Alessio, A., Notarnicola, C., Gatti, A.M., Rinaldi, M., Satalino, G., & Pasquariello, G. (2003). Multitemporal C-band radar measurements on wheat fields. *IEEE Transactions on Geoscience and Remote Sensing*, 41, 1551-1560
- Mishra, V.N., Kumar, P., Gupta, D.K., & Prasad, R. (2014). Classification of various land features using RISAT-1 dual polarimetric data. *Int. Arch. Photogramm. Remote Sens. Spatial Inf. Sci.*, XL-8, 833-837
- Murthy, C., Raju, P., & Badrinath, K. (2003). Classification of wheat crop with multi-temporal images: performance of maximum likelihood and artificial neural networks. *International Journal of Remote Sensing*, 24, 4871-4890
- Narendra, K., Sood, V., Khorasani, K., & Patel, R. (1998). Application of a radial basis function (RBF) neural network for fault diagnosis in a HVDC system. *IEEE Transactions on Power Systems* 13, 177-183
- Njoku, E.G., & Li, L. (1999). Retrieval of land surface parameters using passive microwave measurements at 6-18 GHz. *IEEE Transactions on Geoscience and Remote Sensing*, 37, 79-93
- Notarnicola, C., Angiulli, M., & Posa, F. (2008). Soil moisture retrieval from remotely sensed data: Neural network approach versus Bayesian method. *IEEE Transactions on Geoscience and Remote Sensing*, 46, 547-557
- Oh, Y. (2004). Quantitative retrieval of soil moisture content and surface roughness from multipolarized radar observations of bare soil surfaces. *IEEE Transactions on Geoscience and Remote Sensing*, 42, 596-601
- Oh, Y., Hong, S.-Y., Kim, Y., Hong, J.-Y., & Kim, Y.-H. (2009). Polarimetric backscattering coefficients of flooded rice fields at L-and C-bands: Measurements, modeling, and data analysis. *IEEE Transactions on Geoscience and Remote Sensing*, 47, 2714-2721

- Oh, Y., & Kay, Y.C. (1998). Condition for precise measurement of soil surface roughness. *IEEE Transactions on Geoscience and Remote Sensing*, 36, 691-695
- Oh, Y., Sarabandi, K., & Ulaby, F.T. (1992). An empirical model and an inversion technique for radar scattering from bare soil surfaces. *IEEE Transactions on Geoscience and Remote Sensing*, 30, 370-381
- Oh, Y., Sarabandi, K., & Ulaby, F.T. (2002). Semi-empirical model of the ensemble-averaged differential Mueller matrix for microwave backscattering from bare soil surfaces. *IEEE Transactions on Geoscience and Remote Sensing*, 40, 1348-1355
- Owe, M., de Jeu, R., & Walker, J. (2001a). A methodology for surface soil moisture and vegetation optical depth retrieval using the microwave polarization difference index. *Geoscience and Remote Sensing, IEEE Transactions on*, 39, 1643-1654
- Owe, M., de Jeu, R., & Walker, J. (2001b). A methodology for surface soil moisture and vegetation optical depth retrieval using the microwave polarization difference index. *IEEE Transactions on Geoscience and Remote Sensing*, 39, 1643-1654
- Pandey, A. (2011). Crop signature studies by microwave remote sensing using soft computing techniques. In, *Department of Physics*. Varanasi: Indian Institute of Technology (BHU)
- Pandey, A., Jha, S., Singh, K., Yadav, G., & Prasad, R. (2011). Classification of Fields having Different Soil Moisture Content by SVM Technique using Bistatic Scatterometer. *Recent Research in Science and Technology*, 3
- Pandey, A., Jha, S., Srivastava, J., & Prasad, R. (2010). Artificial neural network for the estimation of soil moisture and surface roughness. *Russian Agricultural Sciences*, 36, 428-432
- Pandey, A., Prasad, R., Singh, V., Jha, S., & Shukla, K. (2013). Crop parameters estimation by fuzzy inference system using X-band scatterometer data. *Advances in Space Research*, 51, 905-911
- Pandey, A., Thapa, K.B., Prasad, R., & Singh, K. (2012). General Regression Neural Network and Radial Basis Neural Network for the Estimation of Crop Variables of Lady Finger. *Journal of the Indian Society of Remote Sensing*, 40, 709-715
- Paola, J., & Schowengerdt, R. (1995). A review and analysis of backpropagation neural networks for classification of remotely-sensed multi-spectral imagery. *International Journal of Remote Sensing*, 16, 3033-3058
- Picard, G., Le Toan, T., & Mattia, F. (2003). Understanding C-band radar backscatter from wheat canopy using a multiple-scattering coherent model. *IEEE Transactions on Geoscience and Remote Sensing*, 41, 1583-1591
- Prasad, R. (2009). Retrieval of crop variables with field-based X-band microwave remote sensing of ladyfinger. *Adv. Space Res.*, 43, 1356-1363

- Prasad, R., Kumar, R., & Singh, D. (2009). A radial basis function approach to retrieve soil moisture and crop variables from X-band scatterometer observations. *Progress In Electromagnetics Research B*, 12, 201-217
- Quesney, A., Le Hégarat-Mascle, S., Taconet, O., Vidal-Madjar, D., Wigneron, J., Loumagne, C., & Normand, M. (2000). Estimation of watershed soil moisture index from ERS/SAR data. *Remote Sensing of Environment*, 72, 290-303
- Ross, T.J. (2009). *Fuzzy logic with engineering applications*: John Wiley & Sons
- Rossi, C., & Erten, E. (2015). Paddy-rice monitoring using TanDEM-X. *Geoscience and Remote Sensing, IEEE Transactions on*, 53, 900-910
- Saatchi, S.S., Le Vine, D.M., & Lang, R.H. (1994). Microwave backscattering and emission model for grass canopies. *IEEE Transactions on Geoscience and Remote Sensing*, 32, 177-186
- Saleh, K., Wigneron, J.-P., de Rosnay, P., Calvet, J.-C., & Kerr, Y. (2006). Semi-empirical regressions at L-band applied to surface soil moisture retrievals over grass. *Remote Sensing of Environment*, 101, 415-426
- Schalkoff, R.J. (1992). *Pattern recognition*: Wiley Online Library
- Schmugge, T., O'Neill, P.E., & Wang, J.R. (1986). Passive Microwave Soil Moisture Research. *IEEE Transactions on Geoscience and Remote Sensing, GE-24*, 12-22
- Schmugge, T.J. (1983). Remote sensing of soil moisture: Recent advances. *IEEE Transactions on Geoscience and Remote Sensing*, 336-344
- Scott, W.R., & Smith, G.S. (1992). Measured electrical constitutive parameters of soil as functions of frequency and moisture content. *IEEE Transactions on Geoscience and Remote Sensing*, 30, 621-623
- Seto, K.C., & Liu, W. (2003). Comparing ARTMAP neural network with the maximum-likelihood classifier for detecting urban change. *Photogrammetric Engineering & Remote Sensing*, 69, 981-990
- Shao, Y., Fan, X., Liu, H., Xiao, J., Ross, S., Brisco, B., Brown, R., & Staples, G. (2001). Rice monitoring and production estimation using multitemporal RADARSAT. *Remote Sensing of Environment*, 76, 310-325
- Sharma, S.K. (1991). Thesis on some remote sensing applications of interactions of electromagnetic waves with materials. In, *Electronics Engineering IT BHU*, Varanasi: Ph.D. Thesis, IT-BHU, Varanasi
- Shi, J., Wang, J., Hsu, A.Y., O'Neill, P.E., & Engman, E.T. (1997). Estimation of bare surface soil moisture and surface roughness parameter using L-band SAR image data. *IEEE Transactions on Geoscience and Remote Sensing*, 35, 1254-1266
- Shutko, A.M. (1982). Microwave radiometry of lands under natural and artificial moistening. *IEEE Transactions on Geoscience and Remote Sensing*, 1, 18-26

- Singh, D. (2005). A simplistic incidence angle approach to retrieve the soil moisture and surface roughness at X-band. *IEEE Transactions on Geoscience and Remote Sensing*, 43, 2606-2611
- Singh, D., Mukherjee, P., Sharma, S., & Singh, K. (1996). Effect of soil moisture and crop cover in remote sensing. *Advances in Space Research*, 18, 63-66
- Singh, D., Srivastava, V., Pandey, B., & Bhimsaria, D. (2009). Application of neural network with error correlation and time evolution for retrieval of soil moisture and other vegetation variables. *Progress In Electromagnetics Research B*, 15, 245-465
- Srivastava, H.S., Patel, P., Manchanda, M.L., & Adiga, S. (2003). Use of multiincidence angle RADARSAT-1 SAR data to incorporate the effect of surface roughness in soil moisture estimation. *IEEE Transactions on Geoscience and Remote Sensing*, 41, 1638-1640
- Srivastava, P., O'Neill, P., Cosh, M., Kurum, M., Lang, R., & Joseph, A. (2014). Evaluation of Dielectric Mixing Models for Passive Microwave Soil Moisture Retrieval Using Data From ComRAD Ground-Based SMAP Simulator. *Selected Topics in Applied Earth Observations and Remote Sensing, IEEE Journal of*, PP, 1-10
- Srivastava, P.K. (2013). Soil Moisture Estimation from SMOS Satellite and Mesoscale Model for Hydrological Applications. *PhD Thesis, University of Bristol, Bristol, United Kingdom*
- Srivastava, P.K., Han, D., Ramirez, M.R., & Islam, T. (2013a). Appraisal of SMOS soil moisture at a catchment scale in a temperate maritime climate. *Journal of Hydrology*, 498, 292-304
- Srivastava, P.K., Han, D., Rico-Ramirez, M.A., Al-Shrafany, D., & Islam, T. (2013b). Data fusion techniques for improving soil moisture deficit using SMOS satellite and WRF-NOAH land surface model. *Water resources management*, 27, 5069-5087
- Srivastava, P.K., Han, D., Rico Ramirez, M.A., & Islam, T. (2013c). Comparative assessment of evapotranspiration derived from NCEP and ECMWF global datasets through Weather Research and Forecasting model. *Atmospheric Science Letters*, 14, 118-125
- Stiles, J.M., Sarabandi, K., & Ulaby, F.T. (2000). Electromagnetic scattering from grassland. II. Measurement and modeling results. *IEEE Transactions on Geoscience and Remote Sensing*, 38, 349-356
- Taconet, O., Benallegue, M., Vidal-Madjar, D., Prevot, L., Dechambre, M., & Normand, M. (1994). Estimation of soil and crop parameters for wheat from airborne radar backscattering data in C and X bands. *Remote Sensing of Environment*, 50, 287-294

- Toure, A., Thomson, K.P.B., Edwards, G., Brown, R.J., & Brisco, B.G. (1994a). Adaptation of the MIMICS backscattering model to the agricultural context-wheat and canola at L and C bands. *IEEE Trans. Geosci. Remote Sens.*, 32, 47-61
- Toure, A., Thomson, K.P.B., Edwards, G., Brown, R.J., & Brisco, B.G. (1994b). Adaptation of the MIMICS backscattering model to the agricultural context-wheat and canola at L and C bands. *IEEE Transactions on Geoscience and Remote Sensing* 32, 47-61
- Ulaby, F.T., Batlivala, P.P., & Dobson, M. (1978). Microwave backscatter dependence on surface roughness, soil moisture, and soil texture: Part I-Bare soil. *IEEE Transactions on Geoscience and Remote Sensing*, 16, 286-295
- Ulaby, F.T., Bradley, G.A., & Dobson, M.C. (1979). Microwave backscatter dependence on surface roughness, soil moisture, and soil texture: Part II-vegetation-covered soil. *IEEE Transactions on Geoscience Electronics*, 17, 33-40
- Ulaby, F.T., Dubois, P.C., & van Zyl, J. (1996). Radar mapping of surface soil moisture. *Journal of Hydrology*, 184, 57-84
- Ulaby, F.T., Long, D.G., Blackwell, W.J., Elachi, C., Fung, A.K., Ruf, C., Sarabandi, K., Zebker, H.A., & Van Zyl, J. (2014). *Microwave radar and radiometric remote sensing*: The University of Michigan Press
- Ulaby, F.T., Moore, R.K., & Fung, A.K. (1981). *Microwave Remote Sensing: Microwave remote sensing fundamentals and radiometry*: Addison-Wesley Publishing Company, Advanced Book Program/World Science Division
- Ulaby, F.T., Moore, R.K., & Fung, A.K. (1982). *Microwave Remote Sensing Active and Passive-Volume II: Radar Remote Sensing and Surface Scattering and Emission Theory*: Reading, MA: Addison-Wesley
- Ulaby, F.T., Moore, R.K., & Fung, A.K. (1986). *Microwave Remote Sensing Active and Passive-Volume III: From Theory to Applications*
- Ulaby, F.T., Van Deventer, T., East, J., Haddock, T., & Coluzzi, M. (1988). Millimeter-wave bistatic scattering from ground and vegetation targets. *IEEE Transactions on Geoscience and Remote Sensing*, 26, 229-243
- Vapnik, V., Golowich, S.E., & Smola, A.J. (1997). Support Vector Method for Function Approximation, Regression Estimation and Signal Processing. In, *Advances in Neural Information Processing Systems* (pp. 281-287)
- Veena, C., & Sinha, P. (2011). Computation of Soil Moisture using Passive Microwave Remote Sensing-An ANN Approach. *International Journal of Computer Applications*, 23
- Walker, J.P., Houser, P.R., & Willgoose, G.R. (2004). Active microwave remote sensing for soil moisture measurement: a field evaluation using ERS-2. *Hydrological Processes*, 18, 1975-1997

- Walther, C., Dulaney, W., Anderson, M., Norman, J., Fang, H., & Liang, S. (2004). A comparison of empirical and neural network approaches for estimating corn and soybean leaf area index from Landsat ETM+ imagery. *Remote Sensing of Environment*, 92, 465-474
- Wang, J.R., O'Neill, P.E., Jackson, T.J., & Engman, E.T. (1983). Multifrequency measurements of the effects of soil moisture, soil texture, and surface roughness. *IEEE Transactions on Geoscience and Remote Sensing*, 44-51
- Wang, J.R., & Schmugge, T.J. (1980). An empirical model for the complex dielectric permittivity of soils as a function of water content. *IEEE Transactions on Geoscience and Remote Sensing*, 288-295
- Wang, L.-F., Kong, J.A., Ding, K., Le Toan, T., Ribbes, F., & Flory, N. (2005). Electromagnetic scattering model for rice canopy based on Monte Carlo simulation. *Progress In Electromagnetics Research*, 52, 153-171
- Wang, L., & Qu, J.J. (2009). Satellite remote sensing applications for surface soil moisture monitoring: A review. *Frontiers of Earth Science in China*, 3, 237-247
- Wigneron, J.-P., Chanzy, A., Calvet, J.-C., & Bruguier, N. (1995). A simple algorithm to retrieve soil moisture and vegetation biomass using passive microwave measurements over crop fields. *Remote Sensing of Environment*, 51, 331-341
- Wilkinson, G.G., Folving, S., Kanellopoulos, I., McCormick, N., Fullerton, K., & Mégier, J. (1995). Forest mapping from multi-source satellite data using neural network classifiers—an experiment in Portugal. *Remote Sensing Reviews*, 12, 83-106
- Wood, E.F., Lettenmaier, D.P., & Zartarian, V.G. (1992). A land-surface hydrology parameterization with subgrid variability for general circulation models. *Journal of Geophysical Research: Atmospheres*, 97, 2717-2728
- Xiao-Hua, Y., Fu-Min, W., Huang, J.-F., Jian-Wen, W., Ren-Chao, W., Zhang-Quan, S., & Xiu-Zhen, W. (2009). Comparison between radial basis function neural network and regression model for estimation of rice biophysical parameters using remote sensing. *Pedosphere*, 19, 176-188
- Zhang, L., Dawes, W., & Walker, G. (2001). Response of mean annual evapotranspiration to vegetation changes at catchment scale. *Water resources research*, 37, 701-708
- Zribi, M., & Dechambre, M. (2003). A new empirical model to retrieve soil moisture and roughness from C-band radar data. *Remote Sensing of Environment*, 84, 42-52