
REFERENCES

- Adler, R.J., Kiutu, G.F., Simpkins, B.E., Sullivan, D.J. and Voss, D.E., “Improved electron emission by use of a cloth fiber cathode”, *Review of scientific instruments*, 1985, v. 56, pp.766-767.
- Barker, R. J., and Schamiloglu, E., “*High-Power Microwave Sources and Technologies*”, IEEE PRESS, 2001.
- Barroso, J. J., “Split-Cavity Monotrons Achieving 40 Percent Electronic Efficiency,” *IEEE Transactions on Plasma Science*, 2004, v. 32, pp. 1205–1211.
- Basu, B. N., “*Electromagnetic Theory and Application in Beam-Wave Electronics*”, World Scientific, 1995.
- Bekefi, G. and Orzechowski, T.J., “Giant microwave bursts emitted from a field-emission, relativistic-electron-beam magnetron”, *Physical review letters*, 1976, v. 37, pp. 379-382.
- Benford, J., “History and future of the relativistic magnetron”, *2010 International Conference on the Origins and Evolution of the Cavity Magnetron (CAVMAG)*, Microwave Sciences, Lafayette, CA USA, 2010, pp. 40-45.
- Benford, J., Swegle, J. A., and Schamiloglu, E., *High Power Microwaves*, Taylor & Francis. CRC Press, 2007.
- Benford, J., Sze, H., Young, T., Bromley, D. and Proulx, G., “Variations on the relativistic magnetron”, *IEEE transactions on plasma science*, 1985, v. 13, pp.538-544.
- Carlsten, B. E., and Haynes, W. B., “Discrete monotron oscillator,” *IEEE Transactions on Plasma Science*, vol. 24, pp. 1249–1258, 1996.
- Caryotakis, G., “The klystron: A microwave source of surprising range and endurance”, *Physics of Plasmas*, 1998, v. 5, pp.1590-1598.
- Champeaux, S., Gouard, P., Cousin, R., and Larour, J., “3-D PIC numerical investigations of a novel concept of multistage axial vircator for enhanced microwave generation”, *IEEE Transactions on Plasma Science*, 2015, v. 43, pp.3841-3855.

Champeaux, S., Gouard, P., Cousin, R., and Larour, J., “Improved design of a multistage axial vircator with reflectors for enhanced performances,” *IEEE Transactions on Plasma Science*, 2016, v. 44, pp. 31–38.

Chen, D.B., Wang, D., Meng, F.B. and Fan, Z.K., “Bifrequency magnetically insulated transmission line oscillator”, *IEEE Transactions on Plasma Science*, 2009, v. 37, pp.23-29.

Chodorow, M., Ginzton, E.L., Neilsen, I.R. and Sonkin, S., “Design and performance of a high-power pulsed klystron” *Proceedings of the IRE*, 1953, v. 41, pp.1584-1602.

Choi, S.H., and Schamiloglu, E., “Full power operation of an ultra-compact, low voltage Reltron microwave source”, *2002 14th International Conference on High-Power Particle Beams (BEAMS)*, 2002, v. 1, pp. 311-314.

Choi, S.H., Schamiloglu, E., and Miller, R.B., “Initial operation of an ultra-compact, low voltage Reltron microwave source” *Pulsed Power Plasma Science, Digest of Technical Papers*, 2001, v. 2, pp. 1626-1629.

Clark, M.C., Marder, B.M. and Bacon, L.D., “Magnetically insulated transmission line oscillator”, *Applied physics letters*, 1988, v. 52, pp.78-80.

Ding, W., “Mechanism of microwave amplification in relativistic klystron amplifier,” *SPIE's 1996 International Symposium on Optical Science, Engineering, and Instrumentation*, 1996, pp. 110-116.

Ding, W., “Mechanism of microwave generation in Super-Reltron”, *Optical Science, Engineering and Instrumentation'97*, International Society for Optics and Photonics, 1997, pp. 104-112.

Dubinov, A. E., Efimova, I. A., Mikheev, K. E., Selemir, V. D., and Tarakanov, V. P., “Hybrid microwave oscillators with a virtual cathode,” *Plasma Physics. Reports*, 2004, v. 30, pp. 496–518.

Dwivedi, S. and Jain, P.K., “Design expressions for the magnetically insulated line oscillator”, *IEEE Transactions on Plasma Science*, 2013, v. 41, pp.1549-1556.

Dwivedi, S. and Jain, P.K., “Electromagnetic analysis of a disk-loaded coaxial waveguiding structure for MILO”, *IEEE Transactions on Plasma Science*, 2012, v. 40, pp.1032-1041.

Eastwood, J.W., Hawkins, K.C. and Hook, M.P., “The tapered MILO”, *IEEE transactions on plasma science*, 1998, v. 26, pp.698-713.

Fan, Y.W., Yuan, C.W., Zhong, H.H., Shu, T. and Luo, L., “Simulation investigation of an improved MILO”, *IEEE transactions on plasma science*, 2007, v. 35, pp.379-383.

- Fazio, M.V., Haynes, W.B., Carlsten, B.E. and Stringfield, R.M., "A 500 MW, 1/ μ s pulse length, high current relativistic klystron" *IEEE Transactions on Plasma Science*, 1994, v. 22, pp.740-749.
- Friedman, M., "Emission of intense microwave radiation from an automodulated relativistic electron beam", *Applied Physics Letters*, 1975, v. 26, pp. 366-368.
- Friedman, M., "Propagation of an intense relativistic electron beam in an annular channel", *Journal of applied physics*, 1996, v. 80, pp.1263-1267.
- Friedman, M., and Serlin V., "Modulation of intense relativistic electron beams by an external microwave source", *Physical review letters*, 1985, v. 55, pp. 2860-2863.
- Friedman, M., Farnsler, R., Slinker, S., Hubbard, R. and Lampe, M., "Efficient conversion of the energy of intense relativistic electron beams into RF waves", *Physical review letters*, 1995, v. 75, pp.1214-1217.
- Friedman, M., Krall, J., Lau, Y. Y., and Serlin, V., "Externally modulated intense relativistic electron beams," *Journal of Applied Physics*, 1988, v. 64, pp. 3353-3379.
- Friedman, M., Serlin, V., Drobot, A., and Seftor, L., "Self-modulation of an intense relativistic electron beam," *Journal of Applied Physics*, 1984, v. 56, pp. 2459-2474.
- Fuks, M.I. and Schamiloglu, E., "70% efficient relativistic magnetron with axial extraction of radiation through a horn antenna", *IEEE transactions on plasma science*, 2010, v. 38, pp.1302-1312.
- Garate, E., McWilliams, R.D., Voss, D.E., Lovesee, A.L., Hendricks, K.J., Spencer, T.A., Clark, M.C. and Fisher, A., "Novel cathode for field-emission applications", *Review of scientific instruments*, 1995, v. 66, pp.2528-2532.
- Garrison, J. C., & Chiao, R. Y. (2004). "Canonical and kinetic forms of the electromagnetic momentum in an ad hoc quantization scheme for a dispersive dielectric," *Physical Review A*, 2004, v. 70, p. 053826.
- Gold, S. H., and Nusinovich, G. S., "Review of high-power microwave source research," *Review of Scientific Instruments*, 1997, v. 68, no. 11, p. 3945.
- Granatstein, V. L., and Alexeff, I., *High Power Microwave Sources*, Artech House, 1987.
- Gunin, A.V., Korovin, S.D., Kurkan, I.K., Pegel, I.V., Rostov, V.V. and Totmeninov, E.M., "Relativistic BWO with electron beam pre-modulation", *Proceedings of the 12th International Conference on High-Power Particle Beams*, 1998, v. 2, pp. 849-852.

Haworth, M.D., Luginsland, J.W. and Lemke, R.W., "Improved cathode design for long-pulse MILO operation", *IEEE transactions on plasma science*, 2001, v. 29, pp.388-392.

Hefni, I., "The variable-drift biased-gap klystron," *Proceedings of the IEEE*, 1964, v. 52, pp. 102–102.

Humphries, S., *Charged Particles Beams*, John Wiley and Sons, 1990.

Jiang, W. and Kristiansen, M., "Theory of the virtual cathode oscillator", *Physics of Plasmas*, 2001, v. 8, pp.3781-3787.

Jiang, W., Masugata, K., and Yatsui, K., "Mechanism of microwave generation by virtual cathode oscillation", *Physics of Plasmas*, 1995, v. 2, pp.982-986.

Kim, H., Choi, J., Lee, B., Kim, J., and Lee, J., "MAGIC3D simulation of an ultra-compact, highly efficient, and high-power reltron tube," *IEEE Transactions on Dielectrics and Electrical Insulation*, 2009, v. 16, pp. 961–966.

Kovalev, N.F., Kolchugin, B.D., Nechaev, V.E., Ofitserov, M.M., Soluianov, E.I. and Fuks, M.I., "Relativistic magnetron with diffraction coupling", *Technical Physics Letters*, 1977, v. 3, p. 430.

Krasik, Y. E., Dunaevsky, A., Krokhmal, A., Felsteiner, J., Gunin, A. V., Pegel,I. V., and Korovin, S. D., "Emission properties of different cathodes at $E \leq 10^5$ V/cm," *Journal of Applied Physics*, 2001, v. 89,pp. 2379-2399.

Lemke, R.W., "Dispersion analysis of symmetric transverse magnetic modes in a split cavity oscillator," *Journal of Applied Physics*, 1992, v. 72, pp. 4422-4428.

Lemke, R.W., "Linear stability of relativistic space-charge flow in a magnetically insulated transmission line oscillator," *Journal of Applied Physics*, 1989, v. 66, pp. 1089-1094.

Lemke, R.W., Calico, S.E. and Clark, M.C., "Investigation of a load-limited, magnetically insulated transmission line oscillator (MILO)", *IEEE transactions on plasma science*, 1997, v. 25, pp.364-374.

Levine, J.S., Aiello, N., Benford, J. and Harteneck, B., "Design and operation of a module of phase-locked relativistic magnetrons", *Journal of applied physics*, 1991, v. 70, pp.2838-2848.

Levine, J.S., Harteneck, B.D. and Price, H.D., "Frequency-agile relativistic magnetrons", *SPIE's 1995 International Symposium on Optical Science, Engineering, and Instrumentation*, International Society for Optics and Photonics, 1995, pp. 74-79.

- Levush, B., Antonsen, T. M., Bromborsky, A., Lou, W. R., & Carmel, Y., "Theory of relativistic backward-wave oscillators with end reflectors," *IEEE Transactions on Plasma Science*, 1992, v. 20, pp. 263–280.
- Marder, B. M., Clark, M. C., Bacon, L. D., Hoffman, J. M., Lemke, R. W., and Coleman, P. D., "The split-cavity oscillator: a high-power E-beam modulator and microwave source," *IEEE Transactions on Plasma Science*, 1992, v. 20, pp. 312–331.
- Marder, B.M., "Simulated behavior of the magnetically insulated oscillator", *Journal of Applied Physics*, 1989, v. 65, pp.1338-1349.
- Mendel, C.W., Seidel, D.B. and Slutz, S.A., "A general theory of magnetically insulated electron flow", *The Physics of fluids*, 1983, v. 26, pp.3628-3635.
- Miller R.B., "Mechanism of explosive electron emission for dielectric fiber (velvet) cathodes", *Journal of Applied Physics*, 1998, v. 84, pp. 3880-3889.
- Miller, R. B., "Mechanism of explosive electron emission for dielectric fiber (velvet) cathodes," *Journal of Applied Physics*, 1998, v. 84, pp. 3880-3889.
- Miller, R. B., "Pulse shortening in high-peak-power Reltron tubes," *SPIE's International Symposium on Optical Science, Engineering, and Instrumentation*, 1996, pp. 2–13.
- Miller, R. B., "Super-reltrons and pulsed power issues," *IET Pulsed Power'97*, 1997, pp. 2–4.
- Miller, R. B., *An Introduction to the Physics of Intense Charged Particle Beams*, Springer. Plenum Press, New York, 1982.
- Miller, R. B., McCullough, W. F., Lancaster, K. T., and Muehlenweg, C. A., "Super-reltron theory and experiments," *IEEE Transactions on Plasma Science*, 1992, v. 20, pp. 332–343.
- Miller, R. B., Muehlenweg, C. A., Habiger, K. W., and Clifford, J. R., "Super-Reltron progress," *IEEE Transactions on Plasma Science*, 1994, v. 22, pp. 701–705.
- Miller, R.B., "October. Pulse shortening in high-peak-power Reltron tubes", *SPIE's 1996 International Symposium on Optical Science, Engineering, and Instrumentation*, International Society for Optics and Photonics, 1996, pp. 2-13.
- Miller, R.B., "Pulse shortening in high-peak-power Reltron tubes", *IEEE transactions on plasma science*, 1998, v. 26, pp.340-347.
- Miller, R.B., "Repetitive pulse operation of reltron tubes", *Optical Science, Engineering and Instrumentation'97*, International Society for Optics and Photonics, 1997, pp. 2-12.

Miller, R.B., "Super-Reltrons and pulsed power issues", *IEE Colloquium on Pulsed Power*, 1997.

Miller, R.B., Habiger, K.W., Beggs Jr, W.R. and Clifford, J.R., "Advances in Super-Reltron source development", *SPIE's 1995 International Symposium on Optical Science, Engineering, and Instrumentation*, International Society for Optics and Photonics, 1995, pp. 2-8.

Miller, R.B., McCullough, W.F., Lancaster, K.T., and Muehlenweg, C.A., "Super-reltron analysis and experiments", *Microwave Symposium Digest, 1992.*, *IEEE MTT-S International*, 1992, pp. 237-240.

Miller, R.B., Muehlenweg, C.A., Habiger, K.W., Smith, J.R., and Shiffler, D.A., "Recent advances in Reltron and Super-Reltron HPM source development", *OE/LASE'94* International Society for Optics and Photonics, 1994, pp. 99-109.

Möller, C., "Design and Experiments with High Power Microwave Sources," Ph. D. Dissertation, KTH Royal Institute of Technology, Stockholm, 2012.

Moreland, L.D., Schamiloglu, E., Lemke, R.W., Roitman, A.M., Korovin, S.D. and Rostov, V.V., "Enhanced frequency agility of high-power relativistic backward wave oscillators", *IEEE transactions on plasma science*, 1996, v. 24, pp.852-858.

Roy, A., Menon, R., Mitra, S., Kumar, S., Sharma, V., Nagesh, K.V., Mittal, K.C. and Chakravarthy, D.P., "Plasma expansion and fast gap closure in a high power electron beam diode", *Physics of Plasmas*, 2009, v, 16, p.053103.

Shao, H., Liu, G.Z., Zhang, Y.P., Yang, Z.F., Sun, J., and Zhang, Y.C., "HPM generation by tri-anode coaxial vircator", *Acta Physica Polonica-Series A General Physics*, 2009, v. 115, p.1047.

Shiffler, D., Ruebush, M., Haworth, M., Umstattd, R., LaCour, M., Golby, K., Zagar, D. and Knowles, T., "Carbon velvet field-emission cathode", *Review of scientific instruments*, 2002, v. 73, pp.4358-4362.

Shiffler, D., Ruebush, M., LaCour, M., Golby, K., Umstattd, R., Clark, M.C., Luginsland, J., Zagar, D. and Sena, M., "Emission uniformity and emission area of explosive field emission cathodes", *Applied Physics Letters*, 2001, v. 79, pp.2871-2873.

Soh, S., "Modeling, simulation and experimental study of the UNM low power reltron," Ph. D. Thesis, The University of New Mexico, Albuquerque, New Mexico, 2012.

- Soh, S., Miller, R. B., Schamiloglu, E., and Christodoulou, C. G., “Dual-Mode Reltron,” *IEEE Transactions on Plasma Science*, 2012, v. 40, pp. 2083–2088.
- Soh, S., Schamiloglu, E. and Miller, R.B., “Circuit model for the UNM educational Reltron cavity”, *2010 IEEE Power Modulator and High Voltage Conference*, 2010, pp. 233-237.
- Soh, S., Schamiloglu, E. and Miller, R.B., “Dual cavity reltron”, *2011 IEEE Pulsed Power Conference*, 2011, pp. 653-657.
- Soh, S., Schamiloglu, E., and Miller, R.B., “Circuit model for the UNM educational Reltron cavity”, *Power Modulator and High Voltage Conference (IPMHVC), 2010 IEEE International*, 2010, pp. 233-237.
- Soh, S., Schamiloglu, E., Gaudet, J., and Terry, R.L., “Analytic model and experimental study of the UNM educational reltron’s pulsed power system”, *IEEE Pulsed Power Conference*, 2009, pp. 768-773.
- Song, W., Chen, C.H., Zhang, L.G., Hu, Y.M., Yang, M., Zhang, X.W. and Zhang, L.J., “A dual-resonant reflector in powerful relativistic backward wave oscillator”, *Physics of Plasmas*, 2011, v. 18, p.063105.
- Swegle, J.A., “Starting conditions for relativistic backward wave oscillators at low currents”, *The Physics of fluids*, 1987, v. 30, pp. 1201-1211.
- Swegle, J.A., Poukey, J.W. and Leifeste, G.T., “Backward wave oscillators with rippled wall resonators: Analytic theory and numerical simulation”, *The Physics of fluids*, 1985, v. 28, pp.2882-2894.
- Taylor, C. D., and Giri D.V., *High-Power Microwaves Systems and effects*, Taylor & Francis, 1994.
- Teng, Y., Cao, Y., Song, Z., Ye, H., Shi, Y., Chen, C. and Sun, J., “A Ka-band TM02 mode relativistic backward wave oscillator with cascaded resonators”, *Physics of Plasmas*, 2014, v. 21, p.123108.
- Uhm, H. S., “A theoretical analysis of relativistic klystron oscillators,” *IEEE Transactions on Plasma Science*, 1994, v. 22, pp. 706–712.
- Uhm, H. S., “A theory of the two-beam klystron,” *Physics of Fluids B: Plasma Physics*, 1993, v. 5, pp. 3056-3068.
- Uhm, H. S., Park, G. S., and Armstrong, C. M. “A theory of cavity excitation by modulated electron beam in connection with application to a klystron amplifier,” *Physics of Fluids B: Plasma Physics*, 1993, v. 5, pp. 1349-1357.

User's Manual, CST-Particle Studio, 2014, Darmstadt, Germany.

Wen, G., Xie, F., Li, J. and Liu, S., "Study of a X-Bank Relativistic Backward Wave Oscillator with Variable Couple Impedance", *International Journal of Infrared and Millimeter Waves*, 2000, v. 21, pp.2107-2113.

Zhang, J., Zhong, H.H. and Luo, L., "A novel overmoded slow-wave high-power microwave (HPM) generator", *IEEE transactions on plasma science*, 2004, v. 32, pp. 2236-2242.

Zhang, X., Li, Y., Li, Z., Zhong, H., and Qian, B., "Preliminary experimental investigation of a complex dual-band high power microwave source", *Review of Scientific Instruments*, 2015, v. 86, p.104703.