

List of Figures

2.1	<i>Plots of absolute error of example 2.6.1 using scheme-I for $N = 2, N = 3$ and $N = 4$ without noise.</i>	38
2.2	<i>Plots of absolute error of example 2.6.1 using scheme-II for $N = 2, N = 3$ and $N = 4$ without noise.</i>	39
2.3	<i>Plots of the absolute error for example 2.6.2 using scheme-I for $N = 2, N = 3$ and $N = 4$ without noise.</i>	42
2.4	<i>Plots of the absolute error for example 2.6.2 using scheme-I for $N = 2, N = 3$ and $N = 4$ without noise.</i>	42
2.5	<i>Plots of the absolute error of example 2.6.3 using scheme-I for $N = 2, N = 3$ and $N = 4$ without noise.</i>	45
2.6	<i>Plots of the absolute error of example 2.6.3 using scheme-II for $N = 2, N = 3$ and $N = 4$ without noise.</i>	46
3.1	Absolute error of example 3.5.1 obtained for $N=6$ using scheme-I.	66
3.2	Absolute error of example 3.5.1 obtained for $N=6$ using scheme-II.	67
3.3	Absolute error of example 3.5.2 obtained for $N = 6$ by scheme-I.	69
3.4	Absolute error of example 3.5.2 obtained for $N = 6$ by scheme-II.	69
3.5	Absolute error of example 3.5.3 obtained for $N=6$ by scheme-I.	72
3.6	Absolute error of example 3.5.3 obtained for $N=6$ by scheme-II.	72

4.1	Error graph of example 4.4.1 for $N = 5$	91
4.2	Error graph of example 4.4.1 for $N = 7$	92
4.3	Error graph of example 4.4.2 for $N = 7$	93
4.4	Error graph of example 4.4.2 for $N = 9$	94
4.5	Error graph of example 4.4.3 for $N = 4$	95
4.6	Error graph of example 4.4.3 for $N = 6$	96
4.7	Error graph of example 4.4.4 for $N = 8$	97
4.8	Error graph of example 4.4.4 for $N = 10$	98
5.1	Numerical (left figure) and exact solutions (right figure) of example 5.8.1 for $N = 8, M = 60$, for $\alpha = 1.5$ and $\beta = 1.1$	125
5.2	Absolute errors for $\alpha = 1.5, \beta = 1.1$ (left figure) and absolute errors at $T = 1$ for different value of α and β (right figure) for example 5.8.1 with $N = 8, M = 60$	125
5.3	Numerical (left figure) and exact solutions (right) of example 5.8.2 for $N = 8, M = 60$, for $\alpha = 1.5$ and $\beta = 1.1$	127
5.4	Absolute error for $\alpha = 1.5, \beta = 1.1$ (left figure) and absolute errors at $T = 1$ for different values of α and β (right figure) for example 5.8.2 with $N = 8, M = 60$	127
5.5	Numerical (left figure) and exact solutions (right figure) of example 5.8.3 for $N = 8, M = 60$, for $\alpha = 1.1$	128
5.6	Absolute error for $\alpha = 1.1$, (left figure) and absolute errors at $T = 1$ for different values of α (right figure) for example 5.8.3 with $N =$ $8, M = 80$	129

5.7 L_2 -error versus time step τ for different values of α (Left figure) and L_2 -error versus number of basis function N for different α , $\tau = 5 \times$ 10^{-3} (Right figure).	129
---	-----