

7. References

Aceituno-Medina M., Mendoza S., Rodríguez B.A., Lagaron J.M. and López-Rubio A., "Improved antioxidant capacity of quercetin and ferulic acid during in-vitro digestion through encapsulation within food-grade electrospun fibers," *Journal of Functional Foods*, **12**(2015)332-341.

Aebi H., *Methods in Enzymology*, Chapter 13- Catalase *in vitro*, Elsevier, (1984) pp. 121-126.

Ak T. and Gülçin İ., "Antioxidant and radical scavenging properties of curcumin," *Chemico-Biological Interactions*, (1),**174**(2008)27-37.

Almeida G.C.M., dos Santos M.M., Lima N.G.M., Cidral T.A., Melo M.C.N. and Lima K.C., "Prevalence and factors associated with wound colonization by *Staphylococcus* spp. and *Staphylococcus aureus* in hospitalized patients in inland northeastern Brazil: a cross-sectional study," *BMC infectious diseases*, (1),**14**(2014)328.

Alnuman N., Al-Jafary R., Manna F. and Almuhtaseb R. "Fabrication and Characterization of Electrospun 75: 25 PLGA Nanofibers for Skin Tissue Engineering," *IEEE-EMBS Conference on Biomedical Engineering and Sciences (IECBES)*, (2018) pp. 560-565.

Angamma C.J. and Jayaram S.H., "Analysis of the effects of solution conductivity on electrospinning process and fiber morphology," *IEEE Transactions on industry applications*, (3),**47**(2011)1109-1117.

Anjum F., Agabalyan N.A., Sparks H.D., Rosin N.L., Kallos M.S. and Biernaskie J., "Biocomposite nanofiber matrices to support ECM remodeling by human dermal progenitors and enhanced wound closure," *Scientific Reports*, (1),**7**(2017)10291.

Arvand M., Tajyani S. and Ghodsi N., "Electrodeposition of quercetin on the electrospun zinc oxide nanofibers and its application as a sensing platform for uric acid," *Materials Science and Engineering: C*, **46**(2015)325-332.

Astete C.E. and Sabliov C.M., "Synthesis and characterization of PLGA nanoparticles," *Journal of Biomaterials Science, Polymer Edition*, (3),**17**(2006)247-289.

Bakhsheshi-Rad H., Ismail A., Aziz M., Akbari M., Hadisi Z., Daroonparvar M. and Chen X., "Antibacterial activity and in vivo wound healing evaluation of polycaprolactone-gelatin methacryloyl-cephalexin electrospun nanofibrous," *Materials Letters*,**256**(2019)126.

- Beauchamp C. and Fridovich I., "Superoxide dismutase: improved assays and an assay applicable to acrylamide gels," *Analytical Biochemistry*, (1),**44**(1971)276-287.
- Beckett A.H. and Stenlake J.B., *Practical Pharmaceutical Chemistry: Part II* Fourth Edition; A&C Black, 1988.
- Berger T.G., Elston D.M. and James W., *Andrews' diseases of the skin: clinical dermatology*; Saunders Elsevier, 2006.
- Bhardwaj N. and Kundu S.C., "Electrospinning: a fascinating fiber fabrication technique," *Biotechnol Adv*, (3),**28**(2010)325-347.
- Bide M., Phaneuf M., Phaneuf T. and Brown P., *Medical and Healthcare Textiles*, (2010) pp. 198-205, Elsevier.
- Bressolle F., Bromet-Petit M. and Audran M., "Validation of liquid chromatographic and gas chromatographic methods Applications to pharmacokinetics," *Journal of Chromatography B: Biomedical Sciences and Applications*, (1),**686**(1996)3-10.
- Brunton, L., Chabner, B. A., Knollmann, B. C., *Goodman & Gilman's the pharmacological basis of therapeutics*, McGraw-Hill New York, (2011) 12th edition, page no. 1470-1474.
- Campoccia D., Montanaro L. and Arciola C.R., "A review of the clinical implications of anti-infective biomaterials and infection-resistant surfaces," *Biomaterials*, (33),**34**(2013)8018-8029.
- Celebioglu A., Umu O.C., Tekinay T. and Uyar T., "Antibacterial electrospun nanofibers from triclosan/cyclodextrin inclusion complexes," *Colloids and Surfaces B: Biointerfaces*, **116**(2014)612-619.
- Chen S., Liu B., Carlson M.A., Gombart A.F., Reilly D.A. and Xie J., "Recent advances in electrospun nanofibers for wound healing," *Nanomedicine (Lond)*, (11),**12**(2017)1335-1352.
- Chong E., Phan T., Lim I., Zhang Y., Bay B., Ramakrishna S. and Lim C., "Evaluation of electrospun PCL/gelatin nanofibrous scaffold for wound healing and layered dermal reconstitution," *Acta Biomater*, (3),**3**(2007)321-330.
- Cissell D.D., Link J.M., Hu J.C. and Athanasiou K.A., "A modified hydroxyproline assay based on hydrochloric acid in Ehrlich's solution accurately measures tissue collagen content," *Tissue Engineering Part C: Methods*, (4),**23**(2017)243-250.
- Coelho D.S., Veleirinho B., Alberti T., Maestri A., Yunes R., Dias P.F. and Maraschin M. (2018) *Nanofibers-from Preparation to Applications*, IntechOpen.
- Cramariuc B., Cramariuc R., Scarlet R., Manea L.R., Lupu I.G. and Cramariuc O., "Fiber diameter in electrospinning process," *Journal of Electrostatics*, (3),**71**(2013)189-198.

Demidova-Rice T.N., Hamblin M.R. and Herman I.M., "Acute and impaired wound healing: pathophysiology and current methods for drug delivery, part 1: normal and chronic wounds: biology, causes, and approaches to care," *Advances in skin & wound care*, (7),**25**(2012)304.

Doherty, G. M., *Current Diagnosis & Treatment: Surgery*, (2010) McGraw-Hill Companies, 13th edition, retrieved from <https://accesssurgery.mhmedical.com/content.aspx?bookid=343§ionid=39702793#undefined>

Doyle, G. R. and McCutcheon, J. A., "Clinical Procedures for Safer Patient Care." BC campus, (2015), retrieved from <https://opentextbc.ca/clinicalskills/chapter/wound-assessment/>

Drug Bank, retrieved from <https://www.drugbank.ca/drugs/DB00537>, accessed on October 01, 2019.

Dulnik J., Denis P., Sajkiewicz P., Kołbuk D. and Choińska E., "Biodegradation of bicomponent PCL/gelatin and PCL/collagen nanofibers electrospun from alternative solvent system," *Polymer Degradation and Stability*, **130**(2016)10-21.

Dunnill C., Patton T., Brennan J., Barrett J., Dryden M., Cooke J., Leaper D. and Georgopoulos N.T., "Reactive oxygen species (ROS) and wound healing: the functional role of ROS and emerging ROS-modulating technologies for augmentation of the healing process," *International wound journal*, (1),**14**(2017)89-96.

El-Ferjani R.M., Ahmad M., Dhiyaaldeen S.M., Harun F.W., Ibrahim M.Y., Adam H., Yamin B.M., Al-Obaidi M.M.J. and Al Batran R., "In vivo Assessment of Antioxidant and Wound Healing Improvement of a New Schiff Base Derived Co (II) Complex in Rats," *Scientific reports*, **6**(2016)38748.

Esfafilzadeh D., Jalili R., Liu X., Gilmore K.J., Razal J.M., Moulton S.E. and Wallace G.G., "A novel and facile approach to fabricate a conductive and biomimetic fibrous platform with sub-micron and micron features," *Journal of Materials Chemistry B*, (6),**4**(2016)1056-1063.

Feng K., Sun H., Bradley M.A., Dupler E.J., Giannobile W.V. and Ma P.X., "Novel antibacterial nanofibrous PLLA scaffolds," *Journal of Controlled Release*, (3),**146**(2010)363-369.

Foxx M. and Zilberman M., "Drug delivery from gelatin-based systems," *Expert opinion on drug delivery*, (9),**12**(2015)1547-1563.

Gaonkar R.H., Ganguly S., Dewanjee S., Sinha S., Gupta A., Ganguly S., Chattopadhyay D. and Debnath M.C., "Garcinol loaded vitamin E TPGS emulsified PLGA nanoparticles: preparation, physicochemical characterization, in vitro and in vivo studies," *Scientific reports*, (1),**7**(2017)530.

Garcia-Orue I., Gainza G., Garcia-Garcia P., Gutierrez F.B., Aguirre J.J., Hernandez R.M., Delgado A. and Igartua M., "Composite nanofibrous membranes of PLGA/Aloe vera containing lipid nanoparticles for wound dressing applications," *International Journal of Pharmaceutics*, **556**(2019)320-329.

George Broughton I., Janis J.E. and Attinger C.E., "Wound healing: an overview," *Plastic and Reconstructive Surgery*, **117**(2006)1e-S-32e-S.

Ghasemi-Mobarakeh L., Prabhakaran M.P., Morshed M., Nasr-Esfahani M.-H. and Ramakrishna S., "Electrospun poly (ϵ -caprolactone)/gelatin nanofibrous scaffolds for nerve tissue engineering," *Biomaterials*, (34), **29**(2008)4532-4539.

Gizaw M., Thompson J., Faglie A., Lee S.-Y., Neuenschwander P. and Chou S.-F., "Electrospun fibers as a dressing material for drug and biological agent delivery in wound healing applications," *Bioengineering*, (1), **5**(2018)9.

Gomathi K., Gopinath D., Ahmed M.R. and Jayakumar R., "Quercetin incorporated collagen matrices for dermal wound healing processes in rat," *Biomaterials*, (16), **24**(2003)2767-2772.

Guo S.a. and DiPietro L.A., "Factors affecting wound healing," *Journal of Dental Research*, (3), **89**(2010)219-229.

Gupta P., Elkins C., Long T.E. and Wilkes G.L., "Electrospinning of linear homopolymers of poly (methyl methacrylate): exploring relationships between fiber formation, viscosity, molecular weight and concentration in a good solvent," *Polymer*, (13), **46**(2005)4799-4810.

Haghjooy Javanmard S., Anari J., Zargar Kharazi A. and Vatankhah E., "In vitro hemocompatibility and cytocompatibility of a three-layered vascular scaffold fabricated by sequential electrospinning of PCL, collagen, and PLLA nanofibers," *Journal of Biomaterials Applications*, (3), **31**(2016)438-449.

Haider S., Al-Zeghayer Y., Ali F.A.A., Haider A., Mahmood A., Al-Masry W.A., Imran M. and Aijaz M.O., "Highly aligned narrow diameter chitosan electrospun nanofibers," *Journal of Polymer Research*, (4), **20**(2013)105.

Harrington W.F. and von Hippel P.H., "Formation and stabilization of the collagen-fold," *Archives of Biochemistry and Biophysics*, (1), **92**(1961)100-113.

Health Canada, retrieved from <http://webprod.hc-sc.gc.ca/nhp/bdipn/ingredReq.do?id=11740&lang=eng>, accessed on September 01, 2019.

Hu X., Liu S., Zhou G., Huang Y., Xie Z. and Jing X., "Electrospinning of polymeric nanofibers for drug delivery applications," *Journal of Controlled Release*, **185**(2014)12-21.

ICHQ2(R1) (2005) International Conference on Harmonization, Validation of analytical procedures: Text and methodology. Harmonization, I.C.o. (ed).

Idrus R.H., bin P Rameli M.A., Low K.C., Law J.X., Chua K.H., Latiff M.B.A. and Saim A.B., "Full-thickness skin wound healing using autologous keratinocytes and dermal fibroblasts with fibrin: bilayered versus single-layered substitute," *Advances in skin & wound care*, (4),**27**(2014)171-180.

Jain P.S., Chaudhari A.J., Patel S.A., Patel Z.N. and Patel D.T., "Development and validation of the UV-spectrophotometric method for determination of terbinafine hydrochloride in bulk and in formulation," *Pharmaceutical methods*, (3),**2**(2011)198-202.

Jannesari M., Varshosaz J., Morshed M. and Zamani M., "Composite poly (vinyl alcohol)/poly (vinyl acetate) electrospun nanofibrous mats as a novel wound dressing matrix for controlled release of drugs," *Int J Nanomedicine*, **6**(2011)993.

Jarusuwannapoom T., Hongrojjanawiwat W., Jitjaicham S., Wannatong L., Nithitanakul M., Pattamaprom C., Koombhongse P., Rangkupan R. and Supaphol P., "Effect of solvents on electro-spinnability of polystyrene solutions and morphological appearance of resulting electrospun polystyrene fibers," *European polymer journal*, (3),**41**(2005)409-421.

Jones E.M., Cochrane C.A. and Percival S.L., "The effect of pH on the extracellular matrix and biofilms," *Advances in Wound Care*, (7),**4**(2015)431-439.

Kant V., Jangir B.L., Nigam A., Kumar V. and Sharma S., "Dose regulated cutaneous wound healing potential of quercetin in male rats," *Wound Medicine*, **19**(2017)82-87.

Kapoor D.N., Bhatia A., Kaur R., Sharma R., Kaur G. and Dhawan S., "PLGA: a unique polymer for drug delivery," *Therapeutic delivery*, (1),**6**(2015)41-58.

Kataria K., Gupta A., Rath G., Mathur R. and Dhakate S., "In vivo wound healing performance of drug loaded electrospun composite nanofibers transdermal patch," *International Journal of Pharmaceutics*, (1),**469**(2014)102-110.

Kevadiya B.D., Rajkumar S., Bajaj H.C., Chettiar S.S., Gosai K., Brahmabhatt H., Bhatt A.S., Barvaliya Y.K., Dave G.S. and Kothari R.K., "Biodegradable gelatin–ciprofloxacin–montmorillonite composite hydrogels for controlled drug release and wound dressing application," *Colloids and Surfaces B: Biointerfaces*, **122**(2014)175-183.

Khalid F., Gul S., Khan M.N. and Alam M.T., "UV Spectrophotometric Method for Estimation of Moxifloxacin HCl in Tablet Dosage Form and Comparative Study of its Different Brands," *RADS Journal of Pharmacy and Pharmaceutical Sciences*, (2),**3**(2015)41-49.

Khan G., Patel R.R., Yadav S.K., Kumar N., Chaurasia S., Ajmal G., Mishra P.K. and Mishra B., "Development, optimization and evaluation of tinidazole functionalized electrospun poly (ϵ -caprolactone) nanofiber membranes for the treatment of periodontitis," *RSC Advances*, (102),**6**(2016)100214-100229.

Khan G., Yadav S.K., Patel R.R., Kumar N., Bansal M. and Mishra B., "Tinidazole functionalized homogeneous electrospun chitosan/poly (ϵ -caprolactone) hybrid nanofiber membrane: Development, optimization and its clinical implications," *International Journal of Biological Macromolecules*, **103**(2017)1311-1326.

Kim S.E., Heo D.N., Lee J.B., Kim J.R., Park S.H., Jeon S.H. and Kwon I.K., "Electrospun gelatin/polyurethane blended nanofibers for wound healing," *Biomedical Materials*, (4),**4**(2009)044106.

Kim T.G. and Park T.G., "Biomimicking extracellular matrix: cell adhesive RGD peptide modified electrospun poly (D, L-lactic-co-glycolic acid) nanofiber mesh," *Tissue Engineering*, (2),**12**(2006)221-233.

Kolarsick P.A., Kolarsick M.A. and Goodwin C., "Anatomy and physiology of the skin," *Journal of the Dermatology Nurses' Association*, (4),**3**(2011)203-213.

Kumari A., Yadav S.K. and Yadav S.C., "Biodegradable polymeric nanoparticles based drug delivery systems," *Colloids and Surfaces B: Biointerfaces*, (1),**75**(2010)1-18.

Kurahashi T. and Fujii J., "Roles of antioxidative enzymes in wound healing," *Journal of Developmental Biology*, (2),**3**(2015)57-70.

LeBel M., "Ciprofloxacin: chemistry, mechanism of action, resistance, antimicrobial spectrum, pharmacokinetics, clinical trials, and adverse reactions," *Pharmacotherapy: The Journal of Human Pharmacology and Drug Therapy*, (1),**8**(1988)3-30.

LF Nascimento M., S Araujo E., R Cordeiro E., HP de Oliveira A. and P de Oliveira H., "A literature investigation about electrospinning and nanofibers: historical trends, current status and future challenges," *Recent Patents on Nanotechnology*, (2),**9**(2015)76-85.

Li X.-Y., Shi C.-J., Yu D.-G., Liao Y.-Z. and Wang X., "Electrospun quercetin-loaded zein nanoribbons," *Bio-Medical Materials and Engineering*, (6),**24**(2014)2015-2023.

Li Y., Yao J., Han C., Yang J., Chaudhry M.T., Wang S., Liu H. and Yin Y., "Quercetin, inflammation and immunity," *Nutrients*, (3),**8**(2016)167.

Liu S.-J., Kau Y.-C., Chou C.-Y., Chen J.-K., Wu R.-C. and Yeh W.-L., "Electrospun PLGA/collagen nanofibrous membrane as early-stage wound dressing," *Journal of Membrane Science*, (1-2),**355**(2010)53-59.

- Liu X., Lin T., Fang J., Yao G., Zhao H., Dodson M. and Wang X., "In vivo wound healing and antibacterial performances of electrospun nanofibre membranes," *Journal of biomedical materials research Part A*, (2),**94**(2010b)499-508.
- Liu Z., Yu N., Holz F.G., Yang F. and Stanzel B.V., "Enhancement of retinal pigment epithelial culture characteristics and subretinal space tolerance of scaffolds with 200 nm fiber topography," *Biomaterials*, (9),**35**(2014)2837-2850.
- Lü J.M., Lin P.H., Yao Q. and Chen C., "Chemical and molecular mechanisms of antioxidants: experimental approaches and model systems," *Journal of cellular and molecular medicine*, (4),**14**(2010)840-860.
- Ma J., Ji C., Xiao D. and Fan Q., "Quercetin-loaded solid lipid nanoparticles-enriched hydrogel prevents the formation of skin scars by inhibiting TGF- β /Smad signaling pathway," *Biomedical Research*, (7),**29**(2018)1321-1326.
- Ma K., Liao S., He L., Lu J., Ramakrishna S. and Chan C.K., "Effects of nanofiber/stem cell composite on wound healing in acute full-thickness skin wounds," *Tissue Engineering Part A*, (9-10),**17**(2011)1413-1424.
- Makadia H.K. and Siegel S.J., "Poly lactic-co-glycolic acid (PLGA) as biodegradable controlled drug delivery carrier," *Polymers*, (3),**3**(2011)1377-1397.
- Maleki M., Latifi M., Amani-Tehran M. and Mathur S., "Electrospun core-shell nanofibers for drug encapsulation and sustained release," *Polymer Engineering & Science*, (8),**53**(2013)1770-1779.
- Marler J.J., Upton J., Langer R. and Vacanti J.P., "Transplantation of cells in matrices for tissue regeneration," *Advanced drug delivery reviews*, (1-2),**33**(1998)165-182.
- Matabola K. and Moutloali R., "The influence of electrospinning parameters on the morphology and diameter of poly (vinylidene fluoride) nanofibers-effect of sodium chloride," *Journal of materials science*, (16),**48**(2013)5475-5482.
- McGrath J., Eady R. and Pope F., "Anatomy and organization of human skin," *Rook's textbook of dermatology*, **10**(2004)9781444317633.
- McKee M.G., Layman J.M., Cashion M.P. and Long T.E., "Phospholipid nonwoven electrospun membranes," *Science*, (5759),**311**(2006)353-355.
- Mendis E., Rajapakse N. and Kim S.-K., "Antioxidant properties of a radical-scavenging peptide purified from enzymatically prepared fish skin gelatin hydrolysate," *Journal of Agricultural and Food Chemistry*, (3),**53**(2005)581-587.
- Meng Z., Wang Y., Ma C., Zheng W., Li L. and Zheng Y., "Electrospinning of PLGA/gelatin randomly-oriented and aligned nanofibers as potential scaffold in tissue engineering," *Materials Science and Engineering: C*, (8),**30**(2010)1204-1210.

- Mishra K., Ojha H. and Chaudhury N.K., "Estimation of antiradical properties of antioxidants using DPPH assay: A critical review and results," *Food chemistry*, (4),**130**(2012)1036-1043.
- Nafiu A.B. and Rahman M.T., "Anti-inflammatory and antioxidant properties of unripe papaya extract in an excision wound model," *Pharmaceutical biology*, (5),**53**(2015)662-671.
- Ng K.W. and Lau W.M., *Percutaneous penetration enhancers chemical methods in penetration enhancement*, Springer (2015) pp. 3-11.
- Nguyen T.T.T., Ghosh C., Hwang S.-G., Chanunpanich N. and Park J.S., "Porous core/sheath composite nanofibers fabricated by coaxial electrospinning as a potential mat for drug release system," *International Journal of Pharmaceutics*, (1-2),**439**(2012)296-306.
- Norouzi M., Shabani I., Ahvaz H.H. and Soleimani M., "PLGA/gelatin hybrid nanofibrous scaffolds encapsulating EGF for skin regeneration," *Journal of biomedical materials research Part A*, (7),**103**(2015)2225-2235.
- Okoye E.I. and Okolie T.A., "Development and in vitro characterization of ciprofloxacin loaded polymeric films for wound dressing," *International Journal of Health & Allied Sciences*, (4),**4**(2015)234.
- OpenStax, *Anatomy and Physiology*, OpenStax Publisher, (2013). Retrieved from <https://opentextbc.ca/anatomyandphysiology/chapter/5-1-layers-of-the-skin/>
- Pang Y., Zhang Y., Huang L., Xu L., Wang K., Wang D., Guan L., Zhang Y., Yu F. and Chen Z., "Effects and mechanisms of total flavonoids from *Blumea balsamifera* (L.) DC. on skin wound in rats," *Int J Mol Sci*, (12),**18**(2017)2766.
- Park E., Lee S.M., Jung I.-K., Lim Y. and Kim J.-H., "Effects of genistein on early-stage cutaneous wound healing," *Biochemical and Biophysical Research Communications*, (3),**410**(2011)514-519.
- Pelipenko J., Kocbek P. and Kristl J., "Critical attributes of nanofibers: preparation, drug loading, and tissue regeneration," *International Journal of Pharmaceutics*, (1),**484**(2015)57-74.
- Peng H.T., Martineau L. and Shek P.N., "Hydrogel-elastomer composite biomaterials: 3. Effects of gelatin molecular weight and type on the preparation and physical properties of interpenetrating polymer networks," *Journal of Materials Science: Materials in Medicine*, (3),**19**(2008)997-1007.
- Pereira R.F. and Bartolo P.J., "Traditional therapies for skin wound healing," *Advances in Wound Care*, (5),**5**(2016)208-229.

- Pham Q.P., Sharma U. and Mikos A.G., "Electrospinning of polymeric nanofibers for tissue engineering applications: a review," *Tissue Engineering*, (5),**12**(2006)1197-1211.
- Pubchem, retrieved from <https://pubchem.ncbi.nlm.nih.gov/compound/Ciprofloxacin-hydrochloride> and <https://pubchem.ncbi.nlm.nih.gov/compound/Quercetin>, accessed on October 01, 2019.
- Qi Y., Jiang M., Cui Y.-L., Zhao L. and Zhou X., "Synthesis of quercetin loaded nanoparticles based on alginate for Pb (II) adsorption in aqueous solution," *Nanoscale research letters*, (1),**10**(2015)408.
- Ranganath S.H. and Wang C.-H., "Biodegradable microfiber implants delivering paclitaxel for post-surgical chemotherapy against malignant glioma," *Biomaterials*, (20),**29**(2008)2996-3003.
- Rasik A.M. and Shukla A., "Antioxidant status in delayed healing type of wounds," *International Journal of Experimental Pathology*, (4),**81**(2000)257-263.
- Rather H.A., Thakore R., Singh R., Jhala D., Singh S. and Vasita R., "Antioxidative study of cerium oxide nanoparticle functionalised PCL-Gelatin electrospun fibers for wound healing application," *Bioactive materials*, (2),**3**(2018)201-211.
- Reddy G.K. and Enwemeka C.S., "A simplified method for the analysis of hydroxyproline in biological tissues," *Clinical Biochemistry*, (3),**29**(1996)225-229.
- Reneker D.H. and Yarin A.L., "Electrospinning jets and polymer nanofibers," *Polymer*, (10),**49**(2008)2387-2425.
- Reneker D.H., Yarin A.L., Fong H. and Koombhongse S., "Bending instability of electrically charged liquid jets of polymer solutions in electrospinning," *Journal of Applied physics*, (9),**87**(2000)4531-4547.
- Rieger K.A., Birch N.P. and Schiffman J.D., "Designing electrospun nanofiber mats to promote wound healing—a review," *Journal of Materials Chemistry B*, (36),**1**(2013)4531-4541.
- Rošic R., Pelipenko J., Kocbek P., Baumgartner S., Bešter-Rogač M. and Kristl J., "The role of rheology of polymer solutions in predicting nanofiber formation by electrospinning," *European polymer journal*, (8),**48**(2012)1374-1384.
- Saad B. and Suter U., "Biodegradable polymeric materials," 2001).
- Schneider L.A., Korber A., Grabbe S. and Dissemmond J., "Influence of pH on wound-healing: a new perspective for wound-therapy?," *Archives of Dermatological Research*, (9),**298**(2007)413-420.
- Selvaraj S. and Fathima N.N., "Fenugreek Incorporated Silk Fibroin Nanofibers: A Potential Antioxidant Scaffold for Enhanced Wound Healing," *ACS applied materials & interfaces*, (7),**9**(2017)5916-5926.

Sen C.K., Human Wounds and Its Burden: An Updated Compendium of Estimates, Mary Ann Liebert, Inc., publishers (2019).

Shah V.P., Midha K.K., Dighe S., McGilveray I.J., Skelly J.P., Yacobi A., Layloff T., Viswanathan C.q., Cook C. and McDowall R., "Analytical methods validation: bioavailability, bioequivalence and pharmacokinetic studies. Conference report," *European Journal of Drug Metabolism and Pharmacokinetics*, (4),**16**(1991)249-255.

Sill T.J. and von Recum H.A., "Electrospinning: applications in drug delivery and tissue engineering," *Biomaterials*, (13),**29**(2008)1989-2006.

Sinha M., Banik R.M., Haldar C. and Maiti P., "Development of ciprofloxacin hydrochloride loaded poly (ethylene glycol)/chitosan scaffold as wound dressing," *Journal of Porous Materials*, (4),**20**(2013)799-807.

Sripriya R., Kumar M.S., Ahmed M.R. and Sehgal P.K., "Collagen bilayer dressing with ciprofloxacin, an effective system for infected wound healing," *Journal of Biomaterials Science, Polymer Edition*, (3),**18**(2007)335-351.

Suhaeri M., Noh M.H., Moon J.-H., Kim I.G., Oh S.J., Ha S.S., Lee J.H. and Park K., "Novel skin patch combining human fibroblast-derived matrix and ciprofloxacin for infected wound healing," *Theranostics*, (18),**8**(2018)5025.

Sun B., Long Y., Zhang H., Li M., Duvail J., Jiang X. and Yin H., "Advances in three-dimensional nanofibrous macrostructures via electrospinning," *Progress in polymer science*, (5),**39**(2014)862-890.

Szentivanyi A., Chakradeo T., Zernetsch H. and Glasmacher B., "Electrospun cellular microenvironments: understanding controlled release and scaffold structure," *Advanced drug delivery reviews*, (4-5),**63**(2011)209-220.

Thipkaew C., Wattanathorn J. and Muchimapura S., "Electrospun nanofibers loaded with quercetin promote the recovery of focal entrapment neuropathy in a rat model of streptozotocin-induced diabetes," *BioMed research international*, **2017**(2017).

Tripathi K., Essentials of medical pharmacology; JP Medical Ltd, 2013, 7th edition, page no. 708-712.

Ulery B.D., Nair L.S. and Laurencin C.T., "Biomedical applications of biodegradable polymers," *Journal of polymer science Part B: polymer physics*, (12),**49**(2011)832-864.

Unnithan A.R., Barakat N.A., Pichiah P.T., Gnanasekaran G., Nirmala R., Cha Y.-S., Jung C.-H., El-Newehy M. and Kim H.Y., "Wound-dressing materials with antibacterial activity from electrospun polyurethane–dextran nanofiber mats containing ciprofloxacin HCl," *Carbohydrate polymers*, (4),**90**(2012)1786-1793.

- Vatankhah E., Prabhakaran M.P., Semnani D., Razavi S., Morshed M. and Ramakrishna S., "Electrospun tectophilic/gelatin nanofibers with potential for small diameter blood vessel tissue engineering," *Biopolymers*, (12),**101**(2014)1165-1180.
- Velnar T., Bailey T. and Smrkolj V., "The wound healing process: an overview of the cellular and molecular mechanisms," *Journal of International Medical Research*, (5),**37**(2009)1528-1542.
- Vijayakumar M.R., Kumari L., Patel K.K., Vuddanda P.R., Vajanthri K.Y., Mahto S.K. and Singh S., "Intravenous administration of trans-resveratrol-loaded TPGS-coated solid lipid nanoparticles for prolonged systemic circulation, passive brain targeting and improved in vitro cytotoxicity against C6 glioma cell lines," *RSC Advances*, (55),**6**(2016)50336-50348.
- Wang H.-S., Fu G.-D. and Li X.-S., "Functional polymeric nanofibers from electrospinning," *Recent Patents on Nanotechnology*, (1),**3**(2009)21-31.
- Weydert C.J. and Cullen J.J., "Measurement of superoxide dismutase, catalase and glutathione peroxidase in cultured cells and tissue," *Nature protocols*, (1),**5**(2010)51.
- WHO report, retrieved from <https://www.who.int/topics/injuries/en/>
- Xie J. and Wang C.-H., "Electrospun micro-and nanofibers for sustained delivery of paclitaxel to treat C6 glioma in vitro," *Pharmaceutical Research*, (8),**23**(2006)1817.
- Xu L., Ji X., Zhao N., Song C., Wang F. and Liu C., "The conjugation of Cu/Zn superoxide dismutase (SOD) to O-(2-hydroxyl) propyl-3-trimethyl ammonium chitosan chloride (O-HTCC) enhances its therapeutic potential against radiation-induced oxidative damage," *Polymer Chemistry*, (9),**7**(2016)1826-1835.
- Xue J., He M., Liu H., Niu Y., Crawford A., Coates P.D., Chen D., Shi R. and Zhang L., "Drug loaded homogeneous electrospun PCL/gelatin hybrid nanofiber structures for anti-infective tissue regeneration membranes," *Biomaterials*, (34),**35**(2014a)9395-9405.
- Xue J., He M., Niu Y., Liu H., Crawford A., Coates P., Chen D., Shi R. and Zhang L., "Preparation and in vivo efficient anti-infection property of GTR/GBR implant made by metronidazole loaded electrospun polycaprolactone nanofiber membrane," *International Journal of Pharmaceutics*, (1-2),**475**(2014b)566-577.
- Zhang H., Zhao C., Zhao Y., Tang G. and Yuan X., "Electrospinning of ultrafine core/shell fibers for biomedical applications," *Science China Chemistry*, (6),**53**(2010)1246-1254.
- Zhang Z., Li G. and Shi B., "Physicochemical properties of collagen, gelatin and collagen hydrolysate derived from bovine limed split wastes," *Journal- Society of Leather Technologists and Chemists*, (1),**90**(2006)23-28.

Zheng Y.-Z., Deng G., Liang Q., Chen D.-F., Guo R. and Lai R.-C., "Antioxidant activity of quercetin and its glucosides from propolis: A theoretical study," *Scientific reports*, (1),7(2017)7543.

Zheng Z., Liu Y., Huang W., Mo Y., Lan Y., Guo R. and Cheng B., "Neurotensin-loaded PLGA/CNC composite nanofiber membranes accelerate diabetic wound healing," *Artificial cells, nanomedicine, and biotechnology*, (sup2),46(2018)493-501.