

## REFERENCES

1. Akita, K., Yoshida, F. 1973. Gas holdup and volumetric mass transfer coefficient in bubble columns. *Ind. Eng. Chem. Process. Des. Develop.* 12(1):76-80.
2. Akita, K., Yoshida, F. 1974. Bubble size, interfacial area, and liquid-phase mass transfer coefficient in bubble columns. *Ind. Eng. Chem. Process Des. Dev.* 13(1):84-91.
3. Al-Masry, W. A., Ali, E. M. 2007. Identification of hydrodynamics characteristics in bubble columns through analysis of acoustic sound measurements-Influence of the liquid phase properties. *Chem. Eng. Process.* 46:127-138.
4. Al-Masry, W. A., Ali, E. M., Aqeel, Y. 2006. M. Effect of antifoam agents on bubble characteristics in bubble columns based on acoustic sound measurements. *Chem. Eng. Sci.* 61:3610-3622.
5. Al-Masry, W. A., Ali, E. M., Aqeel, Y.M. 2005. Determination of bubble characteristics in bubble columns using statistical analysis of acoustic sound measurements. *Int. J. Chem. Eng.* 83:1196-1207.
6. Alvare, J., Al-Dahhan, M.H. 2006. Gas holdup in trayed bubble column reactors. *Ind. Eng. Chem. Res.* 45:3320-3326.
7. Alvarez, E. A., Sanjurjo, B., Cancela, A. Navaza, J. M. 2000. Mass transfer and influence of physical properties of solutions in a bubble column, *Chem. Eng. Res. Des.* 78:889-893.
8. Alves, S. S., Maia, C. I., Vasconcelos, J. M. T., Serralheiro, A. J. 2002. Bubble size in aerated stirred tanks. *Chem. Eng. J.* 89:109-117.
9. Anabtawi, M. Z. A., Abu-Eishah, S. I., Hilal, N., Nabhan, M. B. W. 2003. Hydrodynamic studies in both bi-dimensional and three-dimensional bubble columns with a single sparger. *Chem. Eng. Process.* 42:403-408.
10. Anastasiou, A. D., Kazakis, N. A., Mouza, A. A., Paras, S. V. 2010. Effect of organic surfactant additives on gas holdup in the pseudo-homogeneous regime in bubble columns equipped with fine pore sparger, *Chem. Eng. Sci.* 65:5872-5880.
11. Anastasiou, A. D., Passos, A. D., Mouza, A. A. 2013. Bubble columns with fine pore sparger and non-Newtonian liquid phase: Prediction of gas holdup, *Chem. Eng. Sci.* 98:331-338.
12. Asencio, K., Bramer-Escamilla, W., Gutierrez, G., Sanchez, I. 2015. Electrical capacitance sensor array to measure density profiles of a vibrated granular bed, *Powder Technol.* 270(A):10-19.
13. Asgharpour, M., Mehrnia, M. R., Mostoufi, N. 2010. Effect of surface contaminants on oxygen transfer in bubble column reactors. *Biochem. Eng. J.* 49:351-360.

14. Babaei, R., Bonakdarpour, B., Ein-Mozaffari, F. 2015. The use of electrical resistance tomography for the characterization of gas holdup inside a bubble column bioreactor containing activated sludge. *Chem. Eng. J.* 268:260-269.
15. Bach, H. F., Pilhofer, T. 1978. Variation of gas holdup in bubble columns with physical properties of liquids and operating parameters of columns, *Ger. Chem. Eng.* 1:270-275.
16. Baz-Rodriguez, S. A., Botello-Alvarez, J. E., Estrada-Baltazar, A., Vilchiz-Bravo, K. E., Padilla-Medinad, J. A. Miranda-Lopez, R. 2014. Effect of electrolytes in aqueous solutions on oxygen transfer in gas-liquid bubble columns. *Chem. Eng. Res. Des.* 92:2352-2360.
17. Behkish, A., Lemoine, R., Oukaci, R., Morsi, B. I. 2006. Novel correlations for gas holdup in large-scale slurry bubble column reactors operating under elevated pressures and temperatures. *Chem. Eng. J.* 115:157-171.
18. Behkish, Z. Mena, J.R. Inga, Morsia, B.I. 2002. Mass transfer characteristics in a large-scale slurry bubble column reactor with organic liquid mixtures, *Chem. Eng. Sci.*, 57:3307-3324.
19. Benkrid, K., Rode, S., Pons, M.N., Pitiot, P., Midoux, N. 2002. Bubble flow mechanisms in trickle beds—an experimental study using image processing. *Chem. Eng. Sci.* 57(16):3347-3358.
20. Besagni, G., Gallazzini, L., Inzoli, F. 2019. On the scale-up criteria for bubble columns. *Petroleum.* 5(2):114-122.
21. Besagni, G., Inzoli, F., Guido, G. D., Pellegrini, L. A. 2017. The dual effect of viscosity on bubble column hydrodynamics. *Chem. Eng. Sci.* 158:509-538.
22. Bhatia, B., Nigam, K. D. P., Auban, D., Hebrard, G. 2004. Effect of a new high porosity packing on hydrodynamics and mass transfer in bubble columns. *Chem. Eng. Process.* 43:1371-1380.
23. Bhatia, B., Nigam, K. D. P., Auban, D., Hebrard, G. 2004. Effect of a new high porosity packing on hydrodynamics and mass transfer in bubble columns. *Chem. Eng. Process.* 43:1371-1380.
24. Birrer, F. R., Böhm, U. 2004. Gas-liquid dispersions in structured packing with high-viscosity liquids. *Chem. Eng. Sci.* 59:4385-4392.
25. Bouaifi, M., Hebrard, G., Bastoul, D., Roustan, M. 2001. A comparative study of gas hold-up, bubble size, interfacial area and mass transfer coefficients in stirred gas-liquid reactors and bubble columns. *Chem. Eng. Process.* 40:97-111.
26. Boyd, J., Varley, J. 2001. The uses of passive measurement of acoustic emissions from chemical engineering processes. *Chem. Eng. Sci.* 56:1749-1767.
27. Boyer, C., Duquenne, A.M., Wild, G. 2002. Measuring techniques in gas-liquid and gas-liquid-solid reactors. *Chem. Eng. Sci.* 57(16):3185-3215.
28. Brenn, G., Braeske, H., Durst, F. 2002. Investigation of the unsteady two-phase flow with small bubbles in a model bubble column using phase-Doppler anemometry. *Chem. Eng. Sci.* 57(24):5143-5159.
29. Buchholz, R., Schügerl, K. 1979. Bubble column bioreactors: I-Methods for measuring the bubble size. *European J. Appl. Microbiol. Biotechnol.* 6:301-313.

30. Bukur, D. B., Patel, S. A. 1989. Hydrodynamics studies with foaming and non-Newtonian solutions in bubble column. *Can. J Chem. Eng.* 67:741-751.
31. Cachaza, E. M., Diaz, M. E., Montes, F. J., Galan, M. A. 2011. Unified study of flow regimes and gas holdup in the presence of positive and negative surfactants in a non-uniformly aerated bubble column. *Chem. Eng. Sci.* 66:4047-4056.
32. Cents, A. H. G., Jansen, D. J. W., Brilman, D.W.F., Versteeg, G. F. 2005. Influence of Small Amounts of Additives on Gas Hold-Up, Bubble Size, and Interfacial Area. *Ind. Eng. Chem. Res.* 44:4863-4870.
33. Chandrasekaran, B.K., Lee, L.V., Hulme, I., Kantzas, A. 2005. A simulation and experimental study of the hydrodynamics of a bubbling fluidized bed of linear low density polyethylene using bubble properties and pressure fluctuations. *Macromol. Mater. Eng.* 290(6):592-609.
34. Chen, P. C., Shi, W., Du, R., Chen, V. 2008. Scrubbing of CO<sub>2</sub> greenhouse gases, accompanied by precipitation in a continuous bubble-column scrubber. *Ind. Eng. Chem. Res.* 47:6336-6343.
35. Chen, R. C., Reese, J., Fan, L. S. 1994. Flow structure in a three-dimensional bubble column and three-phase fluidized bed. *AIChE J.* 40(7):1093-1104.
36. Chisti, Y., Moo-Young, M. 1989. On the calculation of shear rate and apparent viscosity in airlift and bubble column bioreactors. *Bioeng. Biotechnol.* 34:1391-1392.
37. Choi, K. H., Chisti, Y., Moo-Young, M. 1996. Comparative evaluation of hydrodynamic and gas liquid mass transfer characteristics in bubble column and airlift slurry reactors. *Chem. Eng. J.* 62:223-229.
38. Cordero, J. R. V., Zenit, R. 2011. Bubble cluster formation in shear-thinning inelastic bubbly columns. *J. Non-Newtonian Fluid Mech.* 166:32-41.
39. De Swart, J. W. A. Van Vliet, R. E., Krishna. R. 1996. Size, structure and dynamics of large bubbles in a two-dimensional slurry bubble column. *Chem. Eng. Sci.* 51(20):4619-4629.
40. Deckwer, W.-D, Nguyen-Tien, K., Schumpe, A. Serpemen, Y. 1982. Oxygen mass transfer into aerated CMC solutions in a bubble column. *Biotechnol. Bioeng.* 24:461-481.
41. Degaleesan, S., Dudukovic, M.P., Toseland, B.A., Bhatt, B.L. 1997. A two-compartment convective-diffusion model for slurry bubble column reactors. *Ind. Eng. Chem. Res.* 36:4670-4680.
42. Deshpande, N.S., Dinkar M., Joshi, J. B. 1995. Disengagement of the gas phase in bubble columns. *Int. J. Multiphase Flow.* 21(6):1191-1201.
43. Esmaeili, A., Guy, C., Chaouki, J. 2015. The effects of liquid phase rheology on the hydrodynamics of a gas-liquid bubble column reactor. *Chem. Eng. Sci.* 129:193-207.
44. Feng, D. Ferrasse, J. H., Soric, A., Boutin, O. 2019. Bubble characterization and gas-liquid interfacial area in two phase gas-liquid system in bubble column at low Reynolds number and high temperature and pressure. *Chem. Eng. Res. Des.* 144:95-106.

45. Ford, J.J., Heindel, T.J., Jensen, T.C., Drake, J.B., 2008. X-ray computed tomography of a gas-sparged stirred-tank reactor. *Chem. Eng. Sci.* 63(8):2075-2085.
46. Fransolet, E., Crine, M., Marchot, P., Toye, D. 2005. Analysis of gas holdup in bubble columns with non-Newtonian fluid using electrical resistance tomography and dynamic gas disengagement technique. *Chem. Eng. Sci.* 60:6118-6123.
47. Fransolet, E., Crine, M., Marchot, P., Toye, D. 2005. Analysis of gas holdup in bubble columns with non-Newtonian fluid using electrical resistance tomography and dynamic gas disengagement technique. *Chem. Eng. Sci.* 60(22):6118-6123.
48. Gaddis, E., Vogelpohl, A. 1986. Bubble formation in quiescent liquids under constant flow conditions. *Chem. Eng. Sci.*41(1):97-105.
49. George, D.L., Torczynski, J.R., Shollenberger, K.A., O'Hern, T.J., Ceccio, S.L. 2000. Validation of electrical-impedance tomography for measurements of material distribution in two-phase flows. *Int. J. Multiph. Flow* 26(4):549-581.
50. Godbole, S. P., Honath, M. F., Shah, Y.T. 1982. Holdup structure in highly viscous Newtonian and non-Newtonian liquids in bubble columns. *Chwem. Eng. Commmun.* 16:119-134.
51. Godbole, S. P., Schumpe, A., Shah, Y.T., Carr, N.L. 1984. Hydrodynamics and mass transfer in non-Newtonian solutions in a bubble column. *AIChEJ.* 30:213-220.
52. Gomez-Díaz, D., Navaza, J. M. Quintans-Riveiro, L.C., Sanjurjo, B. 2009. Gas absorption in bubble column using a non-Newtonian liquid phase. *Chem. Eng. J.* 146:16-21.
53. Gómez-Díaz, D., Navaza, J. M., Sanjurjo, B. 2018. Interfacial area evaluation in a bubble column in the presence of a surface-active substance Comparison of methods. *Chem. Eng. J.* 144:379-385.
54. Gomez-Díaz, D., Navaza, J.M., Sanjurjo, B. 2008. Interfacial area evaluation in a bubble column in the presence of a surface-active substance Comparison of methods. *Chem. Eng. J.* 144:379-385.
55. Gourich, B., Vial, C., Essadki, A.H., Allam, F., Soulami, M.B., Ziyad, M. 2006. Identification of flow regimes and transition points in a bubble column through analysis of differential pressure signal-Influence of the coalescence behavior of the liquid phase. *Chem. Eng. Process.* 45(3):214-223.
56. Guy, C., Carreau, P. J., Paris, J. 1986. Mixing characteristics and gas hold-up of a bubble column. *Can. J. Chem. Eng.* 64:23-35.
57. Haque, M. W., Nigam, K. D. P., Vishwanathan, R., Joshi, J. B. 1987. Studies on gas holdup and bubble parameters in bubble columns with Carboxymethyl cellulose solutions. *Ind. Eng. Chem. Res.* 26:86-91.
58. Hikita, H., Asai, S., Tanigawa, K., Segawa, K., Kitao, M. 1980. Gas hold up in bubble columns. *Chem. Eng. J.* 20:59-67.
59. Hinze, J.O. 1975. Turbulence, 2nd ed. New York: McGraw-Hill.

60. Hughmark, G. A. 1967. Holdup and mass transfer in bubble columns. *Ind. Eng. Chem. Proc. Des. Dev.* 6(2):218-220.
61. Ibrahim, S., Yunus, M.A.M., Green R.G., Dutton, K. 2012. Concentration measurements of bubbles in a water column using an optical tomography system, *ISA Trans.*51 (6):821-826.
62. IS 4016:2002. Density Composition Tables for Aqueous Solutions of Sodium Hydroxide. Bureau of Indian Standards.
63. Jamialahmadi, M., Zehtaban, H., M.R., Müller-Steinhagen, H., Sarrafi, A., Smith, J. M. 2001. Study of bubble formation under constant flow conditions. *Chem. Eng. Res. Des.* 79:523-532.
64. Jamshidi, N., Mostoufi, N 2018. Investigating bubble dynamics in a bubble column containing shear thinning liquid using a dual-tip probe. *Exp. Thermal Fluid Sci.* 94:34-48.
65. Jasima, A. A., Sultana, A. J., Al-Dahhana, M. H. 2019. Influence of heat-exchanging tubes diameter on the gas holdup and bubble dynamics in a bubble column. *Fuel.* 236:1191-1203.
66. Jerome, F. S., Tseng, J. T., Fan, L. T. 1968. Viscosities of aqueous Glycol solutions. *J. Chem. Eng. Data.*13(4):496-496.
67. Jin , H., Lian, Y., Qin, Y., Yang, S., He, G. 2013. Distribution characteristics of holdups in a multi-stage bubble column using electrical resistance tomography, *Particuology.* 11:225-231.
68. Jin, H., Lian, Y., Yang, S., He, G., Guo, Z. 2013. The parameters measurement of air-water two phase flow using the electrical resistance tomography (ERT) technique in a bubble column, *Flow Meas. Instrum.* 31:55-60.
69. Jin, H., Wang, M., Williams, R. A. 2007. Analysis of bubble behaviors in bubble columns using electrical resistance tomography. *Chem. Eng. J.*, 130:179-185.
70. Jin, H., Yang, S., He, G., Liu, D., Tong, Z., Zhu, J. 2014. Gas-liquid mass transfer characteristics in a gas-liquid-solid bubble column under elevated pressure and temperature. *Chin. J. Chem. Eng.* 22:955-961.
71. Jin, H., Yang, S., Wang, M., Williams R.A. 2007. Measurement of gas holdup profiles in a gas liquid cocurrent bubble column using electrical resistance tomography, *Flow Meas. Instrum.*18:191-196.
72. Jordan, U., Schumpe, A. 2001. The gas density effect on mass transfer in bubble columns with organic liquids. *Chem. Eng. Sci.* 56:6267-6272.
73. Joshi, J.B., and Sharma, M.M. 1979. A circulation cell model for bubble columns. *Chem. Eng. Res. Des.* 57:244-251.
74. Kantak, M. V., Hesketh, R. P., Kelkar, B. G. 1995. Effect of gas and liquid properties on gas phase dispersion in bubble columns. *Chem. Eng. J.* 59:91-100.
75. Kantarci, N., Borak, F., Ulgen, K. O. 2005. Bubble column reactors, *Process Biochem.* 40:2263-2283.
76. Kara, S., Kelkar, B. G., Shah, Y.T., 1982. Hydrodynamics and Axial Mixing in a Three-phase Bubble Column. *Ind. Eng. Chem. Prod. Res. Dev.* 21:584-594.

77. Kawase, Y., Kumagai, T. 1991. Apparent viscosity for non-Newtonian fermentation media in bioreactors. *Bioprocess Eng.* 7:25-28.
78. Kawase, Y., Moo-Young, M. 1989. Hydrodynamics in bubble column bioreactors with fermentation broths having a yield stress. *Appl. Microbiol. Biotechnol.* 30:596-603.
79. Kazakis, N. A., Papadopoulos, I. D., Mouza, A. A. 2007. Bubble columns with fine pore sparger operating in the pseudo-homogeneous regime: Gas hold up prediction and a criterion for the transition to the heterogeneous regime. *Chem. Eng. Sci.* 62:3092-3103.
80. Khamadieva, R., Böhm, U. 2006. Mass transfer to the wall of a packed and unpacked bubble column operating with Newtonian and non-Newtonian liquids. *Chem. Eng. J.* 116:105-113.
81. Klein, J., Maia, J., Vicente, A. A., Domingues, L., Teixeira, J. A., Jurascik, M. 2005. Relationships between hydrodynamics and rheology of flocculating yeast suspensions in a high-cell-density airlift bioreactor. *BiotechnolBioeng.* 89(4): 393-399.
82. Koide, K., Takazawa, A., Komura, M., Matsunga, H. 1984. Gas holdup and volumetric liquid phase mass transfer coefficient in solid-suspended bubble column. *J Chem. Eng. Japan.* 17(5):450-460.
83. Kojima, H., Sawai, J., Suzuki, H. 1997. Effect of pressure on volumetric mass transfer coefficient and gas holdup in bubble column. *Chem. Eng. Sci.* 52:4111-4116.
84. Kulkarni, A. A., Joshi, J. B., Kumar, V. R., Kulkarni, B.D. 2001, Simultaneous measurement of hold-up profiles and interfacial area using LDA in bubble columns: predictions by multiresolution analysis and comparison with experiments. *Chem. Eng. Sci.* 56(21-22):6437-6445.
85. Kumar, A., Degaleesan, T. E., Laddha, G. S. and Hoelscher, H. E. 1976. Bubble swarm characteristics in bubble columns. *Can. J. Chem. Eng.* 54:503-508.
86. Laakkonen, M., Honkanen, M., Saarenrinne, P., Aittamaa, J. 2005. Local bubble size distributions, gas-liquid interfacial areas and gas holdups in a stirred vessel with particle image velocimetry. *Chem. Eng. J.* 109:37-47.
87. Laakkonen, M., Moilanen, P., Miettinen, T., Saari, K., Honkanen, M., Saarenrinn, P., Aittamaa, J. 2005. Local bubble size distributions in agitated vessel comparison of three experimental techniques. *Chem. Eng. Res. Des.* 83:50-58.
88. Lau, R., Lee, P. H. V., Chen, T. 2012. Mass transfer studies in shallow bubble column reactors. *Chem. Eng. Process.* 62:18-25.
89. Leighton, T. G., Walton, A. J. 1987. An experimental study of the sound emitted from gas bubbles in a liquid. *Eur. I. Phys.* 8:98-104.
90. Luo, H. P., Al-Dahhan, M. H. 2008. Local characteristics of hydrodynamics in draft tube airlift bioreactor. *Chem. Eng. Sci.* 63(11):3057-3068.
91. Maceiras, R., Alvarez, E., Cancela, M. A. 2010. Experimental interfacial area measurements in a bubble column. *Chem. Eng. J.* 163:331-336.

92. Millies, M., Mewas, D. 1999. Interfacial area density in bubbly flow. *Chem. Eng. Process.* 38:307-319.
93. Mok, Y.K., Kim, Y.H., Kim, S.Y. 1990. Bubble and gas holdup characteristics in a bubble column of CMC solution. *Kor. J. Chem. Eng.* 7:31-39.
94. Moutafchieva, D., Popova, D., Dimitrova, M., Tchaoushev, S. 2013. Experimental determination of the volumetric mass transfer coefficient. *J. Chem. Technol. Metallurgy.* 48(4):351-356.
95. Mouza, A. A. 2018. Design of bubble columns equipped with porous sparger. *Materials Today: Proceedings.* 5:27572-27581.
96. Mouza, A. A., Dalakoglou, G. K., Paras, S. V. 2005. Effect of liquid properties on the performance of bubble column reactors with fine pore spargers. *Chem. Eng. Sci.* 60:1465-1475.
97. Mudde, R.F., Groen, J.S., Akker, H.E.A.V.D. 1997. Liquid velocity field in a bubble column: LDA experiments. *Chem. Eng. Sci.* 52(21-22):4217-4224.
98. Munoz-Cobo, J. L., Chiva, S., Essa, M. A. A. E. A., Mendes, S. 2012. Simulation of bubbly flow in vertical pipes by coupling Lagrangian and Eulerian models with 3D random walks models: Validation with experimental data using multi-sensor conductivity probes and Laser Doppler Anemometry. *Nucl. Eng. Des.* 242:285-299.
99. Nakanishi, K., Matsumoto, T., Hayatsu, M. 1971. Surface tension of aqueous solutions of some glycols. *J. Chem. Eng. Data.* 16:144-145.
100. Nedeltchev, S., Jordan, U., Schumpe, A. 2007. Correction of the penetration theory based on mass-transfer data from bubble columns operated in the homogeneous regime under high pressure. *Chem. Eng. Sci.* 62:6263-6273.
101. Nishikawa, M., Kato, H., Hashimoto, K. 1977. Heat transfer in aerated tower filled with non-Newtonian liquid. *Ind. Eng. Chem. Process Des. Dev.* 16(1): 133-137.
102. Perez, J. A. S., Porcel, E. M. R., Lopez, J. L. C., Sevilla, J. M. F., Chisti, Y. 2006. Shear rate in stirred tank and bubble column reactors. *Chem. Eng. J.* 124:1-5.
103. Pohorecki, R., Moniuk, W., Bielski, P., Sobieszuk, P. 2005. Diameter of bubbles in bubble column reactors operating with organic liquids. *Chem. Eng. Res. Des.* 83(A7):827-832.
104. Pohorecki, R., Moniuk, W., Zdrójkowski, A. 1999. Hydrodynamics of a bubble column under elevated pressure. *Chem. Eng. Sci.* 54:5187-5193.
105. Pohorecki, R., Moniuk, W., Zdrojkowski, A., Bielski, P. 2001. Hydrodynamics of a pilot plant bubble column under elevated temperature and pressure. *Chem. Eng. Sci.* 56:1167-1174.
106. Prasser, H. M., Misawa, M., Tiseanu, I. 2005. Comparison between wire-mesh sensor and ultra-fast X-ray tomograph for an air-water flow in a vertical pipe. *Flow Meas. Instrum.* 16(2-3):73-83.
107. Rahiman, M.H.F., Rahim, R.A., Rahim, H.A., Mohamad, E.J., Zakaria, Z. Muji, S.Z.M., 2014. An investigation on chemical bubble column using ultrasonic tomography for imaging of gas profiles. *Sens. Actuator B-Chem.* 202:46-52.

108. Razzak, S.A., Barghi, S., Zhu, J.X., Mi, Y. 2009. Phase holdup measurement in a gas–liquid–solid circulating fluidized bed (GLSCFB) riser using electrical resistance tomography and optical fibre probe. *Chem. Eng. J.* 147(2-3):210-218.
109. Reilly, L. G., Scott, D. S., De Bruijn, T., Jain, A., Piskorz, J. 1986. A correlation for gas holdup in turbulent coalescing bubble columns. *Can. J. Chem. Eng.* 64:705-717.
110. Renjun, Z., Xinzhen, J., Baozhang, L., Yong, Z., Laiqi, Z. 1988. Studies on gas holdup in a bubble column operated at elevated temperatures, *Ind. Eng. Chem. Res.* 27:1910-1916.
111. Rollbusch, P., Bothe, M., Becker, M., Ludwig, M. Grünewald, M., Schlüter, M., Franke, R. 2015. Bubble columns operated under industrially relevant conditions-Current understanding of design parameters. *Chem. Eng. Sci.* 126:660–678.
112. Ryu, H.W., Chang, Y.K., Kim, S.D. 1993. Gas holdup and mass transfer characteristics of carboxymethyl cellulose solutions in a bubble column with a radial gas sparger. *Bioproc. Eng.* 8:271-277.
113. Saayman, J., Nicol, W., Ommen, J.R.V., Mudde, R.F. 2013. Fast X-ray tomography for the quantification of the bubbling, turbulent and fast fluidization-flow regimes and void structures. *Chem. Eng. J.* 234:437-447.
114. Sada, E., Katoh, S., Yoshil, H., Yamanishi, T., Nakanishi, A. 1984. Performance of the gas bubble column in molten salt systems, *Ind. Eng. Chem. Prod. Res. Dev.* 23:151-154.
115. Sada, E., Kumarawa, H., Lee, C., Jiwara, N. F. 1985. Gas-liquid mass transfer characteristics in a bubble column with suspended sparingly soluble fine particles. *Ind. Eng. Chem. Prod. Res. Dev.* 24:255-261.
116. Sada, E., Kumazawa, H., Lee, C., Iguchi, T. 1986. Gas holdup and mass-transfer characteristics in a three-phase bubble column, *Ind. Eng. Chem. Prod. Res. Dev.* 25:472-476.
117. Sal, S., Gul, O. F., Ozdemir, M. 2013. The effect of sparger geometry on gas holdup and regime transition points in a bubble column equipped with perforated plate spargers. *Chem. Eng. Process.* 70:259-266.
118. Salierno, G. L., Fraguío, M. S., Piovano, S., Cassanello, M., Cardona, M. A., Hojman, D., Somacal, H. 2012. Bubble columns dynamics inferred from the motion of a radioactive tracer followed by axially aligned detectors. *Chem. Eng. J.* 207-208:450-461.
119. Sathe, J. M., Mathpati, S. C., Deshpande, S. S., Khan, Z., Ekambara, K., Joshi, B. Y. 2011. Investigation of flow structures and transport phenomena in bubble columns using particle image velocimetry and miniature pressure sensors. *Chem. Eng. Sci.* 66(14):3087-3107.
120. Schaaf, J. V., Chilekar, V. P., Van Ommen, J. R., Kuster, B. F. M., Tinge, J. T., Schouten, J. C. 2007. Effect of particle lyophobicity in slurry bubble columns at elevated pressures. *Chem. Eng. Sci.* 62:5533-5537.



121. Schäfer, R.C., Merten, C., Eigenberger, G. 2002. Bubble size distributions in a bubble column reactor under industrial conditions. *Exp. Therm. Fluid Sci.* 26: 595-604.
122. Schumpe, A., Deckwer, W. D. 1982. Gas holdups, specific interfacial areas, and mass transfer coefficients of aerated Carboxymethyl Cellulose solutions in a Bubble Column. *Ind. Eng. Chem. Process Des. Dev.* 21:706-711.
123. Schumpe, A., Deckwer, W. D. 1987. Viscous media in tower bioreactors: Hydrodynamic characteristics and mass transfer properties. *Bioprocess Eng.* 2:79-94.
124. Seeger, A., Kertzsch, U., Affeld, K., Wellnhofer, E. 2003. Measurement of the local velocity of the solid phase and the local solid hold-up in a three-phase flow by X-ray based particle tracking velocimetry (XPTV). *Chem. Eng. Sci.* 58(9):1721-1729.
125. Shah, Y. T., Kelkar, R. G., Godbole, S. P. 1982. Design parameters estimations for bubble column reactor. *AIChE J.* 28(3):353-378.
126. Sharaf, S., Zednikova, M., Ruzicka, M. C., Azzopardi, B. J. 2016. Global and local hydrodynamics of bubble columns-Effect of gas distributor. *Chem. Eng. J.* 288:489-504.
127. Shukla, A., Prakash, A. 2006. Ultrasonic technique to determine particle size and concentration in slurry systems. *Chem. Eng. Sci.* 61(8):2468-2475.
128. Slezak, M. 2015. Mathematical Models for calculating the value of dynamic viscosity of a liquid. *Arch. Metall. Mater.* 60(2):581-589.
129. Srifum, K., Mann, R. 1977. Dynamic gas disengagement a new technique for assessing the behaviour of bubble columns. *Chem. Eng. Sci.* 32:571-580.
130. Stolojanu, V., Prakash, A. 1997. Hydrodynamic measurements in a slurry bubble column using ultrasonic techniques. *Chem. Eng. Sci.* 52(21-22):4225-4230.
131. Strasberg, M. 1956. Gas bubbles as sources of sound in liquids. *J. Acoust. Soc. Am.* 28(1):20-26.
132. Supardan, M.D., Masuda, Y., Maezawa, A., Uchida, S. 2007. The investigation of gas holdup distribution in a two-phase bubble column using ultrasonic computed tomography. *Chem. Eng. J.* 130(2-3):125-133.
133. Syeda, S.R., Afacan, A., Chuang, K.T. 2002. Prediction of gas hold-up in a bubble column filled with pure and binary liquids. *Can. J. Chem. Eng.* 80:44-50.
134. Tang, C., Heindel, T. J. 2006. A gas holdup model for cocurrent air–water–fiber bubble columns. *Chem. Eng. Sci.* 61:3299-3312.
135. Tang, C., Heindel, T. J. 2006. Estimating gas holdup via pressure difference measurements in a cocurrent bubble column. *Int. J. Multiphase Flow.* 32:850-863.
136. Thaker, K. Rao, D. P. 2007 Effects of gas re-dispersion and liquid height on gas-liquid hydrodynamics in a multistage bubble column. *Trans IChemE, Part A, Chem. Eng. Res. Des.* 85(A10):1362-1374.

137. Therning, P., Rasmuson, A. 2006. Mass transfer measurements in a non-isothermal bubble column using the uncatalyzed oxidation of sulphite to sulphate. *Chem. Eng. J.* 116:97-103.
138. Thorat, B. N., Joshi, J. B. 2004. Regime transition in bubble columns: experimental and predictions. *Exp. Therm Fluid Sci.* 28:423-430.
139. Urseanu, M. I., Guit, R. P. M., Stankiewicz, A., Van Kranenburg, G., Lommen, J. H. G. M. 2003. Influence of operating pressure on the gas hold-up in bubble columns for high viscous media. *Chem. Eng. Sci.* 58:697-704.
140. Usry, W. R., Morrison, G. L., Tatterson, G. B. 1987. On the interrelationship between mass transfer and sound spectra in an aerated, agitated tank. *Chem. Eng. Sci.* 42(7):1856-1859.
141. Vazquez, A., Manasseh, R., Sánchez, R. M., Metcalfe, G., 2008. Experimental comparison between acoustic and pressure signals from a bubbling flow. *Chem. Eng. Sci.* 63:5860-5869.
142. Vazquez, A., Sanchez, R.M., Salinas-Rodríguez, E., Soria, A., Manasseh R. 2005. A look at three measurement techniques for bubble size determination. *Exp. Therm Fluid Sci.* 30:49-57.
143. Vazquez, G., Cancela, M. A., Riverol, C., Alvarez, E., Navaza, J. M. 2000. Determination of interfacial areas in a bubble column by different chemical methods. *Ind. Eng. Chem. Res.* 39:2541-2547.
144. Vazqueza, G., Cancela, M. A., Riverol, C., Alvarez, E., Navaza, J.M. 2000. Application of the Danckwerts method in a bubble column effects of surfactants on mass transfer coefficient and interfacial area. *Chem. Eng. J.* 78:13-19.
145. Verma, A. K. 2014. *Process Modeling and Simulation in Chemical, Biochemical and Environmental Engineering.* CRC Press:Boca Raton.
146. Vial, C., Camarasa, E., Poncin, S., Wild, G., Midoux, N., Bouillard, J. 2000. Study of hydrodynamic behaviour in bubble columns and external loop airlift reactors through analysis of pressure fluctuations. *Chem. Eng. Sci.* 55(15):2957-2973.
147. Wahab, Y.A., Rahim, R.A., Rahiman, M.H.F., Aw, S.R., Yunus, F.R.M., Goh, C.L., Rahim, H.A., Ling, L.P. 2015. Non-invasive process tomography in chemical mixtures-A review. *Sens. Actuator B-Chem.* 210:602–617.
148. Wang, A., Marashdeh, Q., Motil, B.J., Fan, L.S., 2014. Electrical capacitance volume tomography for imaging of pulsating flows in a trickle bed, *Chem. Eng. Sci.* 119:77-87.
149. Widyanto, M.R., Utomo, M.B., Kawamoto, K., Kusumoputro, B., Hirota, K. 2006. Local gas holdup measurement of a bubble column using SONIA-ultrasonic non-invasive method. *Sens. Actuator. A* 126 (2):447-454.
150. Xiao, F., Li, X., Lam, K., Wang, D. 2012. Investigation of the hydrodynamic behavior of diatom aggregates using particle image velocimetry. *J Environ. Sci.* 24 (7):1157-1164.
151. Yeo, P. S. A., Law, W. K. A., Fane, A. G. 2007. The relationship between performance of submerged hollow fibers and bubble-induced phenomena examined by particle image velocimetry. *J Memb. Sci.* 304(1-2):125-137.

152. Zahradnik, J., Fialova, M., Ruzicka, M., Drahos, J., Kastanek, F., Thomas, N. H. 1997. Duality-of the gas liquid flow regimes in bubble column reactors. *Chem. Eng. Sci.* 52:3811-3826.
153. Zhang, W., Wang, C., Yang, W., Wang, C. 2014. Application of electrical capacitance tomography in particulate process measurement-A review. *Advanced Powder Technol.* 25:174-188.
154. Zhang, Z., Bieberle, M., Barthel, F., Szalinski, L., Hampel, U. 2013. Investigation of upward concurrent gas-liquid pipe flow using ultrafast X-ray tomography and wire-mesh sensor. *Flow Meas. Instrum.* 32:111-118.
155. Zhao, W. R. Shi, H. X., Wang, D. H. 2004. Modeling of mass transfer characteristics of bubble column reactor with surfactant present. *J. Zhejiang Univ. A.* 5:714-20.
156. Zhong, S., Zou, X., Zhang, Z., Tian, H. 2016. A flexible image analysis method for measuring bubble parameters. *Chem. Eng. Sci.* 141:143-153.