## **LIST OF FIGURES**

Fig. No.	Figure Legends	Page No.
1.1	Synthesis of ACh and cholinergic neurotransmission.	5
1.2	The amyloidogenic pathway and its manifestations leading to dementia.	6
1.3	Schematic illustration of tau aggregation and formation of NFTs	8
3.1	Design strategy for Part-I (Series I and II) ligands	32
3.2	Design strategy for Part-II (Series III and IV) ligands.	33
5.1	Lineweaver-Burk plot for the kinetic study of hAChE inhibition by compound <b>6j</b> .	69
5.2	Dixon plot of compound $\bf 6j$ at three different concentrations (0.035, 0.070, and 0.105 $\mu M$ ) showing Ki value of inhibitor as the negative intersection at the x-axis.	69
5.3	Results of thioflavin T assay for compounds <b>6j</b> and <b>6k</b> in [A] self-induced; [B] AChE-induced experiments.	72
5.4	The results of $\%$ anti-A $\beta$ aggregation activity in thioflavin T assay.	72
5.5	The effect of compounds <b>6j</b> and <b>6k</b> on neuroprotective ability on SH-SY5Y neuroblastoma cell lines.	73
5.6	The effect of compounds <b>6j</b> and <b>6k</b> on scopolamine-induced amnesia model by Y maze test in rats. [A] Percentage spontaneous alterations and; [B] total arm entries.	74
5.7	Effect of <b>6j</b> in learning and memory improvement by ICV Aβ rat model by Morris water maze test; [A] ELT and; [B] total platform crossovers.	76
5.8	Ex-vivo study of compounds <b>6j</b> and <b>6k</b> to assess the levels of; [A] AChE; [B] MDA and; [C] SOD.	77
5.9	Validation experiment showing re-docked (pink) and co-crystallized (blue) poses of donepezil on 4EY7 (RMSD = $0.3496 \text{ Å}$ ).	79
5.10	Validation experiment showing re-docked (pink) and co-crystallized (blue) poses of F1M on 2ZJM (RMSD = 1.1903 Å).	80
5.11	The molecular docking study of <b>6j</b> on AChE. [A] 3D and [B] 2D docked poses.	80
5.12	The molecular docking study of <b>6j</b> on BACE-1. [A] 3D and [B] 2D docked poses.	80
5.13	Enzyme kinetics study of compound <b>130</b> against hAChE showing mixed-type of inhibition Lineweaver-Burk plot.	97
5.14	Dixon plot determined the dissociation constant Ki of compound 130 at three different concentrations (0.025, 0.050, and 0.075 $\mu$ M).	97
5.15	The results of % Anti-A $\beta$ aggregation activity in thioflavin T assay [A] self- and; [B] AChE-induced experiments.	100
5.16	The results of thioflavin T assay by compound <b>13n</b> and <b>13o</b> ; [A] selfand; [B] AChE-induced experiments.	100

Fig.	Figure Legends	Page No.
5.17	AFM visualized images at 5 $\mu m$ scale for the sample of A $\beta$ in the presence or absence of inhibitor <b>130</b> over 7 days.	101
5.18	Neuroprotective activity of compounds $13n$ and $13o$ against Aβ-induced oxidative stress in SH-SY5Y cell lines by MTT assay.	102
5.19	The effect of compounds <b>13n</b> and <b>13o</b> (2.5, 5, 10 mg/kg) in Y-maze test [A] % spontaneous alternation; [B] total arm entries.	103
5.20	Assessment of improvement in learning and memory impairment by compound 130 in Morris water maze test; (A) escape latency time (ELT); (B) numbers of platform crossings.	105
5.21	The <i>ex-vivo</i> and biochemical analysis of compounds <b>13n</b> and <b>13o</b> in hippocampal brain homogenates; [A] AChE activity; [B] level of MDA in TBARS assay and; [C] SOD activity.	106
5.22	2D docked pose of compound <b>13o</b> on; [A] hAChE (4EY7) and; [B] hBACE-1 (2ZJM)	108
5.23	Docking poses of compound <b>130</b> in active sites of; [A] hAChE (4EY7). [B] hBACE-1 (2ZJM);	108
5.24	The ligand-protein RMSD relative to protein backbone structure for compound <b>130</b> against; [A] hAChE (4EY7) and; [B] hBACE-1 (2ZJM).	110
5.25	Molecular dynamics simulation study of the docked complex of 13o-hAChE; [A] graphical representation showing percentage interaction; [B] histogram showing interaction fractions; [C] time-line representation showing active site binding interaction with each amino acid residues for a total simulation run time of 40 ns.	110
5.26	Molecular dynamics simulation study of the docked complex of 13o-hBACE-1; [A] graphical representation showing percentage interaction; [B] histogram showing interaction fractions; [C] timeline representation showing active site binding interaction with each amino acid residues for a total simulation run time of 40 ns.	111

## LIST OF SCHEMES

Scheme No.	Scheme Legends	Page No.
1	Synthesis of compounds from Series I (5a-o) and Series II (6a-o).	35
2	Synthesis of compounds from Series III (12a-o) and Series IV (13a-o).	37