

LIST OF TABLES

Table 1.1: Parameters used in Miedema's model for calculation of mixing enthalpy ($\Delta H_{\text{mix}}^{\text{ij}}$).....	21
Table 1.2: Phase stability of equiatomic high-entropy alloys (HEAs) formed by MA and subsequent consolidation/ heat-treatment.	33
Table 1.3: Brief summary of microstructural stability in AlCoCrFeNi based HEAs processed by melting / casting route.	35
Table 1.4: Typical range of hardness values in HEAs based on their phase evolution [20]	38
Table 2.1: Basic properties of the selected elements for the study	44
Table 2.2: Nominal (atomic %) compositions of milled alloys	44
Table 2.3 : Milling parameters used during the synthesis of HEA powder	44
Table 3.1: The crystallite size and lattice strain of equiatomic AlCoCrFeNi HEA powder with milling time.....	53
Table 3.2: SEM-EDX results of equiatomic AlCoCrFeNi high-entropy alloy.	67
Table 3.3: Calculated thermodynamic parameters for AlCoCrFeNi high entropy alloy. ..	69
Table 3.4: The values of chemical mixing enthalpy, ΔH_{mix} (kJ/mol), of atomic pairs between elements for AlCoCrFeNi high entropy alloy.....	70
Table 4.1: The crystallite size and lattice strain of equiatomic AlCoCrFeNiMn high entropy alloy powder.....	77
Table 4.2: Activation energies calculation by Kissinger and Ozawa model for the first transformation event of the AlCoCrFeNiMn high entropy alloy.	87
Table 4.3: The values of atomic size difference δ (%) in the AlCoCrFeNiMn high entropy alloys system.....	93
Table 4.4: The values of chemical enthalpy of mixing ($\Delta H_{\text{mix}}^{\text{ij}}$, kJ/mol), of atomic pairs for AlCoCrFeMnNi high entropy alloy, following the Miedema's approach.	94
Table 4.5: Calculated thermodynamic parameters for AlCoCrFeMnNi high entropy alloy	95
Table 5.1: The calculated values of the crystallite size (nm) and lattice strain (%) in AlCoCrFeNiTi high-entropy alloy at different milling schedules.....	104

Table 5.2: Calculated thermodynamic parameters for AlCoCrFeNiTi high entropy alloy.	114
Table 5.3: The chemical mixing enthalpy (ΔH_{mix} (kJ/mol)) of atomic pairs of AlCoCrFeNiTi high entropy alloy calculated by Miedema approach.	116
Table 6.1: The chemical composition of the constituent elements in as-cast $\text{Fe}_{40}\text{Cr}_{25}\text{Ni}_{15}\text{Al}_{15}\text{Co}_5$ high-entropy alloy.....	124
Table 6.2: Vickers microhardness (HV) results of $\text{Fe}_{40}\text{Cr}_{25}\text{Ni}_{15}\text{Al}_{15}\text{Co}_5$ HEA in as-cast and heat-treated samples.....	133
Table 6.3: The calculated values of mixing enthalpy (ΔH_{mix} (kJ/mol)), of atomic pairs for $\text{Fe}_{40}\text{Cr}_{25}\text{Ni}_{15}\text{Al}_{15}\text{Co}_5$ HEA following Miedema approach.	134