

REFERENCES

- [1] S. Ranganathan, “Alloyed pleasures: Multiaatomic cocktails,” *Current Science*, vol. 85, pp. 1404–1406, 2003.
- [2] G. Sauthoff, *Intermetallics*, VCH, NY (USA), 1995.
- [3] D. Shechtman and I. Blech, “Metallic Phase with Long-Range Orientational Translational Symmetry,” *Physical Review Letters*, vol. 53, pp. 1951–1954, 1984.
- [4] J. Basu and S. Ranganathan, “Bulk metallic glasses : A new class of engineering materials,” *Sadhana*, vol. 28, pp. 783–798, 2003.
- [5] B. S. Murty, J.W.Yeh, S. Ranganathan, *High Entropy Alloys*, Butterworth-Heinemann, 2014.
- [6] N. K. Mukhopadhyay and T. P. Yadav, “Some aspects of stability and nanophase formation in quasicrystals during mechanical milling,” *Israel Journal of Chemistry*, vol. 51, pp. 1185–1196, 2011.
- [7] N.K. Mukhopadhyay, N. Thangaraj, K. Chattopadhyay and S. Ranganathan, “A comparative-electron-microscopic-study of Al-based and Mg-based quasicrystals,” *Journal of Materials Research*, vol. 2 pp. 299–304, 1987.
- [8] W.Klement, R.H.Willens and P. Duwez, “Non-crystalline Structure in Solidified Gold-Silicon Alloys,” *Nature*, vol. 187, pp. 869–870, 1960.
- [9] C. Suryanarayana, A. Inoue, *Bulk Metallic Glasses, Second Edition*. CRC Press, 2017.
- [10] B. Cantor, I. T. H. Chang, P. Knight, and A. J. B. Vincent, “Microstructural development in equiatomic multicomponent alloys,” *Materials Science and Engineering A*, vol. 375–377, pp. 213–218, 2004.
- [11] B. Cantor, “Multicomponent and high entropy alloys,” *Entropy*, vol.16, pp. 4749–4768, 2014.
- [12] J. W. Yeh, S. Chen, S, Lin, J. Gan, T. Chin, T. Shun, C. Tsau, and S. Chang, “Nanostructured high-entropy alloys with multiple principal elements: Novel alloy design concepts and outcomes,” *Advanced Engineering Materials*, vol. 6, pp. 299–303, 2004.
- [13] J. M. Torralba, P. Alvaredo, and A. García-Junceda, “High-entropy alloys fabricated via powder metallurgy . A critical review,” *Powder Metallurgy*, vol. 62, pp. 1–31, 2019.
- [14] D. B. Miracle and O. N. Senkov, “Acta Materialia A critical review of high entropy alloys and related concepts,” *Acta Materialia*, vol. 122, pp. 448–511, 2017.
- [15] A. Inoue, “Recent Progress of Zr-Based Bulk Amorphous Alloys.” Sci. Rep. RITU, vol.42, pp. 1–11, 1996.

- [16] N.K Mukhopadhyay, “High entropy alloys: a renaissance in physical metallurgy,” *Current Science*, vol. 109, pp. 665–667, 2015.
- [17] J. W. Yeh, “Alloy design strategies and future trends in high-entropy alloys,” *JOM*, vol. 65, no. 12, pp. 1759–1771, 2013.
- [18] J. W. Yeh, “Recent progress in high-entropy alloys,” *Annales de Chimie: Science des Materiaux*, vol. 31, pp. 633–648, 2006.
- [19] D. A. Porter, K.E. Easterling, *Phase Transformations in Metals and Alloys*, Second Edition, Chapman & Hall, 1992.
- [20] C.J. Tong, M. R.Chen, S. K. Chen, J. W. Yeh, T. T. Shun, S. J. Lin, and S. Y. Chang, “Microstructure characterization of $\text{Al}_x\text{CoCrCuFeNi}$ high-entropy alloy system with multiprincipal elements,” *Metallurgical and Materials Transactions A*, vol. 36, pp. 881–893, 2005.
- [21] C. Ng, S. Guo, J. Luan, S. Shi, and C. T. Liu, “Entropy-driven phase stability and slow diffusion kinetics in an $\text{Al}_{0.5}\text{CoCrCuFeNi}$ high entropy alloy,” *Intermetallics*, vol. 31, pp. 165–172, 2012.
- [22] M. H. Tsai and J. W. Yeh, “High-entropy alloys: A critical review,” *Materials Research Letters*, vol. 2, pp. 107–123, 2014.
- [23] Y. P. Wang, B. S. Li, and H. Z. Fu, “Solid solution or intermetallics in a high-entropy alloy,” *Advanced Engineering Materials*, vol. 11, pp. 641–644, 2009.
- [24] L. J. Santodonato, Y. Zhang, M. Feygenson, C. M. Parish, M. C. Gao, R.J.K. Weber, J. C. Neuefeind, Z.Tang and P. K. Liaw, “Deviation from high-entropy configurations in the atomic distributions of a multi-principal-element alloy,” *Nature Communications*, vol. 6, pp. 1–13, 2015.
- [25] J. Yeh, S. Chang, Y. Hong, S. Chen, and S. Lin, “Anomalous decrease in X-ray diffraction intensities of Cu – Ni – Al – Co – Cr – Fe – Si alloy systems with multi-principal elements,” *Materials Chemistry and Physics*, vol. 103, pp. 41–46, 2007.
- [26] I. Toda-caraballo, J. S. Wróbel, S. L. Dudarev, D. Nguyen-manh, and P. E. J. Rivera-díaz-del-castillo, “Interatomic spacing distribution in multicomponent alloys,” *Acta Materialia*, vol. 97, pp. 156–169, 2015.
- [27] J. Yeh, “Physical Metallurgy of High-Entropy Alloys,” *JOM*, vol. 67, pp. 2254–2261, 2015.
- [28] K.Y. Tsai, M.-H. Tsai, and J.-W. Yeh, “Sluggish diffusion in Co–Cr–Fe–Mn–Ni high-entropy alloys,” *Acta Materialia*, vol. 61, pp. 4887–4897, 2013.
- [29] M. Vaidya, G. M. Muralikrishna, S. V Divinski, and B. S. Murty, “Experimental assessment of the thermodynamic factor for diffusion in CoCrFeNi and CoCrFeMnNi high entropy alloys,” *Scripta Materialia*, vol. 157, pp. 81–85, 2018.
- [30] M. Vaidya, K. G. Pradeep, B. S. Murty, G. Wilde, and S. V. Divinski, “Bulk tracer diffusion in CoCrFeNi and CoCrFeMnNi high entropy alloys,” *Acta Materialia*,

vol. 146, pp. 211–224, 2018.

- [31] Y. L. Chen, Y. H. Hu, C. A. Hsieh, J. W. Yeh, and S. K. Chen, “Competition between elements during mechanical alloying in an octonary multi-principal-element alloy system,” *Journal of Alloys and Compounds*, vol. 481, pp. 768–775, 2009.
- [32] K. Tsai, M. Tsai, and J. Yeh, “Sluggish diffusion in Co – Cr – Fe – Mn – Ni high-entropy alloys,” *Acta Materialia*, vol. 61, pp. 4887–4897, 2013.
- [33] R. E. Smallman, R. J. Bishop, Modern Physical Metallurgy and Materials Engineering, Sixth Edition, Butterworth Heinemann, 1999.
- [34] Y. Zhang, Y. J. Zhou, J. P. Lin, G. L. Chen, and P. K. Liaw, “Solid-Solution Phase Formation Rules for Multi-component Alloys,” *Advanced Engineering Materials*, vol. 10, pp. 534–538, 2008.
- [35] X. Yang and Y. Zhang, “Prediction of high-entropy stabilized solid-solution in multi-component alloys,” *Materials Chemistry and Physics*, vol. 132, pp. 233–238, 2012.
- [36] S. Guo and C. T. Liu, “Phase stability in high entropy alloys: Formation of solid-solution phase or amorphous phase,” *Progress in Materials Science: Materials International*, vol. 21, pp. 433–446, 2011.
- [37] M. H. Tsai, K. Y. Tsai, C. W. Tsai, C. Lee, C. C. Juan and J. W. Yeh, “Criterion for Sigma Phase Formation in Cr- and V- Containing High-Entropy Alloys,” *Materials Research Letters*, vol. 1, pp. 207-212, 2013.
- [38] A. K. Niessen and A. R. Miedema, “The Macroscopic atom model: An easy tool to predict thermodynamic quantities,” *Thermochemistry of Alloys*, Kluwer Academic Publishers, pp. 29–54, 1989.
- [39] A. R. Miedema, P. F. de Châtel, and F. R. de Boer, “Cohesion in alloys—fundamentals of a semi-empirical model,” *Physica B*, vol. 100, pp. 1–28, 1980.
- [40] C. Lee and T. Shun, “Age Hardening of the $\text{Al}_{0.5}\text{CoCrNiTi}_{0.5}$ High-Entropy Alloy,” *Metallurgical and Materials Transactions A*, vol. 45, pp. 2014-191, 2013
- [41] Y. J. Zhou, Y. Zhang, Y. L. Wang, and G. L. Chen, “Solid solution alloys of AlCoCrFeNiTi_x with excellent room-temperature mechanical properties,” *Applied Physics Letters*, vol. 90, pp. 181904, 2007.
- [42] S. Singh, N. Wanderka, B. S. Murty, U. Glatzel, and J. Banhart, “Decomposition in multi-component AlCoCrCuFeNi high-entropy alloy,” *Acta Materialia*, vol. 59, pp. 182–190, 2011.
- [43] A. K Mishra and K. S. Samal, B, “Solidification Behaviour of Ti – Cu – Fe – Co – Ni High Entropy Alloys,” *Trans. Indian. Inst. Met*, vol. 65, pp. 725–730, 2012.
- [44] A. S. Sharma, S. Yadav, K. Biswas, and B. Basu, “High-entropy alloys and metallic nanocomposites: Processing challenges, microstructure development and

- property enhancement,” *Materials Science & Engineering R*, vol. 131, pp. 1–42, 2018.
- [45] M. Vaidya, G. M. Muralikrishna, and B. S. Murty, “High-entropy alloys by mechanical alloying : A review,” *Journal of Materials Research*, vol. 34, pp. 664–686, 2019.
 - [46] S. Praveen, A. Anupam, T. Sirasani, B. S. Murty, and R. S. Kottada, “Characterization of oxide dispersed AlCoCrFe high entropy alloy synthesized by mechanical alloying and spark plasma sintering,” *Trans. Indian. Inst. Met.*, vol. 66, pp. 369–373, 2013.
 - [47] B. S. Murty and S. Ranganathan, “Novel materials synthesis by mechanical alloying / milling,” *International Materials Reviews*, vol. 43, pp. 101–141, 1998.
 - [48] R. Kulkarni, B. S. Murty, and V. Srinivas, “Study of microstructure and magnetic properties of AlNiCo(CuFe) high entropy alloy,” *Journal of Alloys and Compounds*, vol. 746, pp. 0–5, 2018.
 - [49] C. Suryanarayana, E. Ivanov, and V. . Boldyrev, “The science and technology of mechanical alloying,” *Materials Science and Engineering: A*, vol. 304, pp. 151–158, 2001.
 - [50] J. S. Benjamin and T. E. Volin, “The Mechanism of Mechanical Alloying,” *Metallurgical Transactions*, vol. 5, pp. 1929–1934, 1974.
 - [51] C. Suryanarayana, “Mechanical alloying and milling,” *Progress in Materials Science*, vol. 46, pp. 1–184, 2001.
 - [52] P. Wang, H. Cai, S. Zhou, and L. Xu, “Processing, microstructure and properties of $\text{Ni}_{1.5}\text{CoCuFeCr}_{0.5-x}\text{V}_x$ high entropy alloys with carbon introduced from process control agent,” *Journal of Alloys and Compounds*, vol. 695, pp. 462–475, 2017.
 - [53] S. Praveen, A. Anupam, R. Tilak, and R. S. Kottada, “Phase evolution and thermal stability of AlCoCrFe high entropy alloy with carbon as unsolicited addition from milling media,” *Materials Chemistry and Physics*, vol. 210, pp. 57–61, 2018.
 - [54] S. Varalakshmi, M. Kamaraj, and B. S. Murty, “Synthesis and characterization of nanocrystalline AlFeTiCrZnCu high entropy solid solution by mechanical alloying,” *Journal of Alloys and Compounds*, vol. 460, pp. 253–257, 2008.
 - [55] C. C. Koch, “Nanocrystalline high-entropy alloys,” *Journal of Materials Research*, vol. 32, pp. 3435–3444, 2017.
 - [56] M. Vaidya, A. Prasad, A. Parakh, and B. S. Murty, “Influence of sequence of elemental addition on phase evolution in nanocrystalline AlCoCrFeNi: Novel approach to alloy synthesis using mechanical alloying,” *Materials and Design*, vol. 126, pp. 37–46, 2017.
 - [57] O. Guillon, J. G. Julian, B. Dargatz, T. Kessel, G. Schiering, J. Rathel and M. Herrmann, “Field-assisted sintering technology/spark plasma sintering: Mechanisms, materials, and technology developments,” *Advanced Engineering*

Materials, vol. 16, pp. 830–849, 2014.

- [58] Z. Fu, W. Chen , H. Wen , D. Zhang , Z. Chen , B. Zheng , Y. Zhou and E. J. Lavernia, “Microstructure and strengthening mechanisms in an FCC structured single-phase nanocrystalline $\text{Co}_{25}\text{Ni}_{25}\text{Fe}_{25}\text{Al}_{7.5}\text{Cu}_{17.5}$ high-entropy alloy,” *Acta Materialia*, vol. 107, pp. 59–71, 2016.
- [59] A. Zhang, J. Han, J. Meng, B. Su, and P. Li, “Rapid preparation of AlCoCrFeNi high entropy alloy by spark plasma sintering from elemental powder mixture,” *Materials Letters*, vol. 181, pp. 82–85, 2016.
- [60] M. Omori, “Sintering , consolidation , reaction and crystal growth by the spark plasma system (SPS),” *Materials Science & Engineering A*, vol. 287, pp. 183–188, 2000.
- [61] S. Praveen, J. Basu, S. Kashyap, and R. S. Kottada, “Exceptional resistance to grain growth in nanocrystalline CoCrFeNi high entropy alloy at high homologous temperatures,” *Journal of Alloys and Compounds*, vol. 662, pp. 361–367, 2016.
- [62] P. Wang, H. Cai, and X. Cheng, “Effect of Ni/Cr ratio on phase, microstructure and mechanical properties of NixCoCuFeCr_{2-x} ($x = 1.0, 1.2, 1.5, 1.8$ mol) high entropy alloys,” *Journal of Alloys and Compounds*, vol. 662, pp. 20–31, 2016.
- [63] S.H. Joo, H. Kato, M.J. Jang , J. Moon , E.B. Kim , S.J. Hong and H.S. Kim, “Structure and properties of ultrafine-grained CoCrFeMnNi high-entropy alloys produced by mechanical alloying and spark plasma sintering,” *Journal of Alloys and Compounds*, vol. 698, pp. 591–604, 2017.
- [64] A. Upadhyaya, S. K. Tiwari, and P. Mishra, “Microwave sintering of W-Ni-Fe alloy,” *Scripta Materialia*, vol. 56, pp. 5–8, 2007.
- [65] M. Oghbaei and O. Mirzaee, “Microwave versus conventional sintering: A review of fundamentals, advantages and applications,” *Journal of Alloys and Compounds*, vol. 494, pp. 175-189, 2010.
- [66] E. Colombini, R. Rosa, L. Trombi, M. Zadra, A. Casagrande, and P. Veronesi, “High entropy alloys obtained by field assisted powder metallurgy route: SPS and microwave heating,” *Materials Chemistry and Physics*, vol. 210, pp. 78-86, 2018.
- [67] P. Veronesi, E. Colombini, R. Rosa, C. Leonelli, and F. Rosi, “Microwave assisted synthesis of Si-modified $\text{Mn}_{25}\text{Fe}_x\text{Ni}_{25}\text{Cu}_{(50-x)}$ high entropy alloys,” *Materials Letters*, vol. 162, pp. 277-280, 2016.
- [68] W. Y. Tang, M. H. Chuang, H. Y. Chen, and J. W. Yeh, “Microstructure and mechanical performance of new $\text{Al}_{0.5}\text{CrFe}_{1.5}\text{MnNi}_{0.5}$ high-entropy alloys improved by plasma nitriding,” *Surface and Coatings Technology*, vol. 204, pp. 3118–3124, 2010.
- [69] W. Y. Tang and J. W. Yeh, “Effect of aluminum content on plasma-nitrided $\text{Al}_x\text{CoCrCuFeNi}$ high-entropy alloys,” *Metallurgical and Materials Transactions A*, vol. 40, pp. 1479–1486, 2009.

- [70] D. Tsai, Z. Chang, L. Kuo, T. Lin, T. Lin, and F. Shieh, “Surface & Coatings Technology Solid solution coating of (TiVCrZrHf) N with unusual structural evolution,” *Surface and Coatings Technology*, vol. 217, pp. 84–87, 2013.
- [71] R. Zhou, Y. Liua, C. Zhoua, S. Lib, W. Wu, M. Songa, B. Liua, X. Liangc and P.K. Liaw, “Microstructures and mechanical properties of C-containing FeCoCrNi high- entropy alloy fabricated by selective laser melting,” *Intermetallics*, vol. 94, pp. 165–171, 2018.
- [72] A. Kumar and M. Gupta, “An Insight into Evolution of Light Weight High Entropy Alloys: A Review,” *Metals*, vol. 6, pp. 199, 2016.
- [73] Y. Brif, M. Thomas, and I. Todd, “The use of high-entropy alloys in additive manufacturing,” *Scripta Materialia*, vol. 99, pp. 93–96, 2015.
- [74] R. Li, P. Niu, T. Yuan, P. Cao, C. Chen, and K. Zhou, “Selective laser melting of an equiatomic CoCrFeMnNi high-entropy alloy : Processability , non-equilibrium microstructure and mechanical property,” *Journal of Alloys and Compounds*, vol. 746, pp. 125–134, 2018.
- [75] R. Kozak, A. Sologubenko, and W. Steurer, “Single-phase high-entropy alloys – an overview,” *Z. Kristallogr*, vol. 230, pp. 55–68, 2015.
- [76] J.W. Yeh, S. K. Chen, J. Y. Gan, S. J. Lin, T. S. Chin, T.T. Shun, C. H. Tsau, and S. Y. Chang, “Formation of simple crystal structures in Cu-Co-Ni-Cr-Al-Fe-Ti-V alloys with multiprincipal metallic elements,” *Metallurgical and Materials Transactions A*, vol. 35, pp. 2533–2536, 2007.
- [77] G. Qin, W. Xuea, C. Fana, R. Chena, L. Wang, Y. Sua, H. Dinga and J. Guoa, “Effect of Co content on phase formation and mechanical properties of $(\text{AlCoCrFeNi})_{100-x}\text{Co}_x$ high-entropy alloys,” *Materials Science and Engineering A*, vol. 710, pp. 200–205, 2018.
- [78] C. Y. Hsu, T. S. Sheu, J. W. Yeh, and S. K. Chen, “Effect of iron content on wear behavior of $\text{AlCoCrFexMo}0.5\text{Ni}$ high-entropy alloys,” *Wear*, vol. 268, pp. 653–659, 2010.
- [79] L. Jiang, Z.Q. Cao, J. C. Jie, J. J. Zhang ,Y. P. Lu, T. M. Wang , T. J. Li, “Effect of Mo and Ni elements on microstructure evolution and mechanical properties of the CoFeNixVMoy high entropy alloys,” *Journal of Alloys and Compounds*, vol. 649, pp. 585–590, 2015.
- [80] S. Mohanty, T.N. Maitya, S. Mukhopadhyaya, S. Sarkarb, N.P. Guraoa, S. Bhowmickc, Krishanu Biswas, “Powder metallurgical processing of equiatomic AlCoCrFeNi high entropy alloy: Microstructure and mechanical properties,” *Materials Science & Engineering A*, vol. 679, pp. 299-313, 2017.
- [81] A. Manzoni, H. Daoud, R. Völkl, U. Glatzel, and N. Wanderka, “Phase separation in equiatomic AlCoCrFeNi high-entropy alloy,” *Ultramicroscopy*, vol. 132, pp. 212–215, 2013.

- [82] Y. Qiao, J.W, Ma, S.G, Huang, E.W, Chuang.C.P, Liaw, P.K, Zhang, “Microstructural characteristics and mechanical behaviors of AlCoCrFeNi high-entropy alloys at ambient and cryogenic temperatures J.W. Qiao,” *Materials Science Forum*, vol. 688, pp. 419–425, 2011.
- [83] S. Varalakshmi, M. Kamaraj, and B. S. Murty, “Formation and stability of equiatomic and nonequiatomic nanocrystalline CuNiCoZnAlTi high-entropy alloys by mechanical alloying,” *Metallurgical and Materials Transactions A*, vol. 41, pp. 2703–2709, 2010.
- [84] W. Wang, W. Wang, and J. Yeh, “Phases , microstructure and mechanical properties of $\text{Al}_x\text{CoCrFeNi}$ high-entropy alloys at elevated temperatures,” *Jounal of Alloys and Compounds*, vol. 589, pp. 143–152, 2014.
- [85] C. Li, J. C. Li, M. Zhao, and Q. Jiang, “Effect of alloying elements on microstructure and properties of multiprincipal elements high-entropy alloys,” *Jounal of Alloys and Compounds*, vol. 475, pp. 752–757, 2009.
- [86] M. Zhang, W. Zhang, Y. Liu, B. Liu, and J. Wang, “FeCoCrNiMo high-entropy alloys prepared by powder metallurgy processing for diamond tool applications,” *Powder Metallurgy*, vol. 61, pp. 123-130, 2018.
- [87] A. Dwivedi, C. C. Koch, Carl, K. V. Rajulapati, “On the single phase fcc solid solution in nanocrystalline Cr-Nb-Ti-V-Zn high-entropy alloy,” *Materials Letters*, vol. 183, pp. 44–47, 2016.
- [88] R. Li, J. C. Gao, and K. Fan, “Study to Microstructure and Mechanical Properties of Mg Containing High Entropy Alloys,” *Materials Science Forum*, vol. 650, pp. 265–271, 2010.
- [89] K. Li, Rui, Gao, Jiacheng, Fan, “Study to Microstructure and Mechanical Properties of Mg Containing High Entropy Alloys,” *Materials science Forum*, vol. 650, pp. 265–271, 2010.
- [90] L. Meshi, Y. Linden, A. Munitz, S. Salhov, and M. Pinkas, “Retardation of the σ phase formation in the AlCoCrFeNi multi-component alloy,” *Materials Characterization*, vol. 148, pp. 171–177, 2019.
- [91] T. P. Yadav, S. Mukhopadhyay, S. S. Mishra, N. K. Mukhopadhyay, and O. N. Srivastava, “Synthesis of a single phase of high-entropy Laves intermetallics in the Ti–Zr–V–Cr–Ni equiatomic alloy,” *Philosophical Magazine Letters*, vol. 97, pp. 494–503, 2017.
- [92] S. S. Mishra, S. Mukhopadhyay, T. P. Yadav, N. K. Mukhopadhyay, and O. N. Srivastava, “Synthesis and characterization of hexanary Ti-Zr-V-Cr-Ni-Fe high-entropy Laves phase,” *Journal of Materials Research*, vol. 34, pp. 807–818, 2019.
- [93] S. Guo, Q. Hu, C. Ng, and C.T.Liu, “More than enthalpy in high entropy alloys: Forming soid solution or amorphous phase,” *Intermetallics*, vol. 41, pp. 96–103, 2013.
- [94] W. Ge, Y. Wang, C. Shang, Z. Zhang, and Y. Wang, “Microstructures and

- properties of equiatomic CuZr and CuZrAlTiNi bulk alloys fabricated by mechanical alloying and spark plasma sintering,” *Journal of Materials Science*, vol. 52, pp. 5726–5737, 2017.
- [95] Y. L. Chen, C. W. Tsai, C. C. Juan, M. H. Chuang, J. W. Yeh, T. S. Chinc, S. K. Chend, “Amorphization of equimolar alloys with HCP elements during mechanical alloying,” *Journal of Alloys and Compounds*, vol. 506, pp. 210–215, 2010.
- [96] Y. L. Chen, Y. H. Hua, C. W. Tsai, C. An Hsieh, S. W. Kao, J. W. Yeh, T. S. Chin, S. K. Chen, “Alloying behavior of binary to octonary alloys based on Cu – Ni – Al – Co – Cr – Fe – Ti – Mo during mechanical alloying,” *Journal of Alloys and Compounds*, vol. 477, pp. 696–705, 2009.
- [97] Y. L. Chen, Y. Hu, C. Tsai, J. Yeh, S. Chen, and S. Chang, “Structural evolution during mechanical milling and subsequent annealing of Cu – Ni – Al – Co – Cr – Fe – Ti alloys,” *Materials Chemistry and Physics*, vol. 118, pp. 354–361, 2009.
- [98] X. Zhu, X. Zhou, S. Yu, C. Wei, J. Xu, Y. Wang, “Effects of annealing on the microstructure and magnetic property of the mechanically alloyed FeSiBAIniM(M= Co,Cu,Ag) amorphous high entropy alloys,” *Journal of Magnetism and Magnetic Materials*, vol. 430, pp. 59–64, 2017.
- [99] H. Gleiter, “ Nanovrstalline Materials,” *Progress in Materials Science*, vol. 33, pp. 223–315, 1990.
- [100] C. Suryanarayana, “Nanocrystalline materials,” *International Materials Reviews*, vol. 40, pp. 41–64, 1995.
- [101] S. Praveen and H. S. Kim, “High-Entropy Alloys: Potential Candidates for High-Temperature Applications – An Overview,” *Advanced Engineering Materials*, vol. 20, pp. 1–22, 2018.
- [102] K. A. Christofidou, E.J. Pickering, P. Orsatti, P.M. Mignanelli, T.J.A. Slater, H.J. Stone, N.G. Jones, “On the influence of Mn on the phase stability of the CrMn x FeCoNi high entropy alloys,” *Intermetallics*, vol. 92, pp. 84–92, 2018.
- [103] K. B. Zhang, Z.Y. Fu, J.Y. Zhang, J.Shi, W.M. Wang, H. Wang, Y.C. Wang, Q. J. Zhang, “Annealing on the structure and properties evolution of the CoCrFeNiCuAl high-entropy alloy,” *Journal of Alloys and Compounds*, vol. 502, pp. 295–299, 2010.
- [104] K. B. Zhang, Z. Y. Fu, J. Y. Zhang, W. M. Wang, S. W. Lee, and K. Niihara, “Characterization of nanocrystalline CoCrFeNiTiAl high-entropy solid solution processed by mechanical alloying,” *Journal of Alloys and Compounds*, vol. 495, pp. 33–38, 2010.
- [105] N. T. B. N. Koundinya, C. Sajith Babu, K. Sivaprasad, P. Susila, N. Kishore Babu, and J. Baburao, “Phase evolution and thermal analysis of nanocrystalline AlCrCuFeNiZn high entropy alloy produced by mechanical alloying,” *Journal of Materials Engineering and Performance*, vol. 22, pp. 3077–3084, 2013.
- [106] C. Wang, W. Ji, and Z. Fu, “Mechanical alloying and spark plasma sintering of

- CoCrFeNiMnAl high-entropy alloy,” *Advanced Powder Technology*, vol. 25, pp. 1334–1338, 2014.
- [107] C. S. Babu, K. Sivaprasad, V. Muthupandi, and J. A. Szpunar, “Characterization of Nanocrystalline AlCoCrCuNiFeZn High Entropy Alloy Produced by Mechanical Alloying,” *Procedia Materials Science*, vol. 5, pp. 1020–1026, 2014.
- [108] W. Ji, Z. Fu, W. Wang, H. Wang, J. Zhang, Y. Wang, F. Zhang, “Mechanical alloying synthesis and spark plasma sintering consolidation of CoCrFeNiAl high-entropy alloy,” *Journal of Alloys and Compounds*, vol. 589, pp. 61–66, 2014.
- [109] S. Praveen, B. S. Murty, and R. S. Kottada, “Alloying behavior in multi-component AlCoCrCuFe and NiCoCrCuFe high entropy alloys,” *Materials Science and Engineering A*, vol. 534, pp. 83–89, 2012.
- [110] M. Vaidya, A. Karati, A. Mashal, K.G. Pradeep, “Phase evolution and stability of nanocrystalline CoCrFeNi and CoCrFeMnNi high entropy alloys.” *Journal of Alloys and Compounds*, vol. 770, pp. 1004–1015, 2019.
- [111] W. Ji, W. Wang, H. Wang, J. Zhang, Y. Wang, F. Zhang, Z. Fu, “Alloying behaviour and novel properties of CoCrFeNiMn high-entropy alloy fabricated by mechanical alloying and spark plasma sintering,” *Intermetallics*, vol. 56, pp. 24–27, 2015.
- [112] Y. Long, K. Su, J. Zhang, X. Liang, H. Peng, and X. Li, “Enhanced strength of a mechanical alloyed NbMoTaWVTi refractory high entropy alloy,” *Materials*, vol. 11, pp. 1–8, 2018.
- [112] W. Guo, B. Liu, Y. Liu, T. Li, A. Fu, Q. Fang, Y. Nie, “Microstructures and mechanical properties of ductile NbTaTiV refractory high entropy alloy prepared by powder metallurgy,” *Journal of Alloys and Compounds*, vol. 776, pp. 428–436, 2019.
- [114] Y. P. Wang, B. S. Li, M. X. Ren, C. Yang, and H. Z. Fu, “Microstructure and compressive properties of AlCrFeCoNi high entropy alloy,” *Materials Science and Engineering A*, vol. 491, pp. 154–158, 2008.
- [115] T. T. Shun and Y. C. Du, “Microstructure and tensile behaviors of FCC Al_{0.3}CoCrFeNi high entropy alloy,” *Journal of Alloys and Compounds*, vol. 479, pp. 157–160, 2009.
- [116] H. P. Chou, Y. S. Chang, S. K. Chen, and J. W. Yeh, “Microstructure, thermophysical and electrical properties in Al_xCoCrFeNi (0≤ x ≤2) high-entropy alloys,” *Materials Science and Engineering B*, vol. 163, pp. 184–189, 2009.
- [117] W.R. Wang, W. L. Wang, S. C. Wang, Y. C. Tsai, C. H. Lai, and J. W. Yeh, “Effects of Al addition on the microstructure and mechanical property of Al_xCoCrFeNi high-entropy alloys,” *Intermetallics*, vol. 26, pp. 44–51, 2012.
- [118] Q. Wang, Y. Ma, B. Jiang, X. Li, Y. Shi, C. Dong, P. K. Liaw, “A cuboidal B2 nanoprecipitation-enhanced body-centered-cubic alloy Al_{0.7}CoCrFe₂Ni with prominent tensile properties,” *Scripta Materialia*, vol. 120, pp. 85–89, 2016.

- [119] A. Munitz, S. Salhov, S. Hayun, and N. Frage, “Heat treatment impacts the microstructure and mechanical properties of AlCoCrFeNi high entropy alloy,” *Journal of Alloys and Compounds*, vol. 683, pp. 221-230, 2016.
- [120] D. G. Shaysultanov, G. A. Salishchev, Y. V Ivanisenko, S. V Zherebtsov, M. A. Tikhonovsky, and N. D. Stepanov, “Novel $\text{Fe}_{36}\text{Mn}_{21}\text{Cr}_{18}\text{Ni}_{15}\text{Al}_{10}$ high entropy alloy with bcc / B2 dual-phase structure,” *Journal of Alloys and Compounds*, vol. 705, pp. 756–763, 2017.
- [121] Y. Zhou, X. Jin, L. Zhang, X. Du, and B. Li, “A hierarchical nanostructured $\text{Fe}_{34}\text{Cr}_{34}\text{Ni}_{14}\text{Al}_{14}\text{Co}_4$ high-entropy alloy with good compressive mechanical properties,” *Materials Science and Engineering A*, vol. 716, pp. 235-239, 2018.
- [122] J. Hao, Y. Ma, Q. Wang, C. Zhang, C. Li, C. Dong, Q. Song, P.K. Liaw, “Formation of cuboidal B2 nanoprecipitates and microstructural evolution in the body-centered-cubic $\text{Al}_{0.7}\text{NiCoFe}_{1.5}\text{Cr}_{1.5}$ high-entropy alloy,” *Jounal of Alloys and Compounds*, vol. 780, pp. 408–421, 2019.
- [123] C. W. Tsai, Y. L. Chen, M. H. Tsai, J. W. Yeh, T. T. Shun, and S. K. Chen, “Deformation and annealing behaviors of high-entropy alloy $\text{Al}_{0.5}\text{CoCrCuFeNi}$,” *Journal of Alloys and Compounds*, vol. 486, pp. 427–435, 2009.
- [124] C. J.Tong, M. R. Chen, S. K. Chen, J. W.Yeh, T. Tsung Shun, S. Jien Lin, and S. Y. Chang, “Mechanical Performance of the $\text{Al}_x\text{CoCrCuFeNi}$ High-Entropy Alloy System with Multiprincipal Elements,” *Metallurgical and Materials Transactions A*, vol. 36, pp. 1263–1271, 2005.
- [125] O. N. Senkov, S. V. Senkova, and C. Woodward, “Effect of aluminum on the microstructure and properties of two refractory high-entropy alloys,” *Acta Materialia*, vol. 68, pp. 214–228, 2014.
- [126] Y. Zhang, T. Zuo, Y. Cheng and P. K. Liaw, “High-entropy Alloys with High Saturation Magnetization, Electrical Resistivity, and Malleability,” *Scientific Reports*, vol. 3, pp. 1–7, 2013.
- [127] Z. Lyu, C. Lee, S.Y. Wang, X. Fan, J.-W. Yeh, and P. K. Liaw, “Effects of Constituent Elements and Fabrication Methods on Mechanical Behavior of High-Entropy Alloys: A Review,” *Metallurgical and Materials Transactions A*, vol.50 pp. 1–28, 2018.
- [128] Z. Wu, H. Bei, G. M. Pharr, and E. P. George, “Temperature dependence of the mechanical properties of equiatomic solid solution alloys with face-centered cubic crystal structures,” *Acta Materialia*, vol. 81, pp. 428–441, 2014.
- [129] Y. J. Zhou, Y. Zhang, Y. L. Wang, and G. L. Chen, “Solid solution alloys of AlCoCrFeNiTi_{1x} with excellent room-temperature mechanical properties,” *Applied Physics Letters*, vol. 90, p. 181904-3, 2007.
- [130] Z. Fu, W. Chen, H. Wen, S. Morgan, F. Chen, B. Zheng , Y. Zhou, L. Zhang , E. J. Lavernia , “Microstructure and mechanical behavior of a novel $\text{Co}_{20}\text{Ni}_{20}\text{Fe}_{20}\text{Al}_{20}\text{Ti}_{20}$ alloy fabricated by mechanical alloying and spark plasma sintering,” *Materials Science & Engineering A*, vol. 644, pp. 10–16, 2015.

- [131] M. Chuang, M. Tsai, W. Wang, S. Lin, and J. Yeh, “Microstructure and wear behavior of $\text{Al}_x\text{Co}_{1.5}\text{CrFeNi}_{1.5}\text{Ti}_y$ high-entropy alloys,” *Acta Materialia*, vol. 59, pp. 6308–6317, 2011.
- [132] S. Yadav, A. Kumar, and K. Biswas, “Wear behavior of high entropy alloys containing soft dispersoids (Pb , Bi),” *Materials Chemistry and Physics*, vol. 210, pp. 222–232, 2018.
- [133] S. G. Ma and Y. Zhang, “Effect of Nb addition on the microstructure and properties of AlCoCrFeNi high-entropy alloy,” *Materials Science & Engineering A*, vol. 532, pp. 480–486, 2012.
- [134] W. D. Callister, D. G. Rethwisch, Materials Science and Engineering, Ninth Edition, John Wiley & Sons, 2013
- [135] B. D. Cullity, Elements of X-ray Diffraction, Addison-Wesley, 1956.
- [136] Z. Fu, W. Chen, S. Fang, D. Zhang, H. Xiao, and D. Zhu, “Alloying behavior and deformation twinning in a $\text{CoNiFeCrAl}_{0.6}\text{Ti}_{0.4}$ high entropy alloy processed by spark plasma sintering,” *Journal of Alloys and Compounds*, vol. 553, pp. 316–323, 2013.
- [137] W. Ji, Z. Fu, W. Wang, H. Wang, J. Zhang, Y. Wang, F. Zhang, “Mechanical alloying synthesis and spark plasma sintering consolidation of CoCrFeNiAl high-entropy alloy,” *Journal of Alloys and Compounds*, vol. 589, pp. 61–66, 2014.
- [138] K. B. Zhang, Z. Y. Fu, J. Y. Zhang, W. M. Wang, S. W. Lee, and K. Niihara, “Characterization of nanocrystalline CoCrFeNiTiAl high-entropy solid solution processed by mechanical alloying,” *Journal of Alloys and Compounds*, vol. 495, pp. 33–38, 2010.
- [139] W. R. Wang, W. L. Wang, and J. W. Yeh, “Phases, microstructure and mechanical properties of $\text{Al}_x\text{CoCrFeNi}$ high-entropy alloys at elevated temperatures,” *Journal of Alloys and Compounds*, vol. 589, pp. 143–152, 2014.
- [140] R. L. Blaine and H. E. Kissinger, “Homer Kissinger and the Kissinger equation,” *Thermochimica Acta*, vol. 540, pp. 1–6, 2012.
- [141] T. Ozawa, “A New Method of Analyzing Thermogravimetric Data,” *Bulletin of The Chemical Society of Japan*, vol. 38, no. 11, pp. 1881–1886, 1965.
- [142] J. Basu and S. Ranganathan, “Glass forming ability and stability: Ternary Cu bearing Ti, Zr, Hf alloys,” *Intermetallics*, vol. 17, pp. 128–135, 2009.
- [143] J. Basu, B. S. Murty, and S. Ranganathan, “Glass forming ability: Miedema approach to (Zr, Ti, Hf)-(Cu, Ni) binary and ternary alloys,” *Journal of Alloys and Compounds*, vol. 465, pp. 163–172, 2008.
- [144] S. Fang, W. Chen, and Z. Fu, “Microstructure and mechanical properties of twinned $\text{Al}_{0.5}\text{CrFeNiCo}_{0.3}\text{C}_{0.2}$ high entropy alloy processed by mechanical alloying and spark plasma sintering Sicong,” *Mterials and Design*, vol. 54, pp. 973–979, 2014.

- [145] P. Sathiyamoorthi, J. Basu, S. Kashyap, K. G. Pradeep, and R. S. Kottada, “Thermal stability and grain boundary strengthening in ultrafine-grained CoCrFeNi high entropy alloy composite,” *Materials and Design*, vol. 134, pp. 426–433, 2017.
- [146] J. Basu and S. Ranganathan, “Glass-forming ability and stability of ternary Ni-early transition metal (Ti/Zr/Hf) alloys,” *Acta Materialia*, vol. 56, pp. 1899–1907, 2008.
- [147] A. Inoue, X. M. Wang, “Bulk amorphous FC20 (Fe - C - Si) alloys with small amounts of b and their crystallized structure and mechanical properties,” *Acta Metallurgica*, vol. 48, pp. 1383–1395, 2000.
- [148] W. Chen, Z. Fu, S. Fang, H. Xiao, and D. Zhu, “Alloying behavior , microstructure and mechanical properties,” *Journal of Materials & Design*, vol. 51, pp. 854–860, 2013.
- [149] Z. Fu, W. Chen, Z. Chen, H. Wen, and E. J. Lavernia, “Influence of Ti addition and sintering method on microstructure and mechanical behavior of a medium-entropy Al_{0.6}CoNiFe alloy,” *Materials Science & Engineering A*, vol. 619, pp. 137–145, 2014.
- [150] Y. Zhuang, H. Xue, Z. Chen, Z. Hu, and J. He, “Effect of annealing treatment on microstructures and mechanical properties of FeCoNiCuAl high entropy alloys,” *Materials Science and Engineering : A*, vol. 572, pp. 30–35, 2013.
- [151] N. H. Tariq, M. Naeem, B. A. Hassan, J. I. Akhter, and M. Siddique, “Effect of W and Zr on structural, thermal and magnetic properties of AlCoCrCuFeNi high entropy alloy,” *Journal of Alloys and Compounds*, vol. 556, pp. 79–85, 2013.
- [152] J. Chen, X. Zhou, W. Wang, B. Liu, Y. Lv, and W. Yang, “A review on fundamental of high entropy alloys with promising high temperature properties,” *Journal of Alloys and Compounds*, vol. 760, pp. 15–30, 2018.
- [153] Y. Ma , Q. Wang , B.B. Jiang , C.L. Li, J.M. Hao, X.N. Li, C. Dong , T.G. Nieh , “Controlled formation of coherent cuboidal nanoprecipitates in body-centered cubic high-entropy alloys based on Al₂(Ni,Co,Fe,Cr)₁₄ compositions,” *Acta Materialia*, vol. 147, pp. 213–225, 2018.
- [154] C. M. Lin and H. L. Tsai, “Evolution of microstructure, hardness, and corrosion properties of high-entropy Al0.5CoCrFeNi alloy,” *Intermetallics*, vol. 19, pp. 288–294, 2011.
- [155] M. J. Yao, K. G. Pradeep, C. C. Tasan, and D. Raabe, “A novel, single phase, non-equiautomic FeMnNiCoCr high-entropy alloy with exceptional phase stability and tensile ductility,” *Scripta Materialia*, vol. 72–73, pp. 5–8, 2014.
- [156] E. A. Marquis and D. N. Seidman, “Nanoscale structural evolution of Al₃Sc precipitates in Al (Sc) alloys,” *Acta Materialia*, vol. 49, pp. 1909–1919, 2001.
- [157] M. E. Thompson, C. S. Su, and P. W. Voorhees, “The equilibrium shape of a misfitting precipitate,” *Acta Metallurgica et Materialia*, vol. 42, pp. 2107–2122, 1994.