

## REFERENCES

- Adewuyi Y.G., Khan M.A., Nitric oxide removal from flue gas by combined persulfate and ferrous-EDTA solutions: Effects of persulfate and EDTA concentrations, temperature, pH and SO<sub>2</sub>, *Chemical Engineering Journal*, **304**(2016)793–807.
- Bai S., Zhao J., Wang L., Zhu Z., SO<sub>2</sub>-promoted reduction of NO with NH<sub>3</sub> over vanadium molecularly anchored on the surface of carbon nanotubes, *Catalysis Today*, **158**(2010)393–100.
- Balaji S., Muthuraman G., Moon S., Influence of cathode on the electro-generation of peroxydisulfuric acid oxidant and its application for effective removal of SO<sub>2</sub> by room temperature electro-scrubbing process. *Journal of Hazardous Materials*, **299**(2015)437–443.
- Bird R.B., Stewart W.E., Lightfoot E.N., 1960. *Transport Phenomena*, John Wiley & Sons, New York.
- Bueno-Lo'pez A., Garcí'a-Garcí'a A., Combined SO<sub>2</sub> and NO<sub>x</sub> removal at moderate temperature by a dual bed of potassium-containing coal-pellets and calcium-containing pellets, *Fuel Processing Technology*, **86**(2005)1745– 1759.
- Chen J., Gu S., Zheng J., Chen J., Simultaneous removal of SO<sub>2</sub> and NO in a rotating drum biofilter coupled with complexing absorption by Fe<sup>II</sup>(EDTA), *Biochemical Engineering Journal*, **114**(2016)87–93.

Chen L., Hsu C.H., Yang C.L., Oxidation and Absorption of Nitric Oxide in a packed Tower with Sodium Hypochlorite Aqueous solutions, *Environmental Progress & Sustainable Energy*, **24**(2005)279-288.

Chien T.W., Chu H., Hsueh H.T., Kinetic Study on Absorption of SO<sub>2</sub> and NO<sub>x</sub> with Acidic NaClO<sub>2</sub> Solutions Using the Spraying Column. *Journal of Environmental Engineering-ASCE* **2003**, *129*, 967-974.

Chien T.W., Chu H., Removal of SO<sub>2</sub> and NO from flue gas by wet scrubbing using an aqueous NaClO<sub>2</sub> solution. *Journal of Hazardous Materials*, **80**(2000)43–57.

Chu H., Chien T.W., Li S.Y., Simultaneous absorption of SO<sub>2</sub> and NO from flue gas with KMnO<sub>4</sub>/NaOH solutions, *Science of the Total Environment*, **275**(2001)127–135.

Danckwerts P.V., (1970) Gas-liquid reaction, McGraw-Hill, New York.

Dean A.M., (1985), *United States Patent No. 4507269*.

Dean, J.A., (1970) Lange's Handbook of Chemistry, McGraw-Hill, New York.

Deshwal B.R., Jin D.S., Lee S.H., Moon S.H., Jung J.H., Lee, Removal of NO from flue gas by aqueous chlorine-dioxide scrubbing solution in lab-scale bubbling reactor, *Journal of Hazardous Materials*, **150**(2008)649-655.

Ding J., Zhong Q., Cai H., Zhang S., Structural characterizations of fluoride doped CeTi nanoparticles and its differently promotional mechanisms on ozonation for low-

temperature removal of NO<sub>x</sub> (x = 1, 2), *Chemical Engineering Journal*, **286**(2016)549–559.

Ebrahimi S., Piciooreanu C., Kleerebezem R., Heijnen J.J., Loosdrecht M.C.M., Rate based modelling of SO<sub>2</sub> absorption into aqueous NaHCO<sub>3</sub>/Na<sub>2</sub>CO<sub>3</sub> solution accompanied by the desorption of CO<sub>2</sub>, *Chemical Engineering Science*, **58**(2003)3589-3600.

*Environmental Protection Agency – Office of Air Quality Planning and Standards* (1997). *National Air Quality and Emissions Trend Report, EPA 454/R-98-016*. Research Triangle Park, NC. December.

Fang P., Cen C., Tang Z., Zhong P., Chen D., Chen Z., Simultaneous removal of SO<sub>2</sub> and NO<sub>x</sub> by wet scrubbing using urea solution, *Chemical Engineering Journal*, **168**(2011)52-59.

Fang P., Cen C., Wang X., Tang Z., Tang Z., Chen D., Simultaneous removal of SO<sub>2</sub>, NO and Hg<sup>0</sup> by wet scrubbing using urea + KMnO<sub>4</sub> solution, *Fuel Processing Technology*, **106**(2013)645-653.

Feng X., Hall W.K., On the unusual stability of overexchanged FeZSM-5, *Catalysis Letters*, **41**(1996)45-46.

Gallastegi-Villa M., Aranzabal A., Boukha Z., González-Marcos J.A., González-Velasco J.R., Martínez-Huerta M.V., Banares M.A., Role of surface vanadium oxide

coverage support on titania for the simultaneous removal of o-dichlorobenzene and NO<sub>x</sub> from waste incinerator flue gas. *Catalysis Today*, **254**(2015)2–11.

Gao S., Nakagawa N., Kato K., Inomata M., Tsuchiya F., Simultaneous SO<sub>2</sub>/NO<sub>x</sub> removal by a powder particle fluidized bed, *Catalysis Today*, **29**(1996)165– 169.

Guo Y., Li Y., Zhu T., Ye M., Investigation of SO<sub>2</sub> and NO adsorption species on activated carbon and the mechanism of NO promotion effect on SO<sub>2</sub>, *Catalysis Today*, **147S** (2009) S285–S289. *Fuel*, **143**(2015)536-542

Hamzehlouyan T., Sampara C.S., Li J., Kumar A., Epling W.S., Kinetic study of adsorption and desorption of SO<sub>2</sub> over  $\gamma$ -Al<sub>2</sub>O<sub>3</sub> and Pt/ $\gamma$ -Al<sub>2</sub>O<sub>3</sub>. *Applied Catalysis B: Environmental*, **181**(2016)587–598.

Hao R., Zhang Y., Wang Z., Li Y., Yuan B., Mao X., Zhao Y., An advanced wet method for simultaneous removal of SO<sub>2</sub> and NO from coal-fired flue gas by utilizing a complex absorbent, *Chemical Engineering Journal*, **307**(2017)562–571.

Harriott P., Smith K., Benson L.B., Simultaneous removal of NO and SO<sub>2</sub> in packed scrubbers or spray towers, *Environmental Progress & Sustainable Energy*, **12**(1993)110-113.

Hoffmann P., Roizard C., Lapicque F., Venot S., Maire A., A process for the simultaneous removal of SO<sub>2</sub> and NO<sub>x</sub> using Ce (IV) redox catalysis. *Process Safety and Environmental Protection*, **75**(1997)43–53.

Hu G., Sun Z., Gao H., Novel Process of Simultaneous Removal of SO<sub>2</sub> and NO<sub>2</sub> by Sodium Humate Solution, *Environmental. Science and Technology*, **44**(2010)6712–6717.

Huang B., Huang R., Jin D., Ye D., Low temperature SCR of NO with NH<sub>3</sub> over carbon nanotubes supported vanadium oxides, *Catalysis Today*, **126**(2007)279–283.

Ighigeanu D., Martin D., Zissulescu E., Macarie R., Oproiu C., Cirstea E., SO<sub>2</sub> and NO<sub>x</sub> removal by electron beam and electrical discharge induced nonthermal plasmas, *Vacuum*, **77**(2005)493–500.

Jeong S.M., Kim S.D., Removal of NO<sub>x</sub> and SO<sub>2</sub> by CuO/Al<sub>2</sub>O<sub>3</sub> sorbent/catalyst in a fluidized bed reactor, *Industrial & Engineering Chemistry Research*, **39**(2000)1911–1916.

Jianrong M., Zhenyu L., Qingya L., Shijie G., Zhanggen H., Yong X., SO<sub>2</sub> and NO removal from flue gas over V<sub>2</sub>O<sub>5</sub>/AC at lower temperatures – role of V<sub>2</sub>O<sub>5</sub> on SO<sub>2</sub> removal, *Fuel Processing Technology*, **89**(2008)242-248.

Jin D.S., Deshwal B.R., Park Y.S., Lee H.K., Simultaneous removal of SO<sub>2</sub> and NO by wet scrubbing using aqueous chlorine dioxide solution, *Journal of Hazardous Materials*, **135**(2006)412–417.

Jung J.H., Yoo K.S., Kim H.G., Lee H.K., Shon B.H., Reuse of waste oyster shells as a SO<sub>2</sub>/NO<sub>x</sub> removal absorbent, *Journal of Industrial and Engineering Chemistry*, **13**(2007)512-517.

Jung S.H., Jeong G.T., Lee G.Y., Cha J.M., Park D.N., Simultaneous removal of SO<sub>2</sub>, NO and particulate by pilot-scale scrubber system, *Korean Journal of Chemical Engineering*, **24**(2007)1064-1069.

Kaczur J.J., Oxidation chemistry of chloric acid in NO<sub>x</sub>/SO<sub>x</sub> and air toxic metal removal from gas streams. *Environmental Progress & Sustainable Energy*, **15**(1996)245–254.

Kang W., Choi B., Effect of copper precursor on simultaneous removal of PM and NO<sub>x</sub> of a 2-way SCR/CDPF\*, *Chemical Engineering Science*, **141**(2016)175–183.

Kankani V.G., Chatterjee I.B., Joshi J.B., Suchak N.J., Process intensification in manufacture of nitric acid: NO<sub>x</sub> absorption using enriched and pure oxygen. *Chemical Engineering Journal*, **278**(2015)430–446.

Kawamura K., Hirasawa A., Aoki S., Kimura H., Fujii T., Mizutani S., Higo T., Ishikawa R., Adachi K., Hosoki S., Pilot plant experiment of NO<sub>x</sub> and SO<sub>2</sub> removal from exhaust gases by electron beam irradiation, *Radiation Physics and Chemistry*, **13**(1979)5-12.

Kim H., Han J., Kawaguchi I., Minami W., Simultaneous removal of NO<sub>x</sub> and SO<sub>2</sub> by a nonthermal plasma hybrid reactor, *Energy Fuels*, **21**(2007)141–144.

Lee H.K., Deshwal B.R., Yoo K.S., Simultaneous removal of SO<sub>2</sub> and NO by sodium chlorite solution in wetted-wall column, *Korean Journal of Chemical Engineering*, **22**(2005)208-213.

Lee Y.W., Kim H.J., Park J.W., Choi B., Choi D., Park J.W., Adsorption and reaction behavior for the simultaneous adsorption of NO–NO<sub>2</sub> and SO<sub>2</sub> on activated carbon impregnated with KOH, *Carbon*, **41**(2003)1881–1888.

Li D., Shi P., Wang J., Li J., Su R., High-efficiency absorption of high NO<sub>x</sub> concentration in water or PEG using capillary pneumatic nebulizer packed with an expanded graphite filter. *Chemical Engineering Journal*, **237**(2014)8–15.

Li K., Yua H., Qi G., Feron P., Tade M., Yu J., Wang S., Rate-based modelling of combined SO<sub>2</sub> removal and NH<sub>3</sub> recycling integrated with an aqueous NH<sub>3</sub>-based CO<sub>2</sub> capture process, *Applied Energy*, **148**(2015)66–77.

Li Y., Guo Y., Zhu T., Ding S., Adsorption and desorption of SO<sub>2</sub>, NO and chlorobenzene on activated carbon, *Journal of Environmental Sciences*, **43**(2016)128–135.

Lim S.R., Hwang J., Kim C.S., Park H.S., Cheong M., Lim H.S., Lee H., Absorption and desorption of SO<sub>2</sub> in aqueous solutions of diamine-based molten salts, *Journal of Hazardous Material*, **289**(2015)63-71.

Littlejohn D., Chang S., Removal of NO<sub>x</sub> and SO<sub>2</sub> from flue gas by peracid solutions, *Industrial & Engineering Chemistry Research*, **29**(1990)1420–1424.

Liu H., Yu X., Yang H., The integrated photocatalytic removal of SO<sub>2</sub> and NO using Cu doped titanium dioxide supported by multi-walled carbon nanotubes, *Chemical Engineering Journal*, **243**(2010)465–472.

Liu Q., Liu Z., Wu W., Effect of V<sub>2</sub>O<sub>5</sub> additive on simultaneous SO<sub>2</sub> and NO removal from flue gas over a monolithic cordierite-based CuO/Al<sub>2</sub>O<sub>3</sub> catalyst, *Catalysis Today*, **147S** (2009) S285–S289.

Liu Y., Pan J., Tang A., Wang Q., A study on mass transfer – reaction kinetics of NO absorption by using UV/H<sub>2</sub>O<sub>2</sub> process, *Fuel*, **108**(2013)254-260.

Liu Y., Wang Q., Yin Y., Pan J., Zhang J., Advanced oxidation removal of NO and SO<sub>2</sub> from flue gas by using ultraviolet/H<sub>2</sub>O<sub>2</sub>/NaOH process, *Chemical engineering research and design*, **92**(2014)1907–1914.

Liu Y., Zhang J., Sheng C., Zhang Y., Zhao L., Simultaneous removal of NO and SO<sub>2</sub> from coal-fired flue gas by UV/H<sub>2</sub>O<sub>2</sub> advanced oxidation process, *Chemical Engineering Journal*, **162**(2010)1006-1011.

Long X.L., Xiao W.D., Yuan W.K., Simultaneous absorption of NO and SO<sub>2</sub> into hexamine cobalt (II)/iodide solution, *Chemosphere*, **59**(2005)811–817.

Lyon R.K., Thermal DeNO<sub>x</sub> Controlling Nitrogen Oxides Emissions by a Noncatalytic Process, *Environmental Science & Technology*, **21**(1987)231 -236.

- Ma Z., Wu X., Feng Y., Si Z., Weng D., Shi L., Low-temperature SCR activity and SO<sub>2</sub> deactivation mechanism of Ce-modified V<sub>2</sub>O<sub>5</sub>–WO<sub>3</sub>/TiO<sub>2</sub> catalyst. *Progress in Natural Science: Materials International*, **25**(2015)342–352.
- Ma Z., Yang H., Liu F., Zhang X., Interaction between SO<sub>2</sub> and Fe–Cu–O<sub>x</sub>/CNTs–TiO<sub>2</sub> catalyst and its influence on NO reduction with NH<sub>3</sub>, *Applied Catalysis A: General*, **467**(2010)450–455.
- Mok Y.S., Lee H.J., Removal of sulfur dioxide and nitrogen oxides by using ozone injection and absorption–reduction technique, *Fuel Processing Technology*, **87**(2006)591– 597.
- Mondal M.K., Chelluboyana V.R., Rao J.S., Solubility of SO<sub>2</sub> in aqueous blend of sodium citrate and sodium hydroxide, *Fluid Phase Equilibria*, **349**(2013)56–60.
- Nasonova A., Kim K.S., Effects of TiO<sub>2</sub> coating on zeolite particles for NO and SO<sub>2</sub> removal by dielectric barrier discharge process, *Catalysis Today*, **211**(2013)90–95.
- Nasonova A., Pham H.C., Kim D.J., Kim K.S., NO and SO<sub>2</sub> removal in non-thermal plasma reactor packed with glass beads-TiO<sub>2</sub> thin film coated by PCVD process, *Chemical Engineering Journal*, **156**(2010)557–561.
- Nimmo W., Patsias A.A., Hampartsoumian E., Simultaneous reduction of NO<sub>x</sub> and SO<sub>2</sub> emissions from coal combustion by calcium magnesium acetate, *Fuel*, **83**(2004)149–155.

Onda K., Kasuga Y., Kato K., Fujiwara M., Tanimoto M., Electric discharge removal of SO<sub>2</sub> and NO<sub>x</sub> from combustion flue gas by pulsed corona discharge, *Energy Conversion and Management*, **38**(1997)1377–1387.

Onda K., Sada E., Kobayashi T., Kito S., Ito K., Salting-out parameters of gas solubility in aqueous salt solutions, *Journal of Chemical Engineering of Japan*, **3**(1970)18-24.

Onda K., Sada E., Kobayashi T., Kito S., Ito K., Solubility of gases in aqueous solutions of mixed salts, *Journal of Chemical Engineering of Japan*, **3**(1970)137-142.

Pan W., Zhang X., Guo R., Zhou Y., Jin Q., Ren J., A Thermodynamic Study of Simultaneous Removal of SO<sub>2</sub> and NO by a KMnO<sub>4</sub>/Ammonia Solution. *Chemical Engineering Journal*, **162**(2010)51–57.

Park H.W., Choi S., Park D.W., Simultaneous treatment of NO and SO<sub>2</sub> with aqueous NaClO<sub>2</sub> solution in a wet scrubber combined with a plasma electrostatic precipitator, *Energy Conversion and Management*, **285**(2015)117–126.

Periasamy A., Muruganand S., Palaniswamy M., Vibrational studies of Na<sub>2</sub>SO<sub>4</sub>, K<sub>2</sub>SO<sub>4</sub>, NaHSO<sub>4</sub> and KHSO<sub>4</sub> Crystals, *Rasayan Journal of Chemistry*, **2**(2009)981-989.

Pillai K.C., Chung S.J., Raju T., Moon I.S., Experimental aspects of combined NO<sub>x</sub> and SO<sub>2</sub> removal from flue-gas mixture in an integrated wet scrubber-electrochemical cell system, *Chemosphere*, **76**(2009)657–664.

Qiang T., Zhigang Z., Wenpei Z., Zidong C., SO<sub>2</sub> and NO Selective properties of coal based activated carbons, *Fuel*, **84**(2005)461-465.

Qu Y.F., Guo J.X., Chu Y.H., Sun M.C., Yin H.Q., The influence of Mn species on the SO<sub>2</sub> removal of Mn-based activated carbon catalysts. *Applied Surface Science*, **282**(2013)425–431.

Rahmani F., Mowla D., Karimi G., Golkhar A., Rahmatmand B., SO<sub>2</sub> removal from simulated flue gas using various aqueous solutions: Absorption equilibria and operational data in a packed column. *Separation and Purification Technology*, **153**(2015)162–169.

Sada E., Kumazava H., Yamanaka Y., Kudo I., Kondo T., And nitric oxide in aqueous mixed solutions of sodium chlorite and sodium hydroxide. *Journal of Chemical Engineering of Japan*, **11**(1978)276-282.

Sander R., 1999. Compilation of Henry's Law Constants for Inorganic and Organic Species of Potential Importance in Environmental Chemistry.

Shale C.C., Removal of Sulphur and Nitrogen Oxides from Stack Gases by NH<sub>3</sub>, *AIChE Symposium Series*, **115**(1971)52–58.

Sumathi S., Bhatia S., Lee K.T., Mohamed A.R., Cerium impregnated palm shell activated carbon (Ce/PSAC) sorbent for simultaneous removal of SO<sub>2</sub> and NO—Process study. *Chemical Engineering Journal*, **162**(2010)51–57.

Sumathi S., Bhatia S., Lee K.T., Mohamed A.R., Selection of best impregnated palm shell activated carbon (PSAC) for simultaneous removal of SO<sub>2</sub> and NO<sub>x</sub>, *Journal of Hazardous Materials*, **176**(2010)1093–1096.

Sun Y., Xiong T., Ni Z., Liu J., Donga F., Zhang W., Ho W.K., Improving g-C<sub>3</sub>N<sub>4</sub> photo catalysis for NO<sub>x</sub> removal by Ag nanoparticles decoration, *Applied Surface Science*, **358**(2015)356–362.

Susianto, P'etrissans M., P'etrissans A., Zoulalian A., Experimental study and modelling of mass transfer during simultaneous absorption of SO<sub>2</sub> and NO<sub>2</sub> with chemical reaction, *Chemical Engineering and Processing*, **44**(2005)1075–1081.

Tang Y., Liu Z., Shen Z., Chen W., Ma D., Dai X., Adsorption sensitivity of metal atom decorated bilayer graphene toward toxic gas molecules (CO, NO, SO<sub>2</sub> and HCN), *Sensors and Actuators B: Chemical*, **238**(2017)182-195.

Tokunag O., Namba H., Suzuki N., Enhancement of Removal of SO<sub>x</sub> and NO<sub>x</sub> by Powdery Materials in Radiation Treatment of Exhaust Gases, *The International Journal of Applied Radiation and Isotopes*, **36**(1985)807-812.

Trapalis A., Todorova N., Giannakopoulou T., Boukos N., Speliotis T., Dimotikali D., Yu J., TiO<sub>2</sub>/graphene composite photo catalysts for NO<sub>x</sub> removal: A comparison of surfactant-stabilized graphene and reduced grapheme oxide, *Applied Catalysis B: Environmental*, **180**(2016)637–647.

Tsuchiai H., Ishizuka T., Ueno T., Hattori H., Kita H., “Highly active absorbent for SO<sub>2</sub> removal prepared from coal fly ash”, *Industrial & Engineering Chemistry Research*, **34**(1995)1404-1411.

URL:

Wang L., Zhao W., Wu Z., Simultaneous absorption of NO and SO<sub>2</sub> by Fe<sup>II</sup> EDTA combined with Na<sub>2</sub>SO<sub>3</sub> solution, *Chemical Engineering Journal*, **132**(2007)227–232.

Wang S., Zhang Q., Zhang G., Wang Z., Zhu P., Effects of sintering flue gas properties on simultaneous removal of SO<sub>2</sub> and NO by ammonia-Fe(II)EDTA absorption, *Journal of the Energy Institute*, **90**(2017)522-527.

Wang W., Zhong Q., Ye Z., Bjerle I., Simultaneous reduction of SO<sub>2</sub> and NO<sub>x</sub> in an entrained-flow reactor, *Fuel*, **74**(1995)267–272.

Wang X.C., Bi X.Y., Sun P.S., Chen J.Q., Zou P., Ma X.M., Zhang J., Wang H.Y., Xu X.Y., Effects of Oxygen Content on the Simultaneous Microbial Removal of SO<sub>2</sub> and NO<sub>x</sub> in Bio Trickling Towers, *Biotechnology and Bioprocess Engineering*, **20**(2015)924-930.

Wang Y., Huang Z., Liu Z., Liu Q., A novel activated carbon honeycomb catalyst for simultaneous SO<sub>2</sub> and NO removal at low temperatures. *Carbon*, **42**(2004)445–448.

Wang Y., Liu Z., Zhan L., Huang Z., Liu Q., Ma J., Performance of an activated carbon honeycomb supported V<sub>2</sub>O<sub>5</sub> catalyst in simultaneous SO<sub>2</sub> and NO removal. *Chemical Engineering Science*, **59**(2004)5283–5290.

Wei J., Luo Y., Yu P., Cai B., Tan H., Removal of NO from flue gas by wet scrubbing with NaClO<sub>2</sub>/(NH<sub>2</sub>)<sub>2</sub>CO solutions. *Journal of Industrial and Engineering Chemistry*, **15**(2009)16-22.

Wei-yi S., Sang-lan D., Shan-shan Z., Shi-jun S., Wen-ju J., Simultaneous absorption of NO<sub>x</sub> and SO<sub>2</sub> from flue gas with pyrolusite slurry combined with gas-phase oxidation of NO using ozone. *Journal of Hazardous Materials*, **192**(2011)124-130.

Welty J.R., Wicks C.E., Wilson R.E., (1984) Fundamentals of Momentum, Heat, and Mass Transfer 3rd Ed., John Wiley & Sons, New York.

Wilde, J.D., & Marin, G.B. (2000). Investigation of simultaneous adsorption of SO<sub>2</sub> and NO<sub>x</sub> on Na-g-alumina with transient techniques, *Catalysis Today*, 62, 319– 328.

Xie G., Liu Z., Zhu Z., Liu Q., Ge J., Huang Z., Simultaneous removal of SO<sub>2</sub> and NO<sub>x</sub> from flue gas using CuO/Al<sub>2</sub>O<sub>3</sub> catalyst sorbent I Deactivation of SCR activity by SO<sub>2</sub> at low temperatures, *Journal of Catalysis*, **224**(2004)36–41.

Xie Y., Chen Y., Ma Y., Jin Z., Investigation of simultaneous adsorption of SO<sub>2</sub> and NO on  $\gamma$ -alumina at low temperature using DRIFTS, *Journal of Hazardous Materials*, **195**(2011)223-229.

Xu X., Chang S.G., Removing nitric oxide from flue gas using iron (II) citrate chelate absorption with microbial regeneration, *Chemosphere*, **67**(2007)1628–1636.

Y. Liu, H. Shu, Q. Xu, Y. Zhang, L. Yang, FT-IR study of the SO<sub>2</sub> oxidation behavior in the selective catalytic reduction of NO with NH<sub>3</sub> over commercial catalysts, *Journal of Fuel Chemistry Technolology*, **43**(2013)1018-1024.

Yang J., Hu G., Gao H., Influence of operating parameters on performance of SO<sub>2</sub> absorption in fulvic acid solution, *Chemical Engineering Journal*, **288**(2016)724–738.

Yi Z., Feng L., Xiang G.T., Yin Z., Experiments and reaction characteristics of liquid phase simultaneous removal of SO<sub>2</sub> and NO, *Science in China Series E: Technological Sciences*, **52**(2009)1768-1775.

Yoon B.H., Wang L.J., Yoon S.L., Mechanism of chlorate formation in chlorine dioxide delignification, *Appita Journal* **57**(2004)472-474.

Yu Q., Yang H.M., Zeng K.S., Zhang Z.W., Yu G., Simultaneous removal of NO and SO<sub>2</sub> from dry gas stream using non-therm al plasma, *Journal of Environmental Sciences*, **19**(2007)1393–1397.

Zhang C.F., (1985) Gas-liquid reaction and reactor, Chemical Industry Press, Beijing.

Zhang Q., Wang S., Zhang G., Wang Z., Zhu P., Effects of slurry properties on simultaneous removal of SO<sub>2</sub> and NO by ammonia-Fe(II)EDTA absorption in sintering plants, *Journal of Environmental Management*, **183**(2016)1072-1078.

Zhao Y., Guo T., Chen Z., Du Y., Simultaneous removal of SO<sub>2</sub> and NO using M/NaClO<sub>2</sub> complex absorbent, *Chemical Engineering Journal*, **160**(2010)42-47.

Zhao Y., Guo T.X., Liu F., Shen S., Performance of simultaneous desulfurization and denitration in liquid phase with new-style complex absorbent, *Science China Technological Sciences*, **54**(2011)3009-3016.

Zhao Y., Han Y., Guo T., Ma T., Simultaneous removal of SO<sub>2</sub>, NO and Hg<sup>0</sup> from flue gas by ferrate (VI) solution, *Energy*, **679**(2014)652-658.

Zhao Y., Hao R., Wang T., Yang C., Follow-up research for integrative process of pre-oxidation and post-absorption cleaning flue gas: Absorption of NO<sub>2</sub>, NO and SO<sub>2</sub>, *Chemical Engineering Journal*, **273**(2015)55–65.

Zhao Y., Hao R., Yuan B., Jiang J., Simultaneous removal of SO<sub>2</sub>, NO and Hg<sup>0</sup> through an integrative process utilizing a cost-effective complex oxidant, *Journal of Hazardous Materials*, **301**(2016)74–83.

Zhao Y.I., Xu P.Y., Sun X.J., Wang L.D., Experimental and mechanism studies on simultaneous desulfurization and denitrification from flue gas using a flue gas circulating fluidized bed, *Science in China - Series B: Chemistry*, **50**(2007)135-144.

Zhou A., Yu D., Yang L., Sheng Z., Combined effects Na and SO<sub>2</sub> in flue gas on Mn-Ce/TiO<sub>2</sub>catalyst for low temperature selective catalytic reduction of NO by NH<sub>3</sub> simulated by Na<sub>2</sub>SO<sub>4</sub> doping, *Applied Surface Science*, **378**(2016)167-173.

Zhu Z., Liu Z., Niu H., Liu S., Hu T., Liu T., Xie Y., Mechanism of SO<sub>2</sub> promotion for NO reduction with NH<sub>3</sub> over activated-carbon-supported vanadium oxide catalyst, *Journal of Catalysis*, **197**(2001)6–16.