

## *LIST OF FIGURES*

---

Figure	Caption	Page No
1.1	Emission outline of SO <sub>2</sub> and NO <sub>x</sub>	2
1.2	Sources of SO <sub>2</sub> emission	4
1.3	Sources of NO <sub>x</sub> emission	5
1.4	Coal compositions in mass percent	7
1.5	Classification of the process	14
2.1	Schematic for absorption of SO <sub>2</sub> and NO in a bubbling reactor using Ha-Na/NaClO <sub>2</sub>	32
2.2	The process for SO <sub>2</sub> and NO absorption using ammonia-Fe(II) EDTA for sintering plants	33
2.3	Absorption of SO <sub>2</sub> and NO in rotating drum biofilter using FeII(EDTA) as absorbent	34
2.4	Experimental flow sheet for absorption of SO <sub>2</sub> and NO using ammonia-Fe(II)EDTA	36
2.5	Experimental flow sheet for SO <sub>2</sub> , NO and Hg <sup>0</sup> removal by integrative pre-oxidation and post-absorption	37
2.6	Experimental flow sheet for removal of SO <sub>2</sub> and NO by combined Na <sub>2</sub> S <sub>2</sub> O <sub>8</sub> /Fe <sup>2+</sup> -EDTA solutions	38
2.7	Process flow sheet for wet scrubbing of SO <sub>2</sub> and NO combined with a plasma electrostatic precipitator	39
2.8	Process flow sheet for removal of SO <sub>2</sub> and NO by ferrate (VI) solution	41
2.9	Process flow sheet for SO <sub>2</sub> and NO removal by advanced oxidation using ultraviolet/H <sub>2</sub> O <sub>2</sub> /NaOH	42

2.10	Experimental flow sheet for removal of SO <sub>2</sub> and NO by wet scrubbing using urea solution	43
2.11	Process flow sheet of SO <sub>2</sub> and NO absorption in liquid phase with new complex absorbent	45
2.12	Absorption of SO <sub>2</sub> and NO into pyrolusite slurry combined with gas-phase oxidation ozone	46
2.13	Experimental flow sheet for SO <sub>2</sub> and NO removal by advanced oxidation using UV/H <sub>2</sub> O <sub>2</sub>	47
2.14	Experimental outline of removal of SO <sub>2</sub> and NO by bubbling reactor system using NaClO <sub>2</sub> solution	49
2.15	Process flow sheet of SO <sub>2</sub> and NO removal in an integrated wet scrubber-electrochemical cell system	50
2.16	Schematic diagram for NO removal in bubbling reactor using aqueous ClO <sub>2</sub> scrubbing	52
2.17	Absorption of SO <sub>2</sub> and NO in double-stirred vessel using FeII(EDTA) combined with Na <sub>2</sub> SO <sub>3</sub> solution	53
2.18	Flow diagram for removal of SO <sub>2</sub> , NO and particulate by scrubber system using wet absorbent	55
2.19	Process flow sheet for SO <sub>2</sub> and NO removal by using ozone injection and absorption–oxidative technique	56
2.20	Experimental flow sheet for absorption of SO <sub>2</sub> and NO in hexamine cobalt(II)/iodide solution	58
2.21	Process flow sheet for absorption of SO <sub>2</sub> and NO <sub>2</sub> in water	59
2.22	Absorption of SO <sub>2</sub> and NO <sub>x</sub> in spraying scrubber using acidic NaClO <sub>2</sub> solutions	61

2.23	Process flow sheet for absorption of SO <sub>2</sub> and NO using KMnO <sub>4</sub> /NaOH solutions	62
3.1	Experimental set-up for simultaneous absorption of SO <sub>2</sub> and NO in bubble column	89
3.2	Experimental setup for simultaneous absorption of SO <sub>2</sub> and NO in magnetic stirrer vessel	91
3.3	Experimental set-up for simultaneous absorption of SO <sub>2</sub> and NO in spray column	98
4.1	Flow pattern of species during absorption of SO <sub>2</sub> and NO using NaClO solution	104
4.2	Effect of time on removal of NO and SO <sub>2</sub> in bubble column using NaClO	114
4.3	Effect of NaClO concentration on removal of NO and SO <sub>2</sub> in bubble column	116
4.4	Effect of absorbent temperature on removal of NO and SO <sub>2</sub> in bubble column using NaClO	117
4.5	Effect of time on removal of NO and SO <sub>2</sub> in stirred vessel using NaClO	120
4.6	Effect of NaClO concentration on removal of NO and SO <sub>2</sub> in stirred vessel	121
4.7	Effect of absorbent temperature on removal of NO and SO <sub>2</sub> in stirred vessel using NaClO	122
4.8	Effect of initial SO <sub>2</sub> concentration on removal of NO and SO <sub>2</sub> in stirred vessel using NaClO	124
4.9	Effect of initial NO concentration on removal of NO and SO <sub>2</sub> in stirred vessel using NaClO	125
4.10	Effect of initial pH of NaClO on removal of NO and SO <sub>2</sub> in stirred vessel	126
4.11	Effect of Ca(OCl) <sub>2</sub> concentration on removal of NO and SO <sub>2</sub> in stirred vessel	129

4.12	Effect of absorbent temperature on removal of NO and SO <sub>2</sub> in stirred vessel using Ca(OCl) <sub>2</sub>	130
4.13	Effect of mole ratio of absorbent blend NaOH/NaClO in stirred vessel	132
4.14	Effect of absorbent temperature in stirred vessel using NaOH/NaClO blend	134
4.15	The $N_{SO_2}$ vs. $p_{SO_2g}$ for estimation of $k_{SO_2g}$ with NaClO	136
4.16	$\log N_{NO}$ vs. $\log C_{NO_i}$ for estimation of reaction order of NO with NaClO	138
4.17	Effect of temperature on enthalpy change with NaClO	140
4.18	Effect of temperature on Gibbs free energy change with NaClO	141
4.19	Effect of time on removal of SO <sub>2</sub> and NO using NaClO in spray column	146
4.20	Effect of NaClO concentration on removal of SO <sub>2</sub> and NO in spray column	147
4.21	Effect of temperature on removal of SO <sub>2</sub> and NO using NaClO in spray column	148
4.22	Effect of initial SO <sub>2</sub> concentration on removal of NO and SO <sub>2</sub> using NaClO in spray column	150
4.23	Effect of initial NO concentration on removal of SO <sub>2</sub> and NO using NaClO in spray column	151
4.24	Effect of initial pH of absorbent on removal of SO <sub>2</sub> and NO using NaClO in spray column	152
4.25	Effect of addition of CO <sub>2</sub> on removal of SO <sub>2</sub> and NO using NaClO in spray column	153
4.26	Effect of temperature on enthalpy change with NaClO/NH <sub>3</sub>	157
4.27	Effect of temperature on Gibbs free energy change with NaClO/NH <sub>3</sub>	158
4.28	FTIR-spectra analysis of NaClO/NH <sub>3</sub> blend (a) before and (b) after absorption of SO <sub>2</sub> and NO	161

4.29	Estimation of equilibrium time for SO <sub>2</sub> and NO removal in stirred vessel with NaClO/NH <sub>3</sub>	164
4.30	Estimation of optimal molar ratio for SO <sub>2</sub> and NO removal in stirred vessel with NaClO/NH <sub>3</sub>	165
4.31	Estimation of optimal temperature for SO <sub>2</sub> and NO removal in stirred vessel with NaClO/NH <sub>3</sub>	166
4.32	Estimation of optimal pH for SO <sub>2</sub> and NO removal in stirred vessel with NaClO/NH <sub>3</sub>	168
4.33	Effect of initial SO <sub>2</sub> concentration for SO <sub>2</sub> and NO removal in stirred vessel with NaClO/NH <sub>3</sub>	169
4.34	Effect of initial NO concentration for SO <sub>2</sub> and NO removal in stirred vessel with NaClO/NH <sub>3</sub>	171
4.35	Comparison of NO maximum removal efficiency with respect to operating parameters in semi batch and spray column with NaClO/NH <sub>3</sub>	172
4.36	Comparison of SO <sub>2</sub> maximum removal efficiency with respect to operating parameters in semi batch and spray column with NaClO/NH <sub>3</sub>	173
5.1	Proposed outline for simultaneous absorption of SO <sub>2</sub> and NO in coal fired thermal power plant by NH <sub>3</sub> /NaClO scrubbing	175
5.2	Proposed view of bio layer around the power plants	177