

- [1] R. J. H. Voorhoeve, D. W. Johnson, J. P. Remeika, and P. K. Gallagher, "Perovskite oxides: Materials science in catalysis," *Science* (80-.), 1977.
- [2] L. A. Perovski, "Perovskite (structure)," pp. 1–5.
- [3] G. Beskow, "V. M. Goldschmidt: Geochemische Verteilungsgesetze der Elemente," *Geol. Föreningen i Stock. Förhandlingar*, vol. 46, no. 6–7, pp. 738–743, 2010.
- [4] G. Pfaff, "Synthesis of Calcium Titanate Powders by the Sol-Gel Process," *Chem. Mater.*, 1994.
- [5] R. H. Buttner and E. N. Maslen, "Structural parameters and electron difference density in Y2BaCuO5," *Acta Crystallogr. Sect. B*, 1993.
- [6] I. A. Zaliznyak, "Spin Structures and Spin Wave Excitations," in *Handbook of Magnetism and Advanced Magnetic Materials*, 2007.
- [7] J. M. Rondinelli and C. J. Fennie, "Octahedral rotation-induced ferroelectricity in cation ordered perovskites," *Adv. Mater.*, 2012.
- [8] A. M. Glazer, "The classification of tilted octahedra in perovskites," *Acta Crystallogr. Sect. B Struct. Crystallogr. Cryst. Chem.*, 2002.
- [9] A. M. Glazer, "Simple ways of determining perovskite structures," *Acta Crystallogr. Sect. A*, 1975.
- [10] I. I. Mazin *et al.*, "Charge ordering as alternative to Jahn-Teller distortion," *Phys. Rev. Lett.*, 2007.
- [11] J. A. Alonso, M. J. Martínez-Lope, M. T. Casais, and M. T. Fernández-Díaz, "Evolution of the Jahn-Teller distortion of MnO6 octahedra in RMnO3 perovskites (R = Pr, Nd, Dy, Tb, Ho, Er, Y): A neutron diffraction study," *Inorg. Chem.*, 2000.
- [12] J. B. Goodenough, "Metallic oxides," *Progress in Solid State Chemistry*. 1971.
- [13] C. N. R. Rao and G. V. Subba Rao, "Electrical conduction in metal oxides," *physica status solidi (a)*. 1970.
- [14] W. D. Callister, "Materials science and engineering: An introduction (2nd edition)," *Mater. Des.*, 2003.
- [15] M. W. Barsoum, *Fundamentals of Ceramics*. 2004.
- [16] H. Inaba, H.; Tagawa, "Ceria-based solid electrolytes," *Solid State Ionics*, 1996.
- [17] S. Park, S. Choi, J. Shin, and G. Kim, "A collaborative study of sintering and composite effects for a PrBa_{0.5}Sr_{0.5}Co_{1.5}Fe_{0.5}O_{5+δ} IT-SOFC cathode," *RSC Adv.*, 2014.
- [18] Q. X. Fu, F. Tietz, P. Lersch, and D. Stöver, "Evaluation of Sr- and Mn-substituted LaAlO₃ as potential SOFC anode materials," *Solid State Ionics*, 2006.

- [19] C. A. Da Silva and P. E. V De Miranda, "Synthesis of LaAlO_3 based materials for potential use as methane-fueled solid oxide fuel cell anodes," *Int. J. Hydrogen Energy*, 2015.
- [20] K. Tanwar, N. Jaiswal, P. Sharma, D. Kumar, and O. Parkash, "Structural analysis of $\text{Ce}_{0.83}\text{Dy}_{0.14}\text{Ca}_{0.03}\text{O}_{1.90}$ (CDC) and enhanced electrical conductivity of its composites with alkali carbonates for LT-SOFCs," *J. Alloys Compd.*, 2018.
- [21] M. Shiono *et al.*, "Effect of CeO_2 interlayer on ZrO_2 electrolyte/ $\text{La}(\text{Sr})\text{CoO}_3$ cathode for low-temperature SOFCs," *Solid State Ionics*, 2004.
- [22] D. Lybye, F. W. Poulsen, and M. Mogensen, "Conductivity of A- and B-site doped LaAlO_3 , LaGaO_3 , LaScO_3 and LaInO_3 perovskites," *Solid State Ionics*, 2000.
- [23] H. JAFFE, "Piezoelectric Ceramics," *J. Am. Ceram. Soc.*, 1958.
- [24] T. Takenaka and H. Nagata, "Current status and prospects of lead-free piezoelectric ceramics," *J. Eur. Ceram. Soc.*, 2005.
- [25] S. Zhang, R. Xia, T. R. Shrout, G. Zang, and J. Wang, "Piezoelectric properties in perovskite $0.948(\text{K}_{0.5}\text{Na}_{0.5})\text{NbO}_3$ - 0.052LiSbO_3 lead-free ceramics," *J. Appl. Phys.*, 2006.
- [26] R. Kar-Gupta and T. A. Venkatesh, "Electromechanical response of porous piezoelectric materials," *Acta Mater.*, 2006.
- [27] J. F. Li, K. Wang, B. P. Zhang, and L. M. Zhang, "Ferroelectric and piezoelectric properties of fine-grained $\text{Na}_{0.5}\text{K}_{0.5}\text{NbO}_3$ lead-free piezoelectric ceramics prepared by spark plasma sintering," *J. Am. Ceram. Soc.*, 2006.
- [28] X. X. Wang, X. G. Tang, and H. L. W. Chan, "Electromechanical and ferroelectric properties of $(\text{Bi}_{1/2}\text{Na}_{1/2})\text{TiO}_3$ - $(\text{Bi}_{1/2}\text{K}_{1/2})\text{TiO}_3$ - BaTiO_3 lead-free piezoelectric ceramics," *Appl. Phys. Lett.*, 2004.
- [29] T. Takenaka, K. Maruyama, and K. Sakata, "($\text{Bi}_{1/2}\text{Na}_{1/2}$) TiO_3 - BaTiO_3 System for Lead-Free Piezoelectric Ceramics," *Jpn. J. Appl. Phys.*, 2005.
- [30] B. J. Chu, D. R. Chen, G. R. Li, and Q. R. Yin, "Electrical properties of $\text{Na}_{1/2}\text{Bi}_{1/2}\text{TiO}_3$ - BaTiO_3 ceramics," *J. Eur. Ceram. Soc.*, 2002.
- [31] S. H. Choy, X. X. Wang, H. L. W. Chan, and C. L. Choy, "Study of compressive type accelerometer based on lead-free BNKBT piezoceramics," *Appl. Phys. A Mater. Sci. Process.*, 2006.
- [32] M. Matsubara, T. Yamaguchi, W. Sakamoto, K. Kikuta, T. Yogo, and S. I. Hirano, "Processing and piezoelectric properties of lead-free $(\text{K},\text{Na})(\text{Nb},\text{Ta})\text{O}_3$ ceramics," *J. Am. Ceram. Soc.*, 2005.

- [33] Y. Sakabe, "Multilayer ceramic capacitors," *Curr. Opin. Solid State Mater. Sci.*, 1997.
- [34] M. M. Vijatović, J. D. Bobić, and B. D. Stojanović, "History and challenges of barium titanate: Part II," *Sci. Sinter.*, 2008.
- [35] M. J. Ansaree and S. Upadhyay, "Study of phase evolution and dielectric properties of Sn-doped barium titanate," *Emerg. Mater. Res.*, vol. 6, no. 1, pp. 21–28, 2017.
- [36] C. WONG, Y. TENG, J. ASHOK, and P. VARAPRASAD, "Barium Titanate (BaTiO₃)," in *Handbook of Optical Constants of Solids*, 2007.
- [37] A. K. Kalyani, H. Krishnan, A. Sen, A. Senyshyn, and R. Ranjan, "Polarization switching and high piezoelectric response in Sn-modified BaTiO₃," *Phys. Rev. B - Condens. Matter Mater. Phys.*, 2015.
- [38] G. H. Jonker and J. H. Van Santen, "Ferromagnetic compounds of manganese with perovskite structure," *Physica*, 1950.
- [39] T. S. Santos, S. J. May, J. L. Robertson, and A. Bhattacharya, "Tuning between the metallic antiferromagnetic and ferromagnetic phases of La_{1-x}Sr_xMnO₃ near x=0.5 by digital synthesis," *Phys. Rev. B - Condens. Matter Mater. Phys.*, 2009.
- [40] G. H. Jonker, "Magnetic compounds with perovskite structure IV Conducting and non-conducting compounds," *Physica*, 1956.
- [41] G. R. Hearne, M. P. Pasternak, R. D. Taylor, and P. Lacorre, "Electronic structure and magnetic properties of LaFeO₃ at high pressure," *Phys. Rev. B*, 1995.
- [42] R. Yu, S. Yunoki, S. Dong, and E. Dagotto, "Electronic and magnetic properties of R MnO₃ /A MnO₃ heterostructures," *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 80, no. 12, pp. 1–11, 2009.
- [43] Y. Ogimoto, M. Nakamura, N. Takubo, H. Tamaru, M. Izumi, and K. Miyano, "Strain-induced crossover of the metal-insulator transition in perovskite manganites," *Phys. Rev. B - Condens. Matter Mater. Phys.*, 2005.
- [44] A. Bhattacharya *et al.*, "Metal-insulator transition and its relation to magnetic structure in (LaMnO₃)_{2n}/(SrMnO₃)_n Superlattices," *Phys. Rev. Lett.*, 2008.
- [45] S. J. Pearton, W. H. Heo, M. Ivill, D. P. Norton, and T. Steiner, "Dilute magnetic semiconducting oxides," *Semiconductor Science and Technology*. 2004.
- [46] J. S. Lee *et al.*, "Magnetic properties of Co- and Mn-implanted BaTiO₃, SrTiO₃ and KTaO₃," *Solid. State. Electron.*, 2003.
- [47] Q. Liu *et al.*, "Room-temperature ferromagnetism in transparent Mn-doped BaSnO₃epitaxial films," *Appl. Phys. Express*, 2014.
- [48] A. C. Durst, A. C. Durst, R. N. Bhatt, and P. A. Wolff, "Bound magnetic polaron

- interactions in insulating doped diluted magnetic semiconductors,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, vol. 65, no. 23, pp. 2352051–23520510, 2002.
- [49] X. Wang, J. Gan, Y. Huang, and H. J. Seo, “The doping concentration dependent tunable yellow luminescence of Sr₅(PO₄)₂(SiO₄):Eu²⁺,” *Ceram. Int.*, vol. 38, no. 1, pp. 701–706, 2012.
- [50] E. Pavitra *et al.*, “(BaSr)₂SiO₄:Eu²⁺ nanorods with enhanced luminescence properties as green-emitting phosphors for white LED applications,” *Dye. Pigment.*, 2017.
- [51] H. Iwahara, Y. Asakura, K. Katahira, and M. Tanaka, “Prospect of hydrogen technology using proton-conducting ceramics,” in *Solid State Ionics*, 2004.
- [52] F. Boschini, A. Rulmont, R. Cloots, and R. Moreno, “Rheological behaviour of BaZrO₃ suspensions in non-aqueous media,” *Ceram. Int.*, 2009.
- [53] R. Chen and D. Chen, “Synthesis and luminescence properties of CaTiO₃:Pr³⁺ phosphor from oxalate precursor,” *Mater. Lett.*, 2013.
- [54] S. K. Gupta, M. Mohapatra, V. Natarajan, and S. V. Godbole, “Photoluminescence investigations of the near white light emitting perovskite ceramic SrZrO₃: Dy³⁺ prepared via gel-combustion route,” *Int. J. Appl. Ceram. Technol.*, 2013.
- [55] X. H. Wu, Y. De Wang, H. L. Liu, Y. F. Li, and Z. L. Zhou, “Preparation and gas-sensing properties of perovskite-type MSnO₃ (M=Zn, Cd, Ni),” *Mater. Lett.*, 2002.
- [56] W. Jia, W. Xu, I. Rivera, A. Pérez, and F. Fernández, “Effects of compositional phase transitions on luminescence of Sr_{1-x}CaxTiO₃:Pr³⁺,” *Solid State Commun.*, 2003.
- [57] T. Hitosugi *et al.*, “Ta-doped anatase TiO₂ epitaxial film as transparent conducting oxide,” *Japanese J. Appl. Physics, Part 2 Lett.*, 2005.
- [58] K. Sun, P. Li, Y. Xia, J. Chang, and J. Ouyang, “Transparent Conductive Oxide-Free Perovskite Solar Cells with PEDOT:PSS as Transparent Electrode,” *ACS Appl. Mater. Interfaces*, 2015.
- [59] S. P. S. Badwal and K. Foger, “Solid oxide electrolyte fuel cell review,” *Ceram. Int.*, 1996.
- [60] C. Sun, R. Hui, and J. Roller, “Cathode materials for solid oxide fuel cells: A review,” *J. Solid State Electrochem.*, 2010.
- [61] A. M. Azad, “Solid-State Gas Sensors: A Review,” *J. Electrochem. Soc.*, 2006.
- [62] H. A., J. A. F. Santos, R. Z., and T. Matencio, “Ceramic Materials for Solid Oxide Fuel Cells,” in *Advances in Ceramics - Synthesis and Characterization, Processing and Specific Applications*, 2012.
- [63] J. G. Bednorz and K. A. Müller, “Perovskite-type oxides The new approach to high-T_c

- superconductivity,” *Rev. Mod. Phys.*, 1988.
- [64] S. Adjokatse, H. H. Fang, and M. A. Loi, “Broadly tunable metal halide perovskites for solid-state light-emission applications,” *Materials Today*. 2017.
- [65] A. C. Society, “Difference in the nature of Eu³⁺ + environment in Eu³⁺ + -Doped BaTiO₃ and BaSnO₃,” no. October, 2016.
- [66] J. Shah, “Induced magnetism and magnetoelectric coupling in ferroelectric BaTiO₃ by Cr-doping synthesized by a facile chemical route,” no. April, 2017.
- [67] A. Badalyan and P. Galinetto, “Manganese oxide nanoparticles in SrTiO₃ : Mn,” no. September, pp. 1–5, 2008.
- [68] C. Huang *et al.*, “Preparation of BaSnO₃ and Ba_{0.96}La_{0.04}SnO₃ by reactive core-shell precursor: Formation process, CO sensitivity, electronic and optical properties analysis,” *RSC Adv.*, vol. 6, no. 30, pp. 25379–25387, 2016.
- [69] A. S. Deepa, S. Vidya, P. C. Manu, S. Solomon, A. John, and J. K. Thomas, “Structural and optical characterization of BaSnO₃ nanopowder synthesized through a novel combustion technique,” *J. Alloys Compd.*, vol. 509, no. 5, pp. 1830–1835, 2011.
- [70] S. A. Solopan, A. G. Belous, O. I. V’yunov, and L. L. Kovalenko, “BaTi_{1-x}Sn_xO₃ solid solutions: Solid-phase and sol-gel syntheses and characterization,” *Russ. J. Inorg. Chem.*, 2008.
- [71] R. Alin, A. Ioana, S. Novaconi, and I. Nicoara, “BaSnO₃ based thermally stable capacitors,” vol. 542, no. 1, pp. 142–146, 2012.
- [72] D. Q. Xiao *et al.*, “Investigation on the composition design and properties study of perovskite lead-free piezoelectric ceramics,” *J. Mater. Sci.*, 2009.
- [73] R. P. Liferovich and R. H. Mitchell, “A structural study of ternary lanthanide orthoscamdate perovskites,” *J. Solid State Chem.*, 2004.
- [74] M. S. Grbić *et al.*, “Temperature range of superconducting fluctuations above T_c in YBa₂Cu₃O_{7-δ} single crystals,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, 2011.
- [75] D. Lee and H. N. Lee, “Controlling oxygen mobility in Ruddlesden-Popper oxides,” *Materials*. 2017.
- [76] I. B. Sharma and D. Singh, “Solid state chemistry of Ruddlesden-Popper type complex oxides,” *Bull. Mater. Sci.*, vol. 21, no. 5, pp. 363–374, 1998.
- [77] C. N. R. Rao, P. Ganguly, K. K. Singh, and R. A. M. Ram, “A comparative study of the magnetic and electrical properties of perovskite oxides and the corresponding two-dimensional oxides of K₂NiF₄ structure,” *J. Solid State Chem.*, vol. 72, no. 1, pp. 14–23, 1988.

- [78] B. H. Chen, "Introduction of a tolerance factor for the Nd₂CuO₄ (T')-type structure," *J. Solid State Chem.*, vol. 125, no. 1, pp. 63–66, 1996.
- [79] "Adler_JSSC94_bulk Sr₂FeO₄.pdf." .
- [80] S. Takeno, S. I. Nakamura, T. Nomaki, N. Fukushima, and K. Ando, "A polytypic study on a new layered perovskite vanadate Sr₄V₃O_{10-x}," *J. Solid State Chem.*, 1991.
- [81] N. Ohashi, Y. Teramoto, H. Ikawa, O. Fukunaga, and J. Tanaka, "Metal-semiconductor transition in oxygen-deficient layered perovskite compounds of Sr₄V₃O_{10-δ}," *J. Solid State Chem.*, 1992.
- [82] J. M. Long and R. A. Mccauley, "Nonstoichiometric K₂NiF₄-Type Phases in the Lanthanum-Cobalt-Oxygen System," vol. 703, no. 29, pp. 699–703, 1986.
- [83] R. P. Forslund *et al.*, "Exceptional electrocatalytic oxygen evolution via tunable charge transfer interactions in La_{0.5}Sr_{1.5}Ni_{1-x}Fe_xO_{4±δ} Ruddlesden-Popper oxides," *Nat. Commun.*, vol. 9, no. 1, pp. 1–11, 2018.
- [84] L. Mogni and A. Caneiro, "La₂NiO_{4-δ} as cathode for SOFC : Reactivity study with YSZ and CGO electrolytes," vol. 35, pp. 6031–6036, 2010.
- [85] J. M. Bassat, P. Odier, A. Villesuzanne, C. Marin, and M. Pouchard, "Anisotropic ionic transport properties in La₂NiO_{4+δ} single crystals," *Solid State Ionics*, 2004.
- [86] X. Dong, Z. Wu, X. Chang, W. Jin, and N. Xu, "One-step synthesis and characterization of La₂NiO_{4+δ} mixed-conductive oxide for oxygen permeation," in *Industrial and Engineering Chemistry Research*, 2007.
- [87] R. Woolley and R. Woolley, "Ruddlesden-Popper Phases as Solid Oxide Fuel Cell Cathodes : Electrochemical Performance and In Situ Characterisation."
- [88] F. Chauveau, J. Mougín, F. Mauvy, J. M. Bassat, and J. C. Grenier, "Development and operation of alternative oxygen electrode materials for hydrogen production by high temperature steam electrolysis," *Int. J. Hydrogen Energy*, vol. 36, no. 13, pp. 7785–7790, 2011.
- [89] S. J. Skinner and J. A. Kilner, "Oxygen diffusion and surface exchange in La_{2-x}Sr_xNiO_{4+δ}," *Solid State Ionics*, 2000.
- [90] C. Frayret, A. Villesuzanne, and M. Pouchard, "Application of density functional theory to the modeling of the mixed ionic and electronic conductor La₂NiO_{4+δ}: Lattice relaxation, oxygen mobility, and energetics of Frenkel defects," *Chem. Mater.*, 2005.
- [91] X. Yang, L. Luo, and H. Zhong, "Preparation of LaSrCoO₄ mixed oxides and their catalytic properties in the oxidation of CO and C₃H₈," *Catal. Commun.*, 2005.

- [92] R. Mahesh, R. Mahendiran, A. K. Raychaudhuri, and C. N. R. Rao, "Effect of dimensionality on the giant magnetoresistance of the manganates: A study of the $(\text{La, Sr})_{n+1}\text{MnO}_{3n+1}$ family," *J. Solid State Chem.*, 1996.
- [93] H. Search, C. Journals, A. Contact, M. Iopscience, and I. P. Address, "Bond-valence analysis on the structural effects in magnetoresistive manganese perovskites," vol. 757.
- [94] M. Sato, J. Abo, T. Jin, and M. Ohta, "Structure determination of KLaNb_2O_7 exhibiting ion exchange ability by X-ray powder diffraction," *Solid State Ionics*, 1992.
- [95] M. Richard, L. Brohan, and M. Tournoux, "Synthesis, characterization, and acid exchange of the layered perovskites: $\text{A}_2\text{Nd}_2\text{Ti}_3\text{O}_{10}$ ($\text{A} = \text{Na, K}$)," *J. Solid State Chem.*, 1994.
- [96] H. Zhong and X. R. Zeng, "Influence of the preparation conditions on the synthesis, structure and thermal properties of $\text{LaSrCo}_{1-x}\text{Mn}_x\text{O}_4$," *J. Serbian Chem. Soc.*, vol. 71, no. 6, pp. 685–693, 2006.
- [97] Y. Wu, Z. Zhao, Y. Liu, and X. Yang, "The role of redox property of La Sr , Th CuO playing in," *J. Mol. Catal. A Chem.*, 2000.
- [98] S. D. Peter, E. Garbowski, N. Guilhaume, V. Perrichon, and M. Primet, "Catalytic properties of La_2CuO_4 in the $\text{CO} + \text{NO}$ reaction," *Catal. Letters*, vol. 54, no. 1998, pp. 79–84, 1998.
- [99] Y. Takeda *et al.*, "Crystal chemistry and physical properties of $\text{La}_{2-x}\text{Sr}_x\text{NiO}_4$ ($0 \leq x \leq 1.6$)," *Mater. Res. Bull.*, 1990.
- [100] J. D. Jorgensen, B. Dabrowski, S. Pei, D. R. Richards, and D. G. Hinks, "Structure of the interstitial oxygen defect in $\text{La}_2\text{NiO}_{4+}$," *Phys. Rev. B*, 1989.
- [101] J. E. Schirber *et al.*, "Stoichiometry of bulk superconducting $\text{La}_2\text{CuO}_{4+\delta}$: A superconducting superoxide?," *Phys. C Supercond. its Appl.*, 1988.
- [102] A. Nemudry, "Room temperature topotactic oxidation of lanthanum cobalt oxide $\text{La}_2\text{CoO}_{4.0}$," *Solid State Ionics*, 2002.
- [103] A. Chroneos, R. V. Vovk, I. L. Goulatis, and L. I. Goulatis, "Oxygen transport in perovskite and related oxides: A brief review," *J. Alloys Compd.*, vol. 494, no. 1–2, pp. 190–195, 2010.
- [104] J. Rodriguez-Carvajal, M. T. Fernandez-Diaz, and J. L. Martinez, "Neutron diffraction study on structural and magnetic properties of La_2NiO_4 ," *J. Phys. Condens. Matter*, 1991.
- [105] J. M. Bassat, P. Odier, and J. P. Loup, "The semiconductor-to-metal transition in question in $\text{La}_{2-x}\text{NiO}_{4+\delta}$ ($\delta > 0$ or $\delta < 0$)," *J. Solid State Chem.*, 1994.

- [106] A. Mehta and P. J. Heaney, "Structure of $\text{La}_2\text{NiO}_{4.18}$," *Phys. Rev. B*, vol. 49, no. 1, pp. 563–571, 1994.
- [107] M. Burriel, G. Garcia, M. D. Rossell, A. Figueras, G. Van Tendeloo, and J. Santiso, "Enhanced high-temperature electronic transport properties in nanostructured epitaxial thin films of the $\text{La}_{n+1}\text{Ni}_n\text{O}_{3n+1}$ Ruddlesden-Popper series ($n = 1, 2, 3, \infty$)," *Chem. Mater.*, 2007.
- [108] L. Minervini, R. W. Grimes, J. A. Kilner, and K. E. Sickafus, "Oxygen migration in $\text{La}_2\text{NiO}_{(4+\delta)}$," *J. Mater. Chem.*, 2000.
- [109] A. R. Cleave, J. A. Kilner, S. J. Skinner, S. T. Murphy, and R. W. Grimes, "Atomistic computer simulation of oxygen ion conduction mechanisms in La_2NiO_4 ," *Solid State Ionics*, 2008.
- [110] D. Parfitt, A. Chroneos, J. A. Kilner, and R. W. Grimes, "Molecular dynamics study of oxygen diffusion in $\text{Pr}_2\text{NiO}_{4+\delta}$," *Phys. Chem. Chem. Phys.*, 2010.
- [111] A. Kushima, D. Parfitt, A. Chroneos, B. Yildiz, J. A. Kilner, and R. W. Grimes, "Interstitial diffusion of oxygen in tetragonal $\text{La}_2\text{CoO}_{4+\delta}$," *Phys. Chem. Chem. Phys.*, vol. 13, no. 6, pp. 2242–2249, 2011.
- [112] P. Labbe, M. Ledesert, V. Caignaert, and B. Raveau, "Structural peculiarities of two layered cuprates, $\text{NdSrCuO}_{3.5}$ and $\text{Nd}_{1.8}\text{Sr}_{1.2}\text{Cu}_2\text{O}_{6-\delta}$," *J. Solid State Chem.*, 1991.
- [113] M. E. Leonowicz, K. R. Poeppelmeier, and J. M. Longo, "Structure determination of Ca_2MnO_4 and $\text{Ca}_2\text{MnO}_{3.5}$ by X-ray and neutron methods," *J. Solid State Chem.*, 1985.
- [114] L. J. Gillie, A. J. Wright, J. Hadermann, G. Van Tendeloo, and C. Greaves, "Synthesis and characterization of the reduced single-layer manganite $\text{Sr}_2\text{MnO}_{3.5+x}$," *J. Solid State Chem.*, 2002.
- [115] M. Crespín, C. Landron, P. Odier, J. M. Bassat, P. Mouron, and J. Choisnet, "Evidence for nickel-(I)-rich mixed oxide with a defect K_2NiF_4 -type structure," *J. Solid State Chem.*, vol. 100, no. 2, pp. 281–291, 1992.
- [116] C. Y. Shi, Z. B. Hu, and Y. M. Hao, "Structural, magnetic and dielectric properties of $\text{La}_{2-x}\text{Ca}_x\text{NiO}_{4+\delta}$ ($x = 0, 0.1, 0.2, 0.3$)," *J. Alloys Compd.*, vol. 509, no. 4, pp. 1333–1337, 2011.
- [117] E. J. Opila, H. L. Tuller, B. J. Wuensch, and J. Maier, "Oxygen Tracer Diffusion in $\text{La}_{2-x}\text{Sr}_x\text{CuO}_{4-y}$ Single Crystals," *J. Am. Ceram. Soc.*, 1993.

- [118] G. N. Mazo and S. N. Savvin, “The molecular dynamics study of oxygen mobility in $\text{La}_{2-x}\text{Sr}_x\text{CuO}_{4-\delta}$,” in *Solid State Ionics*, 2004.
- [119] S. N. Savvin, G. N. Mazo, and A. K. Ivanov-Schitz, “Simulation of ion transport in layered cuprates $\text{La}_{2-x}\text{Sr}_x\text{CuO}_{4-\delta}$,” *Crystallogr. Reports*, 2008.
- [120] M. Schroeder and M. A. Dragan, “Oxygen transport in $\text{La}_{2-x}\text{Sr}_x\text{NiO}_{4+\delta}$: Membrane permeation and defect chemical modelling,” in *Journal of Materials Science*, 2007.
- [121] T. Grande, V. Øygarden, K. Wiik, J. Gorauskis, S. Y. Gómez, and D. Hotza, “Synthesis and oxygen transport properties of $\text{La}_{2-y}\text{Sr}_y\text{Ni}_{1-x}\text{MoxO}_{4+\delta}$,” *Solid State Ionics*, vol. 292, pp. 38–44, 2016.
- [122] S.-J. Song, Y.-S. Yoo, S.-Y. Jeon, M.-B. Choi, B. Singh, and J.-H. Hwang, “Correlation between defect structure and electrochemical properties of mixed conducting $\text{La}_{0.1}\text{Sr}_{0.9}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$,” *Acta Mater.*, vol. 65, pp. 373–382, 2013.
- [123] C. Song and J. Yi, “Influence of CO_2 on Oxygen Surface Exchange Kinetics of Mixed-Conducting $\text{Ba}_{0.5}\text{Sr}_{0.5}\text{Co}_{0.8}\text{Fe}_{0.2}\text{O}_{3-\delta}$ Oxide,” *Chinese J. Chem. Phys.*, vol. 28, no. 2, pp. 203–205, 2015.
- [124] Z. Sang, W. Che, S. Yang, and Y. Liu, “Ruddlesden-Popper type $\text{La}_2\text{NiO}_{4+\delta}$ oxide as a pseudocapacitor electrode,” *Mater. Lett.*, vol. 217, pp. 23–26, 2018.
- [125] K. Mori, T. Kamiyama, H. Kobayashi, T. Arima, K. Ohoyama, and S. Ikeda, “The oxygen dependence of the magnetic structure for $\text{Sr}_{3-x}\text{Fe}_2\text{O}_{7-d}$,” *Appl. Phys. A Mater. Sci. Process.*, vol. 74, no. 0, pp. s914–s916, 2002.
- [126] V. V. Kharton *et al.*, “Oxygen nonstoichiometry, chemical expansion, mixed conductivity, and anodic behavior of Mo-substituted $\text{Sr}_3\text{Fe}_2\text{O}_{7-\delta}$,” *Solid State Ionics*, 2010.
- [127] J. H. Haeni *et al.*, “Epitaxial growth of the first five members of the $\text{Sr}_{n+1}\text{Ti}_n\text{O}_{3n+1}$ Ruddlesden-Popper homologous series,” *Appl. Phys. Lett.*, vol. 78, no. 21, pp. 3292–3294, 2001.
- [128] C. Fennie and K. Rabe, “Structural and dielectric properties of Sr_2TiO_4 from first principles,” *Phys. Rev. B*, vol. 68, no. 18, p. 184111, 2003.
- [129] B. Liu, L. Li, X. Q. Liu, and X. M. Chen, “ $\text{Sr}_{n+1}\text{Ti}_n\text{O}_{3n+1}$ ($n=1, 2$) microwave dielectric ceramics with medium dielectric constant and ultra-low dielectric loss,” *J. Am. Ceram. Soc.*, vol. 100, no. 2, pp. 496–500, 2017.
- [130] S. E. Dann, B. M. T. Weller, D. Currie, M. F. Thomasb, and A. D. Al Rawwasb, “F-,” vol. 3, pp. 1231–1237, 1993.

- [131] A. Kareiva *et al.*, “Luminescence properties of Sm³⁺-doped alkaline earth orthostannates,” *Opt. Mater. (Amst)*., vol. 36, no. 7, pp. 1146–1152, 2014.
- [132] H. M. Yang, J. X. Shi, and M. L. Gong, “A new luminescent material, Sr₂SnO₄:Eu³⁺,” *J. Alloys Compd.*, 2006.
- [133] P. Lucas, T. Le Mercier, W. Davenport, A. Rollat, and J. Lucas, “Introduction to Rare Earth Luminescent Materials,” in *Rare Earths*, 2015.
- [134] R. S. Liu, Y. H. Liu, N. C. Bagkar, and S. F. Hu, “Enhanced luminescence of Sr Si₂O₂N₂: Eu²⁺ phosphors by codoping with Ce³⁺, Mn²⁺, and Dy³⁺ ions,” *Appl. Phys. Lett.*, 2007.
- [135] R. D. Shannon, “Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides,” *Acta Crystallogr. Sect. A*, 1976.
- [136] I. Chemistry, *Luminescence and the Solid State*. .
- [137] S. Kamimura, H. Yamada, and C. N. Xu, “Purple photochromism in Sr₂SnO₄:Eu³⁺ with layered perovskite-related structure,” *Appl. Phys. Lett.*, vol. 102, no. 3, pp. 8–12, 2013.
- [138] T. Yamashita and K. Ueda, “Blue photoluminescence in Ti-doped alkaline-earth stannates,” *J. Solid State Chem.*, vol. 180, no. 4, pp. 1410–1413, 2007.
- [139] H. Mizoguchi *et al.*, “Electrical and Optical Properties of Sb-Doped BaSnO₃,” *Chem. Mater.*, vol. 25, no. 19, pp. 3858–3866, 2013.
- [140] H. K. Cammenga and M. Epple, “Basic Principles of Thermoanalytical Techniques and Their Applications in Preparative Chemistry,” *Angew. Chemie Int. Ed. English*, vol. 34, no. 11, pp. 1171–1187, 1995.
- [141] Y. T. Prabhu and K. V. Rao, “X-Ray Analysis by Williamson-Hall and Size-Strain Plot Methods of ZnO Nanoparticles with Fuel Variation,” no. March, pp. 21–28, 2014.
- [142] ICDD, “The Powder Diffraction File,” 2011.
- [143] A. Leineweber and A. Leineweber, “Understanding anisotropic microstrain broadening in Rietveld refinement Understanding anisotropic microstrain broadening in Rietveld refinement,” no. August, 2016.
- [144] P. E. R. G. A. M. O. N. M. Series, *UNDERNEATH THE BRAGG PEAKS Structural Analysis of Complex Materials UNDERNEATH THE BRAGG PEAKS Structural Analysis of Complex Materials*, vol. 7. .
- [145] H. M. Rietveld, “Line profiles of neutron powder-diffraction peaks for structure refinement,” *Acta Crystallogr.*, vol. 22, no. 1, pp. 151–152, 1967.
- [146] G. H. Khorrami, A. Khorsand Zak, A. Kompany, and R. Yousefi, “Optical and

- structural properties of X-doped (X = Mn, Mg, and Zn) PZT nanoparticles by Kramers-Kronig and size strain plot methods,” *Ceram. Int.*, vol. 38, no. 7, pp. 5683–5690, 2012.
- [147] B. Avcı, *Comparative Theology and Scriptural Reasoning: A Muslim’s Approach to Interreligious Learning*, vol. 9, no. 10. 2018.
- [148] B. Fultz and J. Howe, *Graduate Texts in Physics*. 2013.
- [149] Z. L. Wang, “Transmission Electron Microscopy of Shape-Controlled Nanocrystals and Their Assemblies,” *J. Phys. Chem. B*, 2000.
- [150] B. Akbari, M. P. Tavandashti, and M. Zandrahimi, “Particle size characterization of nanoparticles- a practical approach,” *Iran. J. Mater. Sci. Eng.*, 2011.
- [151] J. I. Goldstein, D. E. Newbury, J. R. Michael, N. W. M. Ritchie, J. H. J. Scott, and D. C. Joy, *Scanning electron microscopy and x-ray microanalysis*. 2017.
- [152] C. D. Wagner *et al.*, *Handbook of X-Ray Photoelectron Spectroscopy*. 1979.
- [153] B. M. Tissue, “Ultraviolet and Visible Absorption Spectroscopy,” in *Characterization of Materials*, 2012.
- [154] “Handbook of optical materials,” *Choice Rev. Online*, 2013.
- [155] M. Matsuoka, M. Saito, and M. Anpo, “Photoluminescence Spectroscopy,” in *Characterization of Solid Materials and Heterogeneous Catalysts: From Structure to Surface Reactivity, Volume 1&2*, 2012.
- [156] A. West, J. Irvine, and D. Sinclair, “Electroceramics : Characterization by Impedance Spectroscopy,” *Adv. Mater.*, vol. 2, no. 3, pp. 132–138, 1990.
- [157] E. Barsoukov and J. R. Macdonald, *Impedance Spectroscopy: Theory, Experiment, and Applications*. 2005.
- [158] Camry, “Basics of Electrochemical Impedance Spectroscopy,” 2010.
- [159] P. Singh *et al.*, “Electronic structure, electrical and dielectric properties of BaSnO₃ below 300 K,” *Jpn. J. Appl. Phys.*, 2008.
- [160] J. C. Dyre, “The random free- energy barrier model for ac conduction in disordered solids,” *J. Appl. Phys.*, vol. 64, no. 5, pp. 2456–2468, Sep. 1988.
- [161] K. L. Ngai and C. T. Moynihan, “The Dynamics of Mobile Ions in Ionically Conducting Glasses and Other Materials,” *MRS Bull.*, vol. 23, no. 11, pp. 51–56, Nov. 1998.
- [162] M. M. Ahmad, K. Yamada, and T. Okuda, “Conductivity spectra and comparative scaling studies of polycrystalline PbSnF₄,” *Solid State Ionics*, vol. 167, no. 3–4, pp. 285–292, 2004.

- [163] A. Ghosh and A. Pan, "Scaling of the conductivity spectra in ionic glasses: Dependence on the structure," *Phys. Rev. Lett.*, vol. 84, no. 10, pp. 2188–2190, 2000.
- [164] S. Murugavel and B. Roling, "ac Conductivity Spectra of Alkali Tellurite Glasses: Composition-Dependent Deviations from the Summerfield Scaling," *Phys. Rev. Lett.*, vol. 89, no. 19, p. 195902, Oct. 2002.
- [165] B. Roling, A. Happe, K. Funke, and M. D. Ingram, "Carrier Concentrations and Relaxation Spectroscopy : New Information from Scaling Properties of Conductivity Spectra in Ionically Conducting Glasses," 1997.
- [166] D. L. Sidebottom, "Universal Approach for Scaling the ac Conductivity in Ionic Glasses," vol. 82, no. 18, pp. 3653–3656, 1999.
- [167] S. D. Baranovskii and H. Cordes, "On the conduction mechanism in ionic glasses," *J. Chem. Phys.*, vol. 111, no. 16, pp. 7546–7557, Oct. 1999.
- [168] R. N. Basu, "Materials for solid oxide fuel cells," *Recent Trends Fuel Cell Sci. Technol.*, pp. 286–331, 2007.
- [169] S. Sengodan *et al.*, "Layered oxygen-deficient double perovskite as an efficient and stable anode for direct hydrocarbon solid oxide fuel cells," *Nat. Mater.*, vol. 14, no. 2, pp. 205–209, 2015.
- [170] H. Chen, X. Sun, and X. Xu, "Ruddlesden-Popper compounds (SrO)(LaFeO₃)_n (n = 1 and 2) as p-type semiconductors for photocatalytic hydrogen production," *Electrochim. Acta*, vol. 252, pp. 138–146, 2017.
- [171] L. V. Khvostova, N. E. Volkova, L. Y. Gavrilova, and V. A. Cherepanov, "Crystal structure, oxygen nonstoichiometry and properties of novel Ruddlesden-Popper phase Sm^{1.8}Sr^{1.2}Fe²O^{7-δ}," *Mater. Lett.*, 2018.
- [172] B. Prijamboedi, S. Umar, and F. Failamani, "Electronic Structure and Optical Properties of Sr₂SnO₄ Studied with FP-LAPW Method in Density Functional Theory," vol. 030001, pp. 10–13, 2015.
- [173] B. J. Kennedy, "Neutron powder diffraction study of Sr₂SnO₄ and Ba₂SnO₄," *Aust. J. Chem.*, 1997.
- [174] R. Ropp, *Inorganic Polymeric Glasses*. 1992.
- [175] K. Ueda, Y. Shimizu, K. Nagamizu, M. Matsuo, and T. Honma, "Luminescence and Valence of Tb Ions in Alkaline Earth Stannates and Zirconates Examined by X-ray Absorption Fine Structures," *Inorg. Chem.*, 2017.
- [176] J. Bera and S. K. Rout, "SrTiO₃-SrZrO₃ solid solution: Phase formation kinetics and

- mechanism through solid-oxide reaction,” *Mater. Res. Bull.*, vol. 40, no. 7, pp. 1187–1193, 2005.
- [177] C. Chang, D. Mao, J. Shen, and C. Feng, “Preparation of long persistent SrO·2Al₂O₃ ceramics and their luminescent properties,” *J. Alloys Compd.*, 2003.
- [178] M. S. Senn, D. A. Keen, T. C. A. Lucas, J. A. Hriljac, and A. L. Goodwin, “Emergence of Long-Range Order in BaTiO₃ from Local Symmetry-Breaking Distortions,” *Phys. Rev. Lett.*, 2016.
- [179] M. M. Mao, X. Q. Liu, and X. M. Chen, “Structural evolution and its effects on dielectric loss in Sr_{1+x}Sm_{1-x}Al_{1-x}Ti_xO₄ microwave dielectric ceramics,” *J. Am. Ceram. Soc.*, 2011.
- [180] D. P. Almond, G. K. Duncan, and A. R. West, “The determination of hopping rates and carrier concentrations in ionic conductors by a new analysis of ac conductivity,” *Solid State Ionics*, 1983.
- [181] I. Kosacki, T. Suzuki, H. U. Anderson, and P. Colomban, “Raman scattering and lattice defects in nanocrystalline CeO₂ thin films,” *Solid State Ionics*, 2002.
- [182] X. Zhou, X. Wang, and J. Wen, “Optical study of Sr₂SnO₄:Eu³⁺ phosphor,” *Optik (Stuttg.)*, vol. 125, no. 14, pp. 3454–3456, 2014.
- [183] J. D. Baniecki *et al.*, “Strain Dependent Electronic Structure and Band Offset Tuning at Heterointerfaces of ASnO₃ (A=Ca, Sr, and Ba) and SrTiO₃,” *Sci. Rep.*, 2017.
- [184] F. Zhong, H. Zhuang, Q. Gu, and J. Long, “Structural Evolution of Alkaline Earth Metal Stannates MSnO₃ (M = Ca, Sr, and Ba) Photocatalysts for Hydrogen Production,” *RSC Adv.*, vol. 6, no. June, pp. 42474–42481, 2016.
- [185] A. B. Christie, J. Lee, I. Sutherland, and J. M. Walls, “An XPS study of ion-induced compositional changes with group II and group IV compounds,” *Appl. Surf. Sci.*, 1983.
- [186] R. O. Ansell, T. Dickinson, A. F. Povey, and P. M. A. Sherwood, “Quantitative use of the angular variation technique in studies of tin by X-ray photoelectron spectroscopy,” *J. Electron Spectros. Relat. Phenomena*, 1977.
- [187] S. Kamimura, H. Yamada, and C. N. Xu, “Strong reddish-orange light emission from stress-activated Sr_{n+1}Sn_nO_{3n+1}:Sm³⁺ (n = 1, 2, ∞) with perovskite-related structures,” *Appl. Phys. Lett.*, 2012.
- [188] C. Elissalde and J. Ravez, “Ferroelectric ceramics: Defects and dielectric relaxations,” *Journal of Materials Chemistry*. 2001.
- [189] D. N. Singh, T. P. Sinha, and D. K. Mahato, “Electric modulus, scaling and ac conductivity of La₂CuMnO₆ double perovskite,” *J. Alloys Compd.*, 2017.

- [190] R. Bergman, “General susceptibility functions for relaxations in disordered systems,” *J. Appl. Phys.*, 2000.
- [191] M. Megdiche, C. Perrin-Pellegrino, and M. Gargouri, “Conduction mechanism study by overlapping large-polaron tunnelling model in SrNiP₂O₇ ceramic compound,” *J. Alloys Compd.*, 2014.
- [192] F. Tian and Y. Ohki, “Electric modulus powerful tool for analyzing dielectric behavior,” *IEEE Trans. Dielectr. Electr. Insul.*, 2014.
- [193] A. Shaw and A. Ghosh, “Correlation of ion dynamics with characteristic length scales and network structural units in bismuth borate glasses Correlation of ion dynamics with characteristic length scales and network structural units in bismuth borate glasses,” vol. 114503, no. 2013, 2016.
- [194] M. A. Green, K. Prassides, P. Day, and J. K. Stalick, “Structural properties of A₂SnO₄ (A = Ba,Sr),” *J. Chem. Soc. Faraday Trans.*, vol. 92, no. 12, pp. 2155–2159, 1996.
- [195] S.-H. Kweon, C.-Y. Kang, W.-H. Lee, S. Nahm, J.-U. Woo, and M. Im, “Synthesis and dielectric properties of layered-perovskite KCa₂Nan-3NbnO_{3n+1} ceramics,” *Ceram. Int.*, vol. 43, no. 17, pp. 15089–15094, 2017.
- [196] M. Xu, T. Liang, M. Shi, and H. Chen, “Graphene-Like Two-Dimensional Materials,” *Chem. Rev.*, 2013.
- [197] M. Osada and T. Sasaki, “Two-dimensional dielectric nanosheets: Novel nanoelectronics from nanocrystal building blocks,” *Adv. Mater.*, 2012.
- [198] M. Osada *et al.*, “High-κ dielectric nanofilms fabricated from titania nanosheets,” *Adv. Mater.*, 2006.
- [199] B. H. Park, B. S. Kang, S. D. Bu, T. W. Noh, J. Lee, and W. Jo, “Lanthanum-substituted bismuth titanate for use in non-volatile memories,” *Nature*, 1999.
- [200] X. Tong, F. Zhou, S. Yang, S. Zhong, M. Wei, and Y. Liu, “Performance and stability of Ruddlesden-Popper La₂NiO_{4+δ}oxygen electrodes under solid oxide electrolysis cell operation conditions,” *Ceram. Int.*, vol. 43, no. 14, pp. 10927–10933, 2017.
- [201] S. Y. Jeon, B. Singh, H. N. Im, K. P. Seong, and S. J. Song, “Charge and mass transport properties of La₂Ni_{0.95}Al_{0.05}O_{4.025+δ},” *J. Alloys Compd.*, vol. 589, pp. 572–578, 2014.
- [202] H. Gao and Y. Wang, “Photoluminescence of Eu³⁺ activated Ba₂SnO₄ under ultraviolet-vacuum ultraviolet excitation,” *J. Mater. Res.*, vol. 21, no. 7, pp. 1857–1861, 2006.
- [203] X. Xu, Y. Wang, W. Zeng, and Y. Gong, “Luminescence and Storage Properties of

- Sm-Doped Alkaline-Earth Atannates,” *J. Electrochem. Soc.*, vol. 158, no. 10, p. J305, 2011.
- [204] S. Omeiri, N. Allalou, G. Rekhila, Y. Bessekhoud, and M. Trari, “Preparation and characterization of nano structured Ba₂SnO₄ as a novel photocatalyst material for the chromate reduction,” *Appl. Nanosci.*, vol. 4, no. 8, pp. 959–966, 2014.
- [205] S. Omeiri, G. Rekhila, M. Trari, and Y. Bessekhoud, “Physical and photoelectrochemical characterizations of Ba₂SnO_{4-δ} elaborated by chemical route,” *J. Solid State Electrochem.*, 2015.
- [206] H. Muta, K. Kurosaki, and S. Yamanaka, “Thermoelectric properties of doped BaTiO₃-SrTiO₃ solid solution,” *J. Alloys Compd.*, 2004.
- [207] C. P. Udawatte, M. Kakihana, and M. Yoshimura, “Low temperature synthesis of pure SrSnO₃ and the (Ba_xSr_{1-x})SnO₃ solid solution by the polymerized complex method,” *Solid State Ionics*, 2000.
- [208] X. G. Tang, X. X. Wang, K. H. Chew, and H. L. W. Chan, “Relaxor behavior of (Ba,Sr)(Zr,Ti)O₃ ferroelectric ceramics,” *Solid State Commun.*, 2005.
- [209] V. V. Shvartsman, J. Zhai, and W. Kleemann, “The dielectric relaxation in solid solutions BaTi_{1-x}Zr_xO₃,” in *Ferroelectrics*, 2009.
- [210] C. Jin, J. Liu, Y. Zhang, J. Sui, and W. Guo, “Characterization and electrochemical performances of Ba_{2-x}Sr_xFeO_{4+δ} as a novel cathode material for intermediate-temperature solid oxide fuel cells,” *J. Power Sources*, vol. 182, no. 2, pp. 482–488, 2008.
- [211] V. Shanker, T. Ahmad, and A. K. Ganguli, “Investigation of Ba_{2-x}Sr_xTiO₄: Structural aspects and dielectric properties,” *Bull. Mater. Sci.*, vol. 27, no. 5, pp. 421–427, 2004.
- [212] U. Kumar, D. Yadav, A. K. Thakur, K. K. Srivastav, and S. Upadhyay, “Investigation on phase formation of Sr₂SnO₄ and effect of La-doping on its structural and optical properties,” *J. Therm. Anal. Calorim.*, vol. 135, no. 4, pp. 1–13, 2018.
- [213] K. Momma and F. Izumi, “VESTA 3 for three-dimensional visualization of crystal, volumetric and morphology data,” *J. Appl. Crystallogr.*, 2011.
- [214] S. Omeiri, G. Rekhila, M. Trari, and Y. Bessekhoud, “Physical and photoelectrochemical characterizations of Ba₂SnO_{4-??} elaborated by chemical route,” *J. Solid State Electrochem.*, vol. 19, no. 6, pp. 1651–1658, 2015.
- [215] A. Stanulis, S. Sakirzanovas, M. Van Bael, and A. Kareiva, “Sol-gel (combustion) synthesis and characterization of different alkaline earth metal (Ca, Sr, Ba) stannates,” *J. Sol-Gel Sci. Technol.*, vol. 64, no. 3, pp. 643–652, 2012.

- [216] U. Kumar and S. Upadhyay, “Studies on dielectric and electrical properties of Ruddlesden-Popper oxide Sr_2SnO_4 ,” *Mater. Lett.*, vol. 227, pp. 100–103, 2018.
- [217] F. Zhong, H. Zhuang, Q. Gu, and J. Long, “Structural evolution of alkaline earth metal stannates MSnO_3 (M = Ca, Sr, and Ba) photocatalysts for hydrogen production,” *RSC Adv.*, 2016.
- [218] Q. Liu, F. Jin, G. Gao, and W. Wang, “Ta doped SrSnO_3 epitaxial films as transparent conductive oxide,” *J. Alloys Compd.*, 2017.
- [219] H. B. Fan *et al.*, “Investigation of oxygen vacancy and interstitial oxygen defects in zno films by photoluminescence and x-ray photoelectron spectroscopy,” *Chinese Phys. Lett.*, 2007.
- [220] R. M. Katiliute *et al.*, “Dielectric and impedance spectroscopy of BaSnO_3 and Ba_2SnO_4 ,” *Ferroelectrics*, vol. 464, no. 1, pp. 49–58, 2014.
- [221] S. Upadhyay, O. Parkash, and D. Kumar, “Synthesis, structure and electrical behaviour of lanthanum-doped barium stannate,” *J. Phys. D. Appl. Phys.*, vol. 37, no. 10, pp. 1483–1491, 2004.
- [222] F. Alvarez, A. Alegria, and J. Colmenero, “Relationship between the time-domain Kohlrausch-Williams-Watts Havriliak-Negami relaxation functions and,” *Igarss 2014*, vol. 44, no. 1, pp. 1–5, 2014.
- [223] V. Thakur, A. Singh, A. M. Awasthi, and L. Singh, “Temperature dependent electrical transport characteristics of BaTiO_3 modified lithium borate glasses,” *AIP Adv.*, vol. 5, no. 8, 2015.
- [224] A. K. Jonscher, “Dielectric relaxation in solids,” *J. Phys. D. Appl. Phys.*, 1999.
- [225] L. N. E. W. York, S. A. N. Diego, and S. A. N. Francisco, *ENCYCLOPEDIA OF THE ALKALINE EARTH COMPOUNDS*.
- [226] A. Miksch *et al.*, “Is there a survival benefit within a German primary care-based disease management program?,” *Am. J. Manag. Care*, vol. 16, no. 1, pp. 49–54, 2010.
- [227] G. Majkic, A. J. Jacobson, and K. Salama, “Stress-induced diffusion and defect chemistry of $\text{La}_{0.2}\text{Sr}_{0.8}\text{Fe}_{0.8}\text{Cr}_{0.2}\text{O}_{3-\delta}$: Part 3. Defect-chemistry-based modeling,” *Solid State Ionics*, vol. 167, no. 3–4, pp. 255–262, 2004.
- [228] B. Zhu, “Theoretical approach on ceria-based two- phase electrolytes for low temperature (300- 600 ° C) solid oxide fuel cells,” no. November 2015, 2008.
- [229] C. N. Munnings, S. J. Skinner, G. Amow, P. S. Whitfield, and I. J. Davidson, “Oxygen transport in the $\text{La}_2\text{Ni}_{1-x}\text{Co}_x\text{O}_{4+\delta}$ system,” *Solid State Ionics*, vol. 176, no. 23–24, pp. 1895–1901, 2005.

- [230] C. Jin, J. Liu, Y. Zhang, J. Sui, and W. Guo, "Characterization and electrochemical performances of $\text{Ba}_{2-x}\text{Sr}_x\text{FeO}_{4+\delta}$ as a novel cathode material for intermediate-temperature solid oxide fuel cells," *J. Power Sources*, 2008.
- [231] X. Zhang *et al.*, "Highly enhanced electrochemical property by Mg-doping $\text{La}_2\text{Ni}_{1-x}\text{Mg}_x\text{O}_{4+\Delta}$ ($x = 0.0, 0.02, 0.05$ and 0.10) cathodes for intermediate-temperature solid oxide fuel cells," *Int. J. Hydrogen Energy*, vol. 42, no. 49, pp. 29498–29510, 2017.
- [232] Y. Li, L. Zhang, and D. J. Singh, "Tuning Optical Properties of Transparent Conducting Barium Stannate by Dimensional Reduction," pp. 1–8, 2015.
- [233] B. Ostrick, M. Fleischer, U. Lampe, and H. Meixner, "Preparation of stoichiometric barium stannate thin films: Hall measurements and gas sensitivities," *Sensors Actuators B Chem.*, vol. 44, pp. 601–606, 1997.
- [234] S. Upadhyay and P. Kavitha, "Lanthanum doped barium stannate for humidity sensor," *Mater. Lett.*, vol. 61, no. 8–9, pp. 1912–1915, 2007.
- [235] B. Hadjarab, A. Bouguelia, A. Benchettara, and M. Trari, "The transport and photo electrochemical properties of La-doped stannate BaSnO_3 ," *J. Alloys Compd.*, vol. 461, no. 1–2, pp. 360–366, 2008.
- [236] B. He, C. Gong, Z. Wang, L. Jia, and L. Zhao, "Novel, cobalt-free, and highly active $\text{Sr}_2\text{Fe}_{1.5}\text{Mo}_{0.5-x}\text{Sn}_x\text{O}_{6-\Delta}$ cathode materials for intermediate temperature solid oxide fuel cells," *Int. J. Hydrogen Energy*, 2017.
- [237] X. Hu *et al.*, "Rapid Synthesis of Single-Crystalline $\text{SrSn}(\text{OH})_6$ Nanowires and the Performance of SrSnO_3 Nanorods Used as Anode Materials for Li-Ion Battery," *J. Phys. Chem. C*, vol. 114, no. 2, pp. 947–952, 2009.
- [238] Y. Shimizu, "Humidity-Sensitive Characteristics of La^{3+} -Doped and Undoped SrSnO_3 ," *J. Electrochem. Soc.*, vol. 136, no. 4, p. 1206, 1989.
- [239] U. Kumar, M. J. Ansaree, A. K. Verma, S. Upadhyay, and G. Gupta, "Oxygen vacancy induced electrical conduction and room temperature ferromagnetism in system $\text{BaSn}_{1-x}\text{Ni}_x\text{O}_3$ ($0 < x < 0.20$)," *Mater. Res. Express*, vol. 4, no. 11, p. aa9416, 2017.
- [240] B. Hadjarab, A. Bouguelia, and M. Trari, "Synthesis, physical and photo electrochemical characterization of La-doped SrSnO_3 ," *J. Phys. Chem. Solids*, vol. 68, no. 8, pp. 1491–1499, 2007.
- [241] H. Mizoguchi *et al.*, "Electrical and optical properties of Sb-doped BaSnO_3 ," *Chem. Mater.*, 2013.
- [242] S. Kumar, S. Basu, B. Rana, A. Barman, S. Chatterjee, and S. N. Jha, "Structural , optical and magnetic properties of sol – gel derived $\text{ZnO} : \text{Co}$ diluted magnetic

- semiconductor nanocrystals : an EXAFS study,” pp. 481–495, 2014.
- [243] U. Venkateswaran, K. Strössner, K. Syassen, G. Burns, and M. W. Shafer, “Pressure dependence of the Raman modes in Sr₂TiO₄,” *Solid State Commun.*, vol. 64, no. 10, pp. 1273–1277, 1987.
- [244] J. Shi, J. Li, Y. Zhu, F. Wei, and X. Zhang, “Nanosized SrCO₃-based chemiluminescence sensor for ethanol,” *Anal. Chim. Acta*, 2002.
- [245] J. F. Scott, “Raman Spectrum of SnO₂,” vol. 852, no. 1970, pp. 10–12, 2013.
- [246] S. Sallis *et al.*, “La-doped BaSnO₃ - Degenerate perovskite transparent conducting oxide: Evidence from synchrotron x-ray spectroscopy,” *Appl. Phys. Lett.*, vol. 103, no. 4, pp. 1–5, 2013.
- [247] B. M. Reddy, B. Chowdhury, and P. G. Smirniotis, “An XPS study of La₂O₃ and In₂O₃ influence on the physicochemical properties of MoO₃/TiO₂ catalysts,” *Appl. Catal. A Gen.*, vol. 219, no. 1–2, pp. 53–60, 2001.
- [248] G. Singh, V. S. Tiwari, P. K. Gupta, G. Singh, V. S. Tiwari, and P. K. Gupta, “Role of oxygen vacancies on relaxation and conduction behavior of Role of oxygen vacancies on relaxation and conduction behavior of KNbO₃,” vol. 064103, no. 2010, 2014.
- [249] T. Surendar, S. Kumar, and V. Shanker, “Influence of La-doping on phase transformation and photocatalytic properties of ZnTiO₃nanoparticles synthesized via modified sol-gel method,” *Phys. Chem. Chem. Phys.*, 2014.
- [250] V. H. T. Thi and B. K. Lee, “Effective photocatalytic degradation of paracetamol using La-doped ZnO photocatalyst under visible light irradiation,” *Mater. Res. Bull.*, 2017.
- [251] A. S. Ahmed, M. Shafeeq M., M. L. Singla, S. Tabassum, A. H. Naqvi, and A. Azam, “Band gap narrowing and fluorescence properties of nickel doped SnO₂nanoparticles,” *J. Lumin.*, vol. 131, no. 1, pp. 1–6, 2011.
- [252] M. Singh, M. Goyal, and K. Devlal, “Size and shape effects on the band gap of semiconductor compound nanomaterials,” *Integr. Med. Res.*, 2017.
- [253] X. Yang, S. Liu, F. Lu, J. Xu, and X. Kuang, “Acceptor Doping and Oxygen Vacancy Migration in Layered Perovskite NdBaInO₄-Based Mixed Conductors,” *J. Phys. Chem. C*, vol. 120, no. 12, pp. 6416–6426, 2016.
- [254] S. K. Patri, P. L. Deepti, R. N. P. Choudhary, and B. Behera, “Dielectric, impedance and modulus spectroscopy of BaBi₂Nb₂O₉,” *J. Electroceramics*, vol. 40, no. 4, pp. 338–346, 2018.
- [255] R. J. Ruano-Casero, M. E. Perez-Bernal, and V. Rives, “Preparation and properties of nickel and iron oxides obtained by calcination of layered double hydroxides,”

- Zeitschrift für Anorg. und Allg. Chemie*, vol. 631, no. 11, pp. 2142–2150, 2005.
- [256] P. C. Matter, “Electrical Conductivity and Dielectric Behaviour of Nanocrystalline NiFe₂O₄ Spinel,” no. April 2002, 2014.
- [257] R. C. Ropp, “Encyclopedia of the Alkaline Earth Compounds,” *Encycl. Alkaline Earth Compd.*, vol. 12, no. March 2013, pp. 961–1004, 2013.
- [258] V. A. Sadykov *et al.*, “Oxygen transport properties of Ca-doped Pr₂NiO₄,” *Solid State Ionics*, vol. 317, no. January, pp. 234–243, 2018.
- [259] B. Pal and P. K. Giri, “High temperature ferromagnetism and optical properties of Co doped ZnO nanoparticles,” pp. 1–8, 2010.
- [260] D. P. Dutta, M. Roy, N. Maiti, and A. K. Tyagi, “Phase evolution in sonochemically synthesized Fe³⁺ doped BaTiO₃ nanocrystallites: structural, magnetic and ferroelectric characterisation,” *Phys. Chem. Chem. Phys.*, vol. 18, pp. 9758–9769, 2016.
- [261] S. D. Yoon *et al.*, “Oxygen-defect-induced magnetism to 880 K in semiconducting anatase TiO_{2-δ} films,” *J. Phys. Condens. Matter*, 2006.
- [262] C. B. Fitzgerald *et al.*, “Magnetism in dilute magnetic oxide thin films based on Sn O₂,” *Phys. Rev. B - Condens. Matter Mater. Phys.*, 2006.
- [263] R. Rai, I. Bdikin, M. A. Valente, and A. L. Kholkin, “Ferroelectric and ferromagnetic properties of Gd-doped BiFeO₃-BaTiO₃ solid solution,” *Mater. Chem. Phys.*, 2010.
- [264] E. McCalla, D. Phelan, M. J. Krogstad, B. Dabrowski, and C. Leighton, “Electrical transport, magnetic, and thermodynamic properties of La-, Pr-, and Nd-doped BaSn O_{3-δ} single crystals,” *Phys. Rev. Mater.*, 2018.
- [265] D. Y. Lu, X. Y. Sun, B. Liu, J. L. Zhang, and T. Ogata, “Structural and dielectric properties, electron paramagnetic resonance, and defect chemistry of Pr-doped BaTiO₃ ceramics,” *J. Alloys Compd.*, 2014.
- [266] S. Kamimura, C. Xu, H. Yamada, N. Terasaki, and M. Fujihala, “Long-persistent luminescence in the near-infrared from Nd³⁺ + -doped Sr₂SnO₄ for in vivo optical imaging,” vol. 092403.
- [267] Q. Liu, J. Dai, X. Zhang, G. Zhu, Z. Liu, and G. Ding, “Perovskite-type transparent and conductive oxide films: Sb- and Nd-doped SrSnO₃,” *Thin Solid Films*, vol. 519, no. 18, pp. 6059–6063, 2011.
- [268] D. Wang *et al.*, “Robust room-temperature ferromagnetism with giant anisotropy in Nd-doped ZnO nanowire arrays,” *Nano Lett.*, vol. 12, no. 8, pp. 3994–4000, 2012.
- [269] S. Kumar and P. D. Sahare, “Nd-doped ZnO as a multifunctional nanomaterial,” *J.*

- Rare Earths*, vol. 30, no. 8, pp. 761–768, 2012.
- [270] A. Khorsand Zak, W. H. Abd. Majid, M. E. Abrishami, and R. Yousefi, “X-ray analysis of ZnO nanoparticles by Williamson-Hall and size-strain plot methods,” *Solid State Sci.*, vol. 13, no. 1, pp. 251–256, 2011.
- [271] E. Sullivan, L. J. Gillie, J. Hadermann, and C. Greaves, “Fluorine intercalation in the $n = 1$ and $n = 2$ layered manganites $\text{Sr}_2\text{MnO}_{3.5+x}$ and $\text{Sr}_3\text{Mn}_2\text{O}_6$,” *Mater. Res. Bull.*, vol. 48, no. 4, pp. 1598–1605, 2013.
- [272] A. Kotani and H. Ogasawarab, “Review Theory of core-level spectroscopy of rare-earth oxides,” vol. 60, pp. 257–299, 1992.
- [273] J. H. Zheng, J. L. Song, Z. Zhao, Q. Jiang, and J. S. Lian, “Optical and magnetic properties of Nd-doped ZnO nanoparticles,” vol. 718, no. 7, pp. 713–718, 2012.
- [274] M. I. M. Zamratul, A. W. Zaidan, A. M. Khamirul, M. Nurzilla, and S. A. Halim, “Formation, structural and optical characterization of neodymium doped-zinc soda lime silica based glass,” *Results Phys.*, vol. 6, pp. 295–298, 2016.
- [275] V. Reddy Prasad, S. Dhamodaraiah, S. Babu, and Y. C. Ratnakaram, “Spectroscopic investigation of Nd³⁺ doped zinc phosphate glasses for NIR emission at 1.05 μm ,” *Mater. Today Proc.*, vol. 3, no. 10, pp. 3805–3809, 2016.
- [276] S. Soni *et al.*, “Electronic Structure and Room Temperature Ferromagnetism in Gd-doped Cerium Oxide Nanoparticles for Hydrogen Generation via Photocatalytic Water Splitting,” *Glob. Challenges*, vol. 1800090, p. 1800090, 2019.
- [277] J. M. D. Coey, *Magnetism and Magnetic Materials*. .
- [278] R. N. Bharathi and S. Sankar, “Structural, Optical, and Magnetic Properties of Nd-Doped CeO₂Nanoparticles Codoped with Transition Metal Elements (Cu, Zn, Cr),” *J. Supercond. Nov. Magn.*, vol. 31, no. 8, pp. 2603–2615, 2018.
- [279] S. K. Das, R. N. Mishra, and B. K. Roul, “Magnetic and ferroelectric properties of Ni doped BaTiO₃,” vol. 191, pp. 19–24, 2014.
- [280] S. B. Ogale *et al.*, “High Temperature Ferromagnetism with a Giant Magnetic Moment in Transparent Co-doped $\langle \text{S} \rangle_n \text{O} \rangle_2$,” *Phys. Rev. Lett.*, vol. 91, no. 7, p. 077205, 2003.
- [281] H. J. Kang *et al.*, “Antiferromagnetic order as the competing ground state in electron-doped Nd_{1.85}Ce_{0.15}CuO₄,” *Nature*, 2003.
- [282] D. Kim and S. Kim, “Eu(2+)-Activated Alkaline-Earth Halophosphates,

- M5(PO₄)₃X:Eu(2+) (M = Ca, Sr, Ba; X = F, Cl, Br) for NUV-LEDs: Site-Selective Crystal Field Effect,” vol. 5, no. January, 2018.
- [283] T. Ohno, K. Shiraishi, and T. Ogawa, “Intrinsic origin of visible light emission from silicon quantum wires: Electronic structure and geometrically restricted exciton,” *Phys. Rev. Lett.*, 1992.
- [284] A. Stanulis, A. Katelnikovas, M. Van Bael, A. Hardy, A. Kareiva, and T. Justel, “Photoluminescence of Pr³⁺-doped calcium and strontium stannates,” *J. Lumin.*, vol. 172, no. February, pp. 323–330, 2016.
- [285] S. Saha, S. Das, U. K. Ghorai, N. Mazumder, D. Ganguly, and K. K. Chattopadhyay, “Controlling Nonradiative Transition Centers in Eu³⁺ Activated CaSnO₃ Nanophosphors through Na⁺ Co-Doping: Realization of Ultrabright Red Emission along with Higher Thermal Stability,” *J. Phys. Chem. C*, vol. 119, no. 29, pp. 16824–16835, 2015.
- [286] M. Ayvacikli *et al.*, “Radioluminescence and photoluminescence characterization of Eu and Tb doped barium stannate phosphor ceramics,” *J. Alloys Compd.*, vol. 590, pp. 417–423, 2014.
- [287] H. Zhang, X. Fu, S. Niu, and Q. Xin, “Synthesis and photoluminescence properties of Eu³⁺-doped AZrO₃ (A=Ca, Sr, Ba) perovskite,” *J. Alloys Compd.*, vol. 459, no. 1–2, pp. 103–106, 2008.
- [288] T. Ishigaki *et al.*, “Long phosphorescent Ca₂SnO₄ with minuscule rare earth dopant concentration,” *Dalt. Trans.*, vol. 42, no. 14, p. 4781, 2013.
- [289] Goro Nishimura, Masanori Tanaka, Atusi Kurita, and Takashi Kushida, “5D₀-7F₀ transition mechanism of Eu³⁺ in Ca(PO₃)₂ glass, Y₂O₂S crystal and polyvinyl alcohol,” *J. Lumin.*, vol. 48–49, no. PART 2, pp. 473–476, 1991.
- [290] R. M. Macfarlane and R. M. Shelby, “Sub-kilohertz optical linewidths of the ${}^7F_0 \rightarrow {}^5D_0$ transition in Y₂O₃:Eu³⁺,” *Opt. Commun.*, vol. 39, no. 3, pp. 169–171, 1981.
- [291] P. Chen, X. Ma, and D. Yang, “ZnO:Eu thin-films: Sol-gel derivation and strong photoluminescence from 5D₀ → 7F₀ transition of Eu³⁺ ions,” *J. Alloys Compd.*, vol. 431, no. 1–2, pp. 317–320, 2007.
- [292] L. Li *et al.*, “Preferential occupancy of Eu³⁺ and energy transfer in Eu³⁺ doped Sr₂V₂O₇, Sr₉Gd(VO₄)₇ and Sr₂V₂O₇/Sr₉Gd(VO₄)₇ phosphors,” *RSC Adv.*, vol. 8, no. 3, pp. 1191–1202, 2018.
- [293] S. K. Gupta, M. Abdou, P. S. Ghosh, J. P. Zuniga, and Y. Mao, “Thermally Induced

Disorder-Order Phase Transition of Gd₂Hf₂O₇:Eu³⁺ Nanoparticles and Its Implication on Photo-and Radioluminescence,” *ACS Omega*, 2019.

- [294] S. S. Skourtis, C. Liu, P. Antoniou, A. M. Virshup, and D. N. Beratan, “Dexter energy transfer pathways,” *Proc. Natl. Acad. Sci.*, vol. 113, no. 29, pp. 8115–8120, 2016.
- [295] C. Liu, Z. Zhou, and Y. Zhang, “Synthesis and luminescence properties of novel red-emitting Na₂ZnSiO₄:Eu³⁺ phosphor with intense 5 D₀ → 7 F₄ transition and high quantum yield,” *J. Alloys Compd.*, vol. 787, pp. 1158–1162, 2019.