

References

- [1] N. K. Prasad, D. Panda, S. Singh, M. D. Mukadam, S. M. Yusuf, and D. Bahadur, Biocompatible suspension of nanosized γ -Fe₂O₃ synthesized by novel methods, *J. Appl. Phys.* 97 (2005) 97–100.
- [2] M. Sharma, S. Mantri, and D. Bahadur, Study of carbon encapsulated iron oxide/iron carbide nanocomposite for hyperthermia, *J. Magn. Magn. Mater.* 324 (2012) 3975–3980.
- [3] N. Shahabadi, A. Akbaric, M. Jamshidbeigic, M. Falsafi, Functionalization of Fe₃O₄@SiO₂ magnetic nanoparticles with nicotinamide and in vitro DNA interaction *J. Mol. Liq.* 224 (2016) 227–233.
- [4] V. Ganesan, B. B. Lahiri, C. Louis, J. Philip, S. P. Damodaran, Size-controlled synthesis of superparamagnetic magnetite nanoclusters for heat generation in an alternating magnetic field. *J. Mol. Liq.* 281 (2019) 315–323.
- [5] J. K. Oh and J. M. Park, Iron oxide-based superparamagnetic polymeric nanomaterials: Design, preparation, and biomedical application, *Prog. Polym. Sci.* 36 (2011) 168–189.
- [6] I. Shahzadi, S. Nadeem, Stimulation of metallic nanoparticles under the impact of radial magnetic field through eccentric cylinders: A useful application in biomedicine, *J. Mol. Liq.* 225 (2017) 365–381.
- [7] C. Prasad, K. Sreenivasulu, S. Gangadhara, P. Venkateswarlu, A facile green synthesis of spherical Fe₃O₄ magnetic nanoparticles and their effect on degradation of methylene blue in aqueous solution, *J. Mol. Liq.* 221 (2016) 993–998.
- [8] S. Nigam, K. C. Barick, and D. Bahadur, Development of citrate-stabilized Fe₃O₄ nanoparticles: Conjugation and release of doxorubicin for therapeutic applications, *J. Magn. Magn. Mater.* 323 (2011) 237–243.
- [9] P. Priyananda, H. Sabouri, N. Jain, and B. S. Hawkett, Steric stabilization of γ -Fe₂O₃ superparamagnetic nanoparticles in a hydrophobic ionic liquid and the magnetorheological behavior of the ferrofluid, *Langmuir* 34 (2018) 3068–3075.
- [10] A. Gangwar, S. K. Alla, M. Srivastava, S. S. Meena, E. V. Prasadrao, R. K. Mandal, S. M. Yusuf, N. K. Prasad, Structural and magnetic characterization of Zr-substituted magnetite (Zr_xFe_{3-x}O₄, 0 ≤ x ≤ 1), *J. Magn. Magn. Mater.* 401 (2016) 559–566.

- [11] X. Yang, C. Li, J. Huang, Y. Liu, W. Chen, J. Shen, Y. Zhu and C. Lia, Nitrogen-doped Fe₃C@C particles as an efficient heterogeneous photo-assisted Fenton catalyst, *RSC Adv.* 7 (2017) 15168.
- [12] K. Cao, L. Jiao, H. Liu, Y. Liu, Y. Wang, Z. Guo, H. Yuan, 3D hierarchical porous α -Fe₂O₃ nanosheets for high-performance lithium-ion batteries, *Adv. Energy Mater.* 5 (2015) 1–9.
- [13] B. K. Barman, K. K. Nanda, Prussian blue as a single precursor for synthesis of Fe/Fe₃C encapsulated N-doped graphitic nanostructures as bi-functional catalysts, *Green Chem.* 18 (2016) 427–432.
- [14] Z. Karimi, L. Karimi, H. Shokrollahi, Nano-magnetic particles used in biomedicine: Core and coating materials, *Mater. Sci. Eng. C* 33 (2013) 2465–2475.
- [15] V. Arora, A. Sood, J. Shah, R. K. Kotnala, T. K. Jain, Synthesis and characterization of thiolated pectin stabilized gold coated magnetic nanoparticles, *Mater. Chem. Phys.* 173 (2016) 161–167.
- [16] A. Sood, V. Arora, J. Shah, R. K. Kotnala, T. K. Jain, Ascorbic acid-mediated synthesis and characterisation of iron oxide/gold core – shell, *J. of experi. Sci.* 11 (2016) 370–382.
- [17] M. A. Malvindi, V. D. Matteis, A. Galeone, V. Brunetti, G. C. Anyfantis, A. Athanassiou, R. Cingolani, P. P. Pompa, Toxicity assessment of silica coated iron oxide nanoparticles and biocompatibility improvement by surface engineering, *PLoS One* 9 (2014) 1–11.
- [18] S. Odenbach, On the stability of a free surface of a magnetic fluid under microgravity, *J. Magn. Mater.* 170 (1997) 309–316.
- [19] Z. Tsai, F. Tsai, W. Yang, J. Wang, C. Liu, C. Shen, T. Yen, Preparation and characterization of ferrofluid stabilized with biocompatible chitosan and dextran sulfate hybrid biopolymer as a potential magnetic resonance imaging (MRI) T₂ contrast agent, *Mar. Drugs* 10 (2012) 2403–2414.
- [20] J. Liu, Y. Bowen, Z. Qiankun, H. Lizhen, H. Qiulai, S. Chunrui, W. Shiliang, W. Yueqin, H. Yuehui, Z. Jin, H. Han, Synthesis and magnetic properties of Fe₃C-C core-shell nanoparticles, *Nanotechnology* 26 (2015) 115–121.
- [21] Q.A. Pankhurst, J. Connolly, S. K. Jones, J. Dobson, Applications of magnetic nanoparticles in biomedicine, *J. Phys. D. Appl. Phys.* 36 (2003) R167–R181.95A.

- [22] B. David, O. Schneeweiss, M. Mashlan, E. Šantavá, and I. Morjan, Low-temperature magnetic properties of Fe₃C/iron oxide nanocomposite, *J. Magn. Magn. Mater.* 316 (2007) 422–425.
- [23] S. Kossatz, J. Grandke, P. Couleaud, A. Latorre, A. Aires, K. C. Staunton, R. Ludwig, H. Dähring, V. Ettl, Efficient treatment of breast cancer xenografts with multifunctionalized iron oxide nanoparticles combining magnetic hyperthermia and anti-cancer drug delivery, *Breast Cancer Res.* 17 (2015) 1–17.
- [24] T. Kobayashi, K. Kakimi, E. Nakayama, and K. Jimbow, Antitumor immunity by magnetic hyperthermia, *Nanomedicine* 9 (2014) 1715–1726.
- [25] A. Gangwar, G. Singh, S. K. Shaw, R. K. Mandal, A. Sharma, Sher Singh Meena, C. L. Prajapat, N. K. Prasad, Synthesis and structural characterization of Co_xFe_{3-x}C (0 ≤ x ≤ 0.3) magnetic nanoparticles for biomedical applications, *New J. Chem.* 43 (2019) 3536–3544.
- [26] X. Wang, Z. Daguang, R. Xiaozhen, J. Gao, H. Yu, C. Xiaodong, S. Zhan, H. Yang, Fe₃C/Fe nanoparticles with urea: Synthesis, structure and magnetic properties, *J. Magn. Magn. Mater.* 420 (2016) 241–244.
- [27] X. Q. Zhao, Y. Liang, Z. Q. Hu, and B. X. Liu, Oxidation characteristics and magnetic properties of iron carbide and iron ultrafine particles, *J. Appl. Phys.* 80 (1996) 5857–5860.
- [28] H. Silva, E. Lima, M. V. Mansilla, R. D. Zysler, H. Troiani, M. L. M. Pesciotti, C. Locatelli, J. C. Benech, N. Oddone, V. C. Zoldan, E. Winter, A. A. Pasa, T. B. C. Pasa, Superparamagnetic iron-oxide nanoparticles mPEG350- and mPEG2000-coated: Cell uptake and biocompatibility evaluation, *Nanomedicine Nanotechnology Biol. Med.* 12 (2016) 909–919.
- [29] N. K. Prasad, M. Srivastava, S. K. Alla, J. R. Danda, D. Aditya, and R. K. Mandal, Zr_xFe_{3-x}O₄ (0.01 ≤ x ≤ 1.0) nanoparticles: a possible magnetic in-vivo switch, *RSC Adv.* 47 (2016) 41268–41274.
- [30] Y. M. Huh, Y. W. Jun, H.T. Song, S. Kim, J.S. Choi, J.H. Lee, S. Yoon, K.S. Kim, J.S. Shin, J.S. Suh, J. Cheon, *In-vivo* magnetic resonance detection of cancer by using multifunctional magnetic nanocrystals, *J. Am. Chem. Soc.* 127 (2005) 12387–12391.

- [31] R. Alexandrescu, I. Morjan, F. Dumitrache, R. Birjega, C. Jaeger, H. Mutschke, I. Soare, L. Gavrilă-Florescu, V. Ciupina, Structural characteristics of Fe₃C-based nanomaterials prepared by laser pyrolysis from different gas-phase precursors, *Mater. Sci. Eng. C* 27 (2007) 1181–1184.
- [32] J. S. Cho, J. M. Won, J. K. Lee, and Y. C. Kang, Design and synthesis of multiroom-structured metal compounds-carbon hybrid microspheres as anode materials for rechargeable batteries, *Nano Energy* 26 (2016) 466–478.
- [33] X. W. Liu, Z. Cao, S. Zhao, R. Gao, Y. Meng, J. X. Zhu, C. Rogers, C. F. Huo, Y. Yang, Y. W. Li, X. D. Wen, Iron carbides in Fischer-Tropsch synthesis: Theoretical and experimental understanding in epsilon-iron carbide phase assignment, *J. Phys. Chem. C* 121 (2017) 211–230.
- [34] K. Cheng, V.V. Ordonsky, M. Virginie, B. Legras, P.A. Chernavskii, V.O. Kazak, C. Cordier, S. Paul, Ye Wang, A.Y. Khodakov, Support effects in high temperature Fischer-Tropsch synthesis on iron catalysts, *Appl. Catal. A Gen.* 488 (2014) 66–77.
- [35] G. Schinteie, V. Kuncser, P. Palade, F. Dumitrache, R. Alexandrescu, I. Morjan, G. Filoti Magnetic properties of iron-carbon nanocomposites obtained by laser pyrolysis in specific configurations, *J. Alloys Compd.* 564 (2013) 27–34.
- [36] S. Ye and Y. Cao, Structure of iron nitrides under different nitridation temperatures, *Inter. conf. Amitp* 13 (2016) 6–9.
- [37] I. Morjan, R. Alexandrescu, M. Scarisoreanu, C. Fleaca, F. Dumitrache, I. Soare, E. Popovici, L. Gavrilă, E. Vasile, V. Ciupina, N.C. Popa Controlled manufacturing of nanoparticles by the laser pyrolysis: Application to cementite iron carbide, *Appl. Surf. Sci.* 255 (2009) 9638–9642.
- [38] G. Kandasamy, A. Sudame, P. Bhati, A. Chakrabarty, and D. Maity, Systematic investigations on heating effects of carboxyl-amine functionalized superparamagnetic iron oxide nanoparticles (SPIONs) based ferrofluids for in vitro cancer hyperthermia therapy, *J. Mol. Liq.* 256 (2018) 224–237.
- [39] M. Yu, S. Huang, K. J. Yu, and A. M. Clyne, Dextran and polymer polyethylene glycol (PEG) coating reduce both 5 and 30 nm iron oxide nanoparticle cytotoxicity in 2D and 3D cell culture, *Int. J. Mol. Sci.* 10 (2012) 1022–1030.
- [40] X. Wang, P. Zhang, W. Wang, X. Lei, and H. Yang, Synthesis, structure and magnetic

- properties of $(\text{Fe}_{1-x}\text{Ni}_x)_3\text{C}$ nanoparticles, *J. Alloys Compd.* 683 (2016) 450–455.
- [41] R. Kumar, H. K. Choudhary, S. P. Pawar, S. Bose, and B. Sahoo, Carbon encapsulated nanoscale iron/iron-carbide/graphite particles for EMI shielding and microwave absorption, *Phys. Chem. Chem. Phys.* 19 (2017) 23268–23279.
- [42] R. Snovski, J. Grinblat, M. T. Sougrati, J. C. Jumas, and S. Margel, Synthesis and characterization of iron, iron oxide and iron carbide nanostructures, *J. Magn. Magn. Mater.* 349 (2014) 35–44.
- [43] N. S. Kopelev, V. Chechersky, A. Nath, Z. L. Wang, E. Kuzmann, B. Zhang, H. Grayson Encapsulation of Iron Carbide in Carbon Nanocapsules, *Chem. Mater.* 7 (1995) 1419–1421.
- [44] B. Kniep, A. Constantinescu, D. Niemeier, and K. D. Becker, An in-situ Mössbauer study of the formation of cementite, Fe_3C , *Zeitschrift fur Anorg. und Allg. Chemie.* 629 (2003) 1795–1804.
- [45] J. J. Lin, J. S. Chen, S. J. Huang, J. H. Ko, Y. M. Wang, T. L. Chen, L. F. Wang, Folic acid-Pluronic F127 magnetic nanoparticle clusters for combined targeting, diagnosis, and therapy applications, *Biomaterials* 30 (2009) 5114–5124.
- [46] M. Gonzales and K. M. Krishnan, Phase transfer of highly monodisperse iron oxide nanocrystals with Pluronic F127 for biomedical applications, *J. Magn. Magn. Mater.* 311 (2007) 59–62.
- [47] M. Srivastava, S. S. Meena, R. K. Mandal, S. M. Yusuf, and N. K. Prasad, AC magnetic field regulated in-vivo switch of Hf-substituted magnetite ($\text{Hf}_x\text{Fe}_{3-x}\text{O}_4, 0.01 \leq x \leq 0.8$) nanoparticles, *J. Alloys Compd.* 42 (2016) 7144-7153.
- [48] R. R. Shah, A. R. Dombrowsky, A. L. Paulson, M. P. Johnson, D. E. Nikles, and C. S. Brazel, Determining iron oxide nanoparticle heating efficiency and elucidating local nanoparticle temperature for application in agarose gel-based tumor model, *Mater. Sci. Eng. C* 68 (2016) 18–29.
- [49] R. R. Wildeboer, P. Southern, and Q. A. Pankhurst, On the reliable measurement of specific absorption rates and intrinsic loss parameters in magnetic hyperthermia materials, *J. Phys. D. Appl. Phys.* 47 (2014) 495003.

- [50] D. Sakellari, K. Brintakis, A. Kostopoulou, E. Myrovali, K. Simeonidis, A. Lappas, M. Angelakeris, Ferrimagnetic nanocrystal assemblies as versatile magnetic particle hyperthermia mediators, *Mater. Sci. Eng. C* 58 (2016) 187–193.
- [51] B. Sanz, M. P. Calatayud, T. E. Torres, M. L. Fanarraga, M. R. Ibarra, and G. F. Goya, Magnetic hyperthermia enhances cell toxicity with respect to exogenous heating, *Biomater.* 114 (2017) 62–70.
- [52] S. E. Minaei, S. Khoeia, S. Khoei, F. Vafashoar, V. P. Mahabadi, In-vitro anti-cancer efficacy of multi-functionalized magnetite nanoparticles combining alternating magnetic hyperthermia in glioblastoma cancer cells, *Mater. Sci. Eng. C* 101 (2019) 575–587.
- [53] M. Trometer, R. Even, J. Simon, A. Dubon, J.Y. Laval, J.P. Germain, C. Maleysson, A. Pauly, H. Robert, Lutetium bisphthalocyanine thin films for gas detection, *Sensors Actuators B. Chem.* 8 (1992) 129–135.
- [54] J. Sharkey, J. Philip, L. Starkey, B. Michael, M. Salamah, J. Noble, E. Livingstone, J. Ross, A. Maurits, J. G. Carrion, N. Liptrott, S. Forbes, D. J. Adams, E. Amy Chadwick, J. S. Forbes, P. Murray, M. J. Rosseinsky, E. Christopher, B. K. Park, Functionalized superparamagnetic iron oxide nanoparticles provide highly efficient iron-labeling in macrophages for magnetic resonance-based detection in-vivo, *Cytotherapy* 19 (2017) 555–569.
- [55] A. Farzina, S. Hassan, R. Emadie, S. A. Etesami, J. Ai, Comparative evaluation of magnetic hyperthermia performance and biocompatibility of magnetite and novel Fe-doped hardystonite nanoparticles for potential bone cancer therapy, *Mater. Sci. Eng. C* 98 (2019) 930–938.
- [56] P. Shete, R. Patil, N. D. Throat, A. I. Prasad, R. S. Ningthoujam, S. J. Ghosh, S. H. Pawa, Magnetic chitosan nanocomposite for hyperthermia therapy application: Preparation, characterization and in vitro experiments, *Appl. Surf. Sci.* 288 (2014) 149–157.
- [57] A. Makridis, I. Chatzitheodorou, K. Topouridou, M.P. Yavropoulou, M. Angelakeris, C. D. Samar, A facile microwave synthetic route for ferrite nanoparticles with direct impact in magnetic particle hyperthermia, *Mater. Sci. Eng. C* 63 (2016) 663–670.
- [58] K. Ninomiya, S. Kawabata, H. Tashita, and N. Shimizu, Ultrasound-mediated drug delivery using liposomes modified with a thermosensitive polymer, *Ultrason. Sonochem.* 21 (2014) 310–316.

- [59] A. Walter, A. Garofalo, A. Parat, H. Martinez, D. F. Flesch, Functionalization of magnetic nanoparticles with dendritic-linear-brush- like triblock copolymers and their drug release properties, *Langmuir* 28 (2012) 11929–11938.
- [60] M. E. de Sousa, M. B. F. V. Raap, C. P. Rivas, P. M. Zélis, P. Girardin, A. G. Pasquevich, J. L. Alessandrini, D. Muraca, F. H. Sánchez, Stability and relaxation mechanisms of citric acid coated magnetite nanoparticles for magnetic hyperthermia, *J. Phys. Chem. C* 117 (2013) 5436–5445.
- [61] S. Mørup, M. F. Hansen, and C. Frandsen, Magnetic interactions between nanoparticles, *Beilstein J. Nanotechnol.* 1 (2010) 182-190.
- [62] K. C. Barick and P. A. Hassan, Glycine passivated Fe₃O₄ nanoparticles for thermal therapy, *J. Colloid Interface Sci.* 369 (2012) 96–102.
- [63] K. C. Barick, S. Singh, D. Bahadur, M. A. Lawande, D. P. Patkar, and P. A. Hassan, Carboxyl decorated Fe₃O₄ nanoparticles for MRI diagnosis and localized hyperthermia, *J. Colloid Interface Sci.* 418 (2014) 120–125.
- [64] X. Q. Xu, H. Shen, J. R. Xu, J. Xu, X. J. Li, and X. M. Xiong, Core-shell structure and magnetic properties of magnetite magnetic fluids stabilized with dextran, *Appl. Surf. Sci.* 252 (2005) 494–500.
- [65] X. Pan, S. Cheng, T. Su, G. Zuo, C. Zhang, L. Wu, Y. Jiao, W. Dong, Poly (2-hydroxypropylene imines) functionalized magnetic polydopamine nanoparticles for high-efficiency DNA isolation, *Appl Surf. Sci.* 498 (2019) 143888.
- [66] W. Sheng, W. Wei, J.J. Li, X.L. Qi, G.C. Zuo, Q. Chen, X.H. Pan, W. Dong, Amine-functionalized magnetic mesoporous silica nanoparticles for DNA separation, *Appl. Surf. Sci.* 387 (2016) 1116-1124.
- [67] T. K. Jain, S. P. Foy, B. Erokwu, S. Dimitrijevic, C. A. Flask, and V. Labhasetwar, Magnetic resonance imaging of multifunctional pluronic stabilized iron-oxide nanoparticles in tumor-bearing mice, *Biomaterials* 30 (2009) 6748–6756.
- [68] K. A. Khateb, E. K. Ozhmukhametova, M. N. Mussin, S. K. Seilkhanov, T. K. Rakhypbekov, W. M. Lau, V. V. Khutoryanskiy, In situ gelling systems based on Pluronic F127/Pluronic F68 formulations for ocular drug delivery, *Int. J. Pharm.* 502 (2016) 70–79.
- [69] M. Vandenhoute, E. Vanderleyden, S. Van Vlierberghe, P. Dubruel, D. Snoeck, and N.

- De Belie, Stability of Pluronic® F127 bismethacrylate hydrogels: Reality or utopia?, *Polym. Degrad. Stab.* 146 (2017) 201–211.
- [70] F. E. Antunes, L. Gentile, C. Oliviero Rossi, L. Tavano, and G. A. Ranieri, Gels of Pluronic F127 and nonionic surfactants from rheological characterization to controlled drug permeation, *Colloids Surfaces B Biointerfaces* 87 (2011) 42–48.
- [71] A. Gangwar, S. S. Varghese, S. S. Meena, C. L. Prajapat, N. Gupta, N. K. Prasad, Fe₃C nanoparticles for magnetic hyperthermia application, *J. Magn. Mater.* 481 (2019) 251–256.
- [72] A. Wu, D. Liu, L. Tong, L. Yu, and H. Yang, Magnetic properties of nanocrystalline Fe/Fe₃C composites, *CrystEngComm.* 13 (2011) 876–882.
- [73] G. Huang, J. Hu, H. Zhang, Z. Zhou, X. Chi, and J. Gao, Highly magnetic iron carbide nanoparticles as effective T₂ contrast agents, *Nanoscale* 6 (2014) 726–730.
- [74] I. K. Herrmann, B. B. Schimmer, C. M. Schumacher, S. Gschwind, A. Kaech, U. Ziegler, P. A. Clavien, D. Günther, W. J. Stark, R. Graf, A. A. Schlegel, In-vivo risk evaluation of carbon-coated iron carbide nanoparticles based on short- and long-term exposure scenarios, *Nanomedicine* 11(2016) 783–796.
- [75] I. B. Alieva, I. Kireev, A. S. Garanina, N. Alyabyeva, A. Ruyter, O. S. Strelkova, O. A. Zhironkina, V. D. Cherepaninets, A. G. Majouga, V. A. Davydov, V. N. Khabashesku, V. Agafonov, R. E. Uzbekov, Magnetocontrollability of Fe₇C₃@C superparamagnetic nanoparticles in living cells, *J. Nanobiotechnology* 14 (2016) 1–12.
- [76] P. S. Ghosh, K. Ali, A. Vineet, A. Voleti, and A. Arya, Study of structural, mechanical and thermal properties of θ -Fe₃C, o-Fe₇C₃ and h-Fe₇C₃ phases using molecular dynamics simulations, *J. Alloys Compd.* 726 (2017) 989–1002.
- [77] Z. Schnepf, S. C. Wimbush, M. Antonietti, and C. Giordano, Synthesis of highly magnetic iron carbide nanoparticles via a biopolymer route, *Chem. Mater.* 22 (2010) 5340–5344.
- [78] M. Bystrzejewski, A. Huczko, H. Lange, P. Baranowski, G. C. Sanchez, G. Soucy, J. Szczytko, A. Twardowski., Large scale continuous synthesis of carbon-encapsulated magnetic nanoparticles, *Nanotechnology* 18 (2007) 145608-145615.
- [79] P. Pokorny, J. Kolisko, L. Balik, P. Novak, Description of structure of Fe-Zn intermetallic compounds present in hot-dip galvanized coatings on steel, *Metalurgija* 4 (2015) 707–

710.

- [80] A. Scrimshire, A. L. Lobera, R. Kultyshev, P. Ellis, S. D. Forder, and P. A. Bingham, Variable Temperature ^{57}Fe -Mössbauer Spectroscopy Study of Nanoparticle Iron Carbides, *Croat. Chem. Acta* 88 (2015) 531–537.
- [81] Z. Zhao, Y. Sun, and F. Dong, Graphitic carbon nitride based nanocomposites: A review, *Nanoscale* 7 (2015) 15–37.
- [82] Y. Xu and R. Xu, Nickel-based cocatalysts for photocatalytic hydrogen production, *Appl. Surf. Sci.* 351 (2015) 779–793.
- [83] V. Štengl, S. Bakardjieva, T. M. Grygar, J. Bludská, and M. Kormunda, TiO_2 -graphene oxide nanocomposite as advanced photocatalytic materials, *Chem. Cent. J.* 7 (2013) 1–12.
- [84] P. Mishra, S. Patnaik, and K. Parida, An overview of recent progress on noble metal modified magnetic Fe_3O_4 for photocatalytic pollutant degradation and H_2 evolution, *Catal. Sci. Technol.* 9 (2019) 916–941.
- [85] P. Singh, K. Sharma, V. Hasija, V. Sharma, S. Sharma, P. Raizada, M. Singh, A.K. Saini, A. Hosseini-Bandegharai, V.K. Thakur, Systematic review on applicability of magnetic iron oxides–integrated photocatalysts for degradation of organic pollutants in water, *Mater. Today Chem.* 14 (2019) 100186.
- [86] M. Yoon, Y. Oh, S. Hong, J. S. Lee, R. Boppella, S. H. Kim, F. M. Mota, S. O. Kim, D. HaKim, Synergistically enhanced photocatalytic activity of graphitic carbon nitride and WO_3 nanohybrids mediated by photo-Fenton reaction and H_2O_2 , *Applied Catalysis B: Environmental* 206 (2017) 263–270.
- [87] Y. S. Fu, J. Li, and J. Li, Metal/semiconductor nanocomposites for photocatalysis: Fundamentals, structures, applications and properties, *Nanomaterials* 9 (2019) 359.
- [88] B. Zhang, C. Chen, J. Liu, W. Qiao, J. Zhao, J. Yang, Y. Yu, S. Chen, Y. Qin, Simultaneous Ni nanoparticles decoration and Ni doping of CdS nanorods for synergistically promoting photocatalytic H_2 evolution, *Appl. Surf. Sci.* (2019) <https://doi.org/10.1016/j.apsusc.2019.144869>.
- [89] C. Garlisi, J. Szlachetko, C. Aubry, D. L.A. Fernandes, Y. Hattori, C. Paun, M. V. Pavliuk, N. S. Rajput, E. Lewin, J. Sá, G. Palmisano, N- TiO_2 /Cu- TiO_2 double-layer films: Impact of stacking order on photocatalytic properties, *J. Catal.* 353 (2017) 116-122.

- [90] I. Ahmad, W. A. Siddiqui, S. Qadir, and T. Ahmad, Synthesis and characterization of molecular imprinted nanomaterials for the removal of heavy metals from water, *J. Mater. Res. Technol.* 7 (2018) 270–282.
- [91] P. Nayak, S. Kumar, I. Sinha, and K. K. Singh, ZnO/CuO nanocomposites from recycled printed circuit board: preparation and photocatalytic properties, *Environ. Sci. Pollut. Res.* 26 (2019) 16279–16288.
- [92] F. Meng, J. Li, S. K. Cushing, J. Bright, M. Zhi, J. D. Rowley, Z. Hong, A. Manivannan, A. D. Bristow, N. Wu, Photocatalytic water oxidation by hematite/reduced graphene oxide composites, *ACS Catal.* 3 (2013) 746–751.
- [93] A. S. Ganeshraja, K. Rajkumar, K. Zhu, X. Li, S. Thirumurugan, W. Xu, J. Zhang, M. Yang, K. Anbalagan and J. Wang, Facile synthesis of iron oxide coupled and doped titania nanocomposites: Tuning of physicochemical and photocatalytic properties, *RSC Adv.* 6 (2016) 72791–72802.
- [94] D. D' Angelol, S. Filice, S. Libertino, V. Kosma, I. Nicotera, V. Privitera and S. Scalese, Photocatalytic properties of Nafion membranes containing graphene oxide/titania nanocomposites, *Nanotechnol. Mater. Devices Conf.* 57 (2014) 54–57.
- [95] S. Buddee, C. Suwanchawalit, and S. Wongnawa, Nickel doped nanorod titanium dioxide photocatalyst with enhanced visible light photocatalytic performance, *Dig. J. Nanomater. Biostructures* 12 (2017) 829–839.
- [96] N. Wang, L. Zhu, Y. Huang, Y. She, Y. Yu, H. Tang, Drastically enhanced visible-light photocatalytic degradation of colorless aromatic pollutants over TiO₂ via a charge-transfer-complex path: A correlation between chemical structure and degradation rate of the pollutants, *J. Catal.* 266 (2009) 199–206.
- [97] M. Khairy and W. Zakaria, Effect of metal-doping of TiO₂ nanoparticles on their photocatalytic activities toward removal of organic dyes, *Egypt. J. Pet.* 23 (2014) 419–426.
- [98] M. Fauzian, A. Taufik, and R. Saleh, Photocatalytic performance of Fe₃O₄/TiO₂/Ag nanocomposites for photocatalytic activity under visible light irradiation, *AIP Conf. Proc.* 1862 (2017).
- [99] S. B. Eadi, S. Kim, S. W. Jeong, and H. W. Jeon, Novel Preparation of Fe Doped TiO₂ Nanoparticles and Their Application for Gas Sensor and Photocatalytic Degradation,

Adv. Mater. Sci. Eng. 2017.

- [100] M. M. Mohamed, W. A. Bayoumy, M. E. Goher, M. H. Abdo, T. Y. M. El-Ashkar, Optimization of α -Fe₂O₃@Fe₃O₄ incorporated N-TiO₂ as super effective photocatalysts under visible light irradiation, *Appl. Surf. Sci.* 412 (2017) 668–682.
- [101] V. Keller, P Bernhardt, F Garin, Photocatalytic oxidation of butyl acetate in vapor phase on TiO₂, Pt/TiO₂ and WO₃/TiO₂ catalysts, *J. Catal.* 215 (2003) 129-138.
- [102] M. Shekofteh-Gohari, A. Habibi-Yangjeh, M. Abitorabi, and A. Rouhi, Magnetically separable nanocomposites based on ZnO and their applications in photocatalytic processes: A review, *Crit. Rev. Environ. Sci. Technol.* 48 (2018) 806–857.
- [103] X. Li, C. Niu, D. Huang, X. Wang, X. Zhang, G. Zeng, Q. Niu, Preparation of magnetically separable Fe₃O₄/BiOI nanocomposites and its visible photocatalytic activity, *Appl. Surf. Sci.* 286 (2013) 40–46.
- [104] B. Kumar, K. Smita, L. Cumbal, A. Debut, S. Galeas, and V. H. Guerrero, Phytosynthesis and photocatalytic activity of magnetite (Fe₃O₄) nanoparticles using the Andean blackberry leaf, *Mater. Chem. Phys.* 179 (2016) 310–315.
- [105] W. Wu, C. Jiang, and V. A. L. Roy, Recent progress in magnetic iron oxide-semiconductor composite nanomaterials as promising photocatalysts, *Nanoscale*, 7 (2015) 38–58.
- [106] K. Sridharan, T. Kuriakose, R. Philip, and T. J. Park, Transition metal (Fe, Co and Ni) oxide nanoparticles grafted graphitic carbon nitrides as efficient optical limiters and recyclable photocatalysts, *Appl. Surf. Sci.* 308 (2014) 139–147.
- [107] H. T. Bui, S. M. Im, K. jeong Kim, W. Kim, and H. Lee, Photocatalytic degradation of phenolic compounds of defect engineered Fe₃O₄: An alternative approach to solar activation via ligand-to-metal charge transfer, *Appl. Surf. Sci.* 2019.
- [108] A. K. Arora, V. S. Jaswal, K. Singh, and R. Singh, Applications of metal/mixed metal oxides as photocatalyst: A review, *Orient. J. Chem.* 32 (2016) 2035–2042.
- [109] F. Wang, M. Li, L. Yu, F. Sun, Z. Wang, L. Zhang, H. Zeng, X. Xu, Corn-like, recoverable γ -Fe₂O₃@SiO₂@TiO₂ photocatalyst induced by magnetic dipole interactions, *Sci. Rep.* 7 (2017) 2–11.
- [110] S. Chen, G. Yang, C. Wang, S. Yang, D. Chen, X. Cai, Y. Li, F. Peng, Y. Fang, S. Zhang, Magnetic Fe₃C@C nanoparticles as a novel cocatalyst for boosting visible-light-driven

- photocatalytic performance of g-C₃N₄, *Int. J. energ.* 44 (2019) 26970–26981.
- [111] S. A. Hosseini and S. Babaei, Graphene oxide/zinc oxide (GO/ZnO) nanocomposite as a superior photocatalyst for degradation of methylene blue (MB)-process modeling by response surface methodology (RSM), *J. Braz. Chem. Soc.* 28 (2017) 299–307.
- [112] P. Singh, G. Kaur, K. Singh, B. Singh, M. Kaur, M. Kaur, U. Krishnan, M. Kumar, R. Bala, A. Kumar, Specially designed B₄C/SnO₂ nanocomposite for photocatalysis: Traditional ceramic with unique properties, *Appl. Nanosci.* 8 (2018) 1–2.
- [113] X. Han, T. Chen, Y. Liu, F. Cheng, M. Zhang, M. Guo, Novel efficient heterogeneous visible light assisted Fenton-like catalyst (Ni, Mg,Cu)Fe₂O₄ from nickel sulfide concentrate, *Mater. Lett.* 253 (2019) 1-4.
- [114] M. Nadeem, W. Khan, S. Khan, M. Shoeb, S. Husain, and M. Mobin, Significant enhancement in photocatalytic performance of Ni doped BiFeO₃ nanoparticles, *Mater. Res. Express* 5 (2018).
- [115] S. P. Patil, K. R. Sanadi, and V. B. Helavi, Impact of Ni substitution on structural, electrical and thermoelectrical properties of zinc aluminium chromites synthesized by sol-gel route and their photocatalytic investigation, *Mater. Res.* 20 (2017) 1445–1453.
- [116] W. Yang, X. Liu, X. Yue, J. Jia, and S. Guo, Bamboo-like carbon nanotube/Fe₃C nanoparticle hybrids and their highly efficient catalysis for oxygen reduction, *J. Am. Chem. Soc.* 137 (2015) 1436–1439.
- [117] Z. Es'haghzade, E. Pajootan, H. Bahrami, and M. Arami, Facile synthesis of Fe₃O₄ nanoparticles via aqueous based electro chemical route for heterogeneous electro-Fenton removal of azo dyes, *J Taiwan Inst. Chem E*, 71 (2017) 91–105.
- [118] I. Sharifi, H. Shokrollahi, and S. Amiri, Ferrite-based magnetic nanofluids used in hyperthermia applications, *J. Magn. Magn. Mater.* 324 (2012) 903–915.
- [119] A. Gangwar, S. Kumar, S. S. Meena, A. Sharma, M. K. Viswanadh, K. Neogi, M. S. Muthu, N. K. Prasad, Structural and in-vitro assessment of Zn_xFe_{3-x}C (0 ≤ x ≤ 1) nanoparticles as magnetic biomaterials, *Appl. Surf. Sci.* 509 (2019) 144891-144902.
- [120] C. E. Demirci Dönmez, P. K. Manna, R. Nickel, S. Aktürk, and J. Van Lierop, Comparative Heating Efficiency of Cobalt-, Manganese-, and Nickel-Ferrite Nanoparticles for a Hyperthermia Agent in Biomedicines, *ACS Appl. Mater. Interfaces* 11 (2019) 6858–6866.

- [121] M. Srivastava, A. K. Ojha, S. Chaubey, and J. Singh, In-situ synthesis of magnetic (NiFe₂O₄/CuO/FeO) nanocomposites, *J. Solid State Chem.* 183 (2010) 2669–2674.
- [122] J. He, X. Yang, B. Men, D. Wang, Interfacial mechanisms of heterogeneous Fenton reactions catalyzed by iron-based materials: A review, *Int. J. Environ. Sci.* 39 (2016) 97-109.
- [123] S. R. Pouran, A. A. A. Raman, W. M. A. W. Daud, Review on the application of modified iron oxides as heterogeneous catalysts in Fenton reactions, *J. Clean. Prod.* 64 (2014) 24-35.
- [124] J. Wang, J. Liu, B. Zhang, F. Cheng, Y. Ruan, X. Ji, K. Xu, , L. Miao, J. Jiang, Stabilizing the oxygen vacancies and promoting water-oxidation kinetics in cobalt oxides by lower valence state doping, *Nano Energy* 53 (2018) 144-151.
- [125] J. J. Carey, M. Legesse, M. Nolan, Low Valence Cation Doping of Bulk Cr₂O₃: Charge Compensation and Oxygen Vacancy Formation, *J. Phys. Chem. C* 120 (2016) 19160-19174.
- [126] A. K. De, S. Majumdar, S. Pal, S. Kumar, I. Sinha, Zn doping induced band gap widening of Ag₂O nanoparticles, *J. Alloys Compd.* <https://doi.org/10.1016/j.jallcom.2020.154127>.
- [127] S. Yusuf and F. Jiao, Effect of the support on the photocatalytic water oxidation activity of cobalt oxide nanoclusters, *ACS Catal.* 2 (2012) 2753–2760.
- [128] J. A. Varnell, E. C. M. Tse, C. E. Schulz, T. T. Fister, R. T. Haasch, J. Timoshenko, A. I. Frenkel, A. A. Gewirth, Identification of carbon-encapsulated iron nanoparticles as active species in non-precious metal oxygen reduction catalysts, *Nat. Commun.* 7 (2016) 1–9.
- [129] X. X. Yang and J. Qiu, Carbon-coated Fe₃O₄@Fe₂SiO₄ core-shell nanocomposites revealing boosted electrochemical performance as anode material for LIBs, *Mater. Res. Express* 5 (2018) 095504-095516.
- [130] Y. Bi, M. Liu, B. Xiao, Y. Jiang, H. Lin, Z. Zhang, G. Chen, Q. Sun, H. He, Feng Huang, X. Sun, D. Wang, J. G. Zhang, Highly stable Ni-rich layered oxide cathode enabled by a thick protective layer with bio-tissue structure, *Energy Storage Mater.* 24 (2020) 291–296.
- [131] R. S. Kalubarme, S. M. Jadhav, B. B. Kale, S. W. Gosavi, C. Terashima, and A. Fujishima, Porous Mn-doped cobalt oxide@C nanocomposite: A stable anode material

- for Li-ion rechargeable batteries, *Nanotechnology* 29 (2018) 285705-285716.
- [132] A. Kraynov, T. E. Müller, Concepts for the Stabilization of Metal Nanoparticles in Ionic Liquids, *Appl. Ion. Liq. Sci. Technol.* (2012) 1-28.
- [133] J. Xu, Y. Dou, Z. Wei, J. Ma, Y. Deng, Y. Li, H. Liu, S. Dou, Recent Progress in Graphite Intercalation Compounds for Rechargeable Metal (Li, Na, K, Al)-Ion Batteries, *Adv. Sci.* 4 (2017) 1700146-1700160.
- [134] M. Zou, L. Wang, J. Li, L. Guan, and Z. Huang, Enhanced Li-ion battery performances of yolk-shell $\text{Fe}_3\text{O}_4@\text{C}$ anodes with Fe_3C catalyst, *Electrochim. Acta* 233 (2017) 85–91.
- [135] C. He, S. Wu, N. Zhao, C. Shi, E. Liu, and J. Li, Carbon-encapsulated Fe_3O_4 nanoparticles as a high-rate lithium ion battery anode material, *ACS Nano* 7 (2013) 4459–4469.
- [136] Q. Zhang, Z. Xu, B. Lu, Strongly coupled MoS_2 -3D graphene materials for ultrafast charges low discharge LIBs and water splitting applications, *Energy Storage Mater.* 4 (2016) 84–9186.
- [137] J. Liu, B. Yu, Q. Zhang, L. Hou, Q. Huang, C. Song, S. Wang, Y. Wu, Y. He, J. Zou, H. Huang, Synthesis and magnetic properties of Fe_3C -C core-shell nanoparticles, *Nanotechnology* 26 (2015) 085601-85609.
- [138] Y. Xiao, J. Y. Hwang, and Y. K. Sun, Transition metal carbide-based materials: Synthesis and applications in electrochemical energy storage, *J. Mater. Chem. A* 4 (2016) 10379–10393.
- [139] J. Zhang, K. Wang, Q. Xu, Y. Zhou, F. Cheng, S. Guo, Beyond Yolk À Shell Nanoparticles : Nanoparticles as Yolks and Carbon Nanospindles as shells for Efficient, *ACS Nano* 9 (2015) 3369-3376.
- [140] Y. Yang, X. Fan, G. Casillas, Z. Peng, G. Ruan, and G. Wang, Three-Dimensional Nanoporous Thin Films for Lithium-Ion Batteries, *ACS Nano* 4 (2015) 3939–3946.
- [141] A. R. Paulraj, Y. Kiros, B. Skårman, and H. Vidarsson, Core/Shell Structure Nano-Iron/Iron Carbide Electrodes for Rechargeable Alkaline Iron Batteries, *J. Electrochem. Soc.* 164 (2017) A1665–A1672.
- [142] Y. Tan, K. Zhu, D. Li, F. Bai, Y. Wei, and P. Zhang, N-doped graphene/ Fe - Fe_3C nanocomposite synthesized by a Fe-based metal organic framework and its anode performance in lithium ion batteries, *Chem. Eng. J.* 258 (2014) 93–100.

- [143] X. Zhao, D. Xia, J. Yue, and S. Liu, In-situ generated nano-Fe₃C embedded into nitrogen-doped carbon for high performance anode in lithium ion battery, *Electrochim. Acta* 116 (2014) 292–299.
- [144] J. Yu, F. Chen, W. Gao, Y. Ju, X. Chu, S. Che, F. Sheng, Y. Hou, Iron carbide nanoparticles: An innovative nanoplatform for biomedical applications, *Nanoscale Horizons* 2 (2017) 81–88.
- [145] Y. Liu, Z. Tai, T. Zhou, V. Sencadas, J. Zhang, L. Zhang, K. Konstantinov, Z. Guo, H. K. Liu, An All- Integrated Anode via Interlinked Chemical Bonding between Double-helled–Yolk- Structured Silicon and Binder for Lithium-Ion Batteries, *Adv. Mater.* 29 (2017) 1-11.
- [146] M. Chen, X. Shen, K. Chen, Q. Wu, P. Zhang, X. Zhang, G. Diao, Nitrogen-doped Mesoporous Carbon-encapsulation Urchin-like Fe₃O₄ as Anode Materials for High Performance Li-ions Batteries, *Electrochim. Acta*, 195 (2016) 94–105.
- [147] A. Gangwar, S. K. Alla, M. Srivastava, S. S. Meena, E. V. Prasadrao, R. K. Mandal, S. M. Yusuf, N. K. Prasad, Structural and magnetic characterization of Zr-substituted magnetite (Zr_xFe_{3-x}O₄, 0 ≤ x ≤ 1), *J. Magn. Magn. Mater.* 401 (2016) 559–566.
- [148] A. Gangwar, S. S. Varghese, S. S. Meena, M. K. Viswanadh, K. Neogi, M. S. Muthu, N. K. Prasad, Physical and *in-vitro* evaluation of ultra-fine cohenite particles for the prospective magnetic hyperthermia application, *J. Mater. Sci.: Mater.* (Minor revision submitted) 2020.
- [149] W. Xie, L. Gu, X. Sun, M. Liu, S. Li, Q. Wang, Dequan L, D. He, Ferrocene derived core-shell structural Fe₃O₄@C nanospheres for superior lithium storage properties, *Electrochim. Acta* 220 (2016) 107–113.
- [150] K. Chen, F. Zhang, J. Sun, Z. Li, Li. Zhang, A. Bachmatiuk, Z. Zou, Z. Chen, L. Zhang, M H. Rummeli, Z. Liu, Growth of defect-engineered graphene on manganese oxides for Li-ion storage, *Energy Storage Mater.* 12 (2018) 110–118.
- [151] H. Wang, Y. Jiang, and A. Manthiram, N-doped Fe₃C@C as an efficient polyselenide reservoir for high-performance sodium-selenium batteries, *Energy Storage Mater.* 16 (2018) 374–382.
- [152] H. Khalifa, S. A. El-Safty, M. A. Shenashen, A. Reda, A. Elmarakbi, Large-scale giant architectonic electrodes designated with complex geometrics and super topographic

surfaces for fully cycled dynamo LIB modules, *Energy Storage Mater.* 26 (2020) 260–275262.

- [153] A. Kitajou, S. Kudo, J. Hayashi, S. Okada, Synthesis and Electrochemical Properties of Fe₃C-carbon Composites as an Anode Material for Lithium-ion Batteries, *Electrochem.* 85(10) (2017) 630–633.
- [154] K. Zhu, H. Xu, C. Chen, X. Ren, A. Alsaedi, T. Hayat, Encapsulation of Fe⁰-dominated Fe₃O₄/Fe⁰/Fe₃C nanoparticles into carbonized polydopamine nanospheres for catalytic degradation of tetracycline via per sulfate activation, *Chem. Eng. J.* 372 (2019) 304–311.