

Bibliography

- [1] L. Prandtl, Über flüssigkeits bewegung bei sehr kleiner reibung, in: Verhandlungen des dritten internationalen Mathematiker-Kongresses, Tuebner, Leipzig (1905) 484–491.
- [2] K. O. Friedrichs, W. R. Wasow, et al., Singular perturbations of non-linear oscillations, *Duke Math. J.* 13 (1946) 367–381.
- [3] W. Eckhaus, *Asymptotic analysis of singular perturbations*, North-Holland, Amsterdam, 1979.
- [4] J. J. H. Miller, E. O’Riordan, G. I. Shishkin, *Fitted numerical methods for singular perturbation problems*, World Scientific, Singapore, 1996.
- [5] P. A. Farrell, A. F. Hegarty, J. J. H. Miller, E. O’Riordan, G. I. Shishkin, *Robust computational techniques for boundary layers*, Chapman & Hall/CRC, Boca Raton, Florida, 2000.
- [6] H. Roos, M. Stynes, L. Tobiska, *Numerical methods for singularly perturbed differential equations*, Springer, Berlin, 1996.
- [7] E. P. Doolan, J. J. Miller, W. H. Schilders, *Uniform numerical methods for problems with initial and boundary layers*, Boole Press, Dublin, 1980.
- [8] N. S. Bakhvalov, Towards optimization of methods for solving boundary value problems in the presence of a boundary layer, *Zh. Vychisl. Mat. Mat. Fiz.* 9 (1969) 841–859.
- [9] G. I. Shishkin, A difference scheme for a singularly perturbed parabolic equation with a discontinuous boundary condition, *Zh. Vychisl. Mat. Mat. Fiz.* 28 (1988) 1679–1692.

-
- [10] J. Miller, E. O’Riordan, G. Shishkin, L. Shishkina, Fitted mesh methods for problems with parabolic boundary layers, *Math. Proc. Roy. Irish Acad.* 98A (1998) 173–190.
- [11] T. Linß, N. Madden, Parameter uniform approximations for time-dependent reaction-diffusion problems, *Numer. Methods Partial Differ. Equ.* 23 (2007) 1290–1300.
- [12] S. Natesan, R. Deb, A robust numerical scheme for singularly perturbed parabolic reaction-diffusion problems, *Neural, Parallel Sci. Comput.* 16 (2008) 419–433.
- [13] S. C. S. Rao, M. Kumar, High order parameter-robust numerical method for time dependent singularly perturbed reaction-diffusion problems, *Computing* 90 (2010) 15–38.
- [14] C. Clavero, J. L. Gracia, On the uniform convergence of a finite difference scheme for time dependent singularly perturbed reaction-diffusion problems, *Appl. Math. Comput.* 216 (2010) 1478–1488.
- [15] C. Clavero, J. L. Gracia, A high order HODIE finite difference scheme for 1D parabolic singularly perturbed reaction-diffusion problems, *Appl. Math. Comput.* 218 (2012) 5067–5080.
- [16] C. Clavero, J. L. Gracia, A higher order uniformly convergent method with richardson extrapolation in time for singularly perturbed reaction-diffusion parabolic problems, *J. Comput. Appl. Math.* 252 (2013) 75–85.
- [17] A. Bellen, M. Zennaro, *Numerical methods for delay differential equations*, Oxford University Press, New York, 2003.
- [18] J. Wu, *Theory and applications of partial functional-differential equations*, Springer-Verlag, New York, 2012.
- [19] Y. Kuang, *Delay differential equations with applications in population dynamics*, Academic Press, Boston, 1993.
- [20] M. Derstine, H. Gibbs, F. Hopf, D. Kaplan, Bifurcation gap in a hybrid optically bistable system, *Phys. Rev. A.* 26 (1982) 3720–3722.
- [21] A. Longtin, J. G. Milton, Complex oscillations in the human pupil light reflex with mixed and delayed feedback, *Math. Biosci.* 90 (1988) 183–199.

- [22] V. Y. Glizer, Asymptotic solution of a singularly perturbed set of functional-differential equations of Riccati type encountered in the optimal control theory, *Nonlinear Differ. Equ. Appl.* 5 (1998) 491–515.
- [23] A. R. Ansari, S. A. Bakr, G. I. Shishkin, A parameter-robust finite difference method for singularly perturbed delay parabolic partial differential equations, *J. Comput. Appl. Math.* 20 (2007) 552–566.
- [24] S. Kumar, M. Kumar, High order parameter-uniform discretization for singularly perturbed parabolic partial differential equations with time delay, *Comput. Math. Appl.* 68 (2014) 1355–1367.
- [25] S. Gowrisankar, S. Natesan, A robust numerical scheme for singularly perturbed delay parabolic initial-boundary-value problems on equidistributed grids, *Electron. Trans. Numer. Anal.* 41 (2014) 376–395.
- [26] E. B. M. Bashier, K. C. Patidar, A novel fitted operator finite difference method for a singularly perturbed delay parabolic partial differential equation, *Appl. Math. Comput.* 217 (2011) 4728–4739.
- [27] Y. Wang, An efficient computational method for a class of singularly perturbed delay parabolic partial differential equation, *Int. J. Comput. Math.* 88 (2011) 3496–3506.
- [28] R. N. Rao, P. P. Chakravarthy, A fitted numerov method for singularly perturbed parabolic partial differential equation with a small negative shift arising in control theory, *Numer. Math. Theor. Meth. Appl.* 7 (2014) 23–40.
- [29] J. L. Gracia, F. L. Lisbona, A uniformly convergent scheme for a system of reaction-diffusion equations, *J. Comput. Appl. Math.* 206 (2007) 1–16.
- [30] C. Clavero, J. L. Gracia, F. Lisbona, Second order uniform approximations for the solution of time dependent singularly perturbed reaction-diffusion systems., *Int. J. Numer. Anal. Model.* 7 (2010) 428–443.
- [31] C. Clavero, J. L. Gracia, Uniformly convergent additive finite difference schemes for singularly perturbed parabolic reaction-diffusion systems, *Comput. Math. Appl.* 67 (2014) 655–670.
- [32] C. Clavero, J. L. Gracia, An improved uniformly convergent scheme in space for 1d parabolic reaction-diffusion systems, *Appl. Math. Comput.* 243 (2014) 57–73.

-
- [33] M. Kumar, S. Rao, High order parameter-robust numerical method for a system of ($M \geq 2$) coupled singularly perturbed parabolic reaction-diffusion problems, arXiv preprint arXiv:1507.08957.
- [34] J. L. Gracia, F. J. Lisbona, E. O’Riordan, A coupled system of singularly perturbed parabolic reaction-diffusion equations, *Adv. Comput. Math.* 32 (2010) 43–61.
- [35] C. Clavero, J. C. Jorge, Solving efficiently one dimensional parabolic singularly perturbed reaction-diffusion systems: a splitting by components, *J. Comput. Appl. Math.* 344 (2018) 1–14.
- [36] N. Kopteva, S. B. Savescu, Pointwise error estimates for a singularly perturbed time-dependent semilinear reaction-diffusion problem, *IMA J. Numer. Anal.* 31 (2010) 616–639.
- [37] N. Kopteva, T. Linß, Improved maximum-norm a posteriori error estimates for linear and semilinear parabolic equations, *Adv. Comput. Math.* 43 (2017) 999–1022.
- [38] I. Boglaev, Robust monotone iterates for nonlinear singularly perturbed boundary value problems, *Boundary Value Problems* 2009 (2009) 1–17.
- [39] I. Boglaev, Domain decomposition in boundary layers for singularly perturbed problems, *Appl. Numer. Math.* 34 (2000) 145–166.
- [40] H.A.Schwarz, *Gesammelte mathematische abhandlungen*, *Vierteljahrsschrift dernationalforschenden gessellschaft in Zurich* 15 (1870) 272–282.
- [41] A. Quarteroni, A. Valli, *Domain decomposition methods for partial differential equations*, *Numerical Mathematics and Scientific Computation*, Oxford University Press, New York, 1999.
- [42] A. Toselli, O. Widlund, *Domain decomposition methods - algorithms and theory*, *Springer Series in Computational Mathematics*, Springer, 2010.
- [43] M. J. Gander, L. Halpern, Optimized Schwarz waveform relaxation methods for advection reaction diffusion problems, *J. Numer. Anal.* 45 (2007) 666–697.
- [44] J. Liu, Y. Jiang, Waveform relaxation for reaction-diffusion equations, *J. Comput. Appl. Math.* 235 (2011) 5040–5055.

-
- [45] D. S. Daoud, Overlapping Schwarz waveform relaxation method for the solution of the forward-backward heat equation, *J. Comput. Appl. Math.* 208 (2007) 380–390.
- [46] H. MacMullen, J. J. H. Miller, E. O’Riordan, G. I. Shishkin, A second-order parameter-uniform overlapping Schwarz method for reaction-diffusion problems with boundary layers, *J. Comput. Appl. Math.* 130 (2001) 231–244.
- [47] M. Stephens, N. Madden, A schwarz technique for a system of reaction diffusion equations with differing parameters, in: *BAIL 2008-Boundary and Interior Layers*, 2009, pp. 247–255.
- [48] S. Kumar, M. Kumar, An analysis of overlapping domain decomposition methods for singularly perturbed reaction–diffusion problems, *J. Comput. Appl. Math.* 281 (2015) 250–262.
- [49] M. Stephens, N. Madden, A parameter-uniform Schwarz method for a coupled system of reaction–diffusion equations, *J. Comput. Appl. Math.* 230 (2009) 360–370.
- [50] S. C. S. Rao, S. Kumar, An almost fourth order uniformly convergent domain decomposition method for a coupled system of singularly perturbed reaction-diffusion equations, *J. Comput. Appl. Math.* 235 (2011) 3342–3354.
- [51] N. Kopteva, M. Pickett, H. Purtil, A robust overlapping schwarz method for a singularly perturbed semilinear reaction-diffusion problem with multiple solutions, *Int. J. Numer. Anal. Model* 6 (2009) 680–695.
- [52] S. C. S. Rao, S. Kumar, Robust high order convergence of an overlapping schwarz method for singularly perturbed semilinear reaction-diffusion problems, *J. Comput. Math.* 31 (2013) 509–521.
- [53] S. Kumar, S. C. S. Rao, A robust domain decomposition algorithm for singularly perturbed semilinear systems, *Int. J. Comput. Math.* 94 (2017) 1108–1122.
- [54] I. Boglaev, Monotone iterates for solving coupled systems of nonlinear parabolic equations, *Computing* 92 (2011) 65–95.
- [55] S. Kumar, S. C. S. Rao, A robust overlapping Schwarz domain decomposition algorithm for time-dependent singularly perturbed reaction-diffusion problems, *J. Comput. Appl. Math.* 261 (2014) 127–138.

-
- [56] M. Kadalbajoo, K. Sharma, Numerical analysis of singularly perturbed delay differential equations with layer behavior, *Appl. Math. Comput.* 157 (2004) 11 – 28.
- [57] P. Rai, K. K. Sharma, Numerical analysis of singularly perturbed delay differential turning point problem, *Appl. Math. Comput.* 218 (2011) 3483 – 3498.
- [58] M. K. Kadalbajoo, K. K. Sharma, A numerical method based on finite difference for boundary value problems for singularly perturbed delay differential equations, *Appl. Math. Comput.* 197 (2008) 692 – 707.
- [59] S. Kumar, Layer-adapted methods for quasilinear singularly perturbed delay differential problems, *Appl. Math. Comput.* 233 (2014) 214 – 221.
- [60] Z. Cen, A second-order finite difference scheme for a class of singularly perturbed delay differential equations, *Int. J. Comput. Math.* 87 (2010) 173–185.
- [61] K. C. Patidar, K. K. Sharma, Uniformly convergent non-standard finite difference methods for singularly perturbed differential-difference equations with delay and advance, *Int. J. Numer. Meth. Eng.* 66 (2006) 272–296.
- [62] F. Erdogan, G. M. Amiraliyev, Fitted finite difference method for singularly perturbed delay differential equations, *Numer. Algorithms* 59 (2012) 131–145.
- [63] M. K. Kadalbajoo, K. K. Sharma, Numerical treatment for singularly perturbed nonlinear differential difference equations with negative shift, *Nonlinear Anal. Theor.* 63 (2005) e1909–e1924.
- [64] M. H. Protter, H. F. Weinberger, *Maximum principles in differential equations*, Prentice-Hall, Englewood Cliffs, N.J., 1967.
- [65] T. Linss, The necessity of Shishkin-decompositions, *Appl. Math. Lett.* 14 (2001) 891–896.
- [66] H. Roos, M. Stynes, L. Tobiska, *Robust numerical methods for singularly perturbed differential equations*, Springer-Verlag, Berlin, 2008.
- [67] O. A. Ladyzhenskaia, V. A. Solonnikov, N. N. Ural'ceva, *Linear and quasi-linear equations of parabolic type*, Academic Press, New York, 1968.
- [68] A. T. Winfree, W. Jahnke, Three-dimensional scroll ring dynamics in the belousov-zhabotinskii reagent and in the two-variable oregonator model, *J. Phys. Chem.* 93 (1989) 2823–2832.

-
- [69] P. C. Fife, G. Gill, Phase-transition mechanisms for the phase-field model under internal heating, *Phy. Rev. A* 43 (1991) 843–851.
- [70] A. M. Soane, M. K. Gobbert, T. I. Seidman, Numerical exploration of a system of reaction-diffusion equations with internal and transient layers, *Nonlinear Anal. Real World Appl.* 6 (2005) 914–934.
- [71] I. P. Boglaev, Numerical solution of a quasi-linear parabolic equation with a boundary layer, *USSR Comput. Math. Math. Phys.* 30 (1990) 55–63.
- [72] O. A. Ladyzhenskaya, V. A. Solonnikov, N. N. Ural'tseva, Linear and quasilinear equation of parabolic type: translations of mathematical monographs, American Mathematical Society, USA, 1968.
- [73] G. P. Thomas, Towards an improved turbulence model for wave-current interactions, In: 2nd Annual Report to EU MAST-III Project The kinematics and Dynamics of Wave-current Intercations, 1998.
- [74] Y. Kan-On, M. Mimura, Singular perturbation approach to a 3-component reaction-diffusion system arising in population dynamics, *SIAM J. Math. Anal.* 29 (1998) 1519–1536.
- [75] G. I. Shishkin, Mesh approximation of singularly perturbed boundary-value problems for systems of elliptic and parabolic equations, *Comput. Math. Math. Phys.* 35 (1995) 429–446.
- [76] N. Madden, M. Stynes, A uniformly convergent numerical method for a coupled system of two singularly perturbed linear reaction-diffusion problems, *IMA J. Numer. Anal.* 23 (2003) 627–644.
- [77] V. Franklin, M. Paramasivam, S. Valarmathi, J. Miller, Second order parameter-uniform convergence for a finite difference method for a singularly perturbed linear parabolic system, arXiv preprint arXiv:1008.2470.
- [78] T. Linss, N. Madden, Accurate solution of a system of coupled singularly perturbed reaction-diffusion equations, *Computing* 73 (2004) 121–133.

