

List of Tables

| | | |
|-----|---|----|
| 2.1 | Maximum errors $E_\varepsilon^{N,\Delta t}$, $E^{N,\Delta t}$ and uniform rate of convergence $\rho^{N,\Delta t}$ for Example 2.4.1. | 26 |
| 2.2 | Maximum errors $E_\varepsilon^{N,\Delta t}$, $E^{N,\Delta t}$ and uniform rate of convergence $\rho^{N,\Delta t}$ for Example 2.4.1. | 26 |
| 2.3 | Number of iterations required by the method for Example 2.4.1. | 26 |
| 2.4 | Maximum errors $E_\varepsilon^{N,\Delta t}$, $E^{N,\Delta t}$ and uniform rate of convergence $\rho^{N,\Delta t}$ for Example 2.4.2. | 27 |
| 2.5 | Maximum errors $E_\varepsilon^{N,\Delta t}$, $E^{N,\Delta t}$ and uniform rate of convergence $\rho^{N,\Delta t}$ for Example 2.4.2. | 28 |
| 2.6 | Number of iterations required by the method for Example 2.4.2. | 28 |
| 2.7 | The used CPU time in seconds for both the examples with $\varepsilon = 10^{-5}$ | 29 |
| 3.1 | Errors $E_\varepsilon^{N,\Delta t}$ and $E^{N,\Delta t}$, and convergence rates $\rho^{N,\Delta t}$ for Example 3.3.1. . | 42 |
| 3.2 | Number of iterations required by the algorithm to converge for Example 3.3.1. | 42 |
| 3.3 | Errors $E_\varepsilon^{N,\Delta t}$ and $E^{N,\Delta t}$, and convergence rates $\rho^{N,\Delta t}$ for Example 3.3.2. . | 43 |
| 3.4 | Number of iterations required by the algorithm to converge for Example 3.3.2. | 43 |
| 3.5 | The used CPU time in seconds for both the examples with $\varepsilon = 10^{-6}$ | 44 |
| 4.1 | The errors $E_{\varepsilon_1}^{N,\Delta t}$ and $E^{N,\Delta t}$, and the convergence rates $\varrho_{\varepsilon_1}^{N,\Delta t}$ and $\varrho^{N,\Delta t}$ for Example 4.4.1. | 59 |
| 4.2 | Number of iterations taking $\varepsilon_1 = 10^{-8}$ for Example 4.4.1. | 60 |
| 4.3 | The errors $E_{\varepsilon_1}^{N,\Delta t}$ and $E^{N,\Delta t}$, and the convergence rates $\varrho_{\varepsilon_1}^{N,\Delta t}$ and $\varrho^{N,\Delta t}$ for Example 4.4.1. | 60 |
| 4.4 | The errors $E_{\varepsilon_1}^{N,\Delta t}$ and $E^{N,\Delta t}$, and the convergence rates $\varrho_{\varepsilon_1}^{N,\Delta t}$ and $\varrho^{N,\Delta t}$ for Example 4.4.2. | 62 |
| 4.5 | Number of iterations taking $\varepsilon_1 = 10^{-8}$ for Example 4.4.2. | 62 |
| 4.6 | The errors $E_{\varepsilon_1}^{N,\Delta t}$ and $E^{N,\Delta t}$, and the convergence rates $\varrho_{\varepsilon_1}^{N,\Delta t}$ and $\varrho^{N,\Delta t}$ for Example 4.4.2. | 63 |
| 4.7 | Number of iterations taking $\varepsilon_1 = 10^{-8}$ for Example 4.4.3. | 63 |

| | | |
|------|---|-----|
| 4.8 | The errors $E_{\varepsilon_1}^{N,\Delta t}$ and $E^{N,\Delta t}$, and the convergence rates $\varrho_{\varepsilon_1}^{N,\Delta t}$ and $\varrho^{N,\Delta t}$ for Example 4.4.3. | 64 |
| 4.9 | The errors $E_{\varepsilon_1}^{N,\Delta t}$ and $E^{N,\Delta t}$, and the convergence rates $\varrho_{\varepsilon_1}^{N,\Delta t}$ and $\varrho^{N,\Delta t}$ for Example 4.4.3. | 64 |
| 4.10 | The used CPU time in seconds for Examples 4.4.1 and 4.4.2 with $\varepsilon_1 = 10^{-8}$, $\varepsilon_2 = 10^{-7}$. | 66 |
| 5.1 | Errors $E_{n,\varepsilon_1}^{N,\Delta t}$ and $E_n^{N,\Delta t}$, and convergence rates $\varrho_{n,\varepsilon_1}$ and ϱ_n^{unif} for Example 5.4.1. | 83 |
| 5.2 | Errors $E_{n,\varepsilon_1}^{N,\Delta t}$ and $E_n^{N,\Delta t}$, and convergence rates $\varrho_{n,\varepsilon_1}$ and ϱ_n^{unif} for Example 5.4.2. | 84 |
| 5.3 | Iteration counts for fixed $\varepsilon_1 = 10^{-8}$ in Example 5.4.1. | 85 |
| 5.4 | Iteration counts for fixed $\varepsilon_1 = 10^{-8}$ in Example 5.4.2. | 85 |
| 6.1 | Errors $E_{n,\varepsilon_1}^{N,\Delta t}$ and $E_n^{N,\Delta t}$, and convergence rates $\varrho_{n,\varepsilon_1}^{N,\Delta t}$ and $\varrho_n^{N,\Delta t}$ for Example 6.3.1. | 100 |
| 6.2 | Iteration counts k_1 (k_2) for the proposed method (for the method given in Chapter 4) taking fixed $\varepsilon_1 = 10^{-8}$ for Example 6.3.1. | 101 |
| 6.3 | Errors $E_{n,\varepsilon_1}^{N,\Delta t}$ and $E_n^{N,\Delta t}$, and convergence rates $\varrho_{n,\varepsilon_1}^{N,\Delta t}$ and $\varrho_n^{N,\Delta t}$ for Example 6.3.2. | 102 |
| 6.4 | Iteration counts k_1 (k_2) for the proposed method (for the method given in Chapter 4) taking fixed $\varepsilon_1 = 10^{-8}$ for Example 6.3.2. | 103 |
| 6.5 | The used CPU time in seconds for Examples 6.3.1 and 6.3.2 with $\varepsilon_1 = 10^{-8}$, $\varepsilon_2 = 10^{-7}$. | 104 |