

LIST OF FIGURES

Figure No	Figure Caption	Page No
Figure 1.1	Classification of nano-particles	3
Figure 1.2	Bottom-up and top-down approaches for synthesizing nano-particles	4
Figure 1.3	Advantages of green synthesis using plant components over microorganisms	6
Figure 2.1	Mechanism of TiO ₂ nano-particles synthesis from TiCl ₄ and <i>Jatropha curcas</i> leaf extract	16
Figure 2.2	Mechanism of TiO ₂ nanoparticles synthesis taking TTIP as metal precursor and <i>Desmodium gangeticum</i> root extract as reducing agent	19
Figure 2.3	Mechanism of TiO ₂ nanoparticles synthesis taking TiO(OH) ₂ as metal precursor and <i>Annona squamosa</i> peel extract as reducing agent	20
Figure 3.1	Preparation of <i>Syzygium cumini</i> (Jamun) leaves extract	44
Figure 3.2	Green synthesis of TiO ₂ nanoparticles	45
Figure 3.3	Antibacterial property test	47
Figure 3.4	X-ray patterns of TiO ₂ NPs at (a) 2:1, (b) 1:1, (c) 1:2 ratio of leaf extract to metal precursor	48
Figure 3.5	HRSEM-EDX of synthesized TiO ₂ NPs (a) TiO ₂ (2:1), (b) TiO ₂ (1:1), and (c) TiO ₂ (1:2)	50
Figure 3.6	TEM analysis and SAED pattern of synthesized TiO ₂ NPs at (a) 2:1 (b) 1:1 and (c) 1:2 ratio of leaf extract to metal precursor	52
Figure 3.7	Particle size distribution of synthesized TiO ₂ NPs at (a) 2:1 (b) 1:1 and (c) 1:2 ratio of leaf extract to metal precursor	53
Figure 3.8	N ₂ adsorption–desorption isotherms of synthesized TiO ₂ NPs at (a) 2:1 (b) 1:1 and (c) 1:2 ratio of leaf extract to metal	54

	precursor	
Figure 3.9	UV- Visible spectra of synthesized TiO ₂ NPs (a) 2:1 (b) 1:1 and (c) 1:2 ratio of leaf extract to metal precursor	55
Figure 3.10	FTIR plot of (a) <i>Syzygium cumini</i> (jamun) extract; (b) Synthesized TiO ₂ NPs	56
Figure 3.11	Zeta potential analysis of TTIP solution and TTIP with <i>Syzygium cumini</i> (jamun) extract	58
Figure 3.12	Antibacterial test of the synthesized TiO ₂ NPs by Inhibition zone formation	59
Figure 4.1	TiO ₂ used as photo catalyst for removal of lead (Pb)	66
Figure 4.2	COD analysis measurement steps	68
Figure 4.3	(a) Pb removal profile in UV and dark condition in the presence of synthesized TiO ₂ NPs; (b) Kinetic data for Pb removal with synthesized TiO ₂ NPs.	71
Figure 4.4	(a) COD removal profile in UV light; (b) First order kinetics plot for COD removal with the synthesized TiO ₂ nanoparticles.	72
Figure 5.1	Photo catalytic degradation of methylene blue dye	79
Figure 5.2	FTIR plots of (a) TiO ₂ NPs, (b) PDMS nanocomposite polymer	80
Figure 5.3	Contact angle analysis at the PDMS surface and PDMS-TiO ₂ surface	81
Figure 5.4	UV spectra of methylene blue with time (a) without TiO ₂ NPs (b) with TiO ₂ NPs	82
Figure 5.5	Percentage degradation of dye with time	82
Figure 5.6	Pseudo-first-order kinetics for degradation of methylene blue with and without TiO ₂ NPs	83
Figure 5.7	Reusability of immobilized TiO ₂ Nanoparticles	85
Figure 6.1	Synthesis processes of SiO ₂ nanoparticles from bamboo leaf	90
Figure 6.2	Immobilization of nanoparticles on PDMS polymer	91
Figure 6.3	X-Ray diffraction patterns of SiO ₂ nanoparticles at different	93

	NaOH concentration	
Figure 6.4	FTIR spectra of synthesized SiO ₂ nanoparticles at different NaOH concentration	94
Figure 6.5	HRSEM-EDAX image of synthesized SiO ₂ nanoparticles at (a) 0.5M NaOH (b) 1.0M NaOH	95
Figure 6.6	(a) Particle size distribution, (b) N ₂ Adsorption/desorption isotherm of synthesized SiO ₂ nanoparticles at different NaOH concentration.	97
Figure 6.7	(a) UV spectra of MB solution at different time interval, (b) MB degradation versus time (c) plots for pseudo-first order in photocatalytic degradation	98
Figure 6.8	Reusability of immobilized TiO ₂ /SiO ₂ /PDMS Film	99