



REFERENCES

REFERENCES

1. Akita, K., Yoshida, F. 1973. Gas holdup and volumetric mass transfer coefficient in bubble columns. *Ind. Eng. Chem. Process. Des. Develop.* 12(1):76-80.
2. Ahmed, F. S., Sensenich, B. A., Gheni, S. A., Znerdstroovic, D., Al-Dahhan, M. H. 2015. Bubble Dynamics in 2D Bubble Column: Comparison between high-speed camera imaging analysis and 4-point optical probe. *Chem. Eng. Commun.* 202:85–95.
3. Akita, K., Yoshida, F. 1974. Bubble size, interfacial area, and liquid-phase mass transfer coefficient in bubble columns. *Ind. Eng. Chem. Process Des. Dev.* 13(1): 84-91.
4. Al-Masry, W. A., Ali, E. M. 2007. Identification of hydrodynamics characteristics in bubble columns through analysis of acoustic sound measurements—Influence of the liquid phase properties. *Chem. Eng. Process.* 46:127–138.
5. Al-Masry, W. A., Ali, E. M., Aqeel, Y. 2006. M. Effect of antifoam agents on bubble characteristics in bubble columns based on acoustic sound measurements. *Chem. Eng. Sci.* 61:3610-3622.
6. Al-Masry, W. A., Ali, E. M., Aqeel, Y.M. 2005. Determination of bubble characteristics in bubble columns using statistical analysis of acoustic sound measurements. *Int. J. Chem. Eng.* 83:1196-1207.
7. Al-Masry, W.A., Ali, E.M. 2007. Identification of hydrodynamics characteristics in bubble columns through analysis of acoustic sound measurements—Influence of the liquid phase properties. *Chem. Eng. Proc.* 46:127–138.
8. Alvare, J., Al-Dahhan,M.H. 2006. Gas Holdup in Trayed Bubble Column Reactors. *Ind. Eng. Chem. Res.* 45:3320-3326.
9. Alvarez, E. A., Sanjurjo, B., Cancela, A. Navaza, J. M. 2000. Mass transfer and influence of physical properties of solutions in a bubble column, *Chem. Eng. Res. Des.* 78:889-893.
10. Amirnia, S. deBruyn, J. R. Bergougnou, M. A. Margaritis. 2013. Continuous rise velocity of air bubbles in non-Newtonian biopolymer solutions. *Chem. Eng. Sci.* 94:60–68.
11. Anabtawi, M. Z. A., Abu-Eishah, S. I., Hilal, N., Nabhan, M. B. W. 2003. Hydrodynamic studies in both bi-dimensional and three-dimensional bubble columns with a single sparger. *Chem. Eng. Process.* 42:403-408.
12. Anastasiou, A. D., Kazakis, N. A., Mouza, A. A., Paras, S. V. 2010. Effect of organic surfactant additives on gas holdup in the pseudo-homogeneous regime in bubble columns equipped with fine pore sparger, *Chem. Eng. Sci.* 65:5872-5880.

13. Anastasiou, A. D., Passos, A. D., Mouza, A. A. 2013. Bubble columns with fine pore sparger and non-Newtonian liquid phase: Prediction of gas holdup, *Chem. Eng. Sci.* 98:331–338.
14. Asgharpour, M., Mehrnia, M. R, Mostoufi, N. 2010. Effect of surface contaminants on oxygen transfer in bubble column reactors. *Biochem. Eng. J.* 49:351–360.
15. Azizi, S., Yadav, A., Lau, Y.M., Hampel, U., Roy, S., Schubert, M. 2019. Hydrodynamic correlations for bubble columns from complementary UXCT and RPT measurements in identical geometry and conditions. *Chem. Eng. Sci.* doi: <https://doi.org/10.1016/j.ces.2019.07.017>
16. B. Bhatia, B., Nigam, K. D. P., Auban, D., Hebrard, G. 2004. Effect of a new high porosity packing on hydrodynamics and mass transfer in bubble columns. *Chem. Eng. Process.* 43:1371-1380.
17. Bach, H. F., Pilhofer, T. 1978. Variation of gas holdup in bubble columns with physical properties of liquids and operating parameters of columns, *Ger. Chem. Eng.* 1:270-275.
18. Baz-Rodriguez, S. A., Botello-Alvarez, J. E., Estrada-Baltazar, A., Vilchiz-Bravo, K. E., Padilla-Medinad, J. A. Miranda-Lopez, R. 2014. Effect of electrolytes in aqueous solutions on oxygen transfer in gas–liquid bubble columns. *Chem. Eng. Res. Des.* 92:2352-2360.
19. Behkish, A., Lemoine, R., Oukaci, R., Morsi, B. I. 2006. Novel correlations for gas holdup in large-scale slurry bubble column reactors operating under elevated pressures and temperatures. *Chem. Eng. J.* 115:157-171.
20. Behkish, Z. Mena, J.R. Inga, and B.I. Morsia, Mass transfer characteristics in a large-scale slurry bubble column reactor with organic liquid mixtures, *Chem. Eng. Sci.*, 57(2002) 3307-3324.
21. Besagni, G., Inzoli, F. 2016. Comprehensive experimental investigation of counter-current bubble column hydrodynamics: Holdup, flow regime transition, bubble size distributions and local flow properties. *Chem. Eng. Sci.* 146:259–290.
22. Besagni, G., Inzoli, F. 2016. Bubble size distributions and shapes in annular gap bubble column. *Exp. Therm Fluid Sci.* 74:27–48.
23. Besagni, G., Gallazzini, L., Inzoli, F. 2018. On the scale-up criteria for bubble columns. *Petroleum.* <https://doi.org/10.1016/j.petlm.2017.12.005>.
24. Besagni,G., Inzoli, F., Guido, G. D., Pellegrini, L. A. 2017. The dual effect of viscosity on bubble column hydrodynamics. *Chem. Eng. Sci.* 158:509-538.
25. Birrer, F. R., Böhm, U. 2004. Gas–liquid dispersions in structured packing with high-viscosity liquids. *Chem. Eng. Sci.* 59:4385-4392.
26. Bouaifi, M., Hebrard, G., Bastoul, D., Roustan, M. 2001. A comparative study of gas hold-up, bubble size, interfacial area and mass transfer coefficients in stirred gas–liquid reactors and bubble columns. *Chem. Eng. Process.* 40:97-111.
27. Buchholz, R., Schügerl, K. 1979. Bubble Column Bioreactors: I-Methods for measuring the bubble size. *European J. Appl. Microbiol. Biotechnol.* 6:301-313.

28. Bukur, D. B., Patel, S. A. 1989. Hydrodynamics studies with foaming and non-Newtonian solutions in bubble column. *Can. J Chem. Eng.* 67:741-751.
29. Cachaza, E. M., Diaz, M. E., Montes, F. J., Galan, M. A. 2011. Unified study of flow regimes and gas holdup in the presence of positive and negative surfactants in a non-uniformly aerated bubble column. *Chem. Eng. Sci.* 66:4047-4056.
30. Camarasa, E., Vial, C., Poncin, S., Wild, G., Midoux, N. Bouillard, J. 1999. Influence of coalescence behaviour of the liquid and of gas sparging on hydrodynamics and bubble characteristics in a bubble column. *Chem. Eng. Processing*. 38:329-334.
31. Cents, A. H. G., Jansen, D. J. W., Brilman, D.W.F., Versteeg, G. F. 2005. Influence of Small Amounts of Additives on Gas Hold-Up, Bubble Size, and Interfacial Area. *Ind. Eng. Chem. Res.* 44:4863-4870.
32. Chen, P. C., Shi, W., Du, R., Chen, V. 2008. Scrubbing of CO₂ Greenhouse Gases, Accompanied by Precipitation in a Continuous Bubble-Column Scrubber. *Ind. Eng. Chem. Res.* 47:6336-6343.
33. Chisti, Y., Moo-Young, M. 1989. On the calculation of shear rate and apparent viscosity in airlift and bubble column bioreactors. *Bioeng. Biotechnol.* 34:1391-1392.
34. Choi, K. H., Chisti, Y., Moo-Young, M. 1996. Comparative evaluation of hydrodynamic and gas liquid mass transfer characteristics in bubble column and airlift slurry reactors. *Chem. Eng. J.* 62:223-229.
35. Clift, R., Grace, A. R. and Weber, M. E. 1978. Bubble, Drops and Particles. Academic Press: New York.
36. Cordero, J. R. V., Zenit, R. 2011. Bubble cluster formation in shear-thinning inelastic bubbly columns. *J. Non-Newtonian Fluid Mech.* 166:32–41.
37. Cordero, J. R. V., Zenit, R. 2012. Study of the properties of bubbly flows in Boger-type fluids. *J. Non-Newtonian Fluid Mech.* 175–176:1–9.
38. Deckwer, W.-D., Nguyen-Tien, K., Schumpe, A. Serpemen, Y. 1982. Oxygen Mass Transfer into Aerated CMC Solutions in a Bubble Column. *Biotechnol. Bioeng.* 24:461-481.
39. Degaleesan, S., Dudukovic, M.P., Toseland, B.A., Bhatt, B.L. 1997. A Two-Compartment Convective-Diffusion Model for Slurry Bubble Column Reactors, *Ind. Eng. Chem. Res.* 36:4670-4680.
40. Esmaeili, A., Guy, C., Chaouki, J. 2015. The effects of liquid phase rheology on the hydrodynamics of a gas–liquid bubble column reactor. *Chem. Eng. Sci.* 129: 193–207.
41. Fan, L.S. and Tsuchiya, K. 1990. Bubble Wake Dynamics in Liquids and Liquid-Solid Suspensions. Butterwworth-Heinemann:Stoneham.
42. Feng, D. Ferrasse, J. H., Soric, A., Boutin, O. 2019. Bubble characterization and gas–liquid interfacial area in two phase gas–liquid system in bubble column at low Reynolds number and high temperature and pressure. *Chem. Eng. Res. Des.* 144:95–106.

43. Fransolet, E., Crine, M., Marchot, P., Toye, D. 2005. Analysis of gas holdup in bubble columns with non-Newtonian fluid using electrical resistance tomography and dynamic gas disengagement technique. *Chem. Eng. Sci.* 60:6118-6123.
44. Fu, Y., Liu, Y. 2016. Development of a robust image processing technique for bubbly flow measurement in a narrow rectangular channel. *Int. J. Multiphase Flow.* 84:217–228.
45. Gómez-Díaz, D., Navaza, J.M., Sanjurjo. B. 2008. Interfacial area evaluation in a bubble column in the presence of a surface-active substance Comparison of methods. *Chem. Eng. J.* 144:379–385.
46. Gaddis, E., Vogelpohl, A. 1986. Bubble Formation in Quiescent Liquids under Constant Flow Conditions. *Chem. Eng. Sci.* 41(1):97-105.
47. Godbole, S. P., Honath, M. F., Shah, Y.T. 1982. Holdup Structure in Highly Viscous Newtonian and Non-Newtonian Liquids in Bubble Columns. *Chem. Eng. Commun.* 16: 119-134.
48. Godbole, S. P., Schumpe, A., Shah, Y.T., Carr, N.L. 1984. Hydrodynamics and mass transfer in non-Newtonian solutions in a bubble column. *AICHEJ.* 30:213-220.
49. Gomez-Diaz, D., Navaza, J. M. Quintans-Riveiro, L.C., Sanjurjo, B. 2009. Gas absorption in bubble column using a non-Newtonian liquid phase. *Chem. Eng. J.* 146:16–21.
50. Guy, C., Carreau, P. J., Paris, J. 1986. Mixing characteristics and gas hold-up of a bubble column. *Can. J. Chem. Eng.* 64:23–35.
51. Haque, M. W., Nigam, K. D. P., Vishwanathan, R., Joshi, J. B. 1987. Studies on gas holdup and bubble parameters in bubble columns with (carboxymethyl) cellulose solutions. *Ind. Eng. Chem. Res.* 26:86-91.
52. Hikita, H., Asai, S., Tanigawa, K., Segawa, K., Kitao, M. 1980. Gas hold up in bubble columns. *Chem. Eng. J.* 20:59-67.
53. Hinze, J.O. 1975. Turbulence, 2nd ed. New York: McGraw-Hill.
54. Hughmark, G. A. 1967. Holdup and mass transfer in bubble columns. *Ind. Eng. Chem. Proc. Des. Dev.* 6(2):218-220.
55. IS 4016:2002. Density Composition Tables for Aqueous Solutions of Sodium Hydroxide. Bureau of Indian Standards.
56. Jamialahmadi, M., Zehtabani, H., M.R., Müller-Steinhagen, H., Sarrafi, A., Smith, J. M. 2001. Study of Bubble Formation under Constant Flow Conditions. *Chem. Eng. Res. Des.* 79:523-532.
57. Jamshidi, N., Mostoufi, N 2018. Investigating bubble dynamics in a bubble column containing shear thinning liquid using a dual-tip probe. *Exp. Thermal Fluid Sci.* 94:34-48.
58. Jasima,A. A., Sultana,A. J., Al-Dahhana,M. H. 2019. Influence of heat-exchanging tubes diameter on the gas holdup and bubble dynamics in a bubble column. *Fuel.* 236:1191-1203.

59. Jerome, F. S., Tseng, J. T., Fan, L. T. 1968. Viscosities of Aqueous Glycol solutions. *J. Chem. Eng. Data.* 13(4):496-496.
60. Jin , H., Lian, Y., Qin, Y., Yang, S., He, G. 2013. Distribution characteristics of holdups in a multi-stage bubble column using electrical resistance tomography, *Particuology*. 11:225– 231.
61. Jin, H., Lian, Y., Yang, S., He, G., Guo, Z. 2013. The parameters measurement of air-water two phase flow using the electrical resistance tomography (ERT) technique in a bubble column, *Flow Meas. Instrum.* 31:55-60.
62. Jin, H., Wangb, M., Williams, R. A. 2007. Analysis of bubble behaviors in bubble columns using electrical resistance tomography. *Chem. Eng. J.*, 130:179-185.
63. Jin, H., Yang, S., He, G., Liu, D., Tong, Z., Zhu, J. 2014. Gas–Liquid Mass Transfer Characteristics in a Gas–Liquid–Solid Bubble Column under Elevated Pressure and Temperature. *Chin. J. Chem. Eng.* 22:955-961.
64. Jordan, U., Schumpe, A. 2001. The gas density effect on mass transfer in bubble columns with organic liquids. *Chem. Eng. Sci.* 56:6267-6272.
65. Joshi, J.B., and Sharma, M.M. 1979. A circulation cell model for bubble columns. *Chem. Eng. Res. Des.* 57: 244–251.
66. Kanaris, A., Pavlidis, T., Chatzidafni, A., Mouza, A. 2018. The Effects of the Properties of Gases on the Design of Bubble Columns Equipped with a Fine Pore Sparger. *Chem Eng.* 2(1), 11. doi:10.3390/chemengineering2010011
67. Kantak, M. V., Hesketh, R. P., Kelkar, B. G. 1995. Effect of gas and liquid properties on gas phase dispersion in bubble columns. *Chem. Eng. J.* 59:91-100.
68. Kantarci, N., Borak, F., Ulgen, K. O. 2005. Bubble column reactors, *Process Biochem.* 40:2263-2283.
69. Kara, S., Kelkar, B. G., Shah, Y.T., 1982. Hydrodynamics and Axial Mixing in a Three-phase Bubble Column. *Ind. Eng. Chem. Prod. Res. Dev.* 21:584-594.
70. Karn, A., Ellis, C., Arndt, R., Hong, J. 2015. An integrative image measurement technique for dense bubbly flows with a wide size distribution. *Chem. Eng. Sci.* 122:240–249.
71. Kawase, Y., Kumagai, T. 1991. Apparent viscosity for non-Newtonian fermentation media in bioreactors. *Bioprocess Eng.* 7:25-28.
72. Kawase, Y., Moo-Young, M. 1989. Hydrodynamics in Bubble column bioreactors with fermentation broths having a yield stress. *Appl. Microbiol. Biotechnol.* 30:596-603.
73. Kazakis, N. A., Papadopoulos, I. D., Mouza, A. A. 2007. Bubble columns with fine pore sparger operating in the pseudo-homogeneous regime: Gas hold up prediction and a criterion for the transition to the heterogeneous regime. *Chem. Eng. Sci.* 62:3092-3103.
74. Khamadieva, R., Böhm, U. 2006. Mass transfer to the wall of a packed and unpacked bubble column operating with Newtonian and non-Newtonian liquids. *Chem. Eng. J.* 116:105-113.

75. Klein, J., Maia, J., Vicente, A. A., Domingues, L., Teixeira, J. A., Jurascik, M. 2005. Relationships between hydrodynamics and rheology of flocculating yeast suspensions in a high-cell-density airlift bioreactor. *Biotechnol Bioeng.* 89(4): 393-399.
76. Koide, K., Takazawa, A., Komura, M., Matsunga, H. 1984. Gas Holdup and Volumetric Liquid Phase Mass Transfer Coefficient in Solid-Suspended Bubble Column. *J Chem. Eng. Japan.* 17(5):450-460.
77. Kojima, E., Akehata, T., Shirai, T. 1968. Rising Velocity and Shape of Single Bubbles in Highly Viscous Liquids. *J Chem. Eng. Japan.* 1(1):45-50.
78. Kojima, H., Sawai, J., Suzuki, H. 1997. Effect of pressure on volumetric mass transfer coefficient and gas holdup in bubble column. *Chem. Eng. Sci.* 52:4111-4116.
79. Kumar, A., Degaleesan, T. E., Laddha, G. S. and Hoelscher, H. E. 1976. Bubble swarm characteristics in bubble columns. *Can. J. Chem. Eng.* 54:503-508.
80. Lau, Y. M., Deen, N. G., Kuipers, J. A. M. 2013a. Development of an image measurement technique for size distribution in dense bubbly flows. *Chem. Eng. Sci.* 94:20-29.
81. Lau, Y. M., Sujatha, K. T., Gaeini, M., Deen, N. G., Kuipers, J. A. M. 2013b. Experimental study of the bubble size distribution in a pseudo-2D bubble column. *Chem. Eng. Sci.* 98:203-211.
82. Legendre, D., Zenit, R., Velez-Cordero, J. R. 2012. On the deformation of gas bubbles in liquids. *Physics of Fluids* 24(4), 043303. doi:10.1063/1.4705527.
83. Loth, E. 2008. Quasi-steady shape and drag of deformable bubbles and drops," *Int. J. Multiphase Flow.* 34:523-546.
84. Maceiras, R., Álvarez, E., Cancela, M. A. 2010. Experimental interfacial area measurements in a bubble column. *Chem. Eng. J.* 163:331-336.
85. Majumder, S. K., Kundu, G., Mukherjee, D. 2006. Bubble size distribution and gas-liquid interfacial area in a modified downflow bubble column. *Chem. Eng. J.* 122:1-10.
86. Millies, M., Mewas, D. 1999. Interfacial area density in bubbly flow. *Chem. Eng. Process.* 38:307-319.
87. Mok, Y.K., Kim, Y.H., Kim, S.Y. 1990. Bubble and gas holdup characteristics in a bubble column of CMC solution. *Kor. J. Chem. Eng.* 7:31-39.
88. Moore, D. W. 1959. The rise of a gas bubble in a viscous liquid," *J. Fluid Mech.* 6: 113-130.
89. Mouza, A. A., Dalakoglou, G. K., Paras, S. V. 2005. Effect of liquid properties on the performance of bubble column reactors with fine pore spargers. *Chem. Eng. Sci.* 60:1465-1475.
90. Mouza, A. A. 2018. Design of bubble columns equipped with porous sparger. *Materials Today: Proceedings.* 5:27572-27581.
91. Nakanishi, K., Matsumoto, T., Hayatsu, M. 1971. Surface tension of aqueous solutions of some glycols. *J. Chem. Eng. Data.* 16:144-145.

92. Nedeltchev, S., Jordan, U., Schumpe, A. 2007. Correction of the penetration theory based on mass-transfer data from bubble columns operated in the homogeneous regime under high pressure. *Chem. Eng. Sci.* 62:6263-6273.
93. Nishikawa, M., Kato, H., Hashimoto, K. 1977. Heat Transfer in aerated tower filled with non-Newtonian liquid. *Ind. Eng. Chem. Process Des. Dev.* 16(1): 133-137.
94. Perez, J. A. S., Porcel, E. M. R., Lopez, J. L. C.;, Sevilla, J. M. F., Chisti, Y. 2006. Shear rate in stirred tank and bubble column reactors. *Chem. Eng. J.* 124:1-5.
95. Pohorecki, R., Moniuk, W., Bielski, P., Sobieszuk, P. 2005. Diameter of Bubbles in Bubble Column Reactors Operating with Organic Liquids. *Chem. Eng. Res. Des.* 83(A7):827–832.
96. Pohorecki, R., Moniuk, W., Zdrojkowski, A. 1999. Hydrodynamics of a bubble column under elevated pressure. *Chem. Eng. Sci.* 54:5187-5193.
97. Pohorecki, R., Moniuk, W., Zdrojkowski, A., Bielski, P. 2001. Hydrodynamics of a pilot plant bubble column under elevated temperature and pressure. *Chem. Eng. Sci.* 56:1167-1174.
98. Raymond, F., Rosant, J. M. 2000. A Numerical and Experimental Study of the Terminal Velocity and Shape of Bubbles in Viscous Liquids. *Chem. Eng. Sci.* 55:943-955.
99. Reilly, L. G., Scott, D. S., De Brujin, T., Jain, A., Piskorz, J. 1986. A correlation for gas holdup in turbulent coalescing bubble columns. *Can. J. Chem. Eng.* 64:705–717.
100. Renjun, Z., Xinzheng, J., Baozhang, L., Yong, Z., Laiqi, Z. 1988. Studies on Gas Holdup in a Bubble Column Operated at Elevated Temperatures, *Ind. Eng. Chem. Res.* 27:1910-1916.
101. Rollbusch, P., Bothe, M., Becker, M., Ludwig, M. Grünwald, M., Schlüter, M., Franke, R. 2015. Bubble columns operated under industrially relevant conditions – Current understanding of design parameters. *Chem. Eng. Sci.* 126:660–678.
102. Ryu, H.W., Chang, Y.K., Kim, S.D. 1993. Gas holdup and mass transfer characteristics of carboxymethyl cellulose solutions in a bubble column with a radial gas sparger. *Bioproc. Eng.* 8:271-277.
103. Sada, E., Katoh, S., Yoshil, H., Yamanishi, T., Nakanishi, A. 1984. Performance of the Gas Bubble Column in Molten Salt Systems, *Ind. Eng. Chem. Prod. Res. Dev.* 23:151-154.
104. Sada, E., Kumarawa, H., Lee, C., Jiwara, N. F. 1985. Gas-Liquid Mass Transfer Characteristics in a Bubble Column with Suspended Sparingly Soluble Fine Particles. *Ind. Eng. Chem. Prod. Res. Dev.* 24:255-261.
105. Sada, E., Kumazawa, H., Lee, C., Iguchi, T. 1986. Gas Holdup and Mass-Transfer Characteristics in a Three-phase Bubble Column, *Ind. Eng. Chem. Prod. Res. Dev.* 25:472-476.

106. Sal, S., Gul, O. F., Ozdemir, M. 2013. The effect of sparger geometry on gas holdup and regime transition points in a bubble column equipped with perforated plate spargers. *Chem. Eng. Process.* 70:259–266.
107. Salierno, G. L., Fraguío, M. S., Piovano, S., Cassanello, M., Cardona, M. A., Hojman, D., Somacal, H. 2012. Bubble columns dynamics inferred from the motion of a radioactive tracer followed by axially aligned detectors. *Chem. Eng. J.* 207–208:450–461.
108. Sasaki, S., Hayashi, K. Tomiyama, A. 2016. Effects of liquid height on gas holdup in air–water bubble column. *Exp. Therm. Fluid Sci.* 72:67–74.
109. Schaaf, J. V., Chilekar, V. P., Van Ommen, J. R., Kuster, B. F. M., Tinge, J. T., Schouten, J. C. 2007. Effect of particle lyophobicity in slurry bubble columns at elevated pressures. *Chem. Eng. Sci.* 62:5533–5537.
110. Schäfer, R.C., Merten, C., Eigenberger, G. 2002. Bubble size distributions in a bubble column reactor under industrial conditions. *Exp. Therm. Fluid Sci.* 26: 595–604.
111. Schumpe, A., Deckwer, W. D. 1982. Gas Holdups, Specific Interfacial Areas, and Mass Transfer Coefficients of Aerated Carboxymethyl Cellulose Solutions in a Bubble Column. *Ind. Eng. Chem. Process Des. Dev.* 21:706–711.
112. Schumpe, A., Deckwer, W. D. 1987. Viscous media in tower bioreactors: Hydrodynamic characteristics and mass transfer properties. *Bioprocess Eng.* 2:79–94.
113. Shah, Y. T., Kelkar, R. G., Godbole, S. P. 1982. Design Parameters Estimations for Bubble Column Reactor. *AIChE J.*, 28(3):353–378.
114. Sharaf, S., Zednikova, M., Ruzicka, M. C., Azzopardi, B. J. 2016. Global and local hydrodynamics of bubble columns – Effect of gas distributor. *Chem. Eng. J.* 288:489–504.
115. Slezak, M. 2015. Mathematical Models for calculating the value of dynamic viscosity of a liquid. *Arch. Metall. Mater.* 60(2):581–589.
116. Syeda, S.R., Afacan, A., Chuang, K.T. 2002. Prediction of gas hold-up in a bubble column filled with pure and binary liquids. *Can. J. Chem. Eng.* 80:44–50.
117. Tadaki, T. 1961. On the shape and velocity of single air bubbles rising in various liquids. *Kagaku Kogaku*. 25:254–264. <https://doi.org/10.1252/jcej.1.45>.
118. Thaker, K. Rao, D. P. 2007. Effects of Gas Redispersion and Liquid Height on Gas-Liquid Hydrodynamics in a Multistage Bubble Column. *Trans IChemE, Part A, Chem. Eng. Res. Des.* 85(A10):1362–1374.
119. Therning, P., Rasmussen, A. 2006. Mass transfer measurements in a non-isothermal bubble column using the uncatalyzed oxidation of sulphite to sulphate. *Chem. Eng. J.* 116:97–103.
120. Thorat, B. N., Joshi, J. B. 2004. Regime Transition in Bubble Columns: Experimental and Predictions. *Exp. Therm. Fluid Sci.* 28:423–430.

121. Tian, Z., Cheng, Y., Li, X., & Wang, L. 2019. Bubble shape and rising velocity in viscous liquids at high temperature and pressure. *Exp. Therm Fluid Sci.* 102:528–538. doi:10.1016/j.expthermflusci.2018.12.018
122. Urseanu, M. I., Guit, R. P. M., Stankiewicz, A., Van Kranenburg, G., Lommen, J. H. G. M. 2003. Influence of operating pressure on the gas hold-up in bubble columns for high viscous media. *Chem. Eng. Sci.* 58:697-704.
123. Vazquez, A., Manasseh, R., Sánchez, R. M., Metcalfe, G., 2008. Experimental comparison between acoustic and pressure signals from a bubbling flow. *Chem. Eng. Sci.* 63:5860-5869
124. Vazquez, A., Sanchez, R.M., Salinas-Rodriguez, E., Soria, A., Manasseh R. 2005. A look at three measurement techniques for bubble size determination. *Exp. Therm Fluid Sci.* 30:49–57.
125. Vazquez, A., Sanchez, R.M., Salinas-Rodriguez, E., Soria, A., Manasseh R. 2005. A look at three measurement techniques for bubble size determination. *Exp. Therm Fluid Sci.* 30:49–57.
126. Vazquez, G., Cancela, M. A., Riverol, C., Alvarez, E., Navaza, J. M. 2000a. Determination of Interfacial Areas in a Bubble Column by Different Chemical Methods. *Ind. Eng. Chem. Res.* 39:2541-2547.
127. Vazqueza, G., Cancela, M. A., Riverol, C., Alvarez, E., Navaza, J.M. 2000b. Application of the Danckwerts method in a bubble column Effects of surfactants on mass transfer coefficient and interfacial area. *Chem. Eng. J.* 78:13–19.
128. Verma, A. K. 2014. Process Modeling and Simulation in Chemical, Biochemical and Environmental Engineering. CRC Press:Boca Raton.
129. Verma, A. K., Rai, S. 2003. Studies on surface to bulk ionic mass transfer in bubble column, *Chem. Eng. J.* 94:67-72.
130. Walter, J. F., Blanch, H. W. 1983. Liquid circulation patterns and their effect on gas hold-up and axial mixing in bubble columns. *Chem. Eng. Commun.* 19:243-152.
131. Zahradník, J., Kaštánek, F. 1979. Gas holdup in uniformly aerated bubble column reactors, *Chem. Eng. Commun.* 3:413-429.
132. Zaruba, A. Krepper, E. Prasser, H. M. Schleicher, E. 2005. Measurement of bubble velocity profiles and turbulent diffusion coefficients of the gaseous phase in rectangular bubble column using image processing. *Exp. Therm. Fluid Sci.* 29:851–860.
133. Zhao, W. R. Shi, H. X., Wang, D. H. 2004. Modeling of mass transfer characteristics of bubble column reactor with surfactant present. *J. Zhejiang Univ. A.* 5:714-20.
134. Zhong, S., Zou, X., Zhang, Z., Tian, H. 2016. A flexible image analysis method for measuring bubble parameters. *Chem. Eng. Sci.* 141:143–153.