## **BIBLIOGRAPHY**

- [1] O. Reynolds, "XLII. On the action of a blast of sand in cutting hard material," *London, Edinburgh, Dublin Philos. Mag. J. Sci.*, 1873, v. 46, n. 307, pp. 337–343.
- [2] L. Rayleigh, "The sand blast," *Nature*, 1914, v. 93, pp.188.
- [3] R. Wellinger, "Wear of metals by sand-blasting," Z. Metallkd., 1949, v. 40, pp. 361-364.
- [4] G. L. Sheldon, and I. Finnie, "On the ductile behavior of nominally brittle materials during erosive cutting," ASME. J. Eng. Ind., 1966, v. 88, n. 4, pp. 387– 392.
- [5] J. E. Ritter, "Strength degradation of ceramics due to solid-particle erosion," In *Key Engineering Materials, Trans Tech Publications*, 1992, v. 71, pp. 93-106.
- [6] G. P. Tilly, "A two stage mechanism of ductile erosion," *Wear*, 1973, v. 23, n. 1, pp. 87-96.
- [7] I. Hutchings, and S. Philip, *Tribology: friction and wear of engineering materials*, Butterworth-Heinemann, 2017.
- [8] I. M. Hutchings, and R. E. Winter, "The erosion of ductile metals by spherical particles," *J. Phys. D. Appl. Phys.*, 1975, vol. 8, no. 1, pp. 8–14.
- [9] I. Finnie, and D. H. Mc Fadden, "On the velocity dependence of the erosion of ductile metals by solid particles at low angles of incidence," *Wear*, 1978, v. 48, n. 1, pp. 181–190.
- [10] T. Deng, M. S. Bingley, and M.S.A. Bradley, "The influence of particle rotation on the solid particle erosion rate of metals," *Wear*, 2004, v. 256, n. 11-12, pp. 1037-1049.
- [11] I. M. Hutchings, "Mechanisms of the erosion of metals by solid particles," In *Erosion: prevention and useful applications, ASTM International*, 1979.
- [12] N. Gane, and M. J. Murray, "The transition from ploughing to cutting in erosive wear," In *Proceedings of the 5th International Conference on Erosion by Solid and Liquid Impact*, 1979, pp. 1-8.
- [13] R. A. Mayville, "Mechanisms of material removal in the solid particle erosion of ductile materials," Lawrence Berkeley Natl. Lab., 2011.
- [14] V. S Sooraj, and V. Radhakrishnan, "Elastic impact of abrasives for controlled erosion in fine finishing of surfaces," *Journal of Manufacturing Science and Engineering*, 2013, v. 135, n. 5, pp. 051019.
- [15] I. Finnie, "Erosion of metals by solid particles," J. of Materials 1967, v. 2, pp. 682.

- [16] I. Finnie, "Erosion of surfaces by solid particles," Wear, 1960, v. 3, n. 2, pp. 87-103.
- [17] J. G. A. Bitter, "A study of erosion phenomena part I," Wear, 1963, v. 6, n. 1, pp. 5-21.
- [18] G. Sundararajan, and P. G. Shewmon, "A new model for the erosion of metals at normal incidence," *Wear*, 1983, v. 84, n. 2, pp. 237-258.
- [19] A. V. Reddy, and G. Sundararajan, "Erosion behaviour of ductile materials with a spherical non-friable erodent," *Wear*, 1986, v. 111, n. 3, pp. 313-323.
- [20] J. Zaragoza-Granados, E. A. Gallardo-Hernández, M. Vite-Torres, and C. Sedanode la Rosa, "Erosion behaviour of AISI 310 stainless steel at 450 °C under turbulent swirling impinging jets," *Wear*, 2019, v. 426–427, n. September 2018, pp. 637–642.
- [21] S. Jahanmir, "The mechanics of subsurface damage in solid particle erosion," *Wear*, 1980 v. 61, n. 2, pp. 309-324.
- [22] I. M. Hutchings, "A model for the erosion of metals by spherical particles at normal incidence," *Wear*, 1981, v. 70, n. 3, pp. 269-281.
- [23] S. B Ratner, and E. E. Styller, "Characteristics of impact friction and wear of polymeric materials," *Wear*, 1981, v. 73, n. 2, pp. 213-234.
- [24] A. Evstifeev, N. Kazarinov, Y. Petrov, L. Witek, and A. Bednarz, "Experimental and theoretical analysis of solid particle erosion of a steel compressor blade based on incubation time concept," *Eng. Fail. Anal.*, 2018, v. 87, n. December 2017, pp. 15–21.
- [25] A. V. Levy, and Pauline Chik, "The effects of erodent composition and shape on the erosion of steel," *Wear*, 1983, v. 89, n. 2, pp. 151-162.
- [26] J. Salik, D. Buckley, and William A. Brainard, "The effect of mechanical surface and heat treatments on the erosion resistance of 6061 aluminum alloy," *Wear*, 1981, v. 65, n. 3, pp. 351-358.
- [27] I. M. Hutchings, R. E. Winter, and J. E. Field, "Solid Particle Erosion of Metals: The Removal of Surface Material by Spherical Projectiles," *Proc. R. Soc. A Math. Phys. Eng. Sci.*, 1976, v. 348, n. 1654, pp. 379–392.
- [28] N. Lin, H. Arabnejad, S. A. Shirazi, B. S. McLaury, and H. Lan, "Experimental study of particle size, shape and particle flow rate on Erosion of stainless steel," *Powder Technol.*, 2018, v. 336, pp. 70–79.
- [29] M. Vite-Torres, J. R. Laguna-Camacho, R. E. Baldenebro-Castillo, E. A. Gallardo-Hernández, E. E. Vera-Cárdenas, and J. Vite-Torres, "Study of solid particle erosion on AISI 420 stainless steel using angular silicon carbide and steel round grit particles," *Wear*, 2013, v. 301, n. 1–2, pp. 383–389.

- [30] A. Elkholy, "Prediction of abrasion wear for slurry pump materials," *Wear*, 1983, v. 84, n. 1, pp. 39-49.
- [31] H. McI. Clark, and L. C. Burmeister, "The influence of the squeeze film on particle impact velocities in erosion," *International journal of impact engineering*, 1992, v. 12, n. 3, pp. 415-426.
- [32] B.K. Gandhi, and S.V. Borse, "Effects of particle size and size distribution on estimating erosion wear of cast iron in sand–water slurries," *Indian Journal of Engineering and Material Sciences*, 2002, v. 9, pp. 480-486.
- [33] G. R. Desale, C. P. Paul, B. K. Gandhi, and S. C. Jain, "Erosion wear behavior of laser clad surfaces of low carbon austenitic steel," *Wear*, 2009, v. 266, n. 9–10, pp. 975–987.
- [34] V. B. Nguyen, Q. B. Nguyen, Y. W. Zhang, C. Y. H. Lim, and B. C. Khoo, "Effect of particle size on erosion characteristics," *Wear*, 2016, v. 348–349, pp. 126–137.
- [35] S. Wada, and N. Watanabe, "Solid Particle Erosion of Brittle Materials. III. The Interaction with Material Properties of Target and That of Impingement Particle on Erosive Wear Mechanism," *Yogyo-Kyokai-Shi(J. Ceram. Soc. Jpn.)*, 1987, v. 95, n. 6, pp. 573-578.
- [36] P. H. Shipway, and I. M. Hutchings, "The role of particle properties in the erosion of brittle materials," *Wear*, 1996, v. 193, n. 1, pp. 105-113.
- [37] H. Arabnejad, S. A. Shirazi, B. S. McLaury, H. J. Subramani, and L. D. Rhyne, "The effect of erodent particle hardness on the erosion of stainless steel," *Wear*, 2015, v. 332–333, pp. 1098–1103.
- [38] X. Chen, Brenton S. McLaury, and Siamack A. Shirazi. "Application and experimental validation of a computational fluid dynamics (CFD)-based erosion prediction model in elbows and plugged tees," *Computers & Fluids*, 2004, v. 33, n. 10, pp. 1251-1272.
- [39] P. H. Shipway, and I. M. Hutchings, "A method for optimizing the particle flux in erosion testing with a gas-blast apparatus," *Wear*, 1994, v. 174, n. 1-2, pp. 169-175.
- [40] R. Brown, E. J. Jun, and J. W. Edington, "Erosion of α-Fe by spherical glass particles," *Wear*, 1981, v. 70, n. 3, pp. 347-363.
- [41] I. Finnie, "The mechanism of erosion of ductile materials," In *Proc. of the Third* US National Congress of Applied Mechanics, Hagthormthwaite, RM, Ed., ASME, New York, 1958, pp. 7082.
- [42] J. A. Laitone, "Erosion prediction near a stagnation point resulting from aerodynamically entrained solid particles," *Journal of Aircraft*, 1979, v. 16, n. 12, pp. 809-814.

- [43] Y. I. Oka, K. Okamura, and T. Yoshida, "Practical estimation of erosion damage caused by solid particle impact: Part 1: Effects of impact parameters on a predictive equation," *Wear*, 2005, v. 259, n. 1-6, pp. 95-101.
- [44] M. Parsi, A. Jatale, M. Agrawal, and P. Sharma, "Effect of surface deformation on erosion prediction," *Wear*, 2019, v. 430–431, n. April, pp. 57–66.
- [45] E. Huttunen-Saarivirta, M. Antonov, R. Veinthal, J. Tuiremo, K. Mäkelä, and P. Siitonen, "Influence of particle impact conditions and temperature on erosion-oxidation of steels at elevated temperatures," *Wear*, 2011, v. 272, n. 1, pp. 159–175.
- [46] P. C. Okonkwo, R. A. Shakoor, E. Ahmed, and A. M. A. Mohamed, "Erosive wear performance of API X42 pipeline steel," *Eng. Fail. Anal.*, 2016, v. 60, pp. 86–95.
- [47] Q. B. Nguyen, C. Y. H. Lim, V. B. Nguyen, Y. M. Wan, B. Nai, Y. W. Zhang, and M. Gupta, "Slurry erosion characteristics and erosion mechanisms of stainless steel," *Tribology International*, 2014, v. 79, pp. 1-7.
- [48] E. Zdravecká, J. Slota, and J. Tkáčová, "Erosive failure of steel pipeline by solid pulverized particles," *Engineering Failure Analysis*, 2014, v. 46, pp. 18-25.
- [49] A. Levy, and G. Hickey, Surface Degradation of Metals in Simulated Synthetic-Fuels-Plant Environments, No. LBL-13804, Conf-820314-2, Lawrence Berkeley Lab., CA, USA, 1981.
- [50] A. K. Chauhan, D. B. Goel, and S. Prakash, "Solid particle erosion behaviour of 13Cr-4Ni and 21Cr-4Ni-N steels," J. Alloys Compd., 2009, v. 467, n. 1–2, pp. 459–464.
- [51] R. Singh, D. Kumar, S. K. Mishra, and S. K. Tiwari, "Laser cladding of Stellite 6 on stainless steel to enhance solid particle erosion and cavitation resistance," *Surf. Coatings Technol.*, 2014, v. 251, pp. 87–97.
- [52] A. Kumar, A. Sharma, and S. K. Goel, "Effect of heat treatment on microstructure, mechanical properties and erosion resistance of cast 23-8-N nitronic steel," *Materials Science and Engineering: A*, 2015, v. 637, pp. 56-62.
- [53] P. Mukhopadhyay, M. Srinivas, and Manish Roy, "Microstructural developments during erosion of tribological steels," *Materials Characterization*, 2016, v. 113, pp. 43-51.
- [54] J. R. Laguna-Camacho, A. Marquina-Chávez, Juan Vicente Mendez-Mendez, Manuel Vite-Torres, and Ezequiel Alberto Gallardo-Hernandez, "Solid particle erosion of AISI 304, 316 and 420 stainless steels," *Wear*, 2013, v. 301, n. 1-2, pp. 398-405.
- [55] Md. A. Islam, T. Alam, Z. N. Farhat, A. Mohamed, and A. Alfantazi, "Effect of microstructure on the erosion behavior of carbon steel," *Wear*, 2015, v. 332, pp. 1080-1089.

- [56] A.V. Levy, "The role of plasticity in erosion," In International Conference on Erosion by Liquid and Solid Impact, 5 th, Cambridge, England, 1979, pp. 39-1.
- [57] G. Sundararajan, and Manish Roy, "Solid particle erosion behaviour of metallic materials at room and elevated temperatures," *Tribology International*, 1997, v. 30, n. 5, pp. 339-359.
- [58] A.V. Levy, and M. Yong-Fa, "Erosion-corrosion mechanisms and rates in Fe-Cr steels," *Wear*, 1989, v. 131, n. 1, pp. 39-51.
- [59] S. L. Chang, F.S. Pettit, and N. Birks, "Interaction between erosion and hightemperature corrosion of metals: The erosion-affected oxidation regime," *Oxidation of metals*, 1990, v. 34, n. 1-2, pp.23-45.
- [60] S. Wang, L. Cai, J. Mao, G. Liu, and J. Di, "Surface ripple and erosion rate of stainless steel under elevated temperature erosion by angular solid particles," *Proceedings of the Institution of Mechanical Engineers, Part J: Journal of Engineering Tribology*, 2014, v. 228, no. 2, pp. 187-197.
- [61] E. Huttunen-Saarivirta, H. Kinnunen, J. Tuiremo, M. Uusitalo, and M. Antonov, "Erosive wear of boiler steels by sand and ash," *Wear*, 2014, v. 317, n. 1-2, pp. 213-224.
- [62] K. Shimizu, Y. Xinba, and S. Araya, "Solid particle erosion and mechanical properties of stainless steels at elevated temperature," *Wear*, 2011, v. 271, n. 9-10, pp. 1357-1364.
- [63] M. Antonov, R. Veinthal, E. Huttunen-Saarivirta, I. Hussainova, A. Vallikivi, M. Lelis, and J. Priss, "Effect of oxidation on erosive wear behaviour of boiler steels," *Tribology International*, 2013, v. 68, pp. 35-44.
- [64] W. Tabakoff, and B. V. R. Vittal, "High temperature erosion study of INCO 600 metal," Wear, 1983, v. 86, n., pp. 89-99.
- [65] J. Zhou, and S. Bahadur, Corrosion and particle erosion at high temperature, *The minerals, metals and materials society, USA*, 1989.
- [66] Y. Shida, and H. Fujikawa, "Particle erosion behaviour of boiler tube materials at elevated temperature," *Wear*, 1985, v. 103, n. 4, pp. 281-296.
- [67] T. Singh, S. N. Tiwari, and G. Sundararajan, "Room temperature erosion behaviour of 304, 316 and 410 stainless steels," *Wear*, 1991, v. 145, n. 1, pp. 77-100.
- [68] B. K. Reck, M. Chambon, S. Hashimoto, and T. E. Graedel, "Global stainless steel cycle exemplifies chinas rise to metal dominance," *Environ. Sci. Technol.*, 2010, v. 44, n. 10, pp. 3940–3946.
- [69] J. Charles, J. D. Mithieux, P. O. Santacreu, and L. Peguet, "The ferritic stainless family: The appropriate answer to nickel volatility?," *Rev. Metall. Cah. D'Informations Tech.*, 2009, v. 106, n. 3, pp. 124–139.

- [70] O. Kubaschewski, *Iron—Binary phase diagrams*, Springer Science & Business Media, 2013.
- [71] K. George, "Steel processing, structure and performance," ASM international, 2005.
- [72] P. Hancock, "Vanadic and chloride attack of superalloys," *Materials Science and Technology*, 1987, v. 3, no. 7, pp. 536-544.
- [73] S. Prakash, "Hot corrosion of alloys and coatings," *Dev. High-Temperature Corros. Prot. Mater.*, 2008, pp. 164–191.
- [74] A. K. Koul, and R. Castillo, "Creep Bahavior of Industrial Turbine Blade Materials," Advanced Materials and Coatings for Combustion Turbines, 1993, pp. 75-88.
- [75] Y. Zheng, Z. Yao, X. Wei, and K. Wei, "The synergistic effect between erosion and corrosion in acidic slurry medium," *Wear*, 1995, v. 186, pp. 555-561.
- [76] Li Jian, C. Y. Yuh, and M. Farooque, "Oxidation behavior of superalloys in oxidizing and reducing environments," *Corrosion science*, 2000, v. 42, no. 9, pp. 1573-1585.
- [77] T. S. Sidhu, S. Prakash, and R. D. Agrawal, "Study of molten salt corrosion of high velocity oxy-fuel sprayed cermet and nickel-based coatings at 900 °C," *Metall. Mater. Trans. A Phys. Metall. Mater. Sci.*, 2007, v. 38, n. 1, pp. 77–85.
- [78] S. Kamal, R. Jayaganthan, S. Prakash, and Sanjay Kumar, "Hot corrosion behavior of detonation gun sprayed Cr3C2–NiCr coatings on Ni and Fe-based superalloys in Na<sub>2</sub>SO<sub>4</sub> – 60% V<sub>2</sub>O<sub>5</sub> environment at 900°C," *Journal of alloys and compounds*, 2008, v. 463, n. 1-2, pp. 358-372.
- [79] G. Sreedhar, and V. S. Raja, "Hot corrosion of YSZ/Al2O3 dispersed NiCrAlY plasma-sprayed coatings in Na2SO4–10 wt.% NaCl melt," *Corrosion Science*, 2010, v. 52, no. 8, pp. 2592-2602.
- [80] R. A. Rapp and Y. S. Zhang, "Hot corrosion of materials: Fundamental studies," *JOM*, 1994, v. 46, n. 12, pp. 47–55.
- [81] G. S. Mahobia, N. Paulose, and V. Singh, "Hot corrosion behavior of superalloy IN718 at 550 and 650°C," J. Mater. Eng. Perform., 2013, v. 22, n. 8, pp. 2418– 2435.
- [82] V. Mannava, A. Sambasiva Rao, N. Paulose, M. Kamaraj, and R. S. Kottada, "Hot corrosion studies on Ni-base superalloy at 650° C under marine-like environment conditions using three salt mixture (Na<sub>2</sub>SO<sub>4</sub>+ NaCl+ NaVO<sub>3</sub>)," *Corrosion Science*, 2016, v. 105, pp. 109-119.
- [83] R. A. Rapp, "Hot corrosion of materials: A fluxing mechanism?," *Corros. Sci.*, 2002, v. 44, n. 2, pp. 209–221.

- [84] G. H. Meier, "A review of advances in high-temperature corrosion," *Materials Science and Engineering: A*, 1989, v. 120, pp. 1-11.
- [85] C. Wang and Y. Chang, "NaCl-induced hot corrosion of Fe Mn Al C alloys," *Materials Chemistry and Physics*, 2002, v. 76, n. April 2001, pp. 151–161.
- [86] T. S. Sidhu, A. Malik, S. Prakash, and R. D. Agrawal, "Cyclic oxidation behavior of Ni-and Fe-based superalloys in air and Na<sub>2</sub>SO<sub>4</sub> - 25%NaCl molten salt environment at 800°C," *International Journal of Physical Sciences*, 2006, v. 1, n. 1, pp. 27-33.
- [87] Y. Zheng, Z. Yao, X. Wei, and W. Ke, "The synergistic effect between erosion and corrosion in acidic slurry medium," *Wear*, 1995, v. 187, pp. 555–561.
- [88] P. Nanni, V. Buscaglia, C. De Asmundis, and S. K. Roy, "Sodium Sulphate Induced Hot Corrosion of Pure Iron, Manganese and Chromium in Combustion Gas," *Key Eng. Mater.*, 1987, v. 20, n. 4, pp. 3413-3422.
- [89] S. Shih, Y. Zhang, and X. Li, "Sub-melting point hot corrosion of alloys and coatings," *Materials Science and Engineering: A*, 1989, v. 120, pp. 277-282.
- [90] L. Shi, "On the possibility of a Na<sub>2</sub>SO<sub>4</sub> + Na<sub>2</sub>O eutectic melt developing on metals coated with Na<sub>2</sub>SO<sub>4</sub> deposit in oxygen/air at intermediate temperatures," *Corrosion science*, 1995, v. 37, n. 8, pp. 1281-1287.
- [91] N. S. Bornstein, M. A. DeCrescente, and H. A. Roth, "The relationship between relative oxide ion content of Na<sub>2</sub>SO<sub>4</sub>, the presence of liquid metal oxides and sulfidation attack," *Metall. Trans.*, 1973, v. 4, n. 8, pp. 1799–1810.
- [92] J. A. Goebel, and F. S. Pettit, "Na<sub>2</sub>SO<sub>4</sub>-induced accelerated oxidation (hot corrosion) of nickel," *Metall. Trans.*, 1970, v. 1, n. 7, pp. 1943–1954.
- [93] R. C. Kerby, and J. R. Wilson, "Corrosion of metals by liquid vanadium pentoxide and the sodium vanadates," *Journal of Engineering for Power*, 1973, v. 95, n. 1, pp. 36-44.
- [94] J. L. Trinstancho-Reyes, M. Sanchez-Carrillo, R. Sandoval-Jabalera, V. M. Orozco-Carmona, F. Almeraya-Calderon, J. G. Chacon-Nava, J. G. Gonzalez-Rodriguez, and A. Martinez-Villafane, "Electrochemical impedance spectroscopy investigation of alloy inconel 718 in molten salts at high temperature," *Int. J. Electrochem. Sci*, 2011, v. 6, n. 2, pp. 419-431.
- [95] N. Bala, H. Singh, and S. Prakash, "High Temperature Corrosion Behavior of Cold Spray Ni-20Cr Coating on Boiler Steel in Molten Salt Environment at 900 °C," J. *Therm. Spray Technol.*, 2010, v. 19, n. 1–2, pp. 110–118.
- [96] B. S. Sidhu, and S. Prakash, "Evaluation of the corrosion behaviour of plasmasprayed Ni3Al coatings on steel in oxidation and molten salt environments at 900 C," *Surface and Coatings Technology*, 2003, v. 166, n. 1, pp. 89-100.

- [97] A. Mangla, V. Chawla, and G. Singh, "Comparative study of hot corrosion behavior of HVOF and plasma sprayed Ni-20Cr coating on SA213(T22) boiler steel in Na<sub>2</sub>SO<sub>4</sub>-60% V<sub>2</sub>O<sub>5</sub> environment," *International Journal of Engineering Sciences & Research Technology*, 2017, v. 6, n. 10, pp. 674-686.
- [98] D. N. H. Trafford, and D. P. Whittle, "The salt-induced corrosion behaviour of Fe-Cr alloys at elevated temperatures—II. Alloys rich in chromium," *Corrosion Science*, 1980, v. 20, n. 4, pp. 509-530.
- [99] K. Wang, J. Wang, and W. Hu, "Evaluation of temperature effect on the corrosion process of 304 stainless steel in high temperature water with electrochemical noise," *Materials & Design*, 2015, v. 82, pp. 155-163.
- [100] A. Zahs, M. Spiegel, and H. Jürgen Grabke, "Chloridation and oxidation of iron, chromium, nickel and their alloys in chloridizing and oxidizing atmospheres at 400–700 C," *Corrosion Science*, 2000, v. 42, n. 6, pp. 1093-1122.
- [101] N. Arivazhagan, S. Narayanan, S. Singh, S. Prakash, and G. M. Reddy, "High temperature corrosion studies on friction welded low alloy steel and stainless steel in air and molten salt environment at 650 C," *Materials & Design*, 2012, v. 34, pp. 459-468.
- [102] Y. Shinata, F. Takahashi, and K. Hashiura, "NaCl-induced hot corrosion of stainless steels," *Mater. Sci. Eng.*, 1987, v. 87, n. C, pp. 399–405.
- [103] F. Wang, and Y. Shu, "Influence of Cr content on the corrosion of Fe–Cr alloys: the synergistic effect of NaCl and water vapour," *Oxidation of Metals*, 2003, v. 59, n. 3-4, pp. 201-214.
- [104] C. Yu, T. D. Nguyen, J. Zhang, and D. J. Young, "Sulfur effect on corrosion behavior of Fe-20Cr-(Mn, Si) and Fe-20Ni-20Cr-(Mn, Si) in CO<sub>2</sub>-H<sub>2</sub>O at 650° C," *Journal of The Electrochemical Society*, 2016, v. 163, n. 3, pp. C106-C115.
- [105] J. Amri, E. Gulbrandsen, and R. P. Nogueira, "The effect of acetic acid on the pit propagation in CO<sub>2</sub> corrosion of carbon steel," *Electrochemistry Communications*, v. 10, n. 2, pp. 200-203.
- [106] J. Villarreal, D. Laverde, and C. Fuentes, "Carbon-steel corrosion in multiphase slug flow and CO<sub>2</sub>," *Corrosion Science*, 2006, v. 48, n. 9, pp. 2363-2379.
- [107] G. Liu, Y. Zhang, Z. Ni, and R. Huang, "Corrosion behavior of steel submitted to chloride and sulphate ions in simulated concrete pore solution," *Construction and Building Materials*, 2016, v. 115, pp. 1-5.
- [108] D. Lindberg, J. Niemi, M. Engblom, P. Yrjas, T. Laurén, and M. Hupa, "Effect of temperature gradient on composition and morphology of synthetic chlorinecontaining biomass boiler deposits," *Fuel processing technology*, 2016, v. 141, pp. 285-298.
- [109] R.J.K. Wood, "Erosion–corrosion interactions and their effect on marine and offshore materials," *Wear*, 2006, v. 261, n. 9, pp. 1012-1023.

- [110] M. Matsumura, Y. Oka, H. Hiura, and M. Yano, "The role of passivating film in preventing slurry erosion-corrosion of austenitic stainless steel," *ISIJ international*, 1991, v. 31, n. 2, pp. 168-176.
- [111] R. C. Barik, J. A. Wharton, R. J. K. Wood, K. S. Tan, and K. R. Stokes, "Erosion and erosion–corrosion performance of cast and thermally sprayed nickel– aluminium bronze," *Wear*, 2005, v. 259, n. 1-6, pp. 230-242.
- [112] M. A. Islam, and Z. Farhat, "Erosion-corrosion mechanism and comparison of erosion-corrosion performance of API steels," *Wear*, 2017, v. 376–377, pp. 533– 541.
- [113] J.G.C. Nava, F. H. Stott, and M. M. Stack, "The effect of substrate hardness on the erosion-corrosion resistance of materials in low-velocity conditions," *Corrosion science*, 1993, v. 35, no. 5-8, pp. 1045-1051.
- [114] A. Neville, T. Hodgkiess, and H. Xu, "An electrochemical and microstructural assessment of erosion–corrosion of cast iron," *Wear*, 1999, v. 233, pp.523-534.
- [115] C.F. Dong, K. Xiao, X.G. Li, and Y.F. Cheng, "Erosion accelerated corrosion of a carbon steel-stainless steel galvanic couple in a chloride solution," *Wear*, 2010, v. 270, n. 1-2, pp. 39-45.
- [116] Y. Li, G.T. Burstein, and I.M. Hutchings, "Influence of environmental composition and electrochemical potential on the slurry erosion-corrosion of aluminium," *Wear*, 1995, v. 181, pp.70-79.
- [117] Y. Li, G. T. Burstein, and I. M. Hutchings, "The influence of corrosion on the erosion of aluminium by aqueous silica slurries," v. 187, pp. 515–522, 1995.
- [118] J. Postlethwaite, "Effect of chromate inhibitor on the mechanical and electrochemical components of erosion-corrosion in aqueous slurries of sand," *Corrosion*, 1981, v. 37, n. 1, pp.1-5.
- [119] Y. J. Kim, S. W. Kim, H. B. Kim, C. N. Park, Y. Il Choi, and C. J. Park, "Effects of the precipitation of secondary phases on the erosion-corrosion of 25% Cr duplex stainless steel," *Corros. Sci.*, 2019, v. 152, n. February, pp. 202–210.
- [120] M. Laleh, A. E. Hughes, W. Xu, I. Gibson, and M. Y. Tan, "Unexpected erosioncorrosion behaviour of 316L stainless steel produced by selective laser melting," *Corros. Sci.*, 2019, v. 155, n. April, pp. 67–74.
- [121] M. M. Stack, and G. H. Abdulrahman, "Mapping erosion-corrosion of carbon steel in oil exploration conditions: Some new approaches to characterizing mechanisms and synergies," *Tribol. Int.*, 2010, v. 43, n. 7, pp. 1268–1277.
- [122] S. S. Rajahram, T. J. Harvey, and R. J. K. Wood, "Full factorial investigation on the erosion-corrosion resistance of UNS S31603," *Tribol. Int.*, 2010, v. 43, n. 11, pp. 2072–2083.

- [123] S. Aribo, R. Barker, X. Hu, and A. Neville, "Erosion-corrosion behaviour of lean duplex stainless steels in 3.5% NaCl solution," *Wear*, 2013, v. 302, n. 1–2, pp. 1602–1608.
- [124] L. Giourntas, T. Hodgkiess, and A. M. Galloway, "Comparative study of erosioncorrosion performance on a range of stainless steels," *Wear*, 2014, v. 332–333, pp. 1051–1058.
- [125] Y. Zhao, F. Zhou, J. Yao, S. Dong, and N. Li, "Erosion-corrosion behavior and corrosion resistance of AISI 316 stainless steel in flow jet impingement," *Wear*, 2015, v. 328, pp. 464 - 474.
- [126] M. Lindgren, S. Siljander, R. Suihkonen, P. Pohjanne, and J. Vuorinen, "Erosioncorrosion resistance of various stainless steel grades in high-temperature sulfuric acid solution," *Wear*, 2016, v. 364–365, pp. 10–21.
- [127] M. Aminul Islam, Z. N. Farhat, E. M. Ahmed, and A. M. Alfantazi, "Erosion enhanced corrosion and corrosion enhanced erosion of API X-70 pipeline steel," *Wear*, 2013, v. 302, n. 1–2, pp. 1592–1601.
- [128] J. Owen, C. Ramsey, R. Barker, and A. Neville, "Erosion-corrosion interactions of X65 carbon steel in aqueous CO<sub>2</sub> environments," *Wear*, 2018, v. 414–415, n. May, pp. 376–389.
- [129] R. Elemuren, R. Evitts, I. Oguocha, G. Kennell, R. Gerspacher, and A. Odeshi, "Slurry erosion-corrosion of 90° AISI 1018 steel elbow in saturated potash brine containing abrasive silica particles," *Wear*, 2018, v. 410, pp.149-155.
- [130] H. Shahali, H. M. Ghasemi, and M. Abedini, "Contributions of corrosion and erosion in the erosion-corrosion of Sanicro28," *Mater. Chem. Phys.*, 2019, v. 233, pp. 366–377.
- [131] F.M. Song and L.X. Du, "Erosion corrosion of low-alloy wear-resistant steels in alkaline slurry," *J. Iron Steel Res. Int.*, 2017, v. 24, n. 10, pp. 1065–1072.
- [132] G. Sundararajan, and M. Roy, "Solid particle erosion behaviour of metallic materials at room and elevated temperatures," *Tribol. Int.*, 1997, v. 30, n. 5, pp. 339–359.
- [133] L.P. McCabe, G.A. Sargent, and H. Conrad, "Effect of microstructure on the erosion of steel by solid particles," *Wear*, 1985, v. 105, n. 3, pp. 257-277.
- [134] S. Amin, and H. Panchal, "A review on thermal spray coating processes," *International Journal of Current Trends in Engineering & Research*, 2016, v. 2, n. 4, pp. 554–563.
- [135] A. Balakrishnan, B. C. Lee, T. N. Kim, and B. B. Panigrahi, "Corrosion Behaviour of Ultra Fine Grained Titanium in Simulated Body Fluid," *Trends Biomater. Artif. Organs*, 2008, v. 22, n. 1, pp. 58–64.

- [136] T. M. Yue, J. K. Yu, Z. Mei, and H. C. Man, "Excimer laser surface treatment of Ti – 6Al – 4V alloy for corrosion resistance enhancement," *Materials Letters*, 2002, v. 52, n. 3, pp. 206–212.
- [137] P. K. Rai, V. Pandey, K. Chattopadhyay, L. K. Singhal, and V. Singh, "Effect of Ultrasonic Shot Peening on Microstructure and Mechanical Properties of High-Nitrogen Austenitic Stainless Steel," *J. Mater. Eng. Perform.*, 2014, v. 23, n. 11, pp. 4055–4064.
- [138] S. Kumar, G. S. Rao, K. Chattopadhyay, G. S. Mahobia, N. C. S. Srinivas, and V. Singh, "Effect of surface nanostructure on tensile behavior of superalloy IN718," *J. Mater.*, 2014, v. 62, pp. 76–82.
- [139] A. Sandá, V. G. Navas, and O. Gonzalo, "Surface state of Inconel 718 ultrasonic shot peened : Effect of processing time, material and quantity of shot balls and distance from radiating surface to sample," *Materials & Design*, 2011, v. 32, pp. 2213–2220.
- [140] L. Tan, X. Ren, K. Sridharan, and T. R. Allen, "Effect of shot-peening on the oxidation of alloy 800H exposed to supercritical water and cyclic oxidation," *Corrosion Science*, 2008, v. 50, pp. 2040–2046.
- [141] Y.I. Oka, H. Ohnogi, T. Hosokawa, and M. Matsumura, "The impact angle dependence of erosion damage caused by solid particle impact," *Wear*, 1997, v. 203, pp. 573-579.
- [142] G. Chen, Y. Jiao, T. Tian, X. Zhang, Z. Li, and W. Zhou, "Effect of wet shot peening on Ti – 6Al – 4V alloy treated by ceramic beads," *Trans. Nonferrous Met. Soc. China*, 2014, v. 24, n. 3, pp. 690–696.
- [143] H. Lee, D. Kim, J. Jung, Y. Pyoun, and K. Shin, "Influence of peening on the corrosion properties of AISI 304 stainless steel," *Corros. Sci.*, 2009, v. 51, n. 12, pp. 2826–2830.
- [144] J.D.S. Peltz, L.M. Antonini, S.R. Kunst, G.A. Ludwig, L.T. Fuhr, and C.D.F. Malfatti, "Effect of application of the shot peening process in the corrosion resistance of the AISI 430 ferritic stainless steel," *In Materials Science Forum*, *Trans Tech Publications*, 2014, v. 775, pp. 365-369.
- [145] R. Fragoudakis, A. Saigal, G. Savaidis, M. Malikoutsakis, I. Bazios, A. Savaidis, G. Pappas, and S. Karditsas, "Fatigue assessment and failure analysis of shotpeened leaf springs," *Fatigue & Fracture of Engineering Materials & Structures*, 2013, v. 36, n. 2, pp. 92-101.
- [146] R. Mishra and R. Balasubramaniam, "Effect of nanocrystalline grain size on the electrochemical and corrosion behavior of nickel," *Corros. Sci.*, 2004, v. 46, pp. 3019–3029.
- [147] L.Wang, Y. Lin, Z. Zeng, W. Liu, Q. Xue, L. Hu, and J. Zhang, "Electrochemical corrosion behavior of nanocrystalline Co coatings explained by higher grain boundary density," *Electrochimica acta*, 2007, v. 52, n. 13, pp. 4342-4350.

- [148] Y. Li, G.T. Burstein, and I.M. Hutchings, "The influence of corrosion on the erosion of aluminium by aqueous silica slurries," *Wear*, 1995, v. 186, pp. 515-522.
- [149] S. Kumar, K. Chattopadhyay, G.S. Mahobia, and V. Singh, "Hot corrosion behaviour of Ti–6Al–4V modified by ultrasonic shot peening," *Materials & Design*, 2016, v. 110, pp. 196-206.
- [150] D. Pradhan, G.S. Mahobia, K. Chattopadhyay, and V. Singh, "Effect of surface roughness on corrosion behavior of the superalloy IN718 in simulated marine environment," *Journal of Alloys and Compounds*, 2018, v. 740, pp. 250-263.
- [151] A.A. Guimarães, and P.R. Mei, "Precipitation of carbides and sigma phase in AISI Type 446 stainless steel under working conditions," *Journal of materials* processing technology, 2004, v. 155, pp.1681-1689.
- [152] H. Bhadeshia, and R. Honeycombe, *Steels: microstructure and properties*. Butterworth-Heinemann, Oxford, 2006.
- [153] H. Bhadeshia, and R. Honeycombe, *Steels: microstructure and properties*. Butterworth-Heinemann, Oxford, 2017.
- [154] N. Kosaka, and Y. Funakawa, "Work hardening in ferritic steel containing ultrafine carbides," *ISIJ International*, 2016, v. 56, n. 2, pp. 311-318.
- [155] S. Vafaeian, A. Fattah-Alhosseini, Y. Mazaheri, and M.K. Keshavarz, "On the study of tensile and strain hardening behavior of a thermomechanically treated ferritic stainless steel," *Materials Science and Engineering: A*, 2016, v. 669, pp. 480-489.
- [156] P.K. IImar Kleis, "Solid Particle Erosion: Occurrence Prediction and Control," Springer Verlag London, 2008.
- [157] M.A. Islam, Z.N. Farhat, E.M. Ahmed, and A.M. Alfantazi, "Erosion enhanced corrosion and corrosion enhanced erosion of API X-70 pipeline steel," *Wear*, 2013, v. 302, n. 1-2, pp.1592-1601.
- [158] A.K. Chauhan, D.B. Goel, and S. Prakash, "Solid particle erosion behaviour of 13Cr–4Ni and 21Cr–4Ni–N steels," *Journal of Alloys and Compounds*, 2009, v. 467, n. 1-2, pp.459-464.
- [159] I. Finnie, A. Levy, and D.H. McFadden, "Fundamental mechanisms of the erosive wear of ductile metals by solid particles," In *Erosion: Prevention and Useful Applications*, ASTM International, 1979.
- [160] G.E. Smeltzer, M.E. Gulden, and W.A. Compton, "Mechanisms of Metal Removal by Impacting Dust Particles," J. Basic Eng., ASME Trans., 1970, v. 92, pp. 639–654.
- [161] M.A. Islam, and Z. Farhat, "Erosion-corrosion mechanism and comparison of erosion-corrosion performance of API steels," *Wear*, 2017, v. 376, pp.533-541.

- [162] S. B. Newcomb, and W. M. Stobbs, "The transmission electron microscopy of oxide scale formation on Fe-Ni-Cr alloys," J. Microsc., 1983, v. 130, n. 2, pp. 233– 248.
- [163] A.V. Levy, and M. Yong-Fa, "Erosion-corrosion mechanisms and rates in Fe-Cr steels," *Wear*, 1989, v. 131, n. 1, pp. 39-51.
- [164] W.S. McCulloch, and W. Pitts, "A logical calculus of the ideas immanent in nervous activity," *The bulletin of mathematical biophysics*, 1943, v. 5 n. 4, pp.115-133.
- [165] P.J. Werbos, "Backpropagation: Past and future," In *Proceedings of the Second International Conference on Neural Network* IEEE, 1988, v. 1, pp. 343-353.
- [166] K. Velten, R. Reinicke, and K. Friedrich, "Wear volume prediction with artificial neural networks," *Tribology International*, 2000, v. 33, n. 10, pp.731-736.
- [167] Z. Zhang, N.-M. Barkoula, J. Karger-Kocsis, and K. Friedrich, "Artificial neural network predictions on erosive wear of polymers," *Wear*, 2003, v. 255, pp. 708– 713.
- [168] O. Palavar, D. Özyürek, and A. Kalyon, "Artificial neural network prediction of aging effects on the wear behavior of IN706 superalloy," *Materials & Design*, 2015, v. 82, pp.164-172.
- [169] D. Özyürek, A. Kalyon, M. Yıldırım, T. Tuncay, and I. Ciftci, "Experimental investigation and prediction of wear properties of Al/SiC metal matrix composites produced by thixomoulding method using artificial neural networks," *Materials & Design*, 2014, v. 63, pp.270-277.
- [170] H.K. Durmuş, E. Özkaya, and C. Meri, "The use of neural networks for the prediction of wear loss and surface roughness of AA 6351 aluminium alloy," *Materials & design*, 2006, v. 27, n. 2, pp.156-159.
- [171] S.A. Kumar, S.G.S. Raman, T.S. Narayanan, and R. Gnanamoorthy, "Prediction of fretting wear behavior of surface mechanical attrition treated Ti–6Al–4V using artificial neural network," *Materials & Design*, 2013, v. 49, pp.992-999.
- [172] A. Suresh, A. P. Harsha, and M. K. Ghosh, "Solid particle erosion studies on polyphenylene sulfide composites and prediction on erosion data using artificial neural networks," *Wear*, 2009, v. 266, n. 1-2, pp. 184-193.
- [173] A.P. Harsha, and D. S. Nagesh, "Prediction of weight loss of various polyaryletherketones and their composites in three-body abrasive wear situation using artificial neural networks," *J. Reinf. Plast. Compos.*, 2007, v. 26, n. 13, pp. 1367–1377.
- [174] G.E. Box, and J.S. Hunter, "Multi-factor experimental designs for exploring response surfaces," *The Annals of Mathematical Statistics*, 1957, v. 28, n. 1, pp. 195-241.

- [175] D.C. Montgomery, Design and analysis of experiments, John wiley & sons, 2017.
- [176] A. Mishra, C.K. Behera, S. Mohan and A. Mohan, "Erosive wear of 446SS ferritic steel: a potential material for heat exchangers application," *Materials Research Express*, 2018, v. 5, n.10, pp.106522.
- [177] C.C. Tsaur, J.C. Rock, C.J. Wang, and Y.H. Su, "The hot corrosion of 310 stainless steel with pre-coated NaCl/Na<sub>2</sub>SO<sub>4</sub> mixtures at 750°C," *Materials Chemistry and Physics*, 2005, v. 89, n. 2-3, pp. 445-453.
- [178] Y. Li, G.T. Burstein, and I.M. Hutchings, "Influence of environmental composition and electrochemical potential on the slurry erosion-corrosion of aluminium," *Wear*, 1995, v. 181, pp.70-79.
- [179] G.S. Mahobia, N. Paulose, and V. Singh, "Hot corrosion behavior of superalloy IN718 at 550 and 650°C," *Journal of materials engineering and performance*, 2013, v. 22, n. 8, pp.2418-2435.
- [180] K. Shimizu, Y. Xinba, and S. Araya, "Solid particle erosion and mechanical properties of stainless steels at elevated temperature," *Wear*, 2011, v. 271, n. 9– 10, pp. 1357–1364.
- [181] I. Finnie, G.R. Stevick, and J.R. Ridgely, "The influence of impingement angle on the erosion of ductile metals by angular abrasive particles," *Wear*, 1992, v. 152, n. 1, pp.91-98.
- [182] M. Badaruddin, A.Y.E. Risano, H. Wardono, and D. Asmi, "January. Hotcorrosion of AISI 1020 steel in a molten NaCl/Na<sub>2</sub>SO<sub>4</sub> eutectic at 700°C," In *AIP Conference Proceedings, AIP Publishing*, 2017, vol. 1788, n. 1, pp. 030066.
- [183] A.S. Khanna, Introduction to high temperature oxidation and corrosion, ASM *international*, 2002.
- [184] C. Cuevas-Arteaga, "Corrosion study of HK-40m alloy exposed to molten sulfate/vanadate mixtures using the electrochemical noise technique," *Corrosion Science*, 2008, v. 50, n. 3, pp. 650-663.
- [185] O. Kubaschewski, C.B. Alcock, Metallurgical Thermochemistry, 5th ed., *Pergamon Press, Oxford*, 1979.
- [186] Y.S. Choi, and J.G. Kim, "Aqueous corrosion behavior of weathering steel and carbon steel in acid-chloride environments," *Corrosion*, 2000, v. 56, n. 12, pp. 1202–1210.
- [187] A. Balakrishnan, B.C. Lee, T.N. Kim, and B.B. Panigrahi, "Corrosion behaviour of ultrafine grained titanium in simulated body fluid for implant application," *Trends Biomater. Artif. Organs*, 2008, v. 22, n. 1, pp. 58-64.
- [188] P.K. Rai, V. Pandey, K. Chattopadhyay, L.K. Singhal, and V. Singh, "Effect of ultrasonic shot peening on microstructure and mechanical properties of highnitrogen austenitic stainless steel," *Journal of materials engineering and performance*, 2014, v. 23, n. 11, pp. 4055 - 4064.

- [189] A. Sandá, V.G. Navas, and O. Gonzalo, "Surface state of Inconel 718 ultrasonic shot peened: Effect of processing time, material and quantity of shot balls and distance from radiating surface to sample," *Materials & Design*, 2011, v. 32, n. 4, pp. 2213-2220.
- [190] G.Q. Chen, J. Yan, T. Tian, X. Zhang, Z. Li, and W.L. Zhou, "Effect of wet shot peening on Ti-6Al-4V alloy treated by ceramic beads," *Transactions of Nonferrous Metals Society of China*, 2014, v. 2, n. 3, pp. 690-696.
- [191] Y. Li, G.T. Burstein, and I.M. Hutchings, "Influence of environmental composition and electrochemical potential on the slurry erosion-corrosion of aluminium," *Wear*, 1995, v. 181, pp.70-79.
- [192] B.D. Cullity, and S.R. Stock, Elements of X-ray Diffraction, *Prentice hall*, v. 3, New Jersey, 2001.
- [193] G.K. Williamson, and W.H. Hall, "X-ray line broadening from filed aluminium and wolfram," *Acta metallurgica*, 1953, v. 1, n. 1, pp.22-31.
- [194] D. Pradhan, G. S. Mahobia, K. Chattopadhyay, and V. Singh, "Severe Hot Corrosion of the Superalloy IN718 in Mixed Salts of Na<sub>2</sub>SO<sub>4</sub> and V<sub>2</sub>O<sub>5</sub> at 700°C," *J. Mater. Eng. Perform.*, 2018, v. 27, n. 8, pp. 4235–4243.
- [195] B.N. Mordyuk, G.I. Prokopenko, M.A. Vasylyev, and M.O. Iefimov, "Effect of structure evolution induced by ultrasonic peening on the corrosion behavior of AISI-321 stainless steel," *Materials Science and Engineering: A*, 2007, v. 458, n. 1-2, pp. 253-261.
- [196] H. Matsuo, Y. Nishiyama, and Y. Yamadera, "Steam oxidation property of Finegrain Steels," In Proceedings from the Fourth International Conference on Advances in Materials Technology. Hilton Head Island, South Carolina, 2005, pp. 441-450.
- [197] D. Z. Shi and R. A. Rapp, "Electrochemical studies of Na<sub>2</sub>CrO<sub>4</sub>+Na<sub>2</sub>SO<sub>4</sub> melts at 1200 K," *Materials and corrosion*, 1990, v. 226, pp. 215–226.
- [198] D. Pradhan, G.S. Mahobia, K. Chattopadhyay, and V. Singh, "Severe hot corrosion of the superalloy IN718 in mixed salts of Na<sub>2</sub>SO<sub>4</sub> and V<sub>2</sub>O<sub>5</sub> at 700°C," *Journal of Materials Engineering and Performance*, 2018, v. 27, n. 8, pp. 4235-4243.