

# References

---

## References

- [1] J. Blomberg & P. Söderholm, The economics of secondary aluminium supply : An econometric analysis based on European data. *Resources, Conservation and Recycling*, **53** (2009) 455–463. <https://doi.org/10.1016/j.resconrec.2009.03.001>.
- [2]. G. Grimaud, N. Perry, & B. Laratte, Aluminium Cables Recycling Process : Environmental impacts Identification and Reduction. *Resources, Conservation and Recycling*, (2017). <https://doi.org/10.1016/j.resconrec.2017.11.010>.
- [3]. K. Nakajima, H. Osuga, K. Yokoyama, & T. Nagasaka, Material Flow Analysis of Aluminum Dross and Environmental Assessment for Its Recycling Process. *Materails Transactions*, **48** (2007) 2219–2224. <https://doi.org/10.2320/matertrans.MRA2007070>.
- [4]. K. N. Maung, T. Yoshida, G. Liu, C. M. Lwin, D. B. Muller, & S. Hashimoto, Assessment of secondary aluminum reserves of nations. *Resources, Conservation and Recycling*, **126** (2017) 34–41. <https://doi.org/10.1016/j.resconrec.2017.06.016>.
- [5]. B. Wan, W. Chen, T. Lu, F. Liu, Z. Jiang, & M. Mao, Review of solid state recycling of aluminum chips. *Resources, Conservation and Recycling*, **125** (2017) 37–47. <https://doi.org/10.1016/j.resconrec.2017.06.004>.
- [6]. M. E. Schlesinger, *Aluminum Recycling* (CRC Press, 2007).
- [7]. T. R. Mankhand, Recovery of valuable materials from aluminum dross. *Journal of sustainable planet*, **3** (2012) 86–94.
- [8]. N. H. Jafari, T. D. Stark, & R. Roper, Classification and Reactivity of Secondary Aluminum Production Waste. *Journal of Hazardous, Toxic, and Radioactive Waste*, **18** (2014). [https://doi.org/10.1061/\(ASCE\)HZ.2153-5515.0000223](https://doi.org/10.1061/(ASCE)HZ.2153-5515.0000223).
- [9]. O. Manfredi, W. Wuth, & I. Bohlinger, Characterizing the physical and chemical properties of aluminum dross. *Jom*, (1997) 48–51.
- [10]. O. Majidi, S. G. Shabestari, & M. R. Aboutalebi, Study of fluxing temperature in molten aluminum refining process. *Journal of Materials Processing Technology*, **182** (2007) 450–455. <https://doi.org/10.1016/j.jmatprotec.2006.09.003>.
- [11]. A. Gil & S. A. Korili, Management and valorization of aluminum saline slags: Current status and future trends. *Chemical Engineering Journal*, **289** (2016) 74–84. <https://doi.org/10.1016/j.cej.2015.12.069>.
- [12]. C. Dai & D. Apelian, Fabrication and Characterization of Aluminum Dross-Containing Mortar Composites: Upcycling of a Waste Product. *Journal of Sustainable Metallurgy*, (2016). <https://doi.org/10.1007/s40831-016-0071-7>.
- [13]. T. H. Brommer, Recycling production designs : the value of coordination and flexibility in aluminum recycling operations, Massachusetts Institute of Technology, 2013.
- [14]. D. Dispınar, A. Kvithyld, & A. Nordmark, Quality Assesment of Recycled

- Aluminium. *Light Met.* 2011 (2011), pp. 731–735. <https://doi.org/10.1007/978-3-319-48160-9>.
- [15]. S. Maropoulos, D. Kountouras, X. Voulgaraki, S. Papanikolaou, & I. Sanaidis, Hindawi Publishing Corporation A Characterization Method for Al Recovery from Dross Based on Compression at Elevated Temperatures. *Advances in Tribology*, **2011** (2015). <https://doi.org/10.1155/2011/395716>.
- [16]. V. Kevorkijan, Evaluating the aluminum content of pressed dross. *Jom*, (2002) 34–36.
- [17]. V. Kevorkijan, S. D. Škapin, & U. Kovačec, The nondestructive determination of the aluminum content in pressed skulls of aluminum dross. *Jom*, **65** (2013) 284–293. <https://doi.org/10.1007/s11837-012-0501-3>.
- [18]. B. Berger, the Importance and Testing of Density / Porosity / Permeability / Pore Size for Refractories. *South. African Inst. Min. Metall. Refract. 2010 Conf.* (2010), pp. 101–116.
- [19]. S. O. Adeosun, O. I. Sekunowo, O. O. Taiwo, W. A. Ayoola, & A. Machado, Physical and Mechanical Properties of aluminum dross. *Advances in Materials*, **3** (2014) 6–10. <https://doi.org/10.11648/j.am.20140302.11>.
- [20]. K. E. Lorber & H. Antrekowitsch, Treatment and disposal of residues from aluminium dross. *2nd Int. Conf. Hazard. Ind. waste Manag.* (2010).
- [21]. P. Whiteley, J. Pomerleau, P. Bouchard, & A. B. Innus, The Alcan Process for Inert Gas Dross Cooling. *Jom*, (1991) 52–53.
- [22]. T. Hiraki & T. Nagasaka, An easier upgrading process of aluminum dross residue by screening technique. *Journal of Material Cycles and Waste Management*, **17** (2014) 566–573. <https://doi.org/10.1007/s10163-014-0283-5>.
- [23]. F. Settimo, P. Bevilacqua, & P. Rem, EDDY CURRENT SEPARATION OF FINE NON-FERROUS PARTICLES FROM BULK STREAMS. *Physical Separation in Science and Engineering*, **13** (2004) 15–23. <https://doi.org/10.1080/00207390410001710726>.
- [24]. J. Y. Hwang, X. Huang, & Z. Xu, Recovery of Metals from Aluminum Dross and Saltcake. *Journal of minerals and materials characterization and engineering*, **5** (2006) 47–62.
- [25]. A. Gil, Management of the Salt Cake from Secondary Aluminum Fusion Processes. *Industrial and Engineering Chemistry Research*, **44** (2005) 8852–8857.
- [26]. M. Reuter, Y. Xiao, & U. Boin, Recycling and environmental issues of metallurgical slags and salt fluxes. *VII Int. Conf. Molten Slags Fluxes Salts* (2004), pp. 349–356.
- [27]. J. A. Soares Tenorio & D. C. Romano Espinosa, Effect of salt / oxide interaction on the process of aluminum recycling. *Journal of Light Metals*, **2** (2002) 89–93.
- [28]. M. Ueda, S. Tsukamoto, S. Konda, & T. Ohtsuka, Recovery of aluminum from

- oxide particles in aluminum dross using AlF<sub>3</sub>–NaF–BaCl<sub>2</sub> molten salt. *Journal of Applied Electrochemistry*, **35** (2005) 925–930. <https://doi.org/10.1007/s10800-005-5289-1>.
- [29]. D. B. Masson & M. M. Taghiei, Interfacial reactions between aluminum alloys and salt flux during melting. *Materials Transactions*, **30** (1989) 411–422.
- [30]. S. Besson, A. Pichat, E. Xolin, P. Chartrand, & B. Friedrich, Improving coalescence in Al-Recycling by salt optimization. *Proc. EMC 2011* (2011), pp. 1–16.
- [31]. Y. Xiao, M. A. Reuter, & U. Boin, Aluminium Recycling and Environmental Issues of Salt Slag Treatment. *Journal of Environmetal Science and Health*, **40** (2005) 1861–1875. <https://doi.org/10.1080/10934520500183824>.
- [32]. Y. Xiao & M. A. Reuter, Recycling of distributed aluminium turning scrap. *Minerals Engineering*, **15** (2002) 963–970. [https://doi.org/10.1016/S0892-6875\(02\)00137-1](https://doi.org/10.1016/S0892-6875(02)00137-1).
- [33]. T. Hiraki, T. Miki, K. Nakajima, K. Matsubae, S. Nakamura, & T. Nagasaka, Thermodynamic Analysis for the Refining Ability of Salt Flux for Aluminum Recycling. *Materials*, **7** (2014) 5543–5553. <https://doi.org/10.3390/ma7085543>.
- [34]. N. Ünlü & M. G. Drouet, Comparison of salt-free aluminum dross treatment processes. *Resources, Conservation and Recycling*, **36** (2002) 61–72.
- [35]. D. Neuschutz, Plasma processing of dusts and residues. *Pure and Applied Chemistry*, **68** (1996) 1159–1165.
- [36]. I. Boulos, New frontiers in thermal plasma processing. *Pure and Applied Chemistry*, **68** (1996) 1007–1010.
- [37]. S. Lavole & G. Dube, A Salt-Free Treatment of Aluminum Dross Using Plasma Heating. *Jom*, (1991) 54–55.
- [38]. M. G. Drouet, M. Handfield, J. Meunier, & C. B. Laflamme, Dross Treatment in a Rotary Arc Furnace with Graphite Electrodes. *Jom*, (1994) 26–27.
- [39]. B. I. Abdulkarim & M. A. Abu Hassan, Thermal Plasma Treatment of Wastes : A Review. *Australian Journal of Basic and Applied Sciences*, **9** (2015) 322–333.
- [40]. G. Dube, J.-P. Huni, S. Lavoie, & W. D. Stevens, Recovery of Non-ferrous metals from dross, 4959100, 1990.
- [41]. T. Tzonev & B. Lucheva, Recovering aluminum from aluminum dross in a DC electric-arc rotary furnace. *Jom*, (2007) 64–68.
- [42]. M. G. Drouet, R. L. Leroy, & P. G. Tsantrizos, Drosrite Salt-Free Processing Of Hot Aluminum Dross. (Pittsburgh, Pennsylvania, 2000), pp. 1135–1145.
- [43]. H. T. Ingason & T. I. Sigfusson, Processing of Aluminum Dross: The Birth of a Closed Industrial Process. *Jom*, **66** (2014) 2235–2242. <https://doi.org/10.1007/s11837-014-1156-z>.
- [44]. M. Carmona & C. Cortés, Numerical simulation of a secondary aluminum

- melting furnace heated by a plasma torch. *Journal of Materials Processing Technology*, **214** (2014) 334–346. <https://doi.org/10.1016/j.jmatprotec.2013.09.024>.
- [45]. R. Beheshti, J. Moosberg-Bustnes, S. Akhtar, & R. E. Aune, Black Dross: Processing Salt Removal from Black Dross by Thermal Treatment. *Jom*, **66** (2014) 2243–2252. <https://doi.org/10.1007/s11837-014-1178-6>.
- [46]. R. Beheshti, J. Moosberg-Bustnes, S. Akhtar, & R. E. Aune, Black Dross Processing: Utilization of Black Dross in the Production of a Ladle Fluxing Agent. *Journal of Sustainable Metallurgy*, (2016). <https://doi.org/10.1007/s40831-016-0076-2>.
- [47]. S. Wang, H. Hu, Y. Chu, & P. Cheng, Dross Recovery of Aluminum Alloy 380. *Cast expo '08* (Atlanta, Georgia, 2008), pp. 1–7.
- [48]. P. N. Papafingos & R. T. Lance, Salt Cake Processing Method and Apparatus, 4073644, 1978.
- [49]. I. W. Gower, C. J. Cherry, & D. S. Yang, Aluminum dross reclamation, 4523949, 1985.
- [50]. T. Gens, Recovery of aluminum from dross using the plasma torch, 5135565, 1992.
- [51]. O. R. Singleton, Method and apparatus for treating aluminous metal skim material and by-products of said method, 4137073, 1979.
- [52]. R. D. Lindsay, Process for recovery of free aluminum from aluminum dross or aluminum scrap using plasma energy with oxygen second stage treatment, 5447548, 1995.
- [53]. D. J. Stewart, J. H. L. Van Linden, A. F. LaCamera, T. V. Pierce, J. O. Parkhill, J. M. Urbanic, & T. R. Hornack, Salt based melting process, 5057194, 1991.
- [54]. C. Brisson, G. Chauvette, F. M. Kimmerle, & R. Roussel, Process for using dross residue to produce refractory products, 5132246, 1992.
- [55]. J. W. Pickens & E. L. Morris, Process for preparing calcium aluminate from aluminum dross, 6238633, 2001.
- [56]. R. Breault, S. Tremblay, Y. Huard, & G. Mathieu, Process for the preparation of calcium aluminates from aluminum dross residues, 5407459, 1995.
- [57]. B. Dash, B. R. Das, B. C. Tripathy, I. N. Bhattacharya, & S. C. Das, Acid dissolution of alumina from waste aluminium dross. *Hydrometallurgy*, **92** (2008) 48–53. <https://doi.org/10.1016/j.hydromet.2008.01.006>.
- [58]. B. R. Das, B. Dash, B. C. Tripathy, I. N. Bhattacharya, & S. C. Das, Production of alumina from waste aluminium dross. *Minerals Engineering*, **20** (2007) 252–258. <https://doi.org/10.1016/j.mineng.2006.09.002>.
- [59]. A. M. Amer, Extracting aluminum from dross tailings. *Jom*, **54** (2002) 72–75.
- [60]. A. M. Amer, Aluminum extraction from Aluminum industrial wastes. *The*

- Journal of The Minerals, Metals & Materials Society*, **62** (2010) 60–63.
- [61]. M. S. R. Sarker, M. Z. Alam, M. R. Qadir, M. A. Gafur, & M. Moniruzzaman, Extraction and characterization of alumina nanopowders from aluminum dross by acid dissolution process. *International Journal of Minerals, Metallurgy and Materials*, **22** (2015) 429–436. <https://doi.org/10.1007/s12613-015-1090-2>.
  - [62]. L. W. Garrett Jr., Process for the production of sulfates, 4337228, 1982.
  - [63]. P. E. Tsakiridis, P. Oustadakis, & S. Agatzini-Leonardou, Aluminium recovery during black dross hydrothermal treatment. *Journal of Environmental Chemical Engineering*, **1** (2013) 23–32. <https://doi.org/10.1016/j.jece.2013.03.004>.
  - [64]. W. J. Bruckard & J. T. Woodcock, Characterisation and treatment of Australian salt cakes by aqueous leaching. *Minerals Engineering*, **20** (2007) 1376–1390. <https://doi.org/10.1016/j.mineng.2007.08.020>.
  - [65]. P. Li, M. Guo, M. Zhang, L. Teng, & S. Seetharaman, Leaching process investigation of secondary aluminum dross: the effect of CO<sub>2</sub> on leaching process of salt cake from aluminum remelting process. *Metallurgical and Materials Transactions B*, **43** (2012) 1220–1230. <https://doi.org/10.1007/s11663-012-9678-7>.
  - [66]. B. Lucheva, R. Petkov, & T. Tzonev, Method for Aluminum Dross Utilization. *3rd BMC-2003-Ohrid* (Macedoma, 2003), pp. 259–264.
  - [67]. P. E. Tsakiridis, P. Oustadakis, & S. Agatzini-Leonardou, Black Dross Leached Residue: An Alternative Raw Material for Portland Cement Clinker. *Waste and Biomass Valorization*, **5** (2014) 973–983. <https://doi.org/10.1007/s12649-014-9313-8>.
  - [68]. N. S. A. Zauzi, M. Z. H. Zakaria, R. Baini, M. R. Rahman, N. M. Sutan, & S. Hamdan, Influence of Alkali Treatment on the Surface Area of Aluminium Dross. *Advances in Materials Sciences and Engineering*, **2016** (2016) 1–4.
  - [69]. U. K. Sultana, F. Gulshan, M. A. Gafur, & A. S. W. Kurny, Kinetics of Recovery of Alumina from Aluminium Casting Waste through Fusion with Sodium Hydroxide. *American Journal of Materials Engineering and Technology*, **1** (2013) 30–34. <https://doi.org/10.12691/materials-1-3-1>.
  - [70]. H. Shen & E. Forssberg, An overview of recovery of metals from slags. *Waste Management*, **23** (2003) 933–949. [https://doi.org/10.1016/S0956-053X\(02\)00164-2](https://doi.org/10.1016/S0956-053X(02)00164-2).
  - [71]. B. J. Jody, E. J. Daniels, P. V. Bonsignore, & D. E. Karvelas, Recycling of aluminum salt cake. *Seventh Int. Conf. Solid Waste Manag. Second. Mater.* (Illinois, 1991).
  - [72]. D. Graziano, J. N. Hryni, & E. J. Daniels, The Economics of salt cake recycling. *1996 Annu. Meet. Miner. Met. Mater. Soc.* (Anaheim California, 1996).
  - [73]. X. Huang, A. El Badawy, M. Arambewela, R. Ford, M. Barlaz, & T. Tolaymat, Characterization of salt cake from secondary aluminum production. *Journal of Hazardous Materials*, **273** (2014) 192–199.

- [https://doi.org/10.1016/j.jhazmat.2014.02.035.](https://doi.org/10.1016/j.jhazmat.2014.02.035)
- [74]. S. Fukumoto, T. Hookabe, & H. Tsubakino, Hydrolysis behavior of aluminum nitride in various solutions. *Journal of materials science*, **35** (2000) 2743–2748.
- [75]. P. Bowen, J. G. Highfield, A. Mocellin, & T. A. Ring, Degradation of Aluminum Nitride Powder in an Aqueous Environment. *Journal of American Ceramic Society*, **73** (1990) 724–728.
- [76]. E. David & J. Kopac, Hydrolysis of aluminum dross material to achieve zero hazardous waste. *Journal of Hazardous Materials*, **209–210** (2012) 501–509. <https://doi.org/10.1016/j.jhazmat.2012.01.064>.
- [77]. T. Hashishin, Y. Kodera, T. Yamamoto, M. Ohyanagi, & Z. A. Munir, Synthesis of (Mg,Si)Al<sub>2</sub>O<sub>4</sub> Spinel from Aluminum Dross. *Journal of American Ceramic Society*, **87** (2004) 496–499.
- [78]. B. Lucheva, T. Tsonev, & R. Petkov, NON-WASTE ALUMINUM DROSS RECYCLING. *Journal of University of Chemical Technology and Metallurgy*, **40** (2005) 335–338.
- [79]. D. A. Huckabay & A. D. Skiathas, Aluminum sulfate manufacture from aluminum dross, 4320098, 1982.
- [80]. H.-K. Park, H.-I. Lee, & E.-P. Yoon, Process for Recycling waste aluminum dross, US 6296817 B1, 2001.
- [81]. J. W. Pickens & M. D. Waite, Recovery of products from Non-Metallic Products derived from aluminum dross, 6110434, 2000.
- [82]. D. Yerushalmi & L. Sarko, Method of recycling aluminum dross, 5424260, 1995.
- [83]. A. Li, H. Zhang, & H. Yang, Evaluation of aluminum dross as raw material for high-alumina refractory. *Ceramics International*, **40** (2014) 12585–12590. <https://doi.org/10.1016/j.ceramint.2014.04.069>.
- [84]. M. N. Ibarra Castro, J. M. Almanza Robles, D. A. Cortés Hernández, J. C. Escobedo Bocardo, & J. Torres Torres, Development of mullite/zirconia composites from a mixture of aluminum dross and zircon. *Ceramics International*, **35** (2009) 921–924. <https://doi.org/10.1016/j.ceramint.2008.03.006>.
- [85]. S. Zhao, Y. Huang, C. Wang, X. Huang, & J. Guo, Mullite formation from reaction sintering of ZrSiO<sub>4</sub>/a-Al<sub>2</sub>O<sub>3</sub> mixtures. *Materials Letters*, **57** (2003) 1716–1722.
- [86]. T. Koyama, S. Hayashi, A. Yasumori, K. Okada, M. Schmucker, & H. Schneider, Microstructure and Mechanical Properties of Mullite / Zirconia Composites Prepared from Alumina and Zircon under Various Firing Conditions. *Journal of European Ceramic Society*, **16** (1996) 231–237.
- [87]. H. S. Tripathi, A. Ghosh, M. K. Halder, B. Mukherjee, & H. S. Maiti, Microstructure and properties of sintered mullite developed from Indian bauxite. *Bulletin of Material Science*, **35** (2012) 639–643.

- [88]. V. Kevorkian, The quality of aluminum dross particles and cost-effective reinforcement for structural aluminum-based composites. *Composites Science and Technology*, **59** (1999) 1745–1751. [https://doi.org/10.1016/S0266-3538\(99\)00034-2](https://doi.org/10.1016/S0266-3538(99)00034-2).
- [89]. D. Bajare, A. Korjakins, J. Kazjonovs, & I. Rozenstrauha, Pore structure of lightweight clay aggregate incorporate with non-metallic products coming from aluminium scrap recycling industry. *Journal of the European Ceramic Society*, **32** (2012) 141–148. <https://doi.org/10.1016/j.jeurceramsoc.2011.07.039>.
- [90]. H. N. Yoshimura, A. P. Abreu, A. L. Molisani, A. C. de Camargo, J. C. S. Portela, & N. E. Narita, Evaluation of aluminum dross waste as raw material for refractories. *Ceramics International*, **34** (2008) 581–591. <https://doi.org/10.1016/j.ceramint.2006.12.007>.
- [91]. M. C. Shinzato & R. Hypolito, Solid waste from aluminum recycling process: Characterization and reuse of its economically valuable constituents. *Waste Management*, **25** (2005) 37–46. <https://doi.org/10.1016/j.wasman.2004.08.005>.
- [92]. G. Mailar, S. N. Raghavendra, P. Hiremath, B. M. Sreedhara, D. S. Manu, & K. Jayakesh, Investigation of concrete produced using recycled aluminium dross for hot weather concreting conditions. *Resource-Efficient Technologies*, **2** (2016) 68–80. <https://doi.org/10.1016/j.refft.2016.06.006>.
- [93]. K. Hsieh, T. H. Ueng, & C. Chen, A Study of Stabilization and Recycling for Aluminum Dross. *Applied Mechanics and Materials*, **275–277** (2013) 2237–2240. <https://doi.org/10.4028/www.scientific.net/AMM.275-277.2237>.
- [94]. M. S. Reddy, D. Neeraja, & B. Kotaiah, An Experimental Investigation On Use Of Secondary Aluminium Dross In Concrete. *International Journal of Applied Sciences, Engineering and Management*, **03** (2014) 29–35.
- [95]. E. Petavratzi & S. Wilson, *Residues from aluminium dross recycling in cement* (2007).
- [96]. E. M. M. Ewais, N. M. Khalil, M. S. Amin, Y. M. . Ahmed, & M. A. Barakat, Utilization of aluminum sludge and aluminum slag (dross) for the manufacture of calcium aluminate cement. *Ceramics International*, **35** (2009) 3381–3388. <https://doi.org/10.1016/j.ceramint.2009.06.008>.
- [97]. R. R. Lourenço, R. S. Angélica, & J. D. A. Rodrigues, Preparation of refractory Calcium Aluminate Cement using Sonochemical Process. *Materials Research*, **16** (2013) 731–739. <https://doi.org/10.1590/S1516-14392013005000041>.
- [98]. J.-P. Hong, J. Wang, H.-Y. Chen, B.-D. Sun, J.-J. Li, & C. Chen, Process of aluminum dross recycling and life cycle assessment for Al-Si alloys and brown fused alumina. *Transactions of Nonferrous Metals Society of China (English Edition)*, **20** (2010) 2155–2161. [https://doi.org/10.1016/S1003-6326\(09\)60435-0](https://doi.org/10.1016/S1003-6326(09)60435-0).
- [99]. M. Ridderbusch, B. Jaroni, A. Arnold, & B. Friedrich, From Oxide Residues of Al-slag-treatment to SiAl-masteralloys via carbothermic reduction. *Eur. Metall. Conf. 2009* (2009), pp. 1–16.
- [100]. S. J. Yoo, H. S. Yoon, H. D. Jang, J. W. Lee, S. T. Hong, M. J. Lee, S. Il Lee, &

- K. W. Jun, Synthesis of aluminum isopropoxide from aluminum dross. *Korean Journal of Chemical Engineering*, **23** (2006) 683–687.
- [101]. S.-J. Yoo, D.-H. Kwak, S.-I. Lee, J.-G. Kim, J. K. Park, H. S. Yoon, & H. D. Jang, Kinetics of aluminum dross dissolution in sec-butyl alcohol for aluminum sec-butoxide. *Advanced Powder Technology*, **22** (2011) 617–622. <https://doi.org/10.1016/j.apt.2010.09.007>.
- [102]. N. Murayama, I. Maekawa, H. Ushiro, T. Miyoshi, J. Shibata, & M. Valix, Synthesis of various layered double hydroxides using aluminum dross generated in aluminum recycling process. *International Journal of Mineral Processing*, **110–111** (2012) 46–52. <https://doi.org/10.1016/j.minpro.2012.03.011>.
- [103]. N. Murayama, N. Okajima, S. Yamaoka, H. Yamamoto, & J. Shibata, Hydrothermal synthesis of AlPO<sub>4</sub>-5 type zeolitic materials by using aluminum dross as a raw material. *Journal of the European Ceramic Society*, **26** (2006) 459–462. <https://doi.org/10.1016/j.jeurceramsoc.2005.06.022>.
- [104]. N. Murayama, K. Arimura, N. Okajima, & J. Shibata, Effect of structure-directing agent on AlPO<sub>4-n</sub> synthesis from aluminum dross. *International Journal of Mineral Processing*, **93** (2009) 110–114. <https://doi.org/10.1016/j.minpro.2009.07.002>.
- [105]. J. Kim, K. Biswas, K. W. Jhon, S. Y. Jeong, & W. S. Ahn, Synthesis of AlPO<sub>4</sub>-5 and CrAPO-5 using aluminum dross. *Journal of Hazardous Materials*, **169** (2009) 919–925. <https://doi.org/10.1016/j.jhazmat.2009.04.035>.
- [106]. T. Hiraki, A. Nosaka, N. Okinaka, & T. Akiyama, Synthesis of Zeolite-X from Waste Metals. *The Iron and Steel Institute of Japan International*, **49** (2009) 1644–1648.
- [107]. A. Gil, S. Albeniz, & S. A. Korili, Valorization of the saline slags generated during secondary aluminium melting processes as adsorbents for the removal of heavy metal ions from aqueous solutions. *Chemical Engineering Journal*, **251** (2014) 43–50. <https://doi.org/10.1016/j.cej.2014.04.056>.
- [108]. E. A. El-Katatny, S. A. Halawy, M. A. Mohamed, & M. I. Zaki, A Novel Synthesis of High-Area Alumina via H<sub>2</sub>O<sub>2</sub> -Precipitated Boehmite from Sodium Aluminate Solutions. *Journal of Chemical Technology and Biotechnology*, **72** (1998) 320–328.
- [109]. E. A. El-Katatny, S. A. Halawy, M. A. Mohamed, & M. I. Zaki, Recovery of high surface area alumina from aluminium dross tailings. *Journal of Chemical Technology and Biotechnology*, **75** (2000) 394–402.
- [110]. E. A. El-Katatny, S. A. Halawy, M. A. Mohamed, & M. I. Zaki, Surface composition, charge and texture of active alumina powders recovered from aluminum dross tailings chemical waste. *Powder Technology*, **132** (2003) 137–144. [https://doi.org/10.1016/S0032-5910\(03\)00047-0](https://doi.org/10.1016/S0032-5910(03)00047-0).
- [111]. E. M. M. Ewais, N. M. Khalil, M. S. Amin, Y. M. Z. Ahmed, & M. A. Barakat, Utilization of aluminum sludge and aluminum slag (dross) for manufacture calcium aluminate cement. *Ceramics International*, **35** (2009) 3381–3388.

- [https://doi.org/10.1016/j.ceramint.2009.06.008.](https://doi.org/10.1016/j.ceramint.2009.06.008)
- [112]. L. Peng, M. Zhang, L. Teng, & S. Seetharaman, Recycling of Aluminum Salt Cake : Utilization of Evolved Ammonia. *Metallurgical and Materials Transactions B*, **44** (2013) 16–19. <https://doi.org/10.1007/s11663-012-9779-3>.
- [113]. N. Saito, C. Ishizaki, & K. Ishizaki, Temperature Programed Desorption ( TPD ) Evaluation of Aluminum Nitride Powder Surfaces Produced by Different Manufacturing Processes. *Journal of the Ceramic Society of Japan*, **102** (1994) 301–304.
- [114]. M. C. Shinzato & R. Hypolito, Effect of disposal of aluminum recycling waste in soil and water bodies. *Environmental Earth Sciences*, **75** (2016) 628–638. <https://doi.org/10.1007/s12665-016-5438-3>.
- [115]. M. Wang, G. Liu, X. Jiang, S. Li, W. Liu, & M. Zheng, Formation and emission of brominated dioxins and furans during secondary aluminum smelting processes. *Chemosphere*, **146** (2016) 60–67. <https://doi.org/10.1016/j.chemosphere.2015.11.109>.
- [116]. A. Gil, Management of Salt Cake Generated at Secondary Aluminum Melting Plants by Disposal in a Controlled Landfill : Characteristics of the Controlled Landfill and a Study of Environmental Impacts. *Environmental Engineering Science*, **24** (2007) 1234–1244. <https://doi.org/10.1089/ees.2006.0123>.
- [117]. G. V. Calder & T. D. Stark, Aluminum Reactions and Problems in Municipal Solid Waste Landfills. *Practice Periodical of Hazardous, Toxic, and Radioactive Waste Management*, **14** (2010) 258–265.
- [118]. D. A. Huckabay & A. D. Skiathas, Aluminum Dross Processing, 4252776, 1981.
- [119]. M. Olper, T. Corsini, & P. Fracchia, Process and plant for the processing of slag from aluminum scrap and waste melting, recovery of components thereof and treatment of gasses generated, 0379245, 1990.
- [120]. J. A. Huckabay, Method for treatment of aluminum dross oxides, 4434142, 1984.
- [121]. W. J. Bruckard & J. T. Woodcock, Recovery of valuable materials from aluminium salt cakes. *International Journal of Mineral Processing*, **93** (2009) 1–5. <https://doi.org/10.1016/j.minpro.2009.05.002>.
- [122]. H. Wang & M. Chin, Rapid Hydrogen Generation from Aluminum-Water System Using Synthesized Aluminum Hydroxide Catalyst. *International Journal of Chemical Engineering and Applications*, **6** (2015) 146–151. <https://doi.org/10.7763/IJCEA.2015.V6.470>.
- [123]. C. R. Jung, A. Kundu, B. Ku, J. H. Gil, H. R. Lee, & J. H. Jang, Hydrogen from aluminium in a flow reactor for fuel cell applications. *Journal of Power Sources*, **175** (2008) 490–494. <https://doi.org/10.1016/j.jpowsour.2007.09.064>.
- [124]. P. E. Tsakiridis, Aluminium salt slag characterization and utilization - A review. *Journal of Hazardous Materials*, **217–218** (2012) 1–10. <https://doi.org/10.1016/j.jhazmat.2012.03.052>.

- [125]. E. R. Segnit, Tamarugite from Anglesea, Victoria, Australia. *Mineralogical Magazine*, **40** (1976) 642–644.
- [126]. K. Mereiter, Redetermination of tamarugite, NaAl(SO<sub>4</sub>)<sub>2</sub>.6H<sub>2</sub>O. *Acta Crystallographica Section E*, **69** (2013) 63–64. <https://doi.org/10.1107/S1600536813025154>.
- [127]. S. Kumar & S. K. Saxena, Role of sodium hydroxide for hydrogen gas production and storage. *Materials and processes for energy: communicating current research and technological developments*, (2013) 452–463.
- [128]. S. Billon & P. Vieillard, Prediction of enthalpies of formation of hydrous sulfates. *American Mineralogist*, **100** (2015) 615–627. <https://doi.org/10.2138/am.2014.4925>.
- [129]. K. Etsuro & K. Daimon, Thermal decomposition of hydrated aluminium sulphate precipitated from acetic acid solution. *Journal of the American Ceramic Society*, (1979) 313.
- [130]. Y. Pelovski, M. Tsankov, V. Petkova, & L. Gruncharov, Thermal decomposition of sodium aluminium sulphate crystallohydrate. *Journal of Thermal Analysis*, **43** (1995) 351–357.
- [131]. H. S. Peavy, D. R. Rowe, & G. Tchobanoglous, *Environmental Engineering* (McGraw-Hill Book Co., 1985).
- [132]. M. A. Abolghassemi Fakhree, D. R. Delgado, F. Martínez, & A. Jouyban, The Importance of Dielectric Constant for Drug Solubility Prediction in Binary Solvent Mixtures: Electrolytes and Zwitterions in Water + Ethanol. *AAPS PharmSciTech*, **11** (2010) 1726–1729. <https://doi.org/10.1208/s12249-010-9552-3>.
- [133]. M. Giulietti & A. Bernardo, Crystallization by Antisolvent Addition and Cooling. *Cryst. - Sci. Technol.* (Intech, 2012), pp. 379–396. <https://doi.org/10.5772/50328>.
- [134]. A. F. Kardos, J. Tóth, L. Trif, J. Gyenis, & T. Feczkó, Preparation of spherical agglomerates from potash alum. *RSC Advances*, **6** (2016) 5466–5473. <https://doi.org/10.1039/C5RA18497E>.
- [135]. N. F. Voznaya, *Chemistry of water and microbiology*, First Edit (Moscow: Mir publishers Moscow, 1981).
- [136]. E. W. Steel & T. J. Mcghee, *Water supply and sewerage*, Fifth Edit (McGraw-Hill International Book Company, 1981).
- [137]. R. P. Ugwekar & G. P. Lakhawat, Potash Alum from Waste Aluminum Cans and Medicinal Foil. *IOSR Journal of Engineering*, **2** (2012) 62–64.
- [138]. N. R. Ekere, J. N. Ihedioha, & A. A. Bright, Synthesis of potash alum from waste aluminum foil and aluminum scrap. *International Journal of Chemical Sciences*, **12** (2014) 1145–1152.
- [139]. A. U. Birnin-Yauri & M. Aliyu, Synthesis and Analysis of Potassium Aluminium Sulphate (Alum) from Waste Aluminium Can. *International Journal of Advanced*

- Research in Chemical Science*, **1** (2014) 1–6.
- [140]. H. Z. Wang, D. Y. C. Leung, M. K. H. Leung, & M. Ni, A review on hydrogen production using aluminum and aluminum alloys. *Renewable and Sustainable Energy Reviews*, **13** (2009) 845–853. <https://doi.org/10.1016/j.rser.2008.02.009>.