

CONTENTS

<i>List of Figures</i>		xvii-xx
<i>List of Tables</i>		xxi
<i>List of Abbreviations</i>		xxiii
<i>List of Symbols</i>		xxv-xxvi
<i>Preface</i>		xxvii-xxviii
CHAPTER 1	INTRODUCTION	1-35
1.1.	Motivation for the Thesis	3
1.2.	Electromagnetic Surface Waves	7
1.3	Surface-Plasmon-Polariton (SPP) Waves	10
	1.3.1. Fields and Dispersion Equation	12
	1.3.2. Characteristics of SPP wave	18
	1.3.3. Excitation of SPP wave at a Planar Interface	19
	1.3.3.1. Prism-Coupled Configurations	19
	1.3.3.2. Grating-Coupled Configuration	21
1.4.	Relative –Permittivity Models for Dispersive Isotropic Materials	21
	1.4.1. Lorentz Model	22
	1.4.2. Drude Model	22
	1.4.3. Critical-Point Model	23
1.5.	Finite-Difference Time-Domain Method	24
1.6.	Correlation Coefficients	27
1.7.	Literature Review	30
1.8.	Research Objective	33

1.9.	Organization of the Thesis	33
CHAPTER 2	INFORMATION TRANSFER ACROSS A GAP	37-63
2.1.	Overview	39
2.2.	Introduction	39
2.3.	Theoretical Analysis	42
	2.3.1. Initial-Boundary-Value Problem	42
	2.3.2. Constitutive Relations	44
	2.3.3. Initial Fields	45
	2.3.4. FDTD Updating Equations	47
2.4.	Numerical Results and Discussion	49
	2.4.1. Launched Signal	52
	2.4.2. Transmission Across a Gap	56
2.5.	Concluding Remarks	62
CHAPTER 3	TRANSPORT OF INFORMATION AROUND A CONCAVE CORNER	65-82
3.1.	Overview	67
3.2.	Introduction	67
3.3.	Theory in Brief	68
3.4.	Numerical Results and Discussion	70
	3.4.1. Effect of Corner Angle on Information Transmission	71
	3.4.2. Effect of Carrier Wavelength on Information Transmission	76
	3.4.3. Scattered Signal	79

3.5.	Concluding Remarks	81
CHAPTER 4	NEAR-INFRARED INFORMATION TRANSFER ON SILVER/SILICON INTERFACE	83-101
4.1.	Overview	85
4.2.	Introduction	85
4.3.	Geometry and Constitutive Relations	86
4.4.	Results and Discussion	91
4.5.	Concluding Remarks	100
CHAPTER 5	CONCLUSION AND FUTURE SCOPE	103-108
5.1.	Chief Conclusion	105
5.2.	Suggestions for Future research	107
	<i>References</i>	109-117
	<i>Author's Relevant Publications</i>	119
	<i>Appendix A</i>	121-123
	<i>Appendix B</i>	125-150

