

List of Figures

<i>Figure 1.1: (left) Ferromagnetically and (right) antiferromagnetically coupled Ising spin arranged on a triangle.</i>	2
<i>Figure 1.2: 6-fold degeneracy in antiferromagnetically coupled Ising spin in triangular lattice.....</i>	3
<i>Figure 1.3: Formation of corner-shared tetrahedra by A and B sites in cubic pyrochlore oxides. [17].....</i>	6
<i>Figure 1.4: Temperature dependent; (a) specific heat and (b) entropy of $Dy_2Ti_2O_7$ measured at 0 T and 0.5 T magnetic field, showing the similarity with Pauling predicted water ice entropy $R(\ln 2 - 1/2 \ln 3/2)$. [22].....</i>	8
<i>Figure 1.5: (a) proton arrangement in the frustrated water ice corroborates with the (b) spin arrangement in the frustrated spin ice compounds. [22].....</i>	9
<i>Figure 1.6: den Hertog and Gingras proposed phase diagram of pyrochlore magnets having Ising spin with nearest neighbor exchange and long rang dipolar interactions. J_{nn} and D_{nn} represent the Ising variables for nearest-neighbor exchange and dipolar energies. [48]</i>	11
<i>Figure 1.7: Complex crystal structural of cubic $R_2Ti_2O_7$ pyrochlore oxide having space group $Fd\bar{3}m$.</i>	12
<i>Figure 1.8: A part of pyrochlore structure of the $R_2Ti_2O_7$ cubic oxides ($R = Ho/Dy$) highlighting the oxygen environment around Rare Earth ion (blue color) and Ti^{4+} ion (sky blue color) formed by O1 (red color) and O2 (green color) oxygen sites.</i>	13
<i>Figure 1.9: Temperature dependence of the magnetic dc susceptibility of $Dy_2Ti_2O_7$ (left) and $Ho_2Ti_2O_7$ (right). [56]</i>	15
<i>Figure 1.10: Magnetic field dependence of magnetization of $Dy_2Ti_2O_7$ (left) and $Ho_2Ti_2O_7$ (right). [56]</i>	16
<i>Figure 1.11: Field dependent magnetization of $Dy_2Ti_2O_7$ at different temperatures along $\langle 111 \rangle$ crystallographic direction. [57].....</i>	17
<i>Figure 1.12: Formation of different magnetic state on application of magnetic field along $\langle 111 \rangle$ crystallographic direction in single crystal $Dy_2Ti_2O_7$. [58]</i>	18
<i>Figure 1.13: Temperature dependent ac susceptibility of $Dy_2Ti_2O_7$ at different frequency. [41].</i>	20
<i>Figure 1.14: Temperature dependent real part (χ') of ac susceptibility of $Dy_2Ti_2O_7$ measured at different DC biased magnetic field. [41]</i>	21

<i>Figure 1.15: Normalized temperature dependent real (χ') and imaginary (χ'') part of ac susceptibility of $Dy_2Ti_2O_7$. [59].....</i>	22
<i>Figure 1.16: Plot of frequency dependence of inverse of TmL and TmH and temperature dependence of mean frequency (f_m). [59].....</i>	23
<i>Figure 1.17: Temperature dependence of spin relaxation time of $Dy_2Ti_2O_7$ at different magnetic field. [61].....</i>	24
<i>Figure 1.18: $\ln(f)$ vs. $1/T$ plot of $Dy_2Ti_2O_7$ at different magnetic field showing the non-Arrhenius behavior of spin relaxation. [64].....</i>	25
<i>Figure 1.19: Temperature dependent ac susceptibility (χ' and χ'') of $Dy_{2-x}Y_xTi_2O_7$ measured at 1 kHz applied frequency. [65].....</i>	27
<i>Figure 1.20: Temperature dependence of the real part (χ') of ac susceptibility of $Dy_{2-x}Tb_xTi_2O_7$ at 1 kHz and 10 kHz frequency. [68].....</i>	28
<i>Figure 1.21: Temperature dependent ac susceptibility of $Ho_2Ti_2O_7$ measured at different frequency. [42].....</i>	30
<i>Figure 1.22: Appearance of spin ice and 16 K spin freezing in temperature dependent ac susceptibility of $Ho_2Ti_2O_7$ measured at different magnetic field. [69].....</i>	31
<i>Figure 1.23: Temperature dependent ac susceptibility of single crystal $Ho_2Ti_2O_7$. Left panel: χ''/χ_{dc} measured at different frequency in presence of 1 T external magnetic field. Right panel: Variation in the inverse of high temperature spin freezing temperature (T_f) with $\ln(f)$ at different external magnetic field. Inset shows the variation in the inverse of spin ice freezing temperature with $\ln(f)$ at 1 T external magnetic field. [70].....</i>	32
<i>Figure 1.24: Temperature dependence of the FWHM of the quasielastic signal of neutron scattering of $Ho_2Ti_2O_7$. Provide the temperature dependent variation in the spin relaxation time shown in the inset. [71].....</i>	34
<i>Figure 1.25: Temperature dependence of the dielectric permittivity (ϵ) and dielectric loss ($\tan\delta$) of $Ho_2Ti_2O_7$ measured at different frequency. [87].....</i>	37
<i>Figure 1.26: Temperature dependence of; (a) pyroelectric current (I), (b) under a series of warming rates, (c) polarization (P) and (d) polarization under a positive and negative poling electric field of $Ho_2Ti_2O_7$. [87].....</i>	38
<i>Figure 1.27: (a) Temperature dependent dielectric constant of single crystal $Ho_2Ti_2O_7$ measured in the presence of 0 T and 5 T magnetic field along (100) and (111) directions. (b) Magnitude of magnetocapacitance at 5 T along (100) direction (left axis) and square of magnetization (right axis) as a function of temperature. [93].....</i>	40
<i>Figure 1.28: For $Dy_2Ti_2O_7$, (a) Temperature dependent dielectric constant (ϵ) measured at frequency 157 Hz. (b) Temperature dependent pyroelectric current under a series of</i>	

warming rates. (c) Variation of electric polarization as a function of temperature after poling in positive and negative electric fields. [88]..... 41

Figure 1.29: (a) pyroelectric current and (b) electric polarization at different magnetic field, as a function of temperature for $Dy_2Ti_2O_7$. [88]..... 42

Figure 1.30: Magnetostriction in $Dy_2Ti_2O_7$ along (a) (100) and (b) (111) crystallographic direction. $d(B)$ and $S(B)$ representing the thickness and area of the sample in the presence of magnetic field (B). [90]..... 44

Figure 2.1: x-ray diffraction patterns of the chemicals (a) Ho_2O_3 , Dy_2O_3 , Fe_2O_3 , MnO_2 and TiO_2 , used for synthesis of $Ho_2Ti_2O_7$, $Dy_2Ti_2O_7$ and their doped derivatives..... 55

Figure 2.2: Room temperature high-resolution x-ray diffraction pattern of $Ho_2Ti_2O_7$ and its doped derivatives. 56

Figure 2.3: Room temperature high-resolution x-ray diffraction pattern of $Dy_2Ti_2O_7$ and its doped derivatives. 56

Figure 2.4: Rietveld refinement of the high-resolution x-ray patterns of $Ho_2Ti_2O_7$ by considering; (a) Ho^{3+} and Ti^{4+} at 16d and 16c crystallographic sites, respectively and (b) Ho^{3+} and Ti^{4+} at 16c and 16d crystallographic sites, respectively. 58

Figure 2.5: Rietveld refinement of the high-resolution x-ray diffraction patterns of $Dy_2Ti_2O_7$ by considering; (a) Dy^{3+} and Ti^{4+} at 16d and 16c crystallographic sites, respectively and (b) Dy^{3+} and Ti^{4+} at 16c and 16d crystallographic sites, respectively..... 59

Figure 3.1: Rietveld fit of the room temperature high resolution x-ray diffraction pattern of polycrystalline (a) $Ho_2Ti_2O_7$; (b) $Dy_2Ti_2O_7$; (c) $Ho_2Ti_{1.85}Fe_{0.15}O_7$ and (d) $Ho_{1.8}Fe_{0.2}Ti_2O_7$... 63

Figure 3.2: Temperature dependence of the real (ϵ') and imaginary (ϵ'') part of the dielectric permittivity of $Ho_2Ti_2O_7$ (a, b) and $Dy_2Ti_2O_7$ (c, d) measured at different frequencies. 65

Figure 3.3: Plot of $\ln(1/\epsilon' - 1/\epsilon_m)$ as a function of $\ln(T - T_m)$ at 1 kHz for 90 K relaxations for $Ho_2Ti_2O_7$, $Dy_2Ti_2O_7$, $Ho_2Ti_{1.85}Fe_{0.15}O_7$ & $Ho_{1.8}Fe_{0.2}Ti_2O_7$ (a) and 36 K relaxations for $Ho_2Ti_2O_7$ & $Dy_2Ti_2O_7$ (b). $\ln(\tau)$ vs. $1/T_m$ plot with Arrhenius fit for 90 K (c) and 36 K relaxation observed in $Ho_2Ti_2O_7$ and $Dy_2Ti_2O_7$ 66

Figure 3.4: Frequency dependence of the real (ϵ') and imaginary (ϵ'') part of the dielectric permittivity of $Ho_2Ti_2O_7$ (a, b, c and d) and $Dy_2Ti_2O_7$ (e, f, g and h) at different temperatures. 70

Figure 3.5: Lacroix-Béné function fit of ϵ' vs. f plot at different temperatures of $Ho_2Ti_2O_7$ (a, b) and $Dy_2Ti_2O_7$ (c, d). Inset shows the Arrhenius fitted $\ln(\tau_0)$ vs. $1/T$ plot..... 71

Figure 3.6: Temperature dependence of the real (ϵ') and imaginary (ϵ'') part of the dielectric permittivity of $Ho_2Ti_{1.85}Fe_{0.15}O_7$ (a, b) and $Ho_{1.8}Fe_{0.2}Ti_2O_7$ (c, d) measured at different frequencies. 74

<i>Figure 3.7: Synchrotron x-ray diffraction (SRXRD) pattern of polycrystalline (a) $\text{Ho}_2\text{Ti}_2\text{O}_7$ and (b) $\text{Dy}_2\text{Ti}_2\text{O}_7$ measured at different temperatures.</i>	77
<i>Figure 3.8: Rietveld refinement of Synchrotron x-ray diffraction pattern of polycrystalline $\text{Ho}_2\text{Ti}_2\text{O}_7$ (a, b c, and d) and $\text{Dy}_2\text{Ti}_2\text{O}_7$ (e, f, g, and h) measured at 150K, 110 K, 70 K and 30 K.</i>	78
<i>Figure 3.9: Temperature dependent variation of the lattice volume (dot) and modeled Debye – grüneisen fit (solid red line) for (a) $\text{Ho}_2\text{Ti}_2\text{O}_7$ and (b) $\text{Dy}_2\text{Ti}_2\text{O}_7$.</i>	82
<i>Figure 4.1: Temperature dependence of the real (ϵ') and imaginary part (ϵ'') of the dielectric permittivity of $\text{Ho}_2\text{Ti}_2\text{O}_7$ compound measured in 3-300 kHz frequency range. Inset of the figure 3(a) shows the Arrhenius nature of $\ln(\tau)$ Vs $1/T_m$ plot for the observed relaxation. ...</i>	87
<i>Figure 4.2: Temperature dependent real (ϵ') and imaginary part (ϵ'') of the dielectric permittivity of $\text{Dy}_2\text{Ti}_2\text{O}_7$ measured in 1-300 kHz frequency range. Inset of the fig. 7(a) shows the Arrhenius nature of $\ln(\tau)$ Vs $1/T_{m2}$ plot for the higher temperature dielectric relaxation.</i>	88
<i>Figure 4.3: Temperature dependence of the real (ϵ') and imaginary (ϵ'') part of the dielectric permittivity of $\text{Ho}_2\text{Ti}_2\text{O}_7$ compound measured at 200 kHz for 0 T and 0.5 T magnetic field.</i>	90
<i>Figure 4.4: Temperature dependence of the magnetization measured at an applied magnetic field of 7 T for (a) $\text{Ho}_2\text{Ti}_2\text{O}_7$ and (b) $\text{Dy}_2\text{Ti}_2\text{O}_7$.</i>	91
<i>Figure 4.5: Percentage change in the lattice volume with square of magnetization with linear fit (solid blue line) for (a) $\text{Ho}_2\text{Ti}_2\text{O}_7$ and (b) $\text{Dy}_2\text{Ti}_2\text{O}_7$.</i>	92
<i>Figure 5.1: Temperature dependence of the dielectric permittivity and loss spectrum of polycrystalline $\text{Dy}_{2-x}\text{Fe}_x\text{Ti}_2\text{O}_7$ compound for (a) $x= 0$ (b) $x= 0.5$ (c) $x= 0.1$ and (d) $x= 0.15$ compositions at various frequencies.</i>	97
<i>Figure 5.2: High resolution x-ray diffraction pattern and Rietveld refinement of polycrystalline $\text{Dy}_{2-x}\text{Fe}_x\text{Ti}_2\text{O}_7$ compound for various compositions. Inset of figure 1(b) shows the systematic variation of lattice constant.</i>	100
<i>Figure 5.3: Real (a) and imaginary (b) part of magnetic ac-susceptibility verses temperature at 1 kHz frequency of polycrystalline $\text{Dy}_{2-x}\text{Fe}_x\text{Ti}_2\text{O}_7$.</i>	102
<i>Figure 5.4: Room temperature UV-vis spectrum of polycrystalline $\text{Dy}_{2-x}\text{Fe}_x\text{Ti}_2\text{O}_7$ in 700-1400 nm wavelength range. Inset shows the UV-vis spectrum in 400-1400 nm wavelength range for $x=0$ composition.</i>	103
<i>Figure 5.5: Room temperature luminescence spectrum of polycrystalline $\text{Dy}_{2-x}\text{Fe}_x\text{Ti}_2\text{O}_7$ compound recorded at 455 nm excitation wavelength. Inset shows the enlarge spectra in the wavelength region 650-850 nm.</i>	105

<i>Figure 5.6: Temperature dependent (a) real and (b) imaginary part of magnetic ac-susceptibility measured at 0 T, 0.5 T and 1 T for $Dy_{2-x}Fe_xTi_2O_7$ ($x= 0.05$ and 0.15) at 1 kHz frequency.....</i>	107
<i>Figure 6.1: Temperature dependence of the real part of ac susceptibility measured at 500 Hz for dc bias field; (a) 0, 0.35, 0.5, 0.75 and 1 T and (b) 0.5, 0.75, 1, 1.5, 2, 3, 4 and 6 T for $Ho_2Ti_2O_7$ compound.....</i>	111
<i>Figure 6.2: H-T phase diagram of the $Ho_2Ti_2O_7$ compound for (a) T_f and (b) T_{ice} freezing with deduced value of H_C. The $(H-H_C)^{1/2}$ fit is represented by solid pink and blue line whereas the linear fit is represented by a solid red line.</i>	112
<i>Figure 6. 3: Real part of magnetic susceptibility of $Dy_2Ti_2O_7$ compound measured at 200 Hz frequency for 0, 0.25, 0.5, 0.75, 1 and 2 T, dc bias magnetic field.....</i>	114
<i>Figure 6.4: H-T phase diagram of $Dy_2Ti_2O_7$ compound for (a) T_f and (b) T_{ice} freezing with deduced value of H_C.....</i>	115
<i>Figure 6.5: Rietveld refinement of x-ray diffraction pattern of polycrystalline; (a) $Ho_2Ti_{1.9}Mn_{0.1}O_7$, and (b) $Dy_2Ti_{1.9}Mn_{0.1}O_7$.....</i>	117
<i>Figure 6.6: Temperature dependence of the real part of ac susceptibility measured at the 200 Hz frequency for $Ho_2Ti_2O_7$ and $Ho_2Ti_{1.9}Mn_{0.1}O_7$ (a, b, & c) and for $Dy_2Ti_2O_7$ and $Dy_2Ti_{1.9}Mn_{0.1}O_7$ (d, e, & f) at different DC bias field.</i>	119
<i>Figure 7.1: Temperature dependent ac susceptibility of (a) $Ho_2Ti_2O_7$ and (b) $Dy_2Ti_2O_7$ measured at different magnetic field in ZFCW, FCC and FCW measurement mode at frequency 200 Hz. Inset shows the temperature dependent dc magnetization of (a) $Ho_2Ti_2O_7$ and (b) $Dy_2Ti_2O_7$ in ZFCW, FCC and FCW measurement mode at different magnetic field.</i>	124
<i>Figure 7.2: Variation of thermal hysteresis ($\Delta\chi'$) with external magnetic field for different temperature in (a) $Ho_2Ti_2O_7$ and (b) $Dy_2Ti_2O_7$. Inset shows the temperature dependent variation in peak maxima (H_m) for $Ho_2Ti_2O_7$ and $Dy_2Ti_2O_7$.</i>	125
<i>Figure 7.3: Temperature dependence of ac susceptibility (χ') of (a, b) $Ho_2Ti_2O_7$ and (c, d) $Dy_2Ti_2O_7$ measured at different frequency in FCW and FCC measurement mode at an external magnetic field 0.75 T. Inset of figure 7.3 (b) shows the variation in thermal hysteresis for 50 Hz and 700 Hz.</i>	127
<i>Figure 7.4: Exponential fit of frequency dependent thermal hysteresis ($\Delta\chi'$) of (a) $Ho_2Ti_2O_7$ and (b) $Dy_2Ti_2O_7$ for different temperatures. Inset shows the temperature variation in thermal hysteresis ($\Delta\chi'$) for 100 Hz frequency for both compounds.</i>	129
<i>Figure 7.5: Temperature dependent variation in $I(T)$ and $R(T)$ parameters for (a) $Ho_2Ti_2O_7$ and (b) $Dy_2Ti_2O_7$ as obtained from exponential fit of frequency dependent thermal hysteresis($\Delta\chi'$).....</i>	130

Figure 7.6: For $\text{Ho}_2\text{Ti}_{1.9}\text{Mn}_{0.1}\text{O}_7$; (a) temperature dependent real part (χ') of ac susceptibility measured at different external magnetic field in ZFCW, FCC and FCW measurement mode at a constant frequency 200 Hz. Inset shows the ZFCW, FCC and FCW of temperature dependent magnetization measured at different magnetic field. (b) Temperature dependent χ' for $\text{Ho}_2\text{Ti}_2\text{O}_7$ and $\text{Ho}_2\text{Ti}_{1.9}\text{Mn}_{0.1}\text{O}_7$ at 100 Hz frequency and 0.75 T magnetic field for FCC and FCW measurement mode. Inset shows the variation in thermal hysteresis ($\Delta\chi'$) for both compounds. 132

Figure 7.7: FCC and FCW of temperature dependent real part (χ') of ac susceptibility measured in 2-30 K(solid line) and 9-30 K(dot symbol) temperature range at 100 Hz frequency in presence of 0.75 T external magnetic field for $\text{Ho}_2\text{Ti}_2\text{O}_7$ 133

Figure 7.8: FCC and FCW of temperature dependent χ' measured at two different time having time interval 48 hour at 100 Hz and 0.75 T external magnetic field. Inset shows the FCC and FCW of temperature dependent χ' in absence of external magnetic field. 135