

References

- [1] G. Toulouse, J. Vannimenus, and J. M. Maillard, “Spin Glasses and Roughening Transition,” *J. Phys. Lettres*, vol. 38, no. 22, pp. 459–461, 1977.
- [2] P.-M. Binder, “Frustration in Complexity,” vol. 320, pp. 322–323, 2008.
- [3] R. Badi and A. Politi, *Complexity: Hierarchical Structures and Scaling in Physics*. Cambridge Univ. Press, Cambridge, UK, 1997.
- [4] Y. Bar-Yam, *Introduction to Complex Systems*. Westview, New York, 2003.
- [5] P. Érdi, *Complexity Explained*. Springer, New York, 2007.
- [6] W. H. Bragg, “The Crystal Structure of Ice,” *Proc. Phys. Soc. London*, vol. 34, pp. 98–103, 1921.
- [7] W. F. Giauque and J. W. Stout, “Molecular Rotation in Ice at 10 K. Free Energy of Formation and Entropy of Water,” *Phys. Rev.*, vol. 43, p. 81, 1933.
- [8] W. F. Giauque and J. W. Stout, “The Entropy of Water and the Third Law of Thermodynamics. The Heat Capacity of Ice from 15 to 273 K,” *J. Am. Chem. Soc.*, vol. 58, p. 1144, 1936.
- [9] L. Pauling, “The Structure and Entropy of Ice and of Other Crystals with Some Randomness of Atomic Arrangement,” *J. Am. Chem. Soc.*, vol. 57, pp. 2680–2684, 1935.
- [10] J. D. Bernal and R. H. Fowler, “A Theory of Water and Ionic Solution, With Particular Reference to Hydrogen and Hydroxyl ions,” *J. Chem. Phys.*, vol. 1, pp. 515–548, 1933.
- [11] J. F. Nagle, “Lattice Statistics of Hydrogen Bonded Crystals. I. The Residual Entropy of Ice,” *J. Math. Phys.*, vol. 7, pp. 1484–1491, 1966.
- [12] E. O. Wollan, W. L. Davidson, and C. G. Shull, “Neutron Diffraction Study of the Structure of Ice,” *Phys. Rev.*, vol. 75, pp. 1348–1352, 1949.
- [13] C. Lacroix, P. Mendels, and F. Mila, *Introduction to Frustrated Magnetism: Materials, Experiments, Theory*, Springer, 2011.
- [14] G. H. Wannier, “Antiferromagnetism. The Triangular Ising Net,” *Phys. Rev.*, vol. 79, p. 357, 1950.
- [15] R. Moessner, “Magnets With Strong Geometric Frustration,” *Can. J. Phys.*, vol. 79, pp. 1283–1294, 2001.
- [16] L. Balents, “Spin Liquids in Frustrated Magnets,” *Nature*, vol. 464, pp. 199–208,

2010.

- [17] J. S. Gardner, M. J. P. Gingras, and J. E. Greedan, “Magnetic Pyrochlore Oxides,” *Rev. Mod. Phys.*, vol. 82, pp. 53–107, Jan. 2010.
- [18] K. Binder and A. P. Young, “Spin glasses: Experimental Facts, Theoretical Concepts, and Open Questions,” *Rev. Mod. Phys.*, vol. 58, pp. 801–976, 1986.
- [19] P. W. Anderson, “Resonating Valance Bonds” A New Kind of Insulator?,” *Mater. Lett.*, vol. 8, no. 1052, pp. 153–160, 1973.
- [20] A. P. Ramirez, “Strongly Geometrically Frustrated Magnets,” *Annu. Rev. Mater. Sci.*, vol. 24, pp. 453–480, 1994.
- [21] R. Moessner and A. P. Ramirez, “Geometrical Frustration,” *Phys. Today*, vol. 59, pp. 24–29, 2006.
- [22] A. P. Ramirez, A. Hayashi, R. J. Cava, R. Siddharthan, and B. S. Shastry, “Zero-Point Entropy in ‘spin ice,’” *Nature*, vol. 399, pp. 333–335, 1999.
- [23] S. T. Bramwell and M. J. P. Gingras, “Spin Ice State in Frustrated Magnetic Pyrochlore Materials,” vol. 294, pp. 1495–1501, 2001.
- [24] J. S. Gardner *et al.*, “Dynamic Frustrated Magnetism in $Tb_2Ti_2O_7$ at 50 mK,” *Phys. Rev. B*, vol. 68, p. 180401 (R), 2003.
- [25] D. K. Transparent, T. Solid, H. Y. Hwang, and S. Cheong, “Low-Field Magnetoresistance in the Pyrochlore $Tl_2Mn_2O_7$,” *Nature*, vol. 389, p. 942, 1997.
- [26] M. Pa, M. Wołcyrz, and A. Pietraszko, “Local Structure in the Paraelectric Phase of $Cd_2Nb_2O_7$ Determined From x-ray Diffuse Scattering, by Means of ab Initio Molecular Dynamics and Monte Carlo Modeling,” *Phys. Rev. B*, vol. 81, p. 014107, 2010.
- [27] M. Uno *et al.*, “Photoelectrochemical Study of Lanthanide Zirconium Oxides, $Ln_2Zr_2O_7$ ($Ln = La, Ce, Nd$ and Sm),” *J. Alloys Compd.*, vol. 420, pp. 291–297, 2006.
- [28] B. Duan, J. Zhang, X. Liu, Q. Yuan, and Y. Wang, “Tunable Blue – White – Red Photoluminescence and Long Lasting Phosphorescence Properties of a Novel Zirconate Phosphor: $La_2Zr_2O_7: Sm^{3+}, Ti^{4+}$,” *J. Alloys Compd.*, vol. 587, pp. 318–325, 2014.
- [29] J. Kang *et al.*, “Growth and Magneto-Optical Characteristic of $Ho_2Ti_2O_7$ Crystal,” *J. Cryst. Growth*, vol. 395, pp. 104–108, 2014.
- [30] J. Kang *et al.*, “Growth and Magneto-Optical Characteristic of $Dy_2Ti_2O_7$ Crystal,” *Opt. Mater. (Amst.)*, vol. 36, pp. 1266–1269, 2014.
- [31] F. Guo *et al.*, “Growth , Faraday and Inverse Faraday Vharacteristics of $Tb_2Ti_2O_7$ Crystal,” *Opt. Express*, vol. 24, pp. 5734–5743, 2016.

- [32] J. A. Díaz-guillén, M. R. Díaz-guillén, K. P. Padmasree, A. F. Fuentes, J. Santamaría, and C. León, “High Ionic Conductivity in the Pyrochlore-Type $\text{Gd}_{2-y}\text{La}_y\text{Zr}_2\text{O}_7$ Solid Solution ($0 \leq y \leq 1$),” *Solid State Ionics*, vol. 179, pp. 2160–2164, 2008.
- [33] M. Pirzada, R. W. Grimes, L. Minervini, J. F. Maguire, and K. E. Sickafus, “Oxygen Migration in $\text{A}_2\text{B}_2\text{O}_7$ Pyrochlores,” *Solid State Ionics*, vol. 140, pp. 201–208, 2001.
- [34] H. Xiao, Y. Zhang, and W. J. Weber, “Enhanced Electronic Conductivity by Controlled Self-Doping in Pyrochlores,” *Phys. Chem. Chem. Phys.*, vol. 14, pp. 6556–6560, 2012.
- [35] N. P. Raju, M. Dion, M. J. P. Gingras, T. E. Mason, and J. E. Greidan, “Transition to Long-Range Magnetic Order in the Highly Frustrated Insulating Pyrochlore Antiferromagnet $\text{Gd}_2\text{Ti}_2\text{O}_7$,” *Phys. Rev. B*, vol. 59, pp. 14489–14498, 1999.
- [36] P. Dasgupta, Y. M. Jana, A. N. Chattopadhyay, and R. Higashinaka, “Low-Temperature Measurements of Magnetic Susceptibility and Specific heat of $\text{Eu}_2\text{Ti}_2\text{O}_7$ — An XY Pyrochlore,” *J. Phys. Chem. Solids*, vol. 68, pp. 347–354, 2007.
- [37] N. Reactor and F. Republic, “Short-Range Magnetic Ordering in the Highly Frustrated Pyrochlore $\text{Y}_2\text{Mn}_2\text{O}_7$,” *Phys. Rev.*, vol. 43, no. 4, 1991.
- [38] M. Champion *et al.*, “ $\text{Er}_2\text{Ti}_2\text{O}_7$: Evidence of Quantum Order by Disorder in a Frustrated Antiferromagnet,” *Phys. Rev. B*, vol. 68, p. 020401(R), 2003.
- [39] M. J. Harris, S. T. Bramwell, D. F. McMorrow, T. Zeiske, and K. W. Godfrey, “Geometrical Frustration in the Ferromagnetic Pyrochlore $\text{Ho}_2\text{Ti}_2\text{O}_7$,” *Phys. Rev. Lett.*, vol. 79, pp. 2554–2557, 1997.
- [40] M. J. Harris, S. T. Bramwell, T. Zeiske, D. F. McMorrow, and P. J. C. King, “Magnetic Structures of Highly Frustrated Pyrochlores,” *J. Magn. Magn. Mater.*, vol. 177–181, pp. 757–762, 1998.
- [41] J. Snyder, J. S. Slusky, R. J. Cava, and P. Schiffer, “How ‘Spin Ice’ Freezes,” *Nature*, vol. 413, pp. 48–51, 2001.
- [42] K. Matsuhira, Y. Hinatsu, K. Tenya, and T. Sakakibara, “Low Temperature Magnetic Properties of Frustrated Pyrochlore Ferromagnets $\text{Ho}_2\text{Sn}_2\text{O}_7$ and $\text{Ho}_2\text{Ti}_2\text{O}_7$,” *J. Phys. Condens. Matter*, vol. 12, pp. L649–L656, 2000.
- [43] V. F. Petrenko and R. W. Whitworth, *Physics of Ice*. Clarendon, Oxford, 1999.
- [44] J. Villain, “Insulating Spin Glasses,” *Z. Phys. B*, vol. 33, pp. 31–42, 1979.
- [45] R. Moessner and J. T. Chalker, “Properties of a Classical Spin Liquid: The Heisenberg Pyrochlore Antiferromagnet,” *Phys. Rev. Lett.*, vol. 80, pp. 2929–2932, 1998.
- [46] J. S. Gardner *et al.*, “Cooperative Paramagnetism in the Geometrically Frustrated Pyrochlore Antiferromagnet $\text{Tb}_2\text{Ti}_2\text{O}_7$,” *Phys. Rev. Lett.*, vol. 82, pp. 1012–1015, 1999.

- [47] R. Siddharthan, B. Shastry, A. P. Ramirez, A. Hayashi, R. J. Cava, and S. Rosenkranz, “Ising Pyrochlore Magnets: Low-Temperature Properties, ‘Ice Rules,’ and Beyond,” *Phys. Rev. Lett.*, vol. 83, pp. 1854–1857, 1999.
- [48] B. C. den Hertog and M. J. P. Gingras, “Dipolar Interactions and Origin of Spin Ice in Ising Pyrochlore Magnets,” *Phys. Rev. Lett.*, vol. 84, no. 15, pp. 3430–3433, 2000.
- [49] S. T. Bramwell and M. J. Harris, “Frustration in Ising-type Spin Models on the Pyrochlore Lattice,” *J. Phys. Condens. Matter*, vol. 10, pp. L215–L220, 1998.
- [50] S. T. Bramwell *et al.*, “Spin Correlations in $\text{Ho}_2\text{Ti}_2\text{O}_7$: A Dipolar Spin Ice System,” *Phys. Rev. Lett.*, vol. 87, p. 47205, 2001.
- [51] Y. Jana and D. Ghosh, “Crystal-Field Studies of Magnetic Susceptibility, Hyperfine, and Specific Heat Properties of a $\text{Ho}_2\text{Ti}_2\text{O}_7$ Single Crystal,” *Phys. Rev. B*, vol. 61, pp. 9657–9664, 2000.
- [52] M. Ruminy, S. Chi, S. Calder, and T. Fennell, “Phonon-Mediated Spin-Flipping Mechanism in the Spin Ices $\text{Dy}_2\text{Ti}_2\text{O}_7$ and $\text{Ho}_2\text{Ti}_2\text{O}_7$,” *Phys. Rev. B*, vol. 95, p. 060414, 2017.
- [53] B. Z. Malkin *et al.*, “Optical Spectroscopy of $\text{Yb}_2\text{Ti}_2\text{O}_7$ and $\text{Y}_2\text{Ti}_2\text{O}_7$: Yb^{3+} and Crystal-Field Parameters in rare-earth Titanate Pyrochlores,” *Phys. Rev. B*, vol. 70, p. 075112, 2004.
- [54] Y. M. Jana, A. Sengupta, and D. Ghosh, “Estimation of Single Ion Anisotropy in Pyrochlore $\text{Dy}_2\text{Ti}_2\text{O}_7$, a Geometrically Frustrated System, Using Crystal Field Theory,” *J. Magn. Magn. Mater.*, vol. 248, pp. 7–18, 2002.
- [55] S. Rosenkranz, A. P. Ramirez, A. Hayashi, R. J. Cava, R. Siddharthan, and B. S. Shastry, “Crystal-Field Interaction in the Pyrochlore Magnet $\text{Ho}_2\text{Ti}_2\text{O}_7$,” *J. Appl. Phys.*, vol. 87, pp. 5914–5916, 2000.
- [56] S. T. Bramwell, M. N. Field, M. J. Harris, and I. P. Parkin, “Bulk Magnetization of the Heavy Rare Earth Titanate Pyrochlores - A Series of Model Frustrated Magnets,” *J. Phys. Condens. Matter*, vol. 12, pp. 483–495, 2000.
- [57] K. Matsuhira, Z. Hiroi, T. Tayama, S. Takagi, and T. Sakakibara, “A New Macroscopically Degenerate Ground State in the Spin Ice Compound $\text{Dy}_2\text{Ti}_2\text{O}_7$ Under a Magnetic Field,” *J. Phys. Condens. Matter*, vol. 14, pp. L559–L565, 2002.
- [58] M. J. Matthews, C. Castelnovo, R. Moessner, S. A. Grigera, D. Prabhakaran, and P. Schiffer, “High-Temperature Onset of Field-Induced Transitions in the Spin-Ice Compound $\text{Dy}_2\text{Ti}_2\text{O}_7$,” *Phys. Rev. B*, vol. 86, p. 214419, 2012.
- [59] K. Matsuhira, Y. Hinatsu, and T. Sakakibara, “Novel Dynamical Magnetic Properties in the Spin Ice Compound $\text{Dy}_2\text{Ti}_2\text{O}_7$,” *J. Phys. Condens. Matter*, vol. 13, pp. L737–L746, 2001.
- [60] D. W. Davidson and R. H. Cole, “Dielectric Relaxation in Glycerine,” *J. Chem. Phys.*,

- vol. 18, p. 1417, 1950.
- [61] J. Snyder *et al.*, “Quantum-Classical Reentrant Relaxation Crossover in $Dy_2Ti_2O_7$ Spin Ice,” *Phys. Rev. Lett.*, vol. 91, p. 107201, 2003.
 - [62] B. Barbara, L. Thomas, F. Lointi, I. Chiorescu, and A. Sulpice, “Macroscopic Quantum Tunneling in Molecular Magnets,” *J. Magn. Magn. Mater.*, vol. 200, pp. 167–181, 1999.
 - [63] R. Giraud, W. Wernsdorfer, A. M. Tkachuk, D. Mailly, and B. Barbara, “Nuclear Spin Driven Quantum Relaxation in $LiY_{0.998}Ho_{0.002}F_4$,” *Phys. Rev. Lett.*, vol. 87, p. 057203, 2001.
 - [64] J. Snyder, B. G. Ueland, J. S. Slusky, H. Karunadasa, R. J. Cava, and P. Schiffer, “Low-Temperature Spin Freezing in the $Dy_2Ti_2O_7$ Spin Ice,” *Phys. Rev. B*, vol. 69, p. 064414, 2004.
 - [65] J. Snyder *et al.*, “Quantum and Thermal Spin Relaxation in the Diluted Spin Ice $Dy_{2-x}M_xTi_2O_7$ ($M=Lu,Y$),” *Phys. Rev. B*, vol. 70, p. 184431, 2004.
 - [66] J. Snyder, J. S. Slusky, R. J. Cava, and P. Schiffer, “Dirty Spin Ice: The Effect of Dilution on Spin Freezing in $Dy_2Ti_2O_7$,” *Phys. Rev. B*, vol. 66, p. 064432, 2002.
 - [67] H. Liu *et al.*, “Magnetic Order and Dynamical Properties of the Spin-Frustrated Magnet $Dy_{2-x}Yb_xTi_2O_7$,” *J. Magn. Magn. Mater.*, vol. 349, pp. 173–179, 2014.
 - [68] X. Ke, D. V. West, R. J. Cava, and P. Schiffer, “Magnetothermal Study of the Hybrid Frustrated Magnet $Dy_{2-x}Tb_xTi_2O_7$,” *Phys. Rev. B*, vol. 80, p. 144426, 2009.
 - [69] G. Ehlers *et al.*, “Dynamical Crossover in ‘Hot’ Spin Ice,” *J. Phys. Condens. Matter*, vol. 15, pp. L9–L15, 2003.
 - [70] G. Ehlers, A. L. Cornelius, T. Fennell, M. Koza, S. T. Bramwell, and J. S. Gardner, “Evidence for Two Distinct Spin Relaxation Mechanisms in ‘Hot’ Spin Ice $Ho_2Ti_2O_7$,” *J. Phys. Condens. Matter*, vol. 16, no. 635–642, 2004.
 - [71] J. P. Clancy *et al.*, “Revisiting Static and Dynamic Spin-Ice Correlations in $Ho_2Ti_2O_7$ With Neutron Scattering,” *Phys. Rev. B*, vol. 79, p. 014408, 2009.
 - [72] G. Ehlers *et al.*, “Dynamic Spin Correlations in Stuffed Spin Ice $Ho_{2+x}Ti_{2-x}O_{7-\delta}$,” *Phys. Rev. B*, vol. 77, p. 052404, 2008.
 - [73] P. Coleman and A. J. Schofield, “Quantum Criticality,” *Nature*, vol. 433, pp. 226–229, 2005.
 - [74] S. Sachdev and B. Keimer, “Quantum Criticality,” *Phys. Today*, vol. 64, p. 29, 2011.
 - [75] H. V. Löhneysen, A. Rosch, M. Vojta, and P. Wölfle, “Fermi-Liquid Instabilities at Magnetic Quantum Phase Transitions,” *Rev. Mod. Phys.*, vol. 79, pp. 1015–1075, 2007.

- [76] U. T. Hochli, “Experimental Studies on Quantum Ferroelectrics,” *Ferroelectrics*, vol. 35, pp. 17–30, 1981.
- [77] U. T. Hochli and L. A. Boatner, “Quantum Ferroelectricity in $K_{1-x}Na_xTaO_3$ and $K_{1-y}Nb_yO_3$,” *Phys. Rev. B*, vol. 20, no. 1, pp. 266–275, 1979.
- [78] E. Matsushita and S. Segawa, “A Model of Quantum Paraelectric-Ferroelectric Transition,” *Ferroelectrics*, vol. 347, pp. 1–6, 2007.
- [79] M. Garttner, J. G. Bohnet, A. Safavi-Naini, M. L. Wall, J. J. Bollinger, and A. M. Rey, “Measuring Out-of-Time-Order Correlations and Multiple Quantum Spectra in a Trapped-Ion Quantum Magnet,” *Nat. Phys.*, vol. 13, no. 8, pp. 781–786, 2017.
- [80] K. Modi, H. Cable, M. Williamson, and V. Vedral, “Quantum Correlations in Mixed-State Metrology,” *Phys. Rev. X*, vol. 1, no. 2, pp. 1–9, 2011.
- [81] M. L. Hu, X. Hu, J. Wang, Y. Peng, Y. R. Zhang, and H. Fan, “Quantum Coherence and Geometric Quantum Discord,” *Phys. Rep.*, vol. 762–764, pp. 1–100, 2018.
- [82] M. Rigol, V. Dunjko, and M. Olshanii, “Thermalization and its Mechanism for Generic Isolated Quantum Systems,” *Nature*, vol. 452, pp. 854–858, 2008.
- [83] M. Srednicki, “Chaos and Quantum Thermalization,” *Phys. Rev. E*, vol. 50, no. 2, pp. 888–901, 1994.
- [84] E. Altman, “Many-Body Localization and Quantum Thermalization,” *Nat. Phys.*, vol. 14, no. 10, pp. 979–983, 2018.
- [85] J. R. González Alonso, N. Yunger Halpern, and J. Dressel, “Out-of-Time-Ordered-Correlator Quasiprobabilities Robustly Witness Scrambling,” *Phys. Rev. Lett.*, vol. 122, no. 4, p. 040404, 2019.
- [86] G. Biroli, C. Kollath, and A. M. Läuchli, “Effect of Rare Fluctuations on the Thermalization of Isolated Quantum Systems,” *Phys. Rev. Lett.*, vol. 105, p. 250401, 2010.
- [87] X. . W. Dong, K. F. Wang, S. J. Luo, J. G. Wan, and J.-M. Liu, “Coexistence of Magnetic and Ferroelectric Behaviors of Pyrochlore $Ho_2Ti_2O_7$,” *J. Appl. Phys.*, vol. 106, p. 104101, 2009.
- [88] L. Lin, Y. L. Xie, J. -j. Wen, S. Dong, Z. B. Yan, and J.-M. Liu, “Experimental Observation of Magnetoelectricity in Spin Ice $Dy_2Ti_2O_7$,” *New J. Phys.*, vol. 17, p. 123018, 2015.
- [89] D. Liu, L. Lin, M. F. Liu, Z. B. Yan, S. Dong, and J. M. Liu, “Multiferroicity in Spin Ice $Ho_2Ti_2O_7$: An Investigation on Single Crystals,” *J. Appl. Phys.*, vol. 113, p. 17D901, 2013.
- [90] M. Saito, R. Higashinaka, and Y. Maeno, “Magnetodielectric Response of the Spin-Ice $Dy_2Ti_2O_7$,” *Phys. Rev. B*, vol. 72, p. 144422, 2005.

- [91] X. W. Dong, S. Dong, K. F. Wang, J. G. Wan, and J. M. Liu, “Enhancement of Ferroelectricity in Cr-Doped $\text{Ho}_2\text{Ti}_2\text{O}_7$,” *Appl. Phys. Lett.*, vol. 96, p. 242904, 2010.
- [92] L. Lin *et al.*, “Enhanced Magnetism-Generated Ferroelectricity in Highly Frustrated Fe-Doped $\text{Ho}_2\text{Ti}_2\text{O}_7$,” *J. Appl. Phys.*, vol. 117, p. 17D915, 2015.
- [93] T. Katsufuji and H. Takagi, “Magnetocapacitance and Spin Fluctuations in the Geometrically Frustrated Magnets $\text{R}_2\text{Ti}_2\text{O}_7$ (R = rare earth),” *Phys. Rev. B*, vol. 69, p. 064422, 2004.
- [94] M. Ruminy, F. Groitl, T. Keller, and T. Fennell, “Neutron Larmor Diffraction Investigation of the Rare-Earth Pyrochlores $\text{R}_2\text{Ti}_2\text{O}_7$ ($\text{R}=\text{Tb}, \text{Dy}, \text{Ho}$)”, *Phys. Rev. B*, vol. 94, p. 174406, 2016.
- [95] S. Saha *et al.*, “Temperature-Dependent Raman and x-ray Studies of the Spin-Ice Pyrochlore $\text{Dy}_2\text{Ti}_2\text{O}_7$ and Nonmagnetic Pyrochlore $\text{Lu}_2\text{Ti}_2\text{O}_7$,” *Phys. Rev. B*, vol. 78, p. 214102, 2008.
- [96] M. Mączka *et al.*, “Temperature-Dependent Studies of the Geometrically Frustrated Pyrochlores $\text{Ho}_2\text{Ti}_2\text{O}_7$ and $\text{Dy}_2\text{Ti}_2\text{O}_7$,” *Phys. Rev. B*, vol. 79, p. 214437, 2009.
- [97] I. A. Sergienko and S. H. Curnoe, “Structural Order Parameter in the Pyrochlore Superconductor $\text{Cd}_2\text{Re}_2\text{O}_7$,” *J. Phys. Soc. Japan*, vol. 72, pp. 1607–1610, 2003.
- [98] K. Baroudi, B. D. Gaulin, S. H. Lapidus, J. Gaudet, and R. J. Cava, “Symmetry and Light Stuffing of $\text{Ho}_2\text{Ti}_2\text{O}_7$, $\text{Er}_2\text{Ti}_2\text{O}_7$, and $\text{Yb}_2\text{Ti}_2\text{O}_7$ Characterized by Synchrotron x-ray Diffraction,” *Phys. Rev. B*, vol. 92, p. 024110, 2015.
- [99] K. J. relaxation in solids Andrew, “Dielectric Relaxation in Solids,” *J. Phys. D. Appl. Phys.*, vol. 32, p. R57, 1999.
- [100] J. H. Nobbs, “Kubelka—Munk Theory and the Prediction of Reflectance,” *Rev. Prog. Color. Relat. Top.*, vol. 15, pp. 66–75, 1985.
- [101] H. M. Rietveld, “A Profile Refinement Method for Nuclear and Magnetic Structures,” *J. Appl. Cryst.*, vol. 2, pp. 65–71, 1969.
- [102] H. M. Rietveld, “Line Profiles of Neutron Powder-Diffraction Peaks for Structure Refinement,” *Acta Cryst.*, vol. 22, p. 151, 1967.
- [103] G. Malmros and J. O. Thomas, “Least-Squares Structure Refinement Based on Profile Analysis of Powder Film Intensity Data Measured on an Automatic Microdensitometer,” *J. Appl. Crystallogr.*, vol. 10, no. 1, pp. 7–11, 1977.
- [104] C. P. Khattak and D. E. Cox, “Profile Analysis of x-ray Powder Diffractometer Data: Structural Refinement of $\text{La}_{0.75}\text{Sr}_{0.25}\text{CrO}_3$,” *J. Appl. Cryst.*, vol. 10, p. 405, 1977.
- [105] Y. R. A., “The Rietveld method, Oxford University Press.” pp. 1–38, 1993.
- [106] E. Prince, *Mathematical Techniques in Crystallography and Materials Science*”, 3rd ed., Springer, New York. 2004.

- [107] B. H. Toby, “R factors in Rietveld Analysis: How Good is Good Enough?,” *Powder Diffr.*, vol. 21, pp. 67–70, 2006.
- [108] W. I. F. David, “Powder Diffraction: Least-Squares and Beyond,” *J. Res. Natl. Inst. Stand. Tech.*, vol. 109, pp. 107–123, 2004.
- [109] L. B. Mc-Cusker, V. R. B. Dreele, D. E. Cox, D. Louér, and P. Scardi, “Rietveld Refinement Guidelines,” *J. Appl. Cryst.*, vol. 32, pp. 36–50, 1999.
- [110] J. R. Carvajal, “Recent Developments of the Program FULLPROF,” *Comm. powder Diffr. News Lett.*, vol. 26, pp. 12–19, 2001.
- [111] K. Uchino and S. Nomura, “Critical Exponents of the Dielectric Constants in Diffused-Phase-Transition Crystals,” *Ferroelectr. Lett.*, vol. 44, pp. 55–61, 1982.
- [112] U. Bianchi, J. Dec, W. Kleemann, and J. G. Bednorz, “Cluster and Domain-State Dynamics of Ferroelectric $\text{Sr}_{1-x}\text{Ca}_x\text{TiO}_3$ ($x=0.007$),” *Phys. Rev. B*, vol. 51, pp. 8737–8746, 1995.
- [113] J. C. Nino, M. T. Lanagan, C. A. Randall, and S. Kamba, “Correlation Between Infrared Phonon Modes and Dielectric Relaxation in $\text{Bi}_2\text{O}_3\text{-ZnO-Nb}_2\text{O}_5$ Cubic Pyrochlore,” *Appl. Phys. Lett.*, vol. 81, pp. 4404–4406, 2002.
- [114] S. Kamba *et al.*, “Anomalous Broad Dielectric Relaxation in $\text{Bi}_{1.5}\text{Zn}_{1.0}\text{Nb}_{1.5}\text{O}_7$ Pyrochlore,” *Phys. Rev. B*, vol. 66, p. 054106, 2002.
- [115] L. E. Cross, “Relaxorferroelectrics : An Overview,” *Ferroelectrics*, vol. 151, pp. 305–320, 1994.
- [116] T. T. A. Lummen *et al.*, “Phonon and Crystal Field Excitations in Geometrically Frustrated Rare Earth Titanates,” *Phys. Rev. B*, vol. 77, p. 214310, 2008.
- [117] Y. Nakanishi, T. Kumagai, M. Yoshizawa, K. Matsuhira, S. Takagi, and Z. Hiroi, “Elastic Properties of the Rare-Earth Dititanates $\text{R}_2\text{Ti}_2\text{O}_7$,” *Phys. Rev. B*, vol. 83, p. 184434, 2011.
- [118] Y. Bahri and A. C. Potter, “Stable Non-Fermi-Liquid Phase of Itinerant Spin-Orbit Coupled Ferromagnets,” *Phys. Rev. B*, vol. 92, p. 035131, 2015.
- [119] L. Fu, “Parity-Breaking Phases of Spin-Orbit-Coupled Metals with Gyrotropic, Ferroelectric, and Multipolar Orders,” *Phys. Rev. Lett.*, vol. 115, p. 026401, 2015.
- [120] A. Almog, E. R. Bauminger, A. Levy, I. Nowik, and S. Ofer, “Quadrupole Interactions and Relaxation Effects in $\text{Dy}_2\text{Ti}_2\text{O}_7$,” *Solid State Commun.*, vol. 12, p. 693, 1973.
- [121] K. Kitagawa, R. Higashinaka, K. Ishida, Y. Maeno, M. Takigawa, and I. Dy, “High-Temperature Spin Relaxation Process in $\text{Dy}_2\text{Ti}_2\text{O}_7$ probed by ^{47}Ti -NQR K.,” *Phys. Rev. B*, vol. 77, p. 214403, 2008.
- [122] M. Ruminy *et al.*, “Crystal-Field Parameters of the Rare-Earth Pyrochlores $\text{R}_2\text{Ti}_2\text{O}_7$ ($\text{R}=\text{Tb}, \text{Dy}, \text{and Ho}$)”, *Phys. Rev. B*, vol. 94, p. 024430, 2016.

- [123] J. W. Harter, Z. Y. Zhao, J.-Q. Yan, D. G. Mandrus, and D. Hsieh, “A Parity-Breaking Electronic Nematic Phase Transition in the Spin-Orbit Coupled Metal $\text{Cd}_2\text{Re}_2\text{O}_7$,” vol. 356, pp. 295–299, 2017.
- [124] T. Kiyama, K. Yoshimura, K. Kosuge, Y. Ikeda, and Y. Bando, “Invar Effect of SrR: Itinerant Electron Magnetism of Ru Electrons,” *Phys. Rev. B*, vol. 54, no. 2, pp. R756–R759, 1996.
- [125] E. Yakub, “The Modified Debye–Grüneisen Model for Highly Compressed Diamond,” *J. Low Temp. Phys.*, vol. 187, pp. 20–32, 2017.
- [126] Z. Hiroi, K. Matsuhira, S. Takagi, T. Tayama, and T. Sakakibara, “Specific Heat of Kagome Ice in the Pyrochlore oxide $\text{Dy}_2\text{Ti}_2\text{O}_7$,” *J. Phys. Soc. Japan*, vol. 72, pp. 411–418, 2003.
- [127] S. V. Isakov, R. Moessner, and S. L. Sondhi, “Why Spin Ice Obeys the Ice Rules,” *Phys. Rev. Lett.*, vol. 95, p. 217201, 2005.
- [128] D. I. Khomskii, “Electric Dipoles on Magnetic Monopoles in Spin Ice,” *Nat. Commun.*, vol. 3, pp. 904–905, 2012.
- [129] K. K. Bharathi, G. Ramesh, L. N. Patro, N. R. C. Raju, and D. K. Kim, “Enhanced Ferromagnetic Properties and High Temperature Dielectric Anomalies in $\text{Bi}_{0.9}\text{Ca}_{0.05}\text{Sm}_{0.05}\text{FeO}_3$ Prepared by Hydrothermal Method,” *Mater. Res. Bull.*, vol. 62, pp. 5–10, 2015.
- [130] A. K. Jonscher, “The Universal Dielectric Response,” *Nature*, vol. 267, pp. 673–679, 1977.
- [131] P. Zhang *et al.*, “Intense $2.89 \mu\text{m}$ Emission from $\text{Dy}^{3+}/\text{Yb}^{3+}$ -Codoped PbF_2 Crystal by 970 nm Laser Diode Pumping,” *Opt. Express*, vol. 23, p. 27786, 2015.
- [132] H. Kadowaki, Y. Ishii, K. Matsuhira, and Y. Hinatsu, “Neutron Scattering Study of Dipolar Spin Ice $\text{Ho}_2\text{Sn}_2\text{O}_7$: Frustrated Pyrochlore Magnets,” *Phys. Rev. B*, vol. 65, p. 144421, 2002.
- [133] L. D. C. Jaubert and P. C. W. Holdsworth, “Magnetic Monopole Dynamics in Spin Ice,” *J. Phys. Condens. Matter*, vol. 23, no. 16, 2011.
- [134] H. Liu, Y. Zou, L. Ling, L. Zhang, W. Tong, and C. Zhang, “Frustrated Magnetism and Dynamical Properties in Pyrochlore-Type Magnet $\text{Dy}_2\text{Ti}_{2-x}\text{Fe}_x\text{O}_7$,” *J. Magn. Magn. Mater.*, vol. 369, pp. 107–113, 2014.
- [135] I. Hase, T. Yanagisawa, Y. Aiura, and K. Kawashima, “Possibility of Flat-Band Ferromagnetism in Hole-Doped Pyrochlore Oxides $\text{Sn}_2\text{Nb}_2\text{O}_7$ and $\text{Sn}_2\text{Ta}_2\text{O}_7$,” *Phys. Rev. Lett.*, vol. 120, p. 196401, 2018.
- [136] J. Dai *et al.*, “Pentavalent iridium pyrochlore $\text{Cd}_2\text{Ir}_2\text{O}_7$: A Prototype Material System for Competing Crystalline Field and Spin-Orbit Coupling,” *Phys. Rev. B*, vol. 97, p. 085103, 2018.

- [137] B. Tomasello, C. Castelnovo, R. Moessner, and J. Quintanilla, “Single-Ion Anisotropy and Magnetic Field Response in Spin Ice Materials $\text{Ho}_2\text{Ti}_2\text{O}_7$ and $\text{Dy}_2\text{Ti}_2\text{O}_7$,” *Phys. Rev. B*, vol. 92, p. 155120, 2015.
- [138] A. K. Jonscher, “Dielectric Relaxation in Solids,” *J. Phys. D. Appl. Phys.*, vol. 32, pp. R57–R70, 1999.
- [139] P. Haritha *et al.*, “Optimizing White Light Luminescence in Dy^{3+} -Doped $\text{Lu}_3\text{Ga}_5\text{O}_{12}$ Nano-Garnets,” *J. Appl. Phys.*, vol. 116, p. 174308, 2014.
- [140] M. Vojta, “Frustration and Quantum Criticality,” *Reports Prog. Phys.*, vol. 81, p. 064501, 2018.
- [141] C. L. Yang *et al.*, “Quantum Criticality and Development of Antiferromagnetic Order in the Quasikagome Kondo Lattice $\text{CeRh}_{1-x}\text{Pd}_x\text{Sn}$,” *Phys. Rev. B*, vol. 96, p. 045139, 2017.
- [142] S. Friedemann *et al.*, “Detaching the Antiferromagnetic Quantum Critical Point From the Fermi-Surface Reconstruction in YbRh_2Si_2 ,” *Nat. Phys.*, vol. 5, pp. 465–469, 2009.
- [143] R. Morf, T. Schneider, and E. Stoll, “Nonuniversal Critical Behavior and its Suppression by Quantum Fluctuations,” *Phys. Rev. B*, vol. 16, pp. 462–469, 1977.
- [144] J. Shi *et al.*, “Dynamical Magnetic Properties of the Spin Ice Crystal $\text{Dy}_2\text{Ti}_2\text{O}_7$,” *J. Magn. Magn. Mater.*, vol. 310, no. 2 SUPPL. PART 2, pp. 1322–1324, 2007.
- [145] J. Victor, M. Relaxation, S. Spin, F. Dynamic, and C. Castelnovo, “Magnetic Relaxation in Spin Ice Compounds : Spin Flip Dynamic Driven by a Thermal Bath,” ens-lyon.fr, 2015.
- [146] G. C. Lau *et al.*, “Zero-Point Entropy in Stuffed Spin-Ice,” *Nat. Phys.*, vol. 2, no. 4, pp. 249–253, 2006.
- [147] H. Shen, P. Zhang, R. Fan, and H. Zhai, “Out-of-Time-Order Correlation at a Quantum Phase Transition,” *Phys. Rev. B*, vol. 96, no. 5, pp. 1–7, 2017.