

## References

- Aghdam M. A., Zraick F., Simon J., Farrell J. and Snyder S. A., A novel brine precipitation process for higher water recovery, *Desalination*, **385** (2016) 69-74.
- Akbari A., Yegani R., Pourabbas B. and Behboudi A., Fabrication and study of fouling characteristics of HDPE/PEG grafted silica nanoparticles composite membrane for filtration of Humic acid, *Chemical Engineering Research and Design*, **109** (2016) 282-296.
- Anadão P., Sato L. F., Wiebeck H. and Valenzuela-Díaz F. R., Montmorillonite as a component of polysulfone nanocomposite membranes, *Applied Clay Science*, **48(1)** (2010) 127-132.
- Antony A., Subhi N., Henderson R. K., Khan S. J., Stuetz R. M., Le-Clech P., Chen V. and Leslie G., Comparison of reverse osmosis membrane fouling profiles from Australian water recycling plants, *Journal of membrane science*, **407** (2012) 8-16.
- Apel P., Track etching technique in membrane technology, *Radiation Measurements*, **34(1-6)** (2001) 559-566.
- Austria H. F. M., Lecaros R. L. G., Hung W.-S., Tayo L. L., Hu C.-C., Tsai H.-A., Lee K.-R. and Lai J.-Y., Investigation of salt penetration mechanism in hydrolyzed polyacrylonitrile asymmetric membranes for pervaporation desalination, *Desalination*, **463** (2019) 32-39.
- Bagheripour E., Moghadassi A. R., Hosseini S. M., Van der Bruggen B. and Parvizian F., Novel composite graphene oxide/chitosan nanoplates incorporated into PES based nanofiltration membrane: Chromium removal and antifouling enhancement, *Journal of Industrial and Engineering Chemistry*, **62** (2018) 311-320.
- Baker R. W. 2012. *Membrane technology and applications*: John Wiley & Sons.
- Bassyouni M., Abdel-Aziz M. H., Zoromba M. S., Abdel-Hamid S. M. S. and Drioli E., A review of polymeric nanocomposite membranes for water purification, *Journal of Industrial and Engineering Chemistry*, **73** (2019) 19-46.
- Behboudi A., Jafarzadeh Y. and Yegani R., Preparation and characterization of TiO<sub>2</sub> embedded PVC ultrafiltration membranes, *Chemical Engineering Research and Design*, **114** (2016) 96-107.

- Behboudi A., Jafarzadeh Y. and Yegani R., Polyvinyl chloride/polycarbonate blend ultrafiltration membranes for water treatment, *Journal of membrane science*, **534** (2017) 18-24.
- Behboudi A., Jafarzadeh Y. and Yegani R., Enhancement of antifouling and antibacterial properties of PVC hollow fiber ultrafiltration membranes using pristine and modified silver nanoparticles, *Journal of Environmental Chemical Engineering*, **6(2)** (2018) 1764-1773.
- Bellona C., Drewes J. E., Oelker G., Luna J., Filteau G. and Amy G., Comparing nanofiltration and reverse osmosis for drinking water augmentation, *Journal-American Water Works Association*, **100(9)** (2008) 102-116.
- Bergaya F. and Lagaly G. 2013. Chapter 1 - General Introduction: Clays, Clay Minerals, and Clay Science. In F. Bergaya, & G. Lagaly (Eds.), *Developments in Clay Science*, Vol. 5: 1-19: Elsevier.
- Bhattacharjee S., Bhattacharjee C. and Datta S., Studies on the fractionation of  $\beta$ -lactoglobulin from casein whey using ultrafiltration and ion-exchange membrane chromatography, *Journal of Membrane Science*, **275(1)** (2006) 141-150.
- Bhran A., Shoaib A., Elsadeq D., El-gendi A. and Abdallah H., Preparation of PVC/PVP composite polymer membranes via phase inversion process for water treatment purposes, *Chinese journal of chemical engineering*, **26(4)** (2018) 715-722.
- Bolong N., Ismail A., Salim M. R. and Matsuura T., A review of the effects of emerging contaminants in wastewater and options for their removal, *Desalination*, **239(1-3)** (2009) 229-246.
- Bowen W. R. and Welfoot J. S., Modelling the performance of membrane nanofiltration—critical assessment and model development, *Chemical Engineering Science*, **57(7)** (2002) 1121-1137.
- Burton F. L., Stensel H. D. and Tchobanoglous G. 2014. *Wastewater engineering: treatment and resource recovery*: McGraw-Hill.
- Cao X., Ma J., Shi X. and Ren Z., Effect of TiO<sub>2</sub> nanoparticle size on the performance of PVDF membrane, *Applied Surface Science*, **253(4)** (2006) 2003-2010.
- Choudhury S. R., Lane O., Kazerooni D., Narang G. S., Jang E. S., Freeman B. D., Lesko J. J. and Riffle J. S., Synthesis and characterization of post-sulfonated poly(arylene ether sulfone) membranes for potential applications in water desalination, *Polymer*, **177** (2019) 250-261.

- Chuang W. Y., Young T. H., Chiu W. Y. and Lin C. Y., The effect of polymeric additives on the structure and permeability of poly(vinyl alcohol) asymmetric membranes, *Polymer*, **41(15)** (2000) 5633-5641.
- del Pino M. P. and Durham B., Wastewater reuse through dual-membrane processes: opportunities for sustainable water resources, *Desalination*, **124(1)** (1999) 271-277.
- Demirel E., Zhang B., Papakyriakou M., Xia S. and Chen Y., Fe<sub>2</sub>O<sub>3</sub> nanocomposite PVC membrane with enhanced properties and separation performance, *Journal of Membrane Science*, **529** (2017) 170-184.
- Dixit S. and Yadav V. L. 2019. *Comparative study of polystyrene/chemically modified wheat straw composite for green packaging application*.
- Doke S. M. and Yadav G. D., Novelties of combustion synthesized titania ultrafiltration membrane in efficient removal of methylene blue dye from aqueous effluent, *Chemosphere*, **117** (2014) 760-765.
- Drioli E. and Giorno L. 2009. *Membrane operations: innovative separations and transformations*: John Wiley & Sons.
- Drioli E. and Giorno L. 2010. *Comprehensive membrane science and engineering*: Newnes.
- El-Gendi A., Abdallah H., Amin A. and Amin S. K., Investigation of polyvinylchloride and cellulose acetate blend membranes for desalination, *Journal of Molecular Structure*, **1146** (2017) 14-22.
- El-Gendi A., Samhan F. A., Ismail N. and El-Dein L. A. N., Synergistic role of Ag nanoparticles and Cu nanorods dispersed on graphene on membrane desalination and biofouling, *Journal of Industrial and Engineering Chemistry*, **65** (2018) 127-136.
- Elimelech M. and Phillip W. A., The future of seawater desalination: energy, technology, and the environment, *science*, **333(6043)** (2011) 712-717.
- Esfahani M. R., Aktij S. A., Dabaghian Z., Firouzjaei M. D., Rahimpour A., Eke J., Escobar I. C., Abolhassani M., Greenlee L. F., Esfahani A. R., Sadmani A. and Koutahzadeh N., Nanocomposite membranes for water separation and purification: Fabrication, modification, and applications, *Separation and Purification Technology*, **213** (2019) 465-499.
- Fan X., Su Y., Zhao X., Li Y., Zhang R., Zhao J., Jiang Z., Zhu J., Ma Y. and Liu Y., Fabrication of polyvinyl chloride ultrafiltration membranes with stable antifouling property by exploring the pore formation and surface modification

- capabilities of polyvinyl formal, *Journal of Membrane Science*, **464** (2014) 100-109.
- Fane A. G. and Fell C. J. D., A review of fouling and fouling control in ultrafiltration, *Desalination*, **62** (1987) 117-136.
- Fane A. T., Wang R. and Jia Y. 2011. Membrane technology: Past, present and future, *Membrane and Desalination Technologies*: 1-45: Springer.
- Fang L.-F., Jeon S., Kakihana Y., Kakehi J.-i., Zhu B.-K., Matsuyama H. and Zhao S., Improved antifouling properties of polyvinyl chloride blend membranes by novel phosphate based-zwitterionic polymer additive, *Journal of Membrane Science*, **528** (2017) 326-335.
- Farjami M., Moghadassi A., Vatanpour V., Hosseini S. M. and Parvizian F., Preparation and characterization of a novel high-flux emulsion polyvinyl chloride (EPVC) ultrafiltration membrane incorporated with boehmite nanoparticles, *Journal of Industrial and Engineering Chemistry*, **72** (2019) 144-156.
- Farsi A., Jensen S. H., Roslev P., Boffa V. and Christensen M. L., Inorganic membranes for the recovery of effluent from municipal wastewater treatment plants, *Industrial & Engineering Chemistry Research*, **54(13)** (2015) 3462-3472.
- Feng C., Khulbe K. C., Matsuura T., Gopal R., Kaur S., Ramakrishna S. and Khayet M., Production of drinking water from saline water by air-gap membrane distillation using polyvinylidene fluoride nanofiber membrane, *Journal of Membrane Science*, **311(1)** (2008) 1-6.
- Feng S., Zhong Z., Wang Y., Xing W. and Drioli E., Progress and perspectives in PTFE membrane: Preparation, modification, and applications, *Journal of Membrane Science*, **549** (2018) 332-349.
- Ghaemi N., Madaeni S. S., Alizadeh A., Rajabi H. and Daraei P., Preparation, characterization and performance of polyethersulfone/organically modified montmorillonite nanocomposite membranes in removal of pesticides, *Journal of Membrane Science*, **382(1)** (2011) 135-147.
- Ghazanfari D., Bastani D. and Mousavi S. A., Preparation and characterization of poly(vinyl chloride) (PVC) based membrane for wastewater treatment, *Journal of Water Process Engineering*, **16** (2017) 98-107.
- Gray S., Zhang J., Duke M., Knight A., Packer M., Northcott K., Hillis P., Dharmabalan D. and Scales P., Robust water recycling plant for the Antarctic, *AWA Ozwater15* (2015) 8.

- Guo W., Ngo H.-H. and Li J., A mini-review on membrane fouling, *Bioresource Technology*, **122** (2012) 27-34.
- Hamid N. A. A., Ismail A. F., Matsuura T., Zularisam A. W., Lau W. J., Yuliwati E. and Abdullah M. S., Morphological and separation performance study of polysulfone/titanium dioxide (PSF/TiO<sub>2</sub>) ultrafiltration membranes for humic acid removal, *Desalination*, **273(1)** (2011) 85-92.
- Hosseini S., Gholami A., Madaeni S., Moghadassi A. and Hamidi A., Fabrication of (polyvinyl chloride/cellulose acetate) electrodialysis heterogeneous cation exchange membrane: characterization and performance in desalination process, *Desalination*, **306** (2012) 51-59.
- Huang J., Arthanareeswaran G. and Zhang K., Effect of silver loaded sodium zirconium phosphate (nanoAgZ) nanoparticles incorporation on PES membrane performance, *Desalination*, **285** (2012) 100-107.
- Huang T.-S., Lu F.-J., Tsai C.-W. and Chopra I. J., Effect of humic acids on thyroidal function, *Journal of Endocrinological Investigation*, **17(10)** (1994) 787-791.
- Ibrahim G. P. S., Isloor A. M., Inamuddin, Asiri A. M., Ismail N., Ismail A. F. and Ashraf G. M., Novel, one-step synthesis of zwitterionic polymer nanoparticles via distillation-precipitation polymerization and its application for dye removal membrane, *Scientific Reports*, **7(1)** (2017) 15889.
- Jafarzadeh Y., Yegani R. and Sedaghat M., Preparation, characterization and fouling analysis of ZnO/polyethylene hybrid membranes for collagen separation, *Chemical Engineering Research and Design*, **94** (2015a) 417-427.
- Jafarzadeh Y., Yegani R. and Tantekin-Ersolmaz S., Effect of TiO<sub>2</sub> nanoparticles on structure and properties of high density polyethylene membranes prepared by thermally induced phase separation method, *Polymers for Advanced Technologies*, **26(4)** (2015b) 392-398.
- Jhaveri J. H. and Murthy Z. V. P., A comprehensive review on anti-fouling nanocomposite membranes for pressure driven membrane separation processes, *Desalination*, **379** (2016) 137-154.
- Jhaveri J. H., Patel C. M. and Murthy Z. V. P., Preparation, characterization and application of GO-TiO<sub>2</sub>/PVC mixed matrix membranes for improvement in performance, *Journal of Industrial and Engineering Chemistry*, **52** (2017) 138-146.
- Khakpour S., Jafarzadeh Y. and Yegani R., Incorporation of graphene oxide/nanodiamond nanocomposite into PVC ultrafiltration membranes, *Chemical Engineering Research and Design*, **152** (2019) 60-70.

- Kim H. G., Kim R., Kim S., Choi C., Kim B., Guim H. and Kim H.-T., Propylene carbonate-derived size modulation of water cluster in pore-filled Nafion/polypropylene composite membrane for the use in vanadium redox flow batteries, *Journal of Industrial and Engineering Chemistry*, **60** (2018a) 401-406.
- Kim H. Y., Cho Y. and Kang S. W., Porous cellulose acetate membranes prepared by water pressure-assisted process for water-treatment, *Journal of Industrial and Engineering Chemistry* (2019).
- Kim J.-j., Kim K., Choi Y.-S., Kang H., Kim D. M. and Lee J.-C., Polysulfone based ultrafiltration membranes with dopamine and nisin moieties showing antifouling and antimicrobial properties, *Separation and Purification Technology*, **202** (2018b) 9-20.
- Kim J., Kim S. S., Park M. and Jang M., Effects of precursor properties on the preparation of polyethylene hollow fiber membranes by stretching, *Journal of Membrane Science*, **318(1)** (2008) 201-209.
- Kochkodan V. and Hilal N., A comprehensive review on surface modified polymer membranes for biofouling mitigation, *Desalination*, **356** (2015) 187-207.
- Kramer F. C., Shang R., Heijman S. G., Scherrenberg S. M., van Lier J. B. and Rietveld L. C., Direct water reclamation from sewage using ceramic tight ultra-and nanofiltration, *Separation and Purification Technology*, **147** (2015) 329-336.
- Kujawa J., Kujawski W., Cyganiuk A., Dumée L. F. and Al-Gharabli S., Upgrading of zirconia membrane performance in removal of hazardous VOCs from water by surface functionalization, *Chemical Engineering Journal*, **374** (2019) 155-169.
- Kumar S., Mandal A. and Guria C., Synthesis, characterization and performance studies of polysulfone and polysulfone/polymer-grafted bentonite based ultrafiltration membranes for the efficient separation of oil field oily wastewater, *Process Safety and Environmental Protection*, **102** (2016) 214-228.
- Kusworo T. D., Aryanti N., Qudratun and Utomo D. P., Oilfield produced water treatment to clean water using integrated activated carbon-bentonite adsorbent and double stages membrane process, *Chemical Engineering Journal*, **347** (2018) 462-471.
- Kuvarega A. T., Khumalo N., Dlamini D. and Mamba B. B., Polysulfone/N<sub>x</sub>Pd co-doped TiO<sub>2</sub> composite membranes for photocatalytic dye degradation, *Separation and Purification Technology*, **191** (2018) 122-133.

- Lakhotia S. R., Mukhopadhyay M. and Kumari P., Iron oxide (FeO) nanoparticles embedded thin-film nanocomposite nanofiltration (NF) membrane for water treatment, *Separation and Purification Technology*, **211** (2019) 98-107.
- Lalia B. S., Guillen-Burrieza E., Arafat H. A. and Hashaikeh R., Fabrication and characterization of polyvinylidenefluoride-co-hexafluoropropylene (PVDF-HFP) electrospun membranes for direct contact membrane distillation, *Journal of Membrane Science*, **428** (2013a) 104-115.
- Lalia B. S., Kochkodan V., Hashaikeh R. and Hilal N., A review on membrane fabrication: Structure, properties and performance relationship, *Desalination*, **326** (2013b) 77-95.
- Le-Clech P., Chen V. and Fane T. A. G., Fouling in membrane bioreactors used in wastewater treatment, *Journal of Membrane Science*, **284(1)** (2006) 17-53.
- Lee A., Elam J. W. and Darling S. B., Membrane materials for water purification: design, development, and application, *Environmental Science: Water Research & Technology*, **2(1)** (2016) 17-42.
- Lee H. K., Kim W., Kim Y. M. and Kwon Y.-N., Surface modification of polyvinylidene fluoride membrane for enhanced wetting resistance, *Applied Surface Science*, **491** (2019) 32-42.
- Lee K. P., Arnot T. C. and Mattia D., A review of reverse osmosis membrane materials for desalination—development to date and future potential, *Journal of Membrane Science*, **370(1-2)** (2011) 1-22.
- Lee S., Boo C., Elimelech M. and Hong S., Comparison of fouling behavior in forward osmosis (FO) and reverse osmosis (RO), *Journal of Membrane Science*, **365(1-2)** (2010) 34-39.
- Leo C. P., Cathie Lee W. P., Ahmad A. L. and Mohammad A. W., Polysulfone membranes blended with ZnO nanoparticles for reducing fouling by oleic acid, *Separation and Purification Technology*, **89** (2012) 51-56.
- Li J.-F., Xu Z.-L., Yang H., Yu L.-Y. and Liu M., Effect of TiO<sub>2</sub> nanoparticles on the surface morphology and performance of microporous PES membrane, *Applied Surface Science*, **255(9)** (2009) 4725-4732.
- Li S., Wei C., Zhou L., Wang P., Li M. and Xie Z., Tuning microstructures and separation behaviors of pure silicon carbide membranes, *Ceramics International*, **45(15)** (2019) 18788-18794.

- Li X., Sotto A., Li J. and Van der Bruggen B., Progress and perspectives for synthesis of sustainable antifouling composite membranes containing in situ generated nanoparticles, *Journal of Membrane Science*, **524** (2017) 502-528.
- Liao Y., Loh C.-H., Tian M., Wang R. and Fane A. G., Progress in electrospun polymeric nanofibrous membranes for water treatment: Fabrication, modification and applications, *Progress in Polymer Science*, **77** (2018) 69-94.
- Liu B., Chen C., Zhang W., Crittenden J. and Chen Y., Low-cost antifouling PVC ultrafiltration membrane fabrication with Pluronic F 127: Effect of additives on properties and performance, *Desalination*, **307** (2012) 26-33.
- Lu X., Yang J., Li X., Sun F., Wang F. and Chao Y., Effects of phase transformation on properties of alumina ceramic membrane: A new assessment based on quantitative X-ray diffraction (QXRD), *Chemical Engineering Science*, **199** (2019) 349-358.
- Luo Y., Raza W., Yang J., Li L. and Lu Y., Recent advances in acid-resistant zeolite T membranes for dehydration of organics, *Chinese Journal of Chemical Engineering*, **27(6)** (2019) 1449-1457.
- Madaeni S. S. and Ghaemi N., Characterization of self-cleaning RO membranes coated with TiO<sub>2</sub> particles under UV irradiation, *Journal of Membrane Science*, **303(1)** (2007) 221-233.
- Maximous N., Nakhla G., Wan W. and Wong K., Preparation, characterization and performance of Al<sub>2</sub>O<sub>3</sub>/PES membrane for wastewater filtration, *Journal of Membrane Science*, **341(1)** (2009) 67-75.
- Mishra G. and Mukhopadhyay M., Enhanced antifouling performance of halloysite nanotubes (HNTs) blended poly(vinyl chloride) (PVC/HNTs) ultrafiltration membranes: For water treatment, *Journal of Industrial and Engineering Chemistry*, **63** (2018) 366-379.
- Mocanu A., Rusen E., Diacon A., Isopencu G., Mustătea G., Șomoghi R. and Dinescu A., Antimicrobial properties of polysulfone membranes modified with carbon nanofibers and silver nanoparticles, *Materials Chemistry and Physics*, **223** (2019) 39-45.
- Moghaddassi A., Preparation of polyvinylchloride nanofiltration membrane: Investigation the effect of thickness, prior evaporation time and addition polyethylenglchol as additive on membrane performance and properties, *International Journal of Engineering*, **29(3)** (2016) 280-287.

- Mohammadi T. and Saljoughi E., Effect of production conditions on morphology and permeability of asymmetric cellulose acetate membranes, *Desalination*, **243**(1) (2009) 1-7.
- Mohammadnezhad F., Feyzi M. and Zinadini S., A novel Ce-MOF/PES mixed matrix membrane; synthesis, characterization and antifouling evaluation, *Journal of Industrial and Engineering Chemistry*, **71** (2019) 99-111.
- Mueller U., Biwer G. and Baldauf G., Ceramic membranes for water treatment, *Water Supply*, **10**(6) (2010) 987-994.
- Mukherjee R. and De S., Preparation of polysulfone titanium di oxide mixed matrix hollow fiber membrane and elimination of long term fouling by in situ photoexcitation during filtration of phenolic compounds, *Chemical Engineering Journal*, **302** (2016) 773-785.
- Mulder J. 2012. *Basic principles of membrane technology*: Springer Science & Business Media.
- Nasrollahi N., Vatanpour V., Aber S. and Mahmoodi N. M., Preparation and characterization of a novel polyethersulfone (PES) ultrafiltration membrane modified with a CuO/ZnO nanocomposite to improve permeability and antifouling properties, *Separation and Purification Technology*, **192** (2018) 369-382.
- Nasseri S., Ebrahimi S., Abtahi M. and Saeedi R., Synthesis and characterization of polysulfone/graphene oxide nano-composite membranes for removal of bisphenol A from water, *Journal of Environmental Management*, **205** (2018) 174-182.
- Nayak V., Jyothi M. S., Balakrishna R. G., Padaki M. and Deon S., Novel modified poly vinyl chloride blend membranes for removal of heavy metals from mixed ion feed sample, *Journal of Hazardous Materials*, **331** (2017) 289-299.
- Ng L. Y., Mohammad A. W., Leo C. P. and Hilal N., Polymeric membranes incorporated with metal/metal oxide nanoparticles: A comprehensive review, *Desalination*, **308** (2013) 15-33.
- Nguyen Q. T., Alaoui O. T., Yang H. and Mbareck C., Dry-cast process for synthetic microporous membranes: Physico-chemical analyses through morphological studies, *Journal of Membrane Science*, **358**(1) (2010) 13-25.
- Park M., Anumol T., Simon J., Zraick F. and Snyder S. A., Pre-ozonation for high recovery of nanofiltration (NF) membrane system: Membrane fouling reduction and trace organic compound attenuation, *Journal of Membrane Science*, **523** (2017) 255-263.

- Pavlidou S. and Papaspyrides C. D., A review on polymer-layered silicate nanocomposites, *Progress in Polymer Science*, **33(12)** (2008) 1119-1198.
- Peñate B. and García-Rodríguez L., Current trends and future prospects in the design of seawater reverse osmosis desalination technology, *Desalination*, **284** (2012) 1-8.
- Peter-Varbanets M., Zurbrügg C., Swartz C. and Pronk W., Decentralized systems for potable water and the potential of membrane technology, *Water research*, **43(2)** (2009) 245-265.
- Pezeshk N. and Narbaitz R. M., More fouling resistant modified PVDF ultrafiltration membranes for water treatment, *Desalination*, **287** (2012) 247-254.
- Pinna I. and Freeman B. D., Formation and modification of polymeric membranes: Overview, *Membrane Formation and Modification*, **744** (2000) 1-22.
- Porcelli N. and Judd S., Chemical cleaning of potable water membranes: A review, *Separation and Purification Technology*, **71(2)** (2010) 137-143.
- Prince J. A., Singh G., Rana D., Matsuura T., Anbharasi V. and Shanmugasundaram T. S., Preparation and characterization of highly hydrophobic poly(vinylidene fluoride) – Clay nanocomposite nanofiber membranes (PVDF-clay NNM)s) for desalination using direct contact membrane distillation, *Journal of Membrane Science*, **397-398** (2012) 80-86.
- Rabiee H., Farahani M. H. D. A. and Vatanpour V., Preparation and characterization of emulsion poly(vinyl chloride) (EPVC)/TiO<sub>2</sub> nanocomposite ultrafiltration membrane, *Journal of Membrane Science*, **472** (2014) 185-193.
- Rabiee H., Shahabadi S. M. S., Mokhtare A., Rabiei H. and Alvandifar N., Enhancement in permeation and antifouling properties of PVC ultrafiltration membranes with addition of hydrophilic surfactant additives: Tween-20 and Tween-80, *Journal of Environmental Chemical Engineering*, **4(4)** (2016) 4050-4061.
- Rabiee H., Vatanpour V., Farahani M. H. D. A. and Zarrabi H., Improvement in flux and antifouling properties of PVC ultrafiltration membranes by incorporation of zinc oxide (ZnO) nanoparticles, *Separation and Purification Technology*, **156** (2015) 299-310.
- Rajesha B. J., Vishaka V. H., Balakrishna G. R., Padaki M. and Nazri N. A. M., Effective composite membranes of cellulose acetate for removal of benzophenone-3, *Journal of Water Process Engineering*, **30** (2019) 100419.

- Rana D. and Matsuura T., Surface Modifications for Antifouling Membranes, *Chemical Reviews*, **110(4)** (2010) 2448-2471.
- Razmjou A., Resosudarmo A., Holmes R. L., Li H., Mansouri J. and Chen V., The effect of modified TiO<sub>2</sub> nanoparticles on the polyethersulfone ultrafiltration hollow fiber membranes, *Desalination*, **287** (2012) 271-280.
- Rodriguez C., Van Buynder P., Lugg R., Blair P., Devine B., Cook A. and Weinstein P., Indirect potable reuse: a sustainable water supply alternative, *International journal of environmental research and public health*, **6(3)** (2009) 1174-1203.
- Rosli A., Ahmad A. L. and Low S. C., Anti-wetting polyvinylidene fluoride membrane incorporated with hydrophobic polyethylene-functionalized-silica to improve CO<sub>2</sub> removal in membrane gas absorption, *Separation and Purification Technology*, **221** (2019) 275-285.
- Roy Y. and Warsinger D. M., Effect of temperature on ion transport in nanofiltration membranes: Diffusion, convection and electromigration, *Desalination*, **420** (2017) 241-257.
- Sabzi Dizajikan B., Asadollahi M., Musavi S. A. and Bastani D., Preparation of poly (vinyl chloride)(PVC) ultrafiltration membranes from PVC/additive/solvent and application of UF membranes as substrate for fabrication of reverse osmosis membranes, *Journal of Applied Polymer Science*, **135(21)** (2018) 46267.
- Sadeghi F., Ajji A. and Carreau P. J., Analysis of microporous membranes obtained from polypropylene films by stretching, *Journal of Membrane Science*, **292(1)** (2007) 62-71.
- Sadeghi F., Ajji A. and Carreau P. J., Microporous membranes obtained from polypropylene blends with superior permeability properties, *Journal of Polymer Science Part B: Polymer Physics*, **46(2)** (2008) 148-157.
- Sadeghi F., Tabatabaei S. H., Ajji A. and Carreau P. J., Effect of PVDF characteristics on extruded film morphology and porous membranes feasibility by stretching, *Journal of Polymer Science Part B: Polymer Physics*, **47(12)** (2009) 1219-1229.
- Safarpour M., Khataee A. and Vatanpour V., Thin film nanocomposite reverse osmosis membrane modified by reduced graphene oxide/TiO<sub>2</sub> with improved desalination performance, *Journal of Membrane Science*, **489** (2015) 43-54.
- Saini B., Khuntia S. and Sinha M. K., Incorporation of cross-linked poly(AA-co-ACMO) copolymer with pH responsive and hydrophilic properties to polysulfone ultrafiltration membrane for the mitigation of fouling behaviour, *Journal of Membrane Science*, **572** (2019) 184-197.

- Saleh T. A. and Gupta V. K., Synthesis and characterization of alumina nano-particles polyamide membrane with enhanced flux rejection performance, *Separation and Purification Technology*, **89** (2012) 245-251.
- Sayed S., Tarek S., Dijkstra I. and Moerman C., Optimum operation conditions of direct capillary nanofiltration for wastewater treatment, *Desalination*, **214(1-3)** (2007) 215-226.
- Shokri E., Yegani R., Pourabbas B. and Kazemian N., Preparation and characterization of polysulfone/organoclay adsorptive nanocomposite membrane for arsenic removal from contaminated water, *Applied Clay Science*, **132-133** (2016) 611-620.
- Skluzacek J. M., Tejedor M. I. and Anderson M. A., NaCl rejection by an inorganic nanofiltration membrane in relation to its central pore potential, *Journal of Membrane Science*, **289(1)** (2007) 32-39.
- Snyder S. A., Adham S., Redding A. M., Cannon F. S., DeCarolis J., Oppenheimer J., Wert E. C. and Yoon Y., Role of membranes and activated carbon in the removal of endocrine disruptors and pharmaceuticals, *Desalination*, **202(1-3)** (2007) 156-181.
- Strathman H., Giorno L. and Drioli E., An Introduction to Membrane Science and Technology, Institute on Membrane Technology, (2006).
- Taghaddosi S., Akbari A. and Yegani R., Preparation, characterization and anti-fouling properties of nanoclays embedded polypropylene mixed matrix membranes, *Chemical Engineering Research and Design*, **125** (2017) 35-45.
- Tam L., Tang T., Lau G., Sharma K. and Chen G., A pilot study for wastewater reclamation and reuse with MBR/RO and MF/RO systems, *Desalination*, **202(1-3)** (2007) 106-113.
- Tchobanoglous G., Cotruvo J., Crook J., McDonald E., Olivieri A., Salveson A. and Trussell R. S., Framework for direct potable reuse, *WaterReuse Research Foundation* (2015) 14-20.
- Van der Bruggen B., Mänttäri M. and Nyström M., Drawbacks of applying nanofiltration and how to avoid them: A review, *Separation and Purification Technology*, **63(2)** (2008) 251-263.
- Van Houtte E. and Verbauwheide J., Operational experience with indirect potable reuse at the Flemish Coast, *Desalination*, **218(1-3)** (2008) 198-207.
- Vatanpour V., Madaeni S. S., Moradian R., Zinadini S. and Astinchap B., Novel antibifouling nanofiltration polyethersulfone membrane fabricated from

- embedding TiO<sub>2</sub> coated multiwalled carbon nanotubes, *Separation and Purification Technology*, **90** (2012) 69-82.
- Verliefde A. R. D., Cornelissen E. R., Heijman S. G. J., Verberk J. Q. J. C., Amy G. L., Van der Bruggen B. and van Dijk J. C., The role of electrostatic interactions on the rejection of organic solutes in aqueous solutions with nanofiltration, *Journal of Membrane Science*, **322(1)** (2008) 52-66.
- Verliefde A. R. D., Cornelissen E. R., Heijman S. G. J., Verberk J. Q. J. C., Amy G. L., Van der Bruggen B. and van Dijk J. C., Construction and validation of a full-scale model for rejection of organic micropollutants by NF membranes, *Journal of Membrane Science*, **339(1)** (2009) 10-20.
- Vrouwenvelder J. S., Graf von der Schulenburg D. A., Kruithof J. C., Johns M. L. and van Loosdrecht M. C. M., Biofouling of spiral-wound nanofiltration and reverse osmosis membranes: A feed spacer problem, *Water Research*, **43(3)** (2009) 583-594.
- Waller K., Swan S. H., DeLorenze G. and Hopkins B., Trihalomethanes in Drinking Water and Spontaneous Abortion, *Epidemiology*, **9(2)** (1998) 134-140.
- Wang C., Sun S., Zhang L., Yin J., Jiao T., Zhang L., Xu Y., Zhou J. and Peng Q., Facile preparation and catalytic performance characterization of AuNPs-loaded hierarchical electrospun composite fibers by solvent vapor annealing treatment, *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, **561** (2019) 283-291.
- Wang S.-Y., Fang L.-F., Cheng L., Jeon S., Kato N. and Matsuyama H., Novel ultrafiltration membranes with excellent antifouling properties and chlorine resistance using a poly(vinyl chloride)-based copolymer, *Journal of Membrane Science*, **549** (2018) 101-110.
- Wankat P. C. 2006. *Separation process engineering*: Pearson Education.
- Warsinger D. M., Chakraborty S., Tow E. W., Plumlee M. H., Bellona C., Loutatidou S., Karimi L., Mikelonis A. M., Achilli A., Ghassemi A., Padhye L. P., Snyder S. A., Curcio S., Vecitis C. D., Arafat H. A. and Lienhard J. H., A review of polymeric membranes and processes for potable water reuse, *Progress in Polymer Science*, **81** (2018) 209-237.
- Wilf M., Membrane technology for wastewater reclamation, *Balaban, Hopkinton, MA* (2010).
- Wintgens T., Melin T., Schäfer A., Khan S., Muston M., Bixio D. and Thoeye C., The role of membrane processes in municipal wastewater reclamation and reuse, *Desalination*, **178(1-3)** (2005) 1-11.

- Wu C., Li A., Li L., Zhang L., Wang H., Qi X. and Zhang Q., Treatment of oily water by a poly(vinyl alcohol) ultrafiltration membrane, *Desalination*, **225**(1) (2008) 312-321.
- Wu C., Wang Z., Liu S., Xie Z., Chen H. and Lu X., Simultaneous permeability, selectivity and antibacterial property improvement of PVC ultrafiltration membranes via in-situ quaternization, *Journal of Membrane Science*, **548** (2018a) 50-58.
- Wu H., Li T., Liu B., Chen C., Wang S. and Crittenden J. C., Blended PVC/PVC-g-PEGMA ultrafiltration membranes with enhanced performance and antifouling properties, *Applied Surface Science*, **455** (2018b) 987-996.
- Wu T., Zhou B., Zhu T., Shi J., Xu Z., Hu C. and Wang J., Facile and low-cost approach towards a PVDF ultrafiltration membrane with enhanced hydrophilicity and antifouling performance via graphene oxide/water-bath coagulation, *RSC Advances*, **5**(11) (2015) 7880-7889.
- Yong M., Zhang Y., Sun S. and Liu W., Properties of polyvinyl chloride (PVC) ultrafiltration membrane improved by lignin: Hydrophilicity and antifouling, *Journal of Membrane Science*, **575** (2019) 50-59.
- Younas H., Shao J., Bai H., Liu L. and He Y., Inherent porous structure modified by titanium dioxide nanoparticle incorporation and effect on the fouling behavior of hybrid poly(vinylidene fluoride) membranes, *Journal of Applied Polymer Science*, **133**(14) (2016).
- Younas H., Shao J., He Y., Fatima G., Jaffar S. T. A. and Afzadi Z. U. R., Fouling-free ultrafiltration for humic acid removal, *RSC advances*, **8**(44) (2018) 24961-24969.
- Yu Z., Liu X., Zhao F., Liang X. and Tian Y., Fabrication of a low-cost nano-SiO<sub>2</sub>/PVC composite ultrafiltration membrane and its antifouling performance, *Journal of Applied Polymer Science*, **132**(2) (2015).
- Yuliwati E. and Ismail A. F., Effect of additives concentration on the surface properties and performance of PVDF ultrafiltration membranes for refinery produced wastewater treatment, *Desalination*, **273**(1) (2011) 226-234.
- Zhang J., Xu Y. n., Chen S., Li J., Han W., Sun X., Wu D., Hu Z. and Wang L., Enhanced antifouling and antibacterial properties of poly (ether sulfone) membrane modified through blending with sulfonated poly (aryl ether sulfone) and copper nanoparticles, *Applied Surface Science*, **434** (2018a) 806-815.

- Zhang R., Liu Y., He M., Su Y., Zhao X., Elimelech M. and Jiang Z., Antifouling membranes for sustainable water purification: strategies and mechanisms, *Chemical Society Reviews*, **45**(21) (2016) 5888-5924.
- Zhang X., Chen Y., Konsowa A. H., Zhu X. and Crittenden J. C., Evaluation of an innovative polyvinyl chloride (PVC) ultrafiltration membrane for wastewater treatment, *Separation and Purification Technology*, **70**(1) (2009) 71-78.
- Zhang Y., Shan X., Jin Z. and Wang Y., Synthesis of sulfated Y-doped zirconia particles and effect on properties of polysulfone membranes for treatment of wastewater containing oil, *Journal of Hazardous Materials*, **192**(2) (2011) 559-567.
- Zhang Y., Tong X., Zhang B., Zhang C., Zhang H. and Chen Y., Enhanced permeation and antifouling performance of polyvinyl chloride (PVC) blend Pluronic F127 ultrafiltration membrane by using salt coagulation bath (SCB), *Journal of Membrane Science*, **548** (2018b) 32-41.
- Zhao J., Luo G., Wu J. and Xia H., Preparation of Microporous Silicone Rubber Membrane with Tunable Pore Size via Solvent Evaporation-Induced Phase Separation, *ACS Applied Materials & Interfaces*, **5**(6) (2013) 2040-2046.
- Zhao Y., Lu J., Liu X., Wang Y., Lin J., Peng N., Li J. and Zhao F., Performance enhancement of polyvinyl chloride ultrafiltration membrane modified with graphene oxide, *Journal of Colloid and Interface Science*, **480** (2016) 1-8.
- Zhou Z., Rajabzadeh S., Shaikh A. R., Kakihana Y., Ishigami T., Sano R. and Matsuyama H., Preparation and characterization of antifouling poly (vinyl chloride-co-poly (ethylene glycol) methyl ether methacrylate) membranes, *Journal of Membrane Science*, **498** (2016) 414-422.
- Zhu W., Zhang X., Zhao C., Wu W., Hou J. and Xu M., A novel polypropylene microporous film, *Polymers for Advanced Technologies*, **7**(9) (1996) 743-748.
- Zuo J., Bonyadi S. and Chung T.-S., Exploring the potential of commercial polyethylene membranes for desalination by membrane distillation, *Journal of Membrane Science*, **497** (2016) 239-247.