REFERENCES

Abu-Zahra M.R.M., Abbas Z., Singh P., and Feron P., "Carbon Dioxide Post-Combustion Capture: Solvent Technologies Overview, Status and Future Directions," *FORMATEX*, 2013, pp. 923-34.

Adak S., and Kundu M. "Vapor-Liquid equilibrium and physicochemical properties of novel aqueous blends of (2-Diethylaminoethanol + Piperazine) for CO₂ appropriation," *Journal of Chemical and Engineering Data*, 2017, v. 62, pp. 1937-1947.

Adams D., and Davison J., "Capturing CO₂," *IEA Greenhouse Gas R&D Programme*, 2007.

Afkhamipour M., Mofarahi M., Pakzad P., and Lee C.-H., "Thermodynamic modelling of CO₂ absorption into aqueous solutions of 2-diethylaminoethanol, piperazine, and blended diethylaminoethanol with piperazine" *Fluid Phase Equilibria*, 2019, v. 493, pp. 26-35.

Albo J., Alvarez-Guerra M., Castaño P., and Irabien A., "Towards the electrochemical conversion of carbon dioxide into methanol," *Green Chemistry*, 2015, v. 17, pp. 2304-2324.

Albo J., Alvarez-Guerra M., Castaño P., and Irabien, A., "Towards the electrochemical conversion of carbon dioxide into methanol," *Green Chemistry*, 2015, v. 17, pp. 2304-2324.

Ali B.S., and Aroua M.K., "Effect of piperazine on CO₂ loading in aqueous solutions of MDEA at low pressure," *International Journal of Thermophysics*, 2004, v. 25, pp. 1863-1870.

Aronu U.E., Gondal S., Hessen, E.T., Haug-Warberg T., Hartono, A., Hoff, K.A., Svendsen, H.F., "Solubility of CO_2 in 15, 30, 45 and 60 mass% MEA from 40 to

120°C and model representation using the extended UNIQUAC framework," *Chemical Engineering Science*, 2011, v. 66, pp. 6393-6406.

Aronu U.E., Svendsen H.F., Hoff K.A., and Juliussen O., "Solvent selection for carbon dioxide absorption," *Energy Procedia*, 2009, v. 1, pp. 1051-1057.

Arshad M.W., Solms N.V., and Thomsen k., "Thermodynamic modeling of liquid– liquid phase change solvents for CO₂ capture," *International Journal of Greenhouse Gas Control*, 2016, v. 53, pp. 401-424.

Arshad M.W., Svendsen H.F., Fosbøl P.L., Solms N.V., and Thomsen K., "Equilibrium total pressure and CO₂ solubility in binary and ternary aqueous solutions of 2 (Diethylamino)ethanol (DEEA) and 3 (Methylamino)propylamine (MAPA)," *Journal of Chemical & Engineering Data*, 2014b, v. 59, pp. 764-774. Arshad, M.W., Fosbøla P.L., Solmsa, N.V., Svendsen, H.F., Thomsena K., "Equilibrium solubility of CO₂ in alkanolamines," *Energy Procedia*, 2014, v. 51, pp. 217-223.

Bajpai A., and Mondal M.K., "Equilibrium solubility of CO₂ in aqueous mixtures of DEA and AEEA," *Journal of Chemical and Engineering Data*, 2013, v. 58, pp. 1490-1495.

Balsora H.K., and Mondal M.K. "Solubility of CO₂ in aqueous TSP," *Fluid Phase Equilibria*, 2012, v. 328, pp. 21-24.

Baltar A., Gómez-Díaz D., Navaza J.M., and Rumbo A., "Absorption and regeneration studies of chemical solvents based on dimethylethanolamine and diethylethanolamine for carbon dioxide capture," *American Institute of Chemical Engineers Journal*, 2019, e16770.

Benamor A., and Al-Marri M.J., "Reactive absorption of CO₂ into aqueous mixtures of methyldiethanolamine and diethanolamine," *International Journal of Chemical Engineering and Applications*, 2014, v. 5, pp. 4.

Bernardo P., Drioli E., Golemme G., "Membrane gas separation: a review/state of the art," *Industrial and Engineering Chemistry Research*, 2009, v. 48, pp. 4638-63.

Bindwal A.B., Vaidya P.D., Kenig E.Y., "Kinetics of carbon dioxide removal by aqueous diamines," *Chemical Engineering Journal*, 2011, v. 169, pp. 144-150.

Bishnoi S., and Rochelle G.T., "Absorption of carbon dioxide into aqueous piperazine: reaction kinetics, mass transfer and solubility," *Chemical Engineering Science*, 2000, v. 55 pp. 5531-5543.

Boden T.A., Marland G., and Andres R.J., "Global, regional and national fossil-fuel CO₂ emissions. Carbon Dioxide Information Analysis Center, Oak Ridge National Laboratory, U.S. Department of Energy, Oak Ridge, Tenn., U.S.A. 2010.

Budhwani N., Vaidya P.D., Sinha R., and Chugh P. "New amine blends for improved CO₂ separation: A study on reaction kinetics and vapor-liquid equilibrium," *Chemical Engineering Communications*, 2017, v. 204, pp. 557-562.

Budzianowski W.M., "Single solvents, solvent blends, and advanced solvent systems in CO₂ capture by absorption: a review," *International Journal of Global Warming*, 2015, v. 7, n. 2.

Carson J.K., Marsh K.N., and Mather A.E., "Enthalpy of solution of carbon dioxide in (water+ monoethanolamine, or diethanolamine, or N-methyldiethanolamine) and (water+monoethanolamine+ N-methyldiethanolamine) at T= 298.15 K," *Journal of Chemical Thermodynamics*, 2000, v. 32, pp. 1285-1296.

Chakravarty T., Phukan U.K., and Weiland R.H., "Reaction of acid gases with mixtures of amines," *Chemical Engineering Progress*, 1985, v. 4, pp. 32-36.

Chen P.C., and Liao C.C., "A study on CO₂ absorption in bubble column using DEEA/EEA mixed solvent," *International Journal of Engineering Practical Research*, 2014, v. 3, 4.

Chen S., Han X., Sun X., Luo X., and Liang Z., "The comparative kinetics study of CO₂ absorption into non-aqueous DEEA/ MEA and DMEA/MEA blended systems solution by using stopped-flow technique," *Chemical Engineering Journal*, In press, corrected proof, available online 19 March 2019.

Choi J.H., Kim Y.E, Nam S.C., Yun S.H, Yoon Y.I., and Lee J.-H., "CO₂ absorption characteristics of a piperazine derivative with primary, secondary, and tertiary amino groups," *Korean Journal of Chemical Engineering*, 2016, v. 33, pp. 3222-3230.

Chowdhury F. A., Okabe H., Shimizu S., Onoda M., and Fujioka Y., "Development of novel tertiary amine absorbents for CO₂ capture," *Energy Procedia*, 2009, v. 1 pp. 1241-1248.

Chowdhury F. A., Yamada H., Higashii T., Goto K., and Onoda M. "CO₂ capture by tertiary amine absorbents: A performance comparison study," *Industrial and Engineering Chemistry Research*, 2013, v. 52, pp. 8323-8331.

Ciferno J.P., Fout T.E., Jones A.P., and Murphy J.T., "Capturing carbon from existing power coal-fired power plants," *Chemical Engineering Progress.*, 2009, v. 105, pp. 33-41.

Conway W., Bruggink S., Beyad Y., Luo W., Melián-Cabrera I., Puxty G., and Feron P., "CO₂ absorption into aqueous amine blended solutions containing monoethanolamine (MEA), N, N-dimethylethanolamine (DMEA), N,Ndiethylethanolamine (DEEA) and 2-amino-2-methyl-1-propanol (AMP) for postcombustion capture processes," *Chemical Engineering Science*, 2015, v. 126, pp. 446-454.

Cousins A., Wardhaugh L.T., and Feron P.H.M., "A survey of process flow sheet modifications for energy efficient CO₂ capture from flue gases using chemical absorption," *International Journal of Greenhouse Gas Control*, 2011, v.5, pp. 605-619.

Davison J., "Performance and costs of power plants with capture and storage of CO₂," *Energy*, 2007, v. 32, pp. 1163-76.

Dawodu O.F., and Meisen A., "Degradation of alkanolamine blends by carbon dioxide," *Canadian Journal of Chemical Engineering*, 2010, v. 74, pp. 960-966.

Du Y., Yuan Y., and Rochelle G.T., "Capacity and absorption rate of tertiary and hindered amines blended with piperazine for CO₂ capture," *Chemical Engineering Science*, 2016, v. 155, pp. 397-404.

Ebner A.D., and Ritter J.A., "State-of-the-art adsorption and membrane separation processes for carbon dioxide production from carbon dioxide emitting industries," *Separation Science and Technology*, 2009, v. 44, pp. 1273-421.

Feng B., Du M., Dennis T.J., Anthony K., Perumal M.J., "Reduction of energy requirement of CO₂ desorption by adding acid into CO₂-loaded solvent," *Energy and Fuels*, 2010, v. 24, pp. 213-219.

Fu D., Hao H., and Liu F., "Experiment and model for the viscosity of carbonated 2amino-2-methyl-1-propanol-monoethanolamine and 2-amino-2-methyl-1-propanoldiethanolamine aqueous solution," *Journal of Molecular Liquids*, 2013, v. 188, pp. 37-41.

Fu D., Wang L., Mi C., and Zhang P., "Absorption capacity and viscosity for CO₂ capture process using high concentrated PZ-DEAE aqueous solution," *Journal of Chemical Thermodynamics*, 2016, v. 101, pp. 123-129.

Fu D., Wang L., Zhang P., Mi C., "Solubility and viscosity for CO₂ capture process using MEA promoted DEAE aqueous solution," *Journal of Chemical Thermodynamics*, 2016, v. 95, pp. 136-141.

Gao H., Liu S., Gao G., Luo X., and Liang Z., "Hybrid behavior and mass transfer performance for absorption of CO₂ into aqueous DEEA/PZ solutions in a hollow fiber membrane contactor," *Separation Purification Technology*, 2018, v. 201, pp. 291-300.

Gao H., Liu S., Xu B., Liang Z., "Experimental studies on sorption and desorption performance of CO₂ by N, N-diethylethanolamine (DEEA) solution," *Journal of Chemical Industry*, 2015, v. 66, n. 9.

Gao H., Wu Z., Liu H., Luo X., and Liang Z., "Experimental studies on the effect of tertiary amine promoters in aqueous monoethanolamine (MEA) solutions on the absorption/ stripping performances in post-combustion CO₂ capture," *Energy and Fuels*, 2017, v. 31, pp. 13883-13891.

Gao H., Xu B., Han L., Luo X., and Liang Z., "Mass transfer performance and correlations for CO₂ absorption into aqueous blended of DEEA/MEA in a random packed column," *American Institute of Chemical Engineering Journal*, 2017, v.63, n. 7.

Gao H., Xu B., Liu H., and Liang Z., "Effect of amine activators on aqueous N, N diethylethanolamine solution for post-combustion CO₂ capture," *Energy and Fuels*, 2016, v. 30, pp. 7481-7488.

Garcia M., Knuutila H.K, and Gu S., "Thermodynamic modelling of unloaded and loaded N, N-diethylethanolamine solutions," *Green Energy & Environment*, 2016, v. 1, pp. 246-257.

García-Abuín A., Gómez-Díaz D., Navaza J.M., Rumbo A., "Carbon dioxide capture with tertiary amines. Absorption rate and reaction mechanism," *Journal of the Taiwan Institute of Chemical Engineers*, 2017, v. 80, pp. 356-362.

Global CCS Institute, The Global Status of CCS: 2018, Summary Report, Australia, (2018).

Hartono A., Saleem F., Arshad M.W., Usman M., and Svendsen H.F, "Binary and ternary VLE of the 2-(diethylamino)-ethanol (DEEA)/3-(methylamino)-propylamine (MAPA)/water system," *Chemical Engineering Science*, 2013, v. 101, pp. 401-411.

Herring H., "Energy efficiency-a critical view," Energy, 2006, v. 31, pp.10-20.

Horwitz W. "Official methods of analysis of the association of official analytical chemists" 13th ed., Benjamin Franklin Station, Washington, USA 1980.

IEA, 2016 "World Energy Outlook 2016," International Energy Agency, Paris, France.

IEA, 2019 "CO₂ combustion from fuel combustion highlights (2019 edition)," *International Energy Agency*, Paris, France.

IPCC, "Summary for Policymakers in Climate Change 2014: Mitigation of Climate Change. Contribution of Working Group III to the Fifth Assessment Report of the Intergovernmental Panel on Climate Change" *Cambridge University Press:* Cambridge, United Kingdom, and New York, NY, USA, 2014.

Jiang W., Luo X., Gao H., Liang Z., and Liu B., "A Comparative kinetics study of CO₂ absorption into aqueous DEEA/MEA and DMEA/MEA blended solutions," *American Institute of Chemical Engineers Journal*, 2018, v. 64, n. 4.

Kierzkowska-Pawlak, H., Chacuk, A., and Siemieniec, M., "Reaction kinetics of CO₂ in aqueous 2-(2-aminoethylamino) ethanol solutions using a stirred cell reactor," *International Journal of Greenhouse Gas Control*, 2014, v. 24, pp. 106-114.

Kim I., and Svendsen H.F., "Comparative study of the heats of absorption of postcombustion CO₂ absorbents," *International Journal of Greenhouse Gas Control*, 2011, v. 5, pp. 390-395.

Kim I., and Svendsen H.F., "Heat of absorption of carbon dioxide (CO₂) in monoethanolamine (MEA) and 2-(aminoethyl) ethanolamine (AEEA) solutions," *Industrial and Engineering Chemistry Research*, 2007, v. 46, pp. 5803-5809.

Kim Y.E., Yun S.H., Choi J.H., Nam S.C., Park S.Y., Jeong S.K., and Yoon I.Y., "Comparison of the CO₂ absorption characteristics of aqueous solutions of diamines: absorption capacity, specific heat capacity, and heat of absorption," *Energy and Fuels*, 2015, v. 29, pp. 2582-2590.

Kim Y.J., He W., Ko D., Chung H., and Yoo G., "Increased N_2O emission by inhibited plant growth in the CO₂ leaked soil environment: simulation of CO₂ leakage from carbon capture and storage (CCS) site," *Science of The Total Environment*, 2017, 607-608, 1278-12.

Kohl A., and Nielsen R., "Gas Purification," 5th ed., Gulf Publishing, Texas, 1997.

Konduru P.B., Vaidya P.D., and Kenig E.Y., "Kinetics of removal of carbon dioxide by aqueous solutions of N, N-diethylethanolamine and piperazine," *Environmental Science and Technology*, 2010, v. 44, pp. 2138-2143.

Kruszczak E., and Kierzkowska-Pawlak H., "CO₂ capture by absorption in activated aqueous solutions of N,N-diethylethanoloamine," *Ecological Chemistry and Engineering S*, 2017, v. 24, pp. 239-248.

Kumar S., and Mondal M.K. "Equilibrium solubility of CO₂ in aqueous binary mixture of 2-(diethylamine)ethanol and 1, 6 hexamethyldiamine," *Korean Journal of Chemical Engineering*, 2018b, v. 35, pp. 1335-1340.

Kumar S., and Mondal M.K., "Equilibrium solubility of CO₂ in aqueous blend of 2-(Diethylamine)ethanol and 2-(2 Aminoethylamine)ethanol," *Journal of Chemical and Engineering Data*, 2018a, v. 63, pp. 1163-1169.

Kundu M., and Bandyopadhyay S.S., "Solubility of CO₂ in water + diethanolamine + N-methyldiethanolamine. *Fluid Phase Equilibria*, 2006, v. 248, pp. 158-167.

Lee J. I., Otto F.D., and Mather A.E., "Equilibrium between carbon dioxide and aqueous monoethanolamine solutions," *Journal of applied Chemical Biotechnology*, 1976, v. 26, pp. 541-549.

Lee J., Hong Y.K., and You J.K., "Phase separation characteristics in biphasic solvents based on mutually miscible amines for energy efficient CO₂ capture, *Korean Journal of Chemical Engineering*., 2017, v. 34, pp. 1840-1845.

Lee J.I., Otto F.D., and Mather A.E., "Solubility of carbon dioxide in aqueous diethanolamine solutions at high pressures," *Journal of Chemical and Engineering Data*, 1972, v. 17, pp. 465-468.

Li C., Chu Y.X., Wang L.M., Feng X., and Fu D., "Absorption capacity for CO₂ capture process using DEAE-AMP aqueous solution," IOP Conf. Series: *Earth and Environmental Science*, 2018, 186, 012073.

Liao H., Gao H., Xu B., and Liang Z, "Mass transfer performance studies of aqueous blended DEEA-MEA solution using orthogonal array design in a packed column," *Separation Purification Technology*, 2017, v. 183, pp. 117-126.

Liebenthal U., Pinto D.D.D., Monteiro J.G.M.-S., Svendsen H.F., and Kather, A., "Overall process analysis and optimization for CO₂ capture from coal fired power plants based on phase change solvents forming two liquid phases," *Energy Procedia*, 2013, v. 37, 1844.

Ling H., Gao H., and Liang Z., "Comprehensive solubility of N₂O and mass transfer studies on an effective reactive N,N-dimethylethanolamine (DMEA) solvent for post-combustion CO₂ capture," *Chemical Engineering Journal.*, 2019, v. 355, pp. 369-379.

Liu H., Chan C., Tontiwachwuthikul P., and Idem R., "Analysis of CO₂ equilibrium solubility of seven tertiary amine solvents using thermodynamic and ANN models," *Fuel*, 2019, v. 249, pp. 61-72.

Liu H., Chen G., and Liang Z., "Toward rational selection of amine solutions for PCC applications: CO₂ absorption kinetics and absorption heat in tertiary aqueous solutions," *International Journal of Greenhouse Gas Control*, 2016c, v. 50, pp. 206-217.

Liu H., Idem R. and Tontiwachwuthikul P., "Novel models for correlation of solubility constant and diffusivity of N₂O in aqueous 1-dimethylamino-2-propanol," *Chemical Engineering Science*, 2019, v. 203, pp. 86-103.

Liu H., Li M., Idem R., Tontiwachwuthikul P., and Liang Z., "Analysis of solubility, absorption heat and kinetics of CO₂ absorption into 1-(2-hydroxyethyl)pyrrolidine solvent, *Chemical Engineering Science*, 2017b, v. 162, pp. 120-130.

Liu H., Xiao M., Tontiwachwuthikul P., and Liang Z., A novel model for correlation and predication of the equilibrium CO₂ solubility in seven tertiary solvents, *Energy Procedia*, 2017a, v. 105, 4476-4481.

Liu S., Gao H., He C., and Liang Z., "Experimental evaluation of highly efficient primary and secondary amines with lower energy by a novel method for post-combustion CO₂ capture," *Applied Energy*, 2019, v. 233-234, pp. 443-452.

Luo X., Chen N., Liu S., Rongwong W., Idem R.O., Tontiwachwuthikul P., and Liang Z., "Experiments and modeling of vapor-liquid equilibrium data in DEEA-CO₂-H₂O System," *International Journal of Greenhouse Gas Control*, 2016, v. 53, pp. 160-168.

Luo X., Liu S., Gao H., Liao H., Tontiwachwuthikul P., and Liang Z., "An improved fast screening method for single and blended amine-based solvents for postcombustion CO₂ capture. *Separation. Purification Technology*, 2016, v. 169, pp. 279-288.

Ma'mun S., Dindore V., and Svendsen H.F., "Kinetics of the reaction of carbon dioxide with aqueous solutions of 2-((2-Aminoethyl)amino)ethanol," *Industrial and Engineering Chemistry Research*, 2007, v. 46, pp. 385-394.

Ma'mun S., Jakobsen J.P., and Svendsen H.F., "Experimental and modeling study of the solubility of carbon dioxide in aqueous 30 Mass % 2-((2-

Aminoethyl)amino)ethanol solution," *Industrial and Engineering Chemistry Research*, 2006, v. 45, pp. 2505-2512.

Ma'mun S., Svendsen H.F., Hoff K.A., and Juliussen O., "Selection of new absorbents for carbon dioxide capture," *Energy Conversion and Management*, 2007, v. 48, pp. 251-258.

Mandal B., "Absorption of carbon dioxide and hydrogen sulfide into blended alkanolamines" Ph.D. Dissertation, *Indian Institute of Technology* Kharagpur, India, 2004.

Mandal B.P., and Bandyopadhyay S.S., "Absorption of carbon dioxide into aqueous blends of 2-amino-2-methyl-1-propanol and monoethanolamine," *Chemical Engineering Science*, 2006, v. 61, pp. 5440-5447.

Mandal B.P., Biswas A.K., and Bandyopadhyay S.S., "Absorption of carbon dioxide into aqueous blends of 2-amino-2-methyl-1-propanol and diethanolamine," *Chemical Engineering Science*, 2003, v. 58, pp. 4137-4144.

Mannisto M., Uusi P.K., Richon D., Alopaeus V., "Study of CO₂ absorption into phase change solvents MAPA and DEEA," *Journal of Chemical and Engineering Data*, 2017, v. 62, pp. 2261-2271.

Metz B., Davidson O., Bosch P., Dave R., and Meyer L. "Climate change 2007-Mitigation of climate change" working group-III contribution to the fourth Assessment Report of the Intergovernmental Panel on Climate Change; *Cambridge University Press: Oxford*, U.K., 2007.

Metz B., Davidson O., de Coninck H., Loos M., and Meyer L., "IPCC special report on carbon dioxide capture and storage" *Cambridge University Press*: Canada. 380, 2005. Míguez J.L., Porteiro J., Pérez-Orozco R., Patiño D., and Rodríguez S., "Evolution of CO₂ capture technology between 2007 and 2017 through the study of patent activity," *Applied Energy*, 2018, v. 211, pp. 282-1296.

Mondal B.K., and Bandyopadhyay, S.S., and Samanta, A.N., "Vapor-liquid equilibrium measurement and ENRTL modeling of CO₂ absorption in aqueous hexamethylenediamine," *Fluid Phase Equilibria*, 2015, v. 402, pp. 102-112.

Mondal B.K., Bandyopadhyay S.S., and Samanta A.N., "Kinetics of CO₂ absorption in aqueous hexamethylenediamine," *International Journal of Greenhouse Gas Control*, 2017, v. 56 pp. 116-125.

Mondal M. K., Balsora H. K., and Varshney P., "Progress and trends in CO₂ capture/separation technologies: A review," *Energy*, 2012, v. 46, pp. 431-441.

Mondal M.K., "Solubility of carbon dioxide in an aqueous blend of diethanolamine and piperazine," *Journal of Chemical and Engineering Data*, 2009, v. 54, pp. 2381-2385.

Monteiro J.G.M.-S., Pinto D.D.D., Zaidy S.A.H., Hartono, A., Svendsen H.F., "VLE data and modelling of aqueous N,N-Diethylethanolamine (DEEA) solutions," *International Journal of Greenhouse Gas Control*, 2013, v. 19, pp. 432-440.

Mota-Martinez M.T., Hallett J.P., and Dowell N.M, "Solvent selection and design for CO₂ capture-how we might have been missing the point," Sustainable Energy Fuels, 2017, v. 1, pp. 2078-2090.

Muchan P., Narku-Tetteh J., Saiwan C., Idem R., and Supap T., "Effect of number of amine groups in aqueous polyamine solution on carbon dioxide (CO₂) capture activities," *Separation Purification Technology*, 2017, v. 184, pp. 128-134.

Narku-Tetteh J., Muchan P., and Idem R., "Effect of alkanol chain length of primary alkanolamines and alkyl chain length of secondary and tertiary alkanolamines on their CO₂ capture activities," *Separation and Purification Technology*, 2017, v. 187, pp. 453-467.

Nouacer A., Belaribi F.B., Mokbel I., and Jose J., "Solubility of carbon dioxide gas in some 2.5 M tertiary amine aqueous solutions," *Journal of Molecular Liquids*, 2014, v. 190, pp. 68-73.

Oyenekan B.A., "Modeling of strippers for CO₂ capture by aqueous amine," Ph. D. Thesis. 2007, *University of Texas, Austin*, USA.

Patiño D., Moran J., Porteiro J., Collazo J., Granada E., and Miguez J.L., "Improving the co-firing process of wood pellet and refuse derived fuel in a small-scale boiler plant," *Energy and Fuels*, 2008, v. 22, pp. 2121-2128.

Pawlak H.K., and Kruszczak E., "Revised kinetics of CO₂ absorption in aqueous N,Ndiethylethanolamine (DEEA) and its blend with N-methyl-1,3-propane-diamine (MAPA)," *International Journal of Greenhouse Gas Control*, 2017, v. 57, pp. 134-142.

Poplsteinova J., "Absorption of carbon dioxide-modeling and experimental characterization," *Norwegian University of Science and Technology*, Trondheim, 2004.

Puxty G., Rowland R., Allport A., Yang Q., Bown M., Burns, R., Maeder M., and Attalla M., "Carbon dioxide post-combustion capture: a novel screening study of the carbon dioxide absorption performance of 76 amines," *Environmental Science and Technology*, 2009, v. 43, pp. 6427-6433.

Rahimi A., Zoghi A.T., Feyzi F., and Jalili A.H., "Experimental study of density, viscosity and equilibrium carbon dioxide solubility in some aqueous alkanolamine solutions," *Journal of Solution Chemistry*, 2019, v. 48, pp. 489-501.

Ramachandran N., Aboudheir A., Idem R., and Tontiwachwuthikul P., "Kinetics of the absorption of CO₂ into mixed aqueous loaded solutions of monoethanolamine and

methyldiethanolamine," *Industrial and Engineering Chemistry Research*, 2006, v. 45, pp. 2608-2616.

Rao A.B., and Rubin E.S., "A technical, economical, and environmental assessment of amine based CO₂ capture technology for power plant greenhouse gas control," *Environmental Science and Technology*," 2002, v. 36, pp. 4467-4475.

Rayer A.V., Sumon K.Z., Henni A., and Tontiwachwuthikul P., "Kinetics of the reaction of carbon dioxide with cyclic amines using the stopped-flow technique," *Energy Procedia*, 2011, v. 4, pp. 140-147.

Rayer A.V., Sumon K.Z., Sema T., Henni A., Idem R., and Tontiwachwuthikul, P., "Part 5c: Solvent chemistry: solubility of CO₂ in reactive solvents for postcombustion CO₂," *Carbon Management*, 2012, v.3(5).

Rho S.-W., Yoo K.-P., Lee J.S., Nam S.C., Son J.E., and Min B.-M., "Solubility of CO₂ in aqueous methyldiethanolamine solutions," *Journal of Chemical and Engineering Data*, 1997, v. 42, pp. 1161-1164.

Rochelle G.T., "Amine scrubbing for CO2 capture," *Science*, 2009, v. 325, pp. 1652-654.

Salvi A.P., Vaidya P.D., Kenig E.Y., "Kinetics of carbon dioxide removal by ethylenediamine and diethylenetriamine in aqueous solutions," *Canadian Journal of Chemical Engineering*, 2014, v. 92, pp. 2021-2028.

Sánchez J. A., "Carbon dioxide capture: Processes, Technology and Environmental Implications: Chapter 3. Mass transfer and kinetics of CO₂ absorption into alkanolamines, *Nova Science Publishers*, New York, 2016.

Sema T., Naami A., Fu K., Edali M., Liu H., Shi H., Liang, Z., Idem R., and Tontiwachwuthikul P., "Comprehensive mass transfer and reaction kinetics studies of CO₂ absorption into aqueous solutions of blended MDEA-MEA," *Chemical Engineering Journal*, 2012, v. 209, pp. 501-512.

Indian Institute of Technology (BHU), Varanasi 221005

Serrano-Ruiz J.C., and Dumesic J.A., "Catalytic routes for the conversion of biomass into liquid hydrocarbon transportation fuels," *Energy and Environmental Science*, 2011, v. 4, pp. 83-99.

Shen K.P., and Li M.H., "Solubility of carbon dioxide in aqueous mixtures of monoethanolamine with methyldiethanolamine," *Journal of Chemical and Engineering Data*, 1992, v. 37, pp. 96-100.

Shen S., Yang Y., Wang Y., Ren S., Han J., and Chen A., "CO₂ absorption into aqueous potassium salts of lysine and proline: Density, viscosity and solubility of CO₂," *Fluid Phase Equilibria*, 2015, v. 399, pp. 40-49.

Shen Y., Jiang C., Zhang S., Chen J., Wang L.,and Chen J., "Biphasic solvent for CO₂ capture: Amine property-performance and heat duty relationship," *Applied Energy*, 2018, v. 230, pp. 726-733.

Singh P., Niederer J.P.M., and Versteeg G.F., "Structure and activity relationships for amine based CO₂ absorbents-I," *International Journal of Greenhouse Gas Control*, 2007, v. 1, pp. 5-10.

Singh P.and Versteeg G.F., "Structure and activity relationships for CO₂ regeneration from aqueous amine-based absorbents," *Process Safety and Environment Protection*, 2008, v. 86, pp. 347-359.

Singto S., Supap T., Idem R., Tontiwachwuthikul P., Tantayanon S., Al-Marri M.J., and Benamor A., "Synthesis of new amines for enhanced carbon dioxide (CO₂) capture performance: The effect of chemical structure on equilibrium solubility, cyclic capacity, kinetics of absorption and regeneration, and heats of absorption and regeneration", *Separation and Purification Technology*, 2016, v. 167, pp. 97-107.

Solomon S, Plattner G.K., Knutti R., Friedlingstein P., "Irreversible climate change due to carbon dioxide emissions," *Proceeding of the National Academic of the Sciences*, USA, 2009, v. 106, pp. 1704-1709.

Song J-H., Yoon J-H., and Lee H., "Solubility of carbon dioxide in monoethanolamine + ethylene glycol + water and monoethanolamine + poly(ethylene glycol) +water," *Journal of Chemical and Engineering Data*, 1996, v. 41, pp. 497-499.

Stowea H.M., and Hwang G.S., "Molecular insights into the enhanced rate of CO₂ absorption to produce bicarbonate in aqueous 2-amino-2-methyl-1-propanol, *Physical Chemistry Chemical Physics*, 2017, v. 19, pp. 32116-32124.

Sutar P. N., Vaidya P.D., and Kenig E.Y. "Activated DEEA solutions for CO₂ capture-A study of equilibrium and kinetic characteristics," *Chemical Engineering Science*, 2013, v. 100, pp. 234-241.

Tontiwachwuthikul P., Idem R., Gelowitz D., Liang Z.H., Supap T., Chan C.W., Sanpasertparnich T., Saiwan C., and Smithson H., "Recent progress and new development of post-combustion carbon-capture technology using reactive solvents," *Carbon Management*, 2011, v. 2, pp. 261-263.

Vaidya P.D., and Kenig E.Y. "Absorption of CO₂ into aqueous blends of alkanolamines prepared from renewable resources," *Chemical Engineering Science*, 2007, v. 62, pp. 7344-7350.

Vaidya P.D., and Kenig E.Y., "A study on CO₂ absorption kinetics by aqueous solutions of N, N-Diethylethanolamine and N-Ethylethanolamine," *Chemical Engineering and Technology*, 2009, v. 32, pp. 556-563.

Vaidya P.D., and Kenig E.Y., "Acceleration of CO₂ reaction with N, Ndiethylethanolamine in aqueous solutions by piperazine" *Industrial and Engineering Chemistry Research*, 2008, v. 47, pp. 34-38.

Vaidya P.D., and Kenig E.Y., "CO₂ capture by novel amine blends," *Proceedings of the 1st annual symposium*, 2009, Doha, Qatar.

Indian Institute of Technology (BHU), Varanasi 221005

Vega F., Sanna A., Navarrete B., Maroto-Valer M.M., and Cortés V.J., "Degradation of amine-based solvents in CO₂ capture process by chemical absorption," *Greenhouse Gases Science Technology*, 2014, v. 4, pp. 707-733.

Wang L., An S., Yu S., Zhang S., Zhang Y., Li M., and Li Q., "Mass transfer characteristics of CO₂ absorption into a phase-change solvent in a wetted-wall column," *International Journal of Greenhouse Gas Control*, 2017, v. 64, pp. 276-283.

Wang M., Lawal A., Stephenson P., Sidders J., and Ramshaw C., "Post-combustion CO₂ capture with chemical absorption: a state-of-the-art review," *Chemical Engineering Research and Design*, 2011, v. 89, pp.1609-24.

Weiland R.H. and Trass O., "Absorption of carbon dioxide in ethylenediamine solutions-I. Absorption kinetics and equilibrium," *Canadian Journal of Chemical Engineering*, 1971, v. 49, pp. 767-772.

Wilberforce T., Alaswad A., Palumbo A., and Olabi A.G., "Advances in stationary and portable fuel cell applications," *International Journal of Hydrogen Energy*, 2016, v. 41, pp. 16509-522.

Wilcox J., "Carbon Capture," Springer, New York Dordrecht Heidelberg London, 2012.

Wilk A., Więcław-Solny L., Tatarczuk A., Krótki A., Spietz T., and Chwoła T., "Solvent selection for CO₂ capture from gases with high carbon dioxide concentration," *Korean Journal of Chemical Engineering*, 2017, v. 34, pp. 2275-2283.

Xiao J., Li C.W., and Li M.H., "Kinetics of absorption of carbon dioxide into aqueous solutions of 2-amino-2-methyl-1-propanol plus monoethanolamine," *Chemical Engineering Science*, 2000, v. 55, pp. 161-175.

Xiao M., Liu H., Gao H., and Liang, Z., "CO₂ absorption with aqueous tertiary amine solutions: Equilibrium solubility and thermodynamic modeling," *Journal of Chemical Thermodynamics*, 2018, v. 122, pp. 170-182.

Xiao M., Liu H., Idem R., Tontiwachwuthikul P., and Liang Z., "A study of structureactivity relationships of commercial tertiary amines for post-combustion CO₂ capture," *Applied Energy*, 2016, v. 184, pp. 219-229.

Xu B., Gao H., Luo X., Liao H., Liang Z., "Mass transfer performance of CO₂ absorption into aqueous DEEA in packed columns," *International Journal of Greenhouse Gas Control*, 2016, v. 51, pp. 11-17.

Xu Y., Isom L., Hanna M. A., "Adding value to carbon dioxide from ethanol fermentations," *Bio-resource Technology*, 2010, v. 101, pp. 3311-3319.

Xu Z., Wang S., and Chen C., "Kinetics study on CO₂ absorption with aqueous solutions of 1, 4-Butanediamine, 2-(Diethylamino)-ethanol, and their mixtures," *Industrial and Engineering Chemistry*, 2013, v. 52, pp. 9790-9802.

Xu Z., Wang S., Qi G., Trollebø A.A., Svendsen H.F., and Chen C., "Vapor liquid equilibria and heat of absorption of CO₂ in aqueous 2-(diethylamino)-ethanol solutions," *International Journal of Greenhouse Gas Control*, 2014, v. 29, pp. 92-103.

Yang H., Xu Z., Fan M., Gupta R., Slimane R.B., Bland A.E., "Progress in carbon dioxide separation and capture: a review," *Journal of Environmental Science*, 2008, v. 20, pp.14-27.

Ye J., Jiang C., Chen H., Shen Y., Zhang S., Wang L., and Chen J., "Novel biphasic solvent with tunable phase separation for CO₂ capture: Role of water content in mechanism, kinetics, and energy penalty," *Environmental Science and Technology*, 2019, v. 53, pp. 4470-4479.

Yu B., Yu H., Li K., Yang Q., Zhang R., Li L., and Chen Z., "Characterization and kinetic study of carbon dioxide absorption by an aqueous diamine solution," *Applied Energy*, 2017, v. 208, pp. 1308-1317.

Zaman M., and Lee J.H., "Carbon capture from stationary power generation sources: A review of the current status of the technologies," *Korean Journal of Chemical Engineering*, 2013, v. 30, pp. 1497-1526.

Zhang S., Du M., Shao P., Wang L., Ye J., Chen J., and Chen J., "Carbonic anhydrase enzyme-MOFs composite with a superior catalytic performance to promote CO₂ absorption into tertiary amine solution," *Environmental Science and Technology*, 2018, v. 52, pp. 12708-12716.

Zhang S., Shen Y., Shao P., Chen J., and Wang L., "Kinetics, thermodynamics, and mechanism of a novel biphasic solvent for CO₂ capture from flue gas," *Environmental Science and Technology*, 2018, v. 52, pp. 3660-3668.

Zhang S., Shen Y., Wang L., Chen J., and Lu Y., "Phase change solvents for postcombustion CO₂ capture: Principle, advances, and challenges," *Applied Energy*, 2019, v. 239, pp. 876-897.