

REFERENCES

- Adler E, Stuchin SA, Kummer FJ. Stability of press-fit acetabular cups. *J Arthroplasty*. 1992; 7(3):295-301.
- AJRR. American Joint Replacement Registry for United states 3rd Annual Report. Rosemont, IL. 2016.
- Albrektsson T, Johansson C. Osteoinduction, osteoconduction and osseointegration. *Eur Spine J*. 2001; 10:S96-101.
- Angelo FD, Murena L, Zatti G, Cherubino P. The unstable total hip replacement. *Indian J Orthop* 2008; 42:252-9.
- Anissian HL, Stark A, Gustafson A, Good V, Clarke I. Metal-on-metal bearing in hip prosthesis generates 100-fold less wear debris than metal-on-polyethylene. *ActaOrthop Scand*. 1999; 70:578.
- ANSYS® Academic Research, Release 17.0, Help System, Shape memory alloys Guide, ANSYS, Inc.
- AOANJRR. Australian Orthopaedic Association National Joint Replacement Registry. Annual Report. 2016.
- Arnhart C, Kielbassa AM, Martinez-de Fuentes R, Goldstein M, Jackowski J, Lorenzoni M, Maiorana C, Mericske-Stern R, Pozzi A, Rompen E, Sanz M, Strub JR. Comparison of variable-thread tapered implant designs to a standard tapered implant design after immediate loading. A 3-year multicentre randomised controlled trial. *Eur J Oral Implantol*. 2012; 5:123- 36.

REFERENCES

- Arslan KA, Demir T, Örmeci MF, Camuscu N, Türeyen K. Postfusion pullout strength comparison of a novel pedicle screw with classical pedicle screws on synthetic foams. *J Eng Med.* 2012; 227(2):114–9.
- Aspenberg P, Van Der Vis HM. Fluid pressure may cause periprostheticosteolysis. Particles are not the only thing. *ActaOrthop Scand.* 1998; 69:1-4.
- Atanackovic T, Achenbach M. Moment-curvature relations for a pseudoelastic beam. *Continuum Mech. Thermodyn.* 1989; 73-80.
- Auricchio F, Petrini L. Improvements and algorithmical considerations on a recent three-dimensional model describing stress-induced solid phase transformation. *Int J Numer Meth Eng.* 2002; 55:1225-84.
- Auricchio F, Taylor RL, Lubliner J. Shape-memory alloys: macromodelling and numerical simulations of the superelastic behavior. *Comput Method Appl M.* 1997; 146:281-312.
- Australian Orthopaedic Association National Joint Replacement Registry, Annual report. 2014.
- Autian J. Toxicological evaluation of biomaterials: Primary acute toxicity screening program. *Artif. Organs.* 1977; 1:53–60.
- Avisar E, Elvey MH, Bar-Ziv Y, Tamir E, Agar G. Severe vascular complications and intervention following elective total hip and knee replacement: A 16-year retrospective analysis. *J Orthop.* 2015; 12:151-55.

REFERENCES

- Baleani M, Fognani R, Toni A. Initial stability of a cementless acetabular cup design: experimental investigation on the effect of adding fins to the rim of the cup. *Artif Organs.* 2001; 25(8):664-9.
- Barrack RL. Neurovascular injury: avoiding catastrophe. *J. Arthroplasty.* 2004; 19(4, Suppl 1):104-7.
- Battula S, Schoenfeld A, Vrabec G, Njus GO. Experimental evaluation of the holding power/stiffness of the selftapping bone screws in normal and osteoporotic material. *ClinBiomech.* 2006; 21:533–7.
- Bauer TW, Schils J. The pathology of total joint arthroplasty - II. Mechanisms of implant failure. *Skeletal Radiol.* 1999b; 28:483-97.
- Bauer TW, Schils J. The pathology of total joint arthroplasty - I. Mechanisms of implant fixation. *Skeletal Radiol.* 1999a; 28:423-32.
- Bekker A, Brinson LC. Phase diagram based description of the hysteresis behavior of Bekker A, Brinson LC. Thermo-induced Transformation in a Prestressed 1-D SMA Polycrystalline Body: Phase Diagram Kinetics Approach. *J. Mech. Phys. Solids.* 1997; 45: 949-88.
- Blaha JD, Tanifuji O. Options for acetabular component fixation. *Semin Arthroplasty.* 2011; 22(2):85-89.

REFERENCES

- Bottai V, Giannotti S, Dell’Osso G, De Paola G, Menconi A, Falossi F, Raffaetà G, Guido G. Atypical femoral fractures: retrospective radio- logical study of 319 femoral fractures and presentation of clinical cases. *Osteoporos Int.* 2014; 25(3):993-7.
- Bower AF. Applied mechanics of solids. CRC Press. 2009.
- Brinson LC, Huang M. Simplifications and comparisons of shape memory alloy constitutive models. *J. Intel Mat Syst Str.* 1996; 7(1):108-14.
- Brinson LC, Huang MS. Simplifications and Comparisons of Shape Memory Alloy Constitutive Models. *J. of Intell. Mat. Syst. &Struct.* 1996; 7:108-114.
- Brinson LC. One-dimensional constitutive behaviour of shape memory alloys: thermomechanical derivation with non-constant material functions and redefined martensite internal variable. *J Intel Mat Syst Str.* 1993; 4(2):229-42.
- Buehler W, Gilfrich J, Riley R. Effect of low-temperature phase changes on the mechanical properties of alloys near composition Ti-Ni. *J. Appl Phys.* 1963; 34:1475-7.
- Byrd J. Operative Hip Arthroscopy Gross anatomy 2nd ed. New York: Springer Science, Business Media, Inc. 2004; 100-9.
- Callaghan JJ, Rosenberg AG, Rubash HE. The adult hip. 2nd ed. Philadelphia: Lippincott Williams & Wilkins. 2007.

REFERENCES

- Campbell PDQ. Basic Fixture Design. 1st ed. 1959; 67.
- Chang MC, Kao HC, Ying SH, Liu CL. Polymethyl methacrylate augmentation of cannulated pedicle screws for fixation in osteoporotic spines and comparison of its clinical results and biomechanical characteristics with the needle injection method. *J Spinal Disord Tech.* 2013; 26:305-15.
- Chang PK, Chen YC, Huang CC, Lu WH, Chen YC, Tsai HH. Distribution of micromotion in implants and alveolar bone with different thread profiles in immediate loading: a finite element study. *Int J Oral Max Impl.* 2012; 27:e96-101.
- Chapman JR, Harrington RM, Lee KM, Anderson PA, Tencer AF, Kowalski D. Factors affecting the pullout strength of cancellous bone screws. *J Biomech Eng.* 1996; 118:391–8.
- Cheng T, Feng JG, Liu T, Zhang XL. Minimally invasive total hip arthroplasty: A systematic review. *IntOrthop.* 2009; 33:1473-81.
- Choma TJ, Pfeiffer FM, Swope RW, Hirner JP. Pedicle screw design and cement augmentation in osteoporotic vertebrae: effects of fenestrations and cement viscosity on fixation and extraction. *Spine (Phila Pa 1976).* 2012; 37(26): E1628–32.
- Chun HJ, Cheong SY, Han JH, Heo SJ, Chung JP, Rhyu IC, Choi YC, Baik HK, Ku Y, Kim MH. Evaluation of design parameters of osseointegrated dental implants using finite element analysis. *J Oral Rehabil.* 2002; 29:565-74.

REFERENCES

- Collinge C, Merk B, Lautenschlager EP. Mechanical evaluation of fracture fixation augmented with tricalcium phosphate bone cement in a porous osteoporotic cancellous bone model. *J Orthop Trauma*. 2007; 21:124–8.
- Conroy JL, Whitehouse SL, Graves SE, Pratt NL, Ryan P, Crawford RW. Risk factors for revision for early dislocation in total hip arthroplasty. *J Arthroplasty*. 2008; 23:867-872.
- Cook SD, Thomas KA, Barrack RL, Whitecloud III TS. Tissue growth into porous-coated acetabular components in 42 patients effects of adjunct fixation. *Clin. Orthop. Relat. Res.* 1992; 283:163-70.
- Cooper C, Cole ZA, Holroyd CR, Earl SC, Harvey NC, Dennison EM, Melton LJ, Cummings SR, Kanis JA, IOF CSA Working Group on Fracture Epidemiology. Secular trends in the incidence of hip and other osteoporotic fractures. *Osteoporos Int.* 2011; 22(5):1277-88.
- Cowin SC. The Mechanical Properties of Cortical Bone Tissue, *Bone Mechanics*. Boca Raton, CRC Press, Inc. 1989; 97-28.
- Curtis M J, Jinnah RH, Wilson VD, Hungerford DS. The initial stability of uncemented acetabular components. *J Bone Joint Surg Br*. 1992; 74:372-6.
- Defino HLA, Wichr CRG, Shimano AC, Kandziora F. The influence of pilot hole diameter on screw pullout resistance. *ActaOrtop Bras*. 2007; 15(2): 76-9.

REFERENCES

- Del Gaizo DJ, Kancheria V, Sporer SM, et al. Tantalum augments for Paprosky IIIA defects remain stable at midterm follow up. *ClinOrthopRelat Res.* 2012; 470(2):395–401.
- Demir T. Possible usage of cannulated pedicle screws without cement augmentation. *ApplBionBiomech.* 2014; 11:149–155.
- Dietze S, Perka C, Baecker H. Blood vessel and nerve damage in total hip arthroplasty. *Orthopade.* 2014; 43:64-9.
- Dotter CT, Buschmann RW, McKinney MK. Transluminal expandable nitinol coil stent grafting: preliminary report radiology. *Radiology.* 1983; 147:259-260.
- Duerig T. An overview of nitinol medical applications. 1999.
- Durham ME. Evaluation of plasma sprayed hydroxyapatite coated AO cortical screws in equine third metacarpal bone. PhD thesis. DVM, North Carolina State University. 2007.
- Engh C, McGovern T, Schmidt L. Roentgenographic densitometry of bone adjacent to a femoral prosthesis. *Clin Oral Implan Res.* 1993; 292:177-190.
- Engh C, O'Conner A, Jasty M, McGovern T, Bobyn J, Harris W. Quantification of implant micromotion, strain shielding, and bone resorption with porous coated anatomic medullary locking femoral prostheses. *Clin Oral Implan Res.* 1992; 285:13-29.
- Eraslan O, Inan O. The effect of thread design on stress distribution in a solid screw implant: a 3D finite element analysis. *Clin Oral Investig* 2010; 14:411-6.

REFERENCES

- Espigares I, Elvira C, Mano JF, Vázquez B, Román JS, Reis RL. New partially degradable and bioactive acrylic bone cements based on starch blends and ceramic fillers. *Biomaterials*. 2002; 23:1883–95.
- Ezaz T, Wang J, Sehitoglu H, Maier HJ. Plastic deformation of NiTi shape memory alloys. *ActaMaterialia*. 2013;61:67-78.
- FerdinandoAuricchio. *J Intel Mat Syst Str. J Intel Mat Syst Str.* 1997; 8:489-501.
- Ferney B, Blumenfeld TJ, Bargar WL. Time to revision of primary THA is shorter for specialists than nonspecialists. *ClinOrthopRelat R.* 2007; 465:175-9.
- Flahiff CM, Gregg AG, Nicholas RW. Pullout strength of fixation screws from polymethyl-metacrylate bone cement. *Biomaterials*. 1995; 16:533–6.
- Franklin J, Malchau H. Risk factors for periprosthetic femoral fracture. *Injury*. 2007; 38:655-60.
- Frost HM. Bone “mass” and the “mechanostat”: A proposal. *Anat Rec.* 1987; 219:1-9.
- Gall K, Sehitoglu H, Chumlyakov YI, Kireeva IV. Tension-compression asymmetry of the stress-strain response in aged single crystal and polycrystalline NiTi. *Acta Mater.* 1999; 47(4):1203-17.
- Gao X, Qiao R, Brinson LC. Phase diagram kinetics for shape memory alloys: a robust finite element implementation. *Smart Mater Struct.* 2007; 16(6):2102-15.

REFERENCES

- Geng JP, Ma QS, Xu W, Tan KB, Liu GR. Finite element analysis of four thread-form configurations in a stepped screw implant. *J Oral Rehabil.* 2004; 31:233-9.
- Gillet Y, Patoor E, Berveiller M. Structure calculations applied to shape memory alloys. *J. Phys IV.* 1995; 5.
- Goldhahn J, Suhm N, Goldhahn S et al. Influence of osteoporosis of fracture fixation-a systematic literature review. *Osteoporos Int.* 2008; 19:761–72.
- Gonzalez MH. Cementless acetabular revision with rim acetabular defects: Experimental and FEA investigation. University of Illinois at Chicago. 2014.
- Green S. Using implantable-grade PEEK for in vivo devices. *Medical devices and diagnostic industry.* 2005.
- Green T, Fisher J, Stone M, Wroblewski B, Ingham E. Polyethylene particles of a 'critical size' are neccesary for the induction of cytokines by macrophages in vitro. *Biomaterials.* 1998; 19:2297-02.
- Harrison CL, Thomson AI, Cutts S, Rowe PJ, Riches PE. Research synthesis of recommended acetabular cup orientations for total hip arthroplasty. *J Arthroplasty.* 2014; 29:377-82.
- Hart A, Dandachli W, Schlueter-Brust K, Henckel J, Cobb J. Large ball metal on metal hips obscure cup angle measurement on plain radiographs. *Hip International.* 2009; 19:323-9.

REFERENCES

- Hartl DJ, Lagoudas DC, Calkins FT, Mabe JH. Use of a ni60ti shape memory alloy for active jet engine chevron application: i. Thermomechanical characterization. *Smart Mater Struct*. 2010; 19(1):1-14.
- Hartl DJ, Lagoudas DC, Calkins FT, Mabe JH. Use of a ni60ti shape memory alloy for active jet engine chevron application: ii. Experimentally validated numerical analysis. *Smart Mater Struct*. 2010; 19(1).
- Havelin L, Engesaeter L, Espehaug B, Furnes O, Lie S, Vollset S. The Norwegian arthroplasty register: 11 years and 73,000 arthroplasties. *ActaOrthop Scand*. 2000; 71:337-53.
- Haveson AS, Steven AS, Richard P, Stephen H. The management of vascular injuries associated with total hip arthroplasty. *J Vase Surg*. 1990; 11:549-55.
- Helgason B, Perilli E, Schileo E, Taddei F, Brynjólfsson S, Viceconti M. Mathematical relationships between bone density and mechanical properties: A literature review. *ClinBiomech*. 2008; 23:135-46.
- Hoppenfeld S, deBoer P. In: *Surgical Exposures in Orthopaedics: The Anatomic Approach*. Philadelphia, Pa: Lippincott Williams and Wilkins. 1994; 323-99.
- Howie D, Neale S, Stamenkov R, Mcgee M, Taylor D, Findlay D. Progression of acetabularperiprostheticosteolytic lesions measured with computed tomography. *J Bone Joint Surg Am*. 2007; 89: 1818-25.

REFERENCES

- Hsu J, Chang CH, An KN, Zobitz ME, Phimolsarnti R, Hugate RR, Lai KA. Effects of screw eccentricity on the initial stability of the acetabular cup. *IntOrthop.* 2007; 31:451-5.
- Hsu JT, Lin DJ. Effects of screw eccentricity on the initial stability of the acetabular cup in artificial foam bone of different qualities. *Artif Organs.* 2010; 34:E10-E16.
<http://www.hipandpelvis.com/2014/07/10/surgical-approaches-for-hip-replacement/>
- Huiskes R. Failed innovation in total hip arthroplasty: diagnosis and proposals for a cure. *ActaOrthop Scand.* 1993; 64:699-716.
- Huo Y. A mathematical model for the hysteresis in shape memory alloys. *Continuum Mech Therm.* 1989; 1(4):283-303.
- Hwang K. Vascular injury during total hip arthroplasty: the anatomy of the acetabulum. *IntOrthop.* 1994; 18:29–31.
- Iorio R, Puskas B, Healy WL, Tilzey JF, Specht LM, Thompson MS. Cementless acetabular fixation with and without screws analysis of stability and migration. *J Arthroplasty.* 2010; 25(2):309-13.
- ISHKS. Indian society of Hip & Knee surgeons India: Outcome of ISHKS Registry. 2015.

REFERENCES

- Jaber MB, Smaoui H, Terriault P. Finite element analysis of a shape memory alloy three-dimensional beam based on a finite strain description. *Smart Mater Struct.* 2008; 17(4):1-17.
- Jones LC, Hungerford DS. Cement disease. *Clin. Orthop. Relat. Res.* 1987; 225:192-206.
- Kalpakjian S. Manufacturing Engineering and Technology. 5thEd. The University of Notre Dame. 2005.
- Kalteis T, Handel M, Herold T, Perlick L, Paetz C, Grifka J. Position of the acetabular cup-accuracy of radiographic calculation compared to CT-based measurement. *Eur J Radiol.* 2006; 58:294-300.
- Karrholm J, Borssen B, Lowenhielm G, Snorrason F. Does early micromotion of femoral stem prostheses matter? 4-7 year stereoradiographic follow-up of 84 cemented prostheses. *J Bone Joint Surg Am.* 1994; 76:912-7.
- Keating EM, Ritter MA, Faris PM. Structures at risk from medially placed acetabular screws. *J Bone Joint Surg Am.* 1990; 72:509-11.
- Kesler et al, Use of the Escape Nitinol Stone Retrieval Basket Facilitates Fragmentation and Extraction of Ureteral and Renal Calculi: A Pilot Study. *J Endourol.* 2008;22(6):1213-7.
- Kienapfel H, Sprey C, Wilke A, Griss P. Implant fixation by bone ingrowth. *J. Arthroplasty.* 1999. 14(3):355-68.

REFERENCES

- Kim YS, Brown TD, Pedersen DR, Callagha NJJ. Reamed surface topography and component seating in press-fit cementless acetabular fixation. *J. Arthroplasty*. 1995; 10:S14-21.
- Kim YY, Choi WS, Rhyu KW. Assessment of pedicle screw pullout strength based on various screw designs and bone densities. *Spine J.* 2012; 12:164–8.
- Kock HJ, Pokinskyj P, Wenz R, Linhart W. Screw fixation in cancellous osteoporotic bone-first in vitro results with a novel augmentation material. *Eur J Trauma*. 2001; 27:250–6.
- Kong ELM, Knight MR. Case report: Internal iliac artery injury and total hip arthroplasty discovery after 10 years. *J Arthroplasty*. 2013; 28:196.e15-7.
- Kristiansen B, Jorgensen L, Holmich P. Dislocation following total hip arthroplasty. *Arch Orthop Traum Su*. 1985; 103:375-7.
- Lachiewicz PF, Suh PB, Gilbert JA. In vitro initial fixation of porous-coated acetabular total hip components. A biomechanical comparative study. *J Arthroplasty*. 1989; 4(3):201–5.
- Lagoudas D C. Shape Memory Alloys: Modeling and Engineering Applications. 2008.
- Laursen M, Nielsen P, Soballe K. Bone remodelling around HA-coated acetabular cups. *IntOrthopaedics*. 2007; 31:199-204.

REFERENCES

- Lavernia CJ, Cook CC, Hernandez RA, Sierra RJ, Rossi MD. Neurovascular injuries in acetabular reconstruction cage surgery: An anatomical study. *J Arthroplasty*. 2007; 22:124-32.
- Lazovic D, Kaib N. Results with Navigated Bicontact Total Hip Arthroplasty. *Orthopaedics*. 2005; 28:1227.
- Les C, Keyak J, Stover S, Taylor K, Kaneps A. Estimation of material properties in the equine metacarpus with use of quantitative computed tomography. *Orth Res*. 2005; 12: 822-33.
- Lewinnek GE, Lewis JL, Tarr R, Compere CL, Zimmerman JR. Dislocations after total hip-replacement arthroplasties. *J Bone Joint Surg Br*. 1978;60(2):217-20.
- Liang C, Rogers C. One-dimensional thermomechanical constitutive relations for shape memory materials. *J. Intel Mat Syst Str*. 1990;1: 207–234.
- Light TR, Keggi KJ. Anterior approach to hip arthroplasty. *ClinOrthop*. 1980; 152:255-60.
- Lindahl H, Malchau H, Herberts P, Garellick G. Periprosthetic femoral fractures: classification and demographics of 1049 periprosthetic femoral fractures from the Swedish national hip arthroplasty register. *J. Arthroplasty*. 2005; 20:857-65.
- Ling RSM. Sir John Charnley memorial lecture: mechanical factors in implant fixation. *Curr. Orthop*. 1989; 3(3):168-75.

REFERENCES

- Loh CS, Yokoi H, Arai T. New Shape Memory Alloy Actuator: Design and Application in the Prosthetic Hand. Proceedings of the IEEE engineering in Medicine and Biology 27th Annual Conference Shanghai, China, September. 2005;1-4.
- Low KL, Tan SH, Zein SHS, Roether JA, Mouriño V, Boccaccini AR. Calcium phosphate-based composites as injectable bone substitute materials. *J Biomed Mater Res B ApplBiomater.* 2010; 94(1):273–86.
- MacInnes SJ, Gordon A, Wilkinson JM. Risk factors for aseptic loosening following total hip arthroplasty. *Pain.* 2012; 2(29): 275-94.
- Mackenzie JR, Callaghan JJ, Pedersen DR, Brown TD. Areas of contact and extent of gaps with implantation of oversized acetabular components in total hip arthroplasty. *ClinOrthopRelat R.* 1994; 298:127-36.
- Majumder S, Roychowdhury A, Pal S. Simulation of hip fracture in sideways fall using a 3D finite element model of pelvis-femur-soft tissue complex with simplified representation of whole body. *Med Eng Phys.* 2007; 29:1167-78.
- Malchau H, Herberts P, Eisler T, Garellick G, Soderman P. The swedish total hip replacement register. *J Bone Joint Surg Am.* 2002; 84:2-20.
- Malik A, Maheshwari A, Dorr L. Impingement with total hip replacement. *J Bone Joint Surg Am.* 2007; 89:1832-42.
- Marmor M, Lynch T, Matityahu A. Superior gluteal artery injury during iliosacral screw placement due to aberrant anatomy. *Orthopedics.* 2010; 33:117-20.

REFERENCES

- Matthews JB, Green TR, H. Stone M, Mike Wroblewski B, Fisher J, Ingham E. Comparison of the response of primary human peripheral blood mononuclear phagocytes from different donors to challenge with model polyethylene particles of known size and dose. *Biomaterials*. 2000; 21:2033-44.
- McAllister BS, Cherry JE, Kolinski ML, Parrish KD, Pumphrey DW, Schroering RL. Two-year evaluation of a variable-thread tapered implant in extraction sites with immediate temporization: a multicenter clinical trial. *Int J Oral Maxillofac Implants*. 2012; 27:611-8.
- McEwen HMJ, Barnett PI, Bell CJ, Farrar R, Auger DD, Stone MH, Fisher J. The influence of design, materials and kinematics on the in vitro wear of total knee replacements. *J Biomech*. 2005; 38:357-365.
- McIntosh SE, Hamonko M, Freer L, et al. Wilderness Medical Society practice guidelines for the prevention and treatment of frostbite. *Wilderness Environ Med*. 2011; 22(2):156-66.
- Medley J. Tribology of bearing materials. In Amstutz, H. (Ed.) *Hip resurfacing: principles, indications, technique and results*. Philadelphia, Saunders. 2008.
- Melzer I, Benjuva N, Kaplanski J. Postural stability in the elderly: a comparison between fallers and non-fallers. *Age & Ageing*. 2004; 33(6):602-7.

REFERENCES

- Mineta T, Mitsui T, Watanabe Y, Kobayashi S, Haga Y, Esashi M. An active guide wire with shape memory alloy bending actuator fabricated by room temperature process. *Sensor Actuat A-Phys.* 2002; 97:632-7.
- Mirzaeifar R, DesRoches R, Yavari A. Exact solutions for pure torsion of shape memory alloy circular bars. *Mech Mater.* 2009; 42:797-806.
- Mjöberg B. Theories of wear and loosening in hip prostheses: wear-induced loosening vs loosening-induced wear-a review. *ActaOrthop. Scand.* 1994; 65(3):361-71.
- Morrey BF. Joint replacement arthroplasty. 3rd ed. Edinburgh: Churchill Livingstone. 2003.
- Motzkin NE, Chao EYS, An KN, Wikenheiser MA, Lewallen DG. Pull-out strength of screw from polymethylmethacrylate cement. *J Bone Joint Surg Br.* 1994; 76-B:320–3.
- MulroyJr RD, Harris WH. The effect of improved cementing techniques on component loosening in total hip replacement. An 11-year radiographic review. *J. Bone Joint Surg. Br.* 1990; 72(5):757-60.
- Nachbur B, Meyer RP, Verkkala K, Zurcher R. The mechanisms of severe arterial injury in surgery of the hip joint. *ClinOrthop.* 1979; 141:122-33.
- Narasimhan R. Complications of management of developmental dysplasia of the hip. *Indian J Orthop.* 2003; 37:237-40.

REFERENCES

- Nareliya R, Kumar V. Biomechanical Analysis of Human Femur Bone. Int J EngSci Tech. 2011; 3(4):160-66.
- National Joint Registry of England and Wales. 11th annual report. 2014.
- NJR. National Joint Registry for England and Wales 13th Annual Report. Hemel Hempstead. 2016.
- Oberg E, Jones FD, et al., 27th Edition Machinery's Handbook, Industrial Press INC. New York. 2012.
- Orgeas L, Favier D. Non-symmetric tension-compression behavior of NiTi alloy. Journal De Physique. 1995; 4, 5(8):C8-605-C8-610.
- Pai MM, Krishnamurthy A, Prabhu L V, Pai M V, Kumar SA, Hadimani GA. Variability in the origin of the obturator artery. Clinics. 2009; 64:897-901.
- Parvizi J, Pulido L, Slenker N, Macgibeny M, Purtill JJ, Rothman RH. Vascular injuries after total joint arthroplasty. J. Arthroplasty. 2008; 23:1115-21.
- Peng L, Bai J, Zeng X, Zhou Y. Comparison of isotropic and orthotropic material property assignments on femoral finite element models under two loading conditions. Med Eng Phys. 2007; 28:227–33.
- Perona PG, Lawrence J, Paprosky WG, Patwardhan AG, Sartori M. Acetabular micromotion as a measure of initial implant stability in

REFERENCES

- primary hip arthroplasty: An in vitro comparison of different methods of intialacetabular component fixation. *J. Arthroplasty.* 1992; 7:537-47.
- Peters CL, Curtain M, Samuelson KM. Acetabular revision with the Burch-Schniederantiprotrusio cage and cancellous allograft bone. *J. Arthroplasty.* 1995; 10(3):307–12.
- Pilliar R, Lee J, Maniatopoulos D. Observations on the effect of movement in bone ingrowth into porous surfaced implants. *ClinOrthopRelat R.* 1986; 208:108-13.
- Popov P, Lagoudas DC. A 3-D constitutive model or shape memory alloys incorporating pseudoelasticity and detwinning of self-accommodated martensite. *Int J Plasticity.* 2007; 23(10-11):1679-720.
- Postel M, Kerboul M, Evrard J, Courpied JP. Total hip replacement. Springer-Verlag, Berlin. 1987.
- Pruski A, Kihl H. Shape memory alloy hysteresis. *Sensor Actuat A-Phys.* 1993; 36(1):29-35.
- Raisz L. Screening for osteoporosis. *New Engl J Med.* 2005; 353:164–171.
- Ramesh M, O’Byrne JM, McCarthy N, Jarvis A, Mahalingham K, Cashman WF. Damage to the superior gluteal nerve after the Hardinge approach to the hip. *J Bone Joint SurgBr.* 1996; 78:03-906.

REFERENCES

- Reiley MA, Bond D, Branick JR, Wilson EH. Vascular complications following total hip arthroplasty. A review of literature and a report of two cases. *ClinOrthop* .1984; 186:23-8.
- Reynolds LA, Tansey EM. Early development of total hip replacement. London: Wellcome Trust Centre for the History of Medicine at UCL. 2007;29.
- Ryhnen J. Biocompatibility evaluation of nickel-titanium shape memory metal alloy. PhD Dissertation; Oulu University. 1999.
- Sakellariou VI, Christodoulou M, Sasalos G, Babis GC. Current concept review: Reconstruction of the acetabulum in developmental dysplasia of the hip in total hip replacement. *Arch Bone Jt Surg*. 2014; 130(3):130-36.
- Sakellariou VI, Sculco T. Acetabular options: notes from the other side. *Semin. Arthroplasty*. 2013; 24(2):76-82.
- Saxler G, Marx A, Vandeveld D, Langlotz U, Tannast M, Wiese M, Michaelis U, Kemper, G, Grützner PA, Steffen R. The accuracy of free-hand cup positioning-a CT based measurement of cup placement in 105 total hip arthroplasties. *IntOrthop*. 2004; 28:198-201.
- Schmalzried TP, Amstutz HC, Dorey FJ. Nerve palsy associated with total hip replacement. Risk factors and prognosis. *J. Bone JointSurg Am*. 1991; 73:1074-80.

REFERENCES

- Schmalzried TP, Jasty M, Harris WH. Periprosthetic bone loss in total hip-arthroplasty polyethylene wear debris and the concept of the effective joint space. *J. Bone Joint Surg. Am.* 1992; 74A (6):849-63.
- Sculco TP. Minimally invasive total hip arthroplasty. *J Arthroplasty.* 2004; 19: 78-80.
- Simon M, Kaplan R, Salzman E, Freiman DA. Vena Cava filter using thermal shape memory alloy. *Radiology.* 1977;125: 87-94.
- Sloof TJ, Scheurs, BW, Buma P, et al. Impaction morcellizedallografting and cement. *Instr Course Lect.* 1999; 48:79-89.
- Smith RC. Smart material systems: model development. SIAM. 2005.
- Smith-Petersen MN, Cave E, VanGorder G. Intracapsular fractures of the neck of the femur: treatment by internal fixation. *Arch Surg.* 1931; 23:707-15.
- Staa VT, Leufkens H, Cooper C. Does a fracture at one site predict later fractures at other sites? A British cohort study. *Osteoporos Int.* 2002; 13:624–29.
- Stadelmann VA, Bretton E, Terrier A, Procter P, Pioletti DP. Calcium phosphate cement augmentation of cancellous bone screws can compensate for the absence of cortical fixation. *J Biomech.* 2010; 43:2869-74.
- Steigenga J, Al-Shammari K, Misch C, Nociti FH Jr, Wang HL. Effects of implant thread geometry on percentage of osseointegration and resistance to reverse torque in the tibia of rabbits. *J Periodontol.* 2004;7 5:1233-41.

REFERENCES

- Stoeckel D. Nitinol medical devices and implants. *Min Invas Ther & Allied Technol.* 2000; 9(2):81-8.
- Sundfeldt M, Carlsson L, Johansson C. Aseptic loosening, not only a question of wear. A review of different theories. *Acta Orthop.* 2006; 77:177-97.
- Swedish Hip Arthroplasty Register. Annual report. 2013.
- Tabesh M, Elahinia M. Modeling and optimization of shape memory- superelastic antagonistic beam assembly. In Active and Passive Smart Structures and Integrated Systems, San Diego, CA. SPIE. 2010.
- Tack J, Gevers AM, Rutgeerts P. Self-expandable metallic stents in the palliation of rectosigmoidal carcinoma: a follow-up study. *Gastrointest Endosc.* 1998; 48:267-71.
- Taddei F, Schileo E, Helgason B, Cristofolini L, Viceconti M. The material mapping strategy influences the accuracy of CT-based finite element models of bones: An evaluation against experimental measurements. *Med Eng Phys.* 2007; 29: 973-9.
- Takigawa T, Tanaka M, Konishi H, Ikuma H, Misawa H, Sugimoto Y, Nakanishi K, Kuramoto K, Nishida K, Ozaki T. Comparative biomechanical analyses of an improved novel pedicle screw with sheath and bone cement. *J Spinal Disord Tech.* 2007; 20(6):462-7.
- Tanaka K, Nagaki S. A thermomechanical description of materials with internal variables in the process of phase transitions. *Arch Appl Mech.* 1982; 51(5):287-99.

REFERENCES

- Thompson JD, Benjamin J, Szivek JA. Pullout Strengths of Cannulated and Noncannulated Cancellous Bone Screws. Clin. Orthop. Relat. Res. 1997;341: 241–249.
- Tortora G. Principles of human anatomy 3rd ed. Harper & Row, New York. 1983.
- Trepanier C, Tabizian M, Yahia LH, Bilodeau L, Piron DL. Effect of modification of oxide layer on NiTi stent corrosion resistance. J Biomed Mater Res. 1998; 43(4): 433-40.
- Uflacker R. Atlas of Vascular Anatomy: An Angiographic Approach, 2nd ed. Philadelphia, Lippincott Williams & Wilkins, 2006.
- Vacher P, Lexcellent C. Study of pseudoelasticbehaviour of polycrystalline shape memory alloys by resistivity measurements and acoustic emission|. In proceedings of ICM VI. 1991; 3:231-236.
- Van Der Vis HM, Aspenberg P, Marti R K, Tigchelaar W, Van Noorden CJF. Fluid pressure causes bone resorption in a rabbit model of prosthetic loosening. ClinOrthopRelat R. 1998; 350:201-8.
- Vishnubhotla S, McGarry WB, Mahar AT, Gelb DE. A titanium expandable pedicle screw improves initial pullout strength as compared with standard pedicle screws, The Spine Journal. 2011; 11: 777–81.

REFERENCES

- Wasielewski RC, Cooperstein LA, Kruger MP, Rubash HE. Acetabular anatomy and the transacetabular fixation of screws in total hip arthroplasty. *J Bone Joint Surg Am.* 1990; 72:501-8.
- Watt I, Boldrik S, van Langelaan E, Smithuis R. Hip - Total hip arthroplasty. Normal and abnormal findings. 2006.
- Wheless CR, III .Wheless' Textbook of Orthopaedics. Data Trace Internet Publishing, LLC. Screw fixation of acetabular components. 2011.
http://www.whelessonline.com/ortho/screw_fixation_of_acetabular_components
. Acessed: Feburary 1, 2016.
- Williams DF. Future prospects for biomaterials. *Biomed Eng.* 1975; 10:206-218.
- Williams P A, Yamamoto K, Masaoka T, Oonishi H, Clarke I. Highly crosslinkedpolyethylenes in hip replacements: Improved wear performance or paradox? *Tribology Transactions.* 2007; 50:277.
- Wroblewski BM, Siney PD, Fleming PA. Wear and fracture of the acetabular cup in Charnley low-friction arthroplasty. *J. Arthroplasty.* 1998; 13:132-37.
- Xie Y, Fu Q, Chen ZQ, Shi ZC, Zhu XD, Wang CF, Li M. Comparison between two pedicle screw augmentation instrumentations in adult degenerative scoliosis with osteoporosis. *BMC MusculoskeletDisord.* 2011; 12:286.
- Yanagihara K, Mizuno H, Wada H, Hitomi S. Tracheal stenosis treated with self-expanding nitinol stent. *Ann.Thorac.Surg.* 1997; 63:1786-9.

REFERENCES

- Yáñez A, Carta JA, Garcés G. Biomechanical evaluation of a new system to improve screw fixation in osteoporotic bones. *Med Eng Phys.* 2010; 32:532–41.
- Yazu M, Kin A, Kosaka R, Kinoshita M, Abe M. Efficacy of novel-concept pedicle screw fixation augmented with calcium phosphate cement in the osteoporotic spine. *J Orthop sci.* 2005; 10:56-61.
- Young AM, Sychterz CJ, Hopper R, Engh CA. Effect of acetabular modularity on polyethylene wear and osteolysis in total hip arthroplasty. *J. Bone Joint Surg. Am.* 2002; 84-A (1):58-63.
- Zafren K. Frostbite: prevention and initial management. *High Alt Med Biol.* 2013; 14(1):9-12.
- Zbiciak A. Dynamic analysis of pseudoelasticsma beam. *Int J Mech Sci.* 2010; 52:56-64.
- Zhang QH, Tan SH, Chou SM. Effects of bone materials on the screw pull-out strength in human spine *Med Eng Phys.* 2006; 28:795-801.