



Chapter 5

References

References

- Aamir, M., Singh, V.K., Meena, M., Upadhyay, R.S., Gupta, V.K., Singh, S., 2017. Structural and Functional Insights into WRKY3 and WRKY4 Transcription Factors to Unravel the WRKY–DNA (W-Box) Complex Interaction in Tomato (*Solanum lycopersicum* L). A Computational Approach. *Front plant sci.* 8.
- AFCEE.,1994. Air Force Center for Environmental ExcellenceUse of Risk-based Standards for Cleanup of Petroleum Contaminated Soil. Brooks Air Force Base,Armstrong Laboratory, and Air Force Institute of Technology, Texas, USA
- Alagappan, G. and Cowan, R., 2003. Substrate inhibition kinetics for toluene and benzene degrading pure cultures and a method for collection and analysis of respirometric data for strongly inhibited cultures. *Biotechnol. Bioeng.*, 83,798-809.
- Alexander and Martin.,1994. *Biodegradation and Bioremediation*. San Diego, Academic Press,
- Andrews, J.F., 1968. A mathematical model for the continuous culture of microorganisms utilizing inhibitory substrates. *Biotechnol Bioeng.* 10, 707–723.
- Anneser, B., Einsiedl, F., Meckenstock, R.U., Richters, L., Wisotzky, F., Griebler, C.,2008. High-resolution monitoring of biogeochemical gradients in a tar oilcontaminated aquifer. *Appl. Geochem.* 23, 1715–1730.
- Arai, Y., Watanabe, S., Kimira, M., Shimoji, K., Mochizuki, R. and Kinae, N., 2000. Dietary intakes of flavonols, flavones and isoflavones by Japanese women and the inverse correlation between quercetin intake and plasma LDL cholesterol concentration. *Int J Nutr.* 130, 2243-2250.

- Arnold, K., Bordoli, L., Kopp, J., Schwede, T., 2006. The SWISS-MODEL workspace: a web-based environment for protein structure homology modelling. *Bioinf.* 22, 195–201.
- ATSDR., 2004 Agency for Toxic Substances and Disease Registry. Interaction profile for benzene, toluene, ethylbenzene, and xylenes (BTEX). US Department of Health and Human Services, Public Health Service, Agency for Toxic Substances and Disease Registry, Atlanta.
- Attaway,H., Schmidt,M., 2002. Tandem biodegradation of BTEX components by two *Pseudomonas* sp. *Current Microbiology.* 45, 30–6.
- Banerjee, A., Ghoshal, K. A., 2010. Phenol degradation by *Bacillus cereus*: Pathway and kinetic modeling. *Bioresour. Technol.* 101, 5501–5507.
- Baquerizo, G., Gamisans, X., Gabriel, D., Lafunete, J., 2007. A dynamic model for ammonia abatement by gas-phase biofiltration including pH and lechate modelling. *Biosystems Eng.* 97, 431-440.
- Barreto, G.E.S., Oliveira, E.S., Villar, F.A.G.A., Santos, G.S., Lima, R.M.F., Costa, S.L.,Costa, M.F.D., Egito, E.S.T., El, B. R.S., 2007. Investigation of toxic factors affecting cells of rat brains exposed to 3-methylcatechol. *Braz. Arch. Biol.Technol.* 50, 839–849.
- Bergin, P.F., Doppelt, J.D., Kephart, C.J., Benke, M.T., Graeter, J.H., Holmes, A.S., Haleem-Smith, H., Tuan, R.S. and Unger, A.S., 2011. Comparison of minimally invasive direct anterior versus posterior total hip arthroplasty based on inflammation and muscle damage markers. *J Bone Joint Surg.* 93, 1392.

- Bielefeldt, A.R. and Stensel, H.D., 1998. BTEX-contaminated gas treatment in a shallow, sparged, suspended-growth bioreactor. *Bioremediat J.* 1, 241-254..
- Bird, M.G., Greim, H., Snyder, R., Rice, J.M., 2005. International symposium: recentadvances in benzene toxicity. *Chem. Biol. Interact.* 153–154, 1–5.
- Bohn, H.L., 1996. Biofilter media, Proceedings of the 89th Annual Meeting and Exhibition of the Air and Waste management Association, Nashville, Tennessee, June 23-28, Air and Waste management Association., Pittsburgh, Pennsylvania.
- Borden, R. C., Daniels, R.A., Le,B. L. E. and Davis, C.W., 1997. Intrinsic biodegradation of MTBE and BTEX in a gasoline-contaminated aquifer. *Water Resources Research.* 33, 1105-1115.
- Borden, R. C., Gomez, C. A and Becker M. T., 1995. Geochemical indicators of natural bioremediation. *Ground Water.* 33, 180-189.
- Caldwell, M. E., Joseph, M. S., 2000. "Detection of phenol and benzoate as intermediates of anaerobic benzene biodegradation under different terminal electron-accepting conditions." *Environ scien & technol.* 34(7), 1216-1220.
- Chan, W.C., Lin, Z.Y., 2006. A process to prepare a synthetic filter material containing nutrients for biofiltration. *Bioresour Technol* 97,1927-1933.
- Chan, W.C., Lin, Z.Y., 2006. A process to prepare a synthetic filter material containing nutrients for biofiltration. *Bioresour Technol.* 97, 1927-1933.
- Chan, W.C., Lu, M.C., 2003. A new type synthetic filter material for biofilter: Polyvinyl alcohol/peat composite bead, *J. of Applied Polymer Sc.* 88 (14) 3248–3255.
- Chan, W.C., Zheng, R.X., 2005. Poly vinyl alcohol/compost composites for biofiltration of swine waste volatiles.*J. Polym. Mater.* 13, 267-277.

- Chaudhry, G.R., 1994. Biological Degradation and Bioremediation of Toxic Chemicals. Chapman & Hall.
- Chetpattananondh, P., Nitipavachon, Y., Bunyacan, C., 2005. Biofiltration of air contaminated with methanol and toluene. *J. Sci. Technol.* 27, 761–773.
- Christen, P., Domenech, F., Michelena, G., Auria, R., Revah, S., 2002. biofiltration of volatile ethanol using sugar cane bagasse inoculated with *Candida utilis*. *J. Hazard. Mater.* 89, 253-265
- Cooper, R. J., Fitt, Peter., Hiscock, K. M., Lovett, A. A., Gumm, Lee., Dugdale, S. J., Rambohul, J., Williamson, A., Noble, L., Beamish, J., Hovesen, P., 2016. Assessing the effectiveness of a three-stage on-farm biobed in treating pesticide contaminated wastewater. *J Environ. Manage.* 181, 874-882.
- Dabney, B., 1994. Reprotext Data Base. Micromedex Inc., Denver.
- Das,R., Dey, P., Choudhary,P. and Kazy,S.K.,2014. Benzene utilization as growth substrate by a newly isolated *Aerococcus* sp. strain BPD-6 indigenous to petroleum hydrocarbon contaminated oily sludge. *Int J SciEng Res.* 5.
- Dean, B.J., 1985. Recent findings on the genetic toxicology of benzene, toluene,xylenes and phenols. *Mutat. Res.* 154, 153–181.
- Deeb, R.A. and Alvarez-Cohen, L., 1999. Temperature effects and substrate interactions during the aerobic biotransformation of BTEX mixtures by toluene-enriched consortia and *Rhodococcus rhodochrous*. *Biotechnol. Bioeng.* 62,526-536.
- Delhoménie, M.C. and Heitz, M., 2005. Biofiltration of air: a review. *Critical reviews in biotechnology*, 25(1-2), 53-72.

- Deshusses, M.A., Hamer, G. and Dunn, I.J., 1995. Behavior of biofilters for waste air biotreatment. 1. Dynamic model development. Environ Sci Technol, 29,1048-1058.
- Devinny,J.S., Deshusses,M.A., Webster, T.S.,1999. Biofiltration for Air Pollution Control, Lewis, New York.
- Dou, J., Ding,A., Liu,X., Du,Y., Deng, D., Wang,J.,2010. Anaerobic benzene biodegradation by a pure bacterial culture of *Bacillus cereus* under nitrate reducing conditions. Journal of Environmental Sciences. 22(5), 709–715.
- Duan, H.,Koe, L.C.C., Yan, R., Chen, X., 2006. Biological treatment of H₂S using pellet activated carbon as a carrier of microorganisms in biofilter, Water Res.40, 2629–2636
- Edwards, U., Rogall, T., Blöcker, H., Emde, M. and Böttger, E.C., 1989. Isolation and direct complete nucleotide determination of entire genes. Characterization of a gene coding for 16S ribosomal RNA. Nucleic Acids Res, 17,7843-7853.
- Eglinton, G., Farrington, J.W. and Meyer, P.A., 1975. Hydrocarbons in the marine environment. In Environmental chemistry. 109-136.
- Elias, A., Barona, A., Arreguy, A., Ríos, J., Aranguiz, I., Peñas, J., 2002. Evaluation of a packing material for the biodegradation of H₂S and product analysis. Process Biochem. 37, 813-820.
- Ergas, S.J., Kinney, K., Fuller, M.E. and Scow, K.M., 1994. Characterization of compost biofiltration system degrading dichloromethane. Biotechnol. Bioeng., 44,1048-1054.
- evaluation of carcinogenic risks to humans. IARC, Lyon.

- Firmino, P.I.M., Farias, R.S., Barros, A.N., Buarque, P.M., Rodríguez, E., Lopes, A.C. and dos Santos, A.B., 2015. Understanding the anaerobic BTEX removal in continuous-flow bioreactors for ex situ bioremediation purposes. *Chem Eng J.* 281, 272-280.
- Fritzsche, L.G., Loenhardt, T., Janssen, A., Fisher, S.A., Rivera, A., Keilhauer, C.N. and Weber, B.H., 2008. Age-related macular degeneration is associated with an unstable ARMS2 (LOC387715) mRNA. *Nature Genet.* 40, 892.
- Fritzsche, W. and Hofrichter, M., 2000. Aerobic degradation by microorganisms. *Biotechnol.* 11, 146-164.
- Futamata, H., Nagano, Y., Watanabe, K., Hiraishi, A., 2005. Unique kinetic properties of phenol degrading *Varivorax* strains responsible for efficient trichloroethylene degradation in a chemostat enrichment culture. *Appl Environ Microbiol.* 571, 904-11
- Gabriel, D., Maestre, J.P., Martin, L., Gamisans, X., Lafuente, J., 2008. Characterization and performance of coconut fibre as packing material in the removal of ammonia in a gas-phase biofilter. *Biosystems Eng.* 97, 481-490.
- Geed, S.R., Kureel, M.K., Giri, B.S., Singh, R.S., Rai, B.N., 2017. Performance evaluation of Malathion biodegradation in batch and continuous packed bed bioreactor (PBBR). *Biores Technol.* 227, 56–65
- Haldane, J.S.B., 1930. Enzymes, longmans, green, UK. Republished by MIT Press, Cambridge MA, 1965.
- Halim, A.b., Anuar, M.H., Jamal, A.N., N.S.A., Azmi, S.I., Ujang, Z. and Bob, M.M., 2016. Influence of high temperature on the performance of aerobic granular sludge in biological treatment of wastewater. *J Environ Manage.* 184, 271-280.

- Hamed, T.A., Bayraktar, E., Mehmetog lu, T., Mehmetog lu, U., 2003. Substrate Interactions during the Biodegradation of Benzene, Toluene and Phenol Mixtures. *Proc. Biochem.* 39, 27–35
- Henderson, L., Brusick, D., Ratpan, F., Veenstra, G., 2007. A review of the genotoxicity of ethylbenzene. *Mutat. Res.* 635, 81–89.
- Ho, K.L., Chung, Y.C., Lin, Y.H. Tseng, C.P., 2008. Microbial populations analysis and field application of biofilter for the removal of volatile-sulfur compounds from swine wastewater treatment system. *J Hazard Mater.* 152, 580-588
- Holt, R.A. and Lawton, J.H., 1994. The ecological consequences of shared natural enemies. *Annu Rev Ecol Evol Syst*, 25, 495-520.
- Huang, B., 2009. MetaPocket: a meta approach to improve protein ligand binding site prediction. *OMICS A J. Integ. Biol.* 13(4), 325-330.
- Hung, K., Hayashi, R., Lafond-Walker, A., Lowenstein, C., Pardoll, D., Levitsky, H., 1998. The central role of CD4+ T cells in the antitumor immune response. *J. Exp. Med.* 188, 2357-2368.
- Hutchins, S.R., Sewell, G.W., Kovacs, D.A., Smith, G.A., 1991. Biodegradation of aromatic hydrocarbons by aquifer microorganisms under denitrifying conditions. *Environ. Sci. Technol.* 25, 68–76.
- IARC, 1987. International Agency for Research on Cancer. Benzene. IARC Monographs on the Evaluation of the Carcinogenic Risk of Chemicals to Humans. IARC, Lyon.
- IARC, 2002. International Agency for Research on Cancer. IARC monographs on the

- Jin, H.M., Choi, E.J. and Jeon, C.O., 2013. Isolation of a BTEX-degrading bacterium, Janibacter sp. SB2, from a sea-tidal flat and optimization of biodegradation conditions. *Bioresour technol.* 145,57-64.
- Jin, Y. X., Hong, Y.H., Hong, B.Z & Qian, Y., 2005. Effects of adding inert spheres into the filter bed on the performance of biofilters for gaseous toluene removal. *Biochem Eng J.* 23, 123-130.
- Jindrova, E., Chocova, M., Demnerova, K., Brenner, V., 2002. Bacterial aerobic degradation of benzene, toluene, ethylbenzene and xylene. *Folia microbial.* 47, 83-93.
- Jorgensen, K.S., 2007. In situ bioremediation. *Advances in applied microbiology.* 61, 285-305.
- Kanissery, R.G. and Sims, G.K., 2011. Biostimulation for the enhanced degradation of herbicides in soil. *Applied and Environmental Soil Science.*
- Kao, C. M. and Borden, R. C., 1997. Site specific variability in BTEX biodegradation under denitrifying conditions. *Ground Water.* 35, 305-311.
- Kenji, O., Maki, I., Hideshi, Y., 2003. Isolation and application of a styrene-degrading strain of *Pseudomonas putida* to Biofiltration. *J Biosci Bioeng.* 95 (6), 633-636
- Kennes, C., Cox, H., Doddema, H., Harder, W., 1996. Design and performance of biofilters for the removal of alkylbenzene vapors, *J ChemTechnol Biotechnol.* 66, 300–304.
- Khosla, C., Gokhale, R.S., Jacobsen, J.R., Cane, D.E., 1999. Tolerance and specificity of polyketide synthases. *Annu. Rev. Biochem.* 68, 219-253.
- Kim, D. J., Choi, J.W., Choi, N. C., Mahendran, B., Lee, C. E., 2005. Modeling of growth kinetics for *Pseudomonas* sp. during benzene degradation. *Appl Microbiol Biotechnol.* 69, 456-462.

- Kim, D. J., Choi, J.W., Choi, N. C., Mahendran, B., Lee, C. E., 2005. Modeling of growth kinetics for *Pseudomonas* sp. during benzene degradation. *Appl Microbiol Biotechnol.* 69, 456–462.
- Kloda, A., Martinac, B., 2001. Molecular identification of a mechanosensitive channel in archaea. *Biophys. J.* 80, 229–240.
- Kovarova-Kovar, K., Egli, T., 1998. Growth kinetics of suspended microbial cells: from single-substrate-controlled growth to mixed substrate kinetics. *Microbiol Mol Biol Rev.* 62, 646–666.
- Kumar, A., Dewulf, J., Luvsanjamba, M. and Van Langenhove, H., 2008. Continuous operation of membrane bioreactor treating toluene vapors by *Burkholderia vietnamiensis* G4. *Chem Eng J.* 140, 193–200.
- Kureel, M.K., Geed, S.R., Giri, B.S., Rai, B.N. and Singh, R.S., 2017. Biodegradation and kinetic study of benzene in bioreactor packed with PUF and alginate beads and immobilized with *Bacillus* sp. M3. *Bioresour technol.* 242, 92–100.
- Kureel, M.K., Geed, S.R., Giri, B.S., Shukla, A.K., Rai, B.N., Singh, R.S., 2016. Removal of aqueous benzene in the immobilized batch and continuous packed bed bioreactor by isolated *Bacillus* sp. M1, *Resource-Efficient Technol.* 2, S87–S95.
- Lin, C.W., Chen, L.H., Lai I,Y.P., C,Y., 2010. Microbial communities and biodegradation in lab-scale BTEX-contaminated groundwater remediation using an oxygen-releasing reactive barrier. *Bioprocess Biosyst. Eng.* 33, 383–391
- Liu, J.H., Maity, J.P., Jean, J.S., Chen, C.Y., Chen, C.C., Ho, S.Y., 2010. Biodegradation of benzene by pure and mixed cultures of *Bacillus* sp. *World J Microbiol Biotechnol.* 26, 1557–1567.

- Liu, J.H., Maity, J.P., Jean, J.S., Chen, C.Y., Chen, C.C. and Ho, S.Y., 2010. Biodegradation of benzene by pure and mixed cultures of *Bacillus* spp. *World J Microbiol Biotechnol*, 26,1557-1567.
- Lopez, E.R.M., Hernandez, J.C., Dendooven, L., Rangel, P., Thalasso, F., 2003. Characterization of five agricultural by-products as potential biofilter carriers. *Bioresour Technol*. 88, 259-263.
- Lovley, D. R., 1995. Bioremediation of organic and metal contaminants with dissimilatory metal reduction. *J. of Ind. Microbial*. 14, 85-93.
- Lynch, J.M., Moffat, A.J., 2005. Bioremediation prospects for the future application of innovative applied biological research. *Ann. Appl. Biol.* 146, 217–221
- M.A. Arafa., 2003. Biodegradation of some aromatic hydrocarbons (BTEXs) by a bacterial consortium isolated from polluted site in Saudi Arabia. *Pak. J. Biol. Sci.* 6, 1482–1486.
- M.H. Fulekar, Environmental Biotechnology, Oxford & IBH, New Delhi, 2005.
- Maltoni, C., Ciliberti, A., Pinto, C., Soffritti, M., Belpoggi, F., Menarini, L., 1997. Results of long-term experimental carcinogenicity studies of the effects of gasoline, correlated fuels, and major gasoline aromatics on rats. *Ann. NY Acad. Sci.* 837,15–52.
- Marchler-Bauer, A., Bryant, S.H., 2004. CD-Search: protein domain annotations on the fly. *Nucleic Acids Res.* 32, W327-W331.
- Mason, J.R., 1994. The induction and repression of benzene and catechol oxidizing capacity of *Pseudomonas putida* ML2 studied in perturbed chemostat culture. *Arch. Microbiol.* 162, 57-62.

- Mathur, A.K, Majumder C.B. Chatterjee, S., 2007. Combined removal of BTEX in air stream by using mixture of sugar cane bagasse, compost and GAC as biofilter media.J Hazard Mater.148, 64-74.
- Milutinovic, V., Tomasevic, M., Markovi, B. and Tremblay, M., 1996. May. A new cache architecture concept: the split temporal/spatial cache. In Electro technical Conference. 1996. MELECON'96., 8th Mediterranean (Vol. 2, pp. 1108-1111). IEEE.
- Moe, W.M., Irvine, R.L., 2000. Polyurethane foam medium for biofiltration. Charecterization. J. Environ Engg. 8, 817-825.
- Monod, J., 1949. "The growth of bacterial cultures." Annual Reviews in Microbiol. 3(1) 371-394.
- Murray, R.M., 1972. Analgesic nephropathy: removal of phenacetin from proprietary analgesics. Br Med J, 4, 131-132.
- Nabatilan, M.M., Harhad, A., Wolenski, P.R., Moe, W.M.,2009. Activated carbon load equalization of transient concentration spikes of gas-phase toluene, Chem Eng J.152, 449-457.
- NLM., 1994. National Library of Medicine. Hazardous Substances Data Bank,Micromedex Inc., Denver.
- Ottengraf, S.P., 1987. Biological systems for waste gas elimination. *Trends in Biotechnology*, 5(5), 132-136.
- Padhi, S.K., Gokhale, S., 2017. Treatment of gaseous volatile organic compounds using a rotating biological filter. Bioresour. Technol. 244, 270-280.

- Padmanaban, V. C., Geed, S. R., Achary, A., Singh, R.S., 2016. Kinetic studies on degradation of Reactive Red 120 dye in immobilized packed bed reactor by *Bacillus cohnii* RAPT1. *Biores Technol.* 213, 39–43.
- Pandeeti, E.V.P. and Siddavattam, D., 2011. Purification and characterization of catechol 1, 2-dioxygenase from *Acinetobacter* sp. DS002 and cloning, sequencing of partial catA gene. *Int J Med Microbio*, 51, 312-318.
- Patil, N. K., Veeranagouda, Y., Vijaykumar, M.H., AnandNayak, S., Karegoudar, T.B., 2006. Enhanced and potential degradation of o-phthalate by *Bacillus* sp. immobilized cells in alginate and polyurethane, *Intern Biodeter & Biodegrad.* 57, 82–87.
- Patil, N.K., Sharanagouda, U., Niazi, J.H., Kim, C.K., Karegoudar, T.B., 2003. Degradation of salicylic acid by free and immobilized cells of *Pseudomonas* sp. strain NGK1. *J Microbiol and Biotechnol.* 13, 29–34.
- Pawlowski, M.H., 1998. Analytical and Field Test Methods for Measuring BTEXMetabolite Occurrence and Transport in Groundwater. Oregon State UniversityCorvallis Department of Chemistry, Defense Technical Information Center
- Qi, B., Moe, W.M., 2006. Performance of low pH biofilters treating a paint solvent mixture: Continuous and intermittent loading. *J Hazard Mater.*135, 303-310.
- Qi, B., Moe, W.M., Kinney, K.A., 2002. Biodegradation of volatile organic compounds by five fungal species. *Appl Microbiol Biotechnol* . 58, 684-689.
- Rai, S., Agrawal, C., Shrivastava, A. K. Singh, P. K., and Rai, L. C., 2014 Comparative proteomics unveils cross species variations in *Anabaena* under salt stress *J. Proteom.* 98, 254-270.

- Reardon, K.F., Mosteller, D.C., Rogers, J.B., 2000. Biodegradation kinetics of benzene, toluene, and phenol as single and mixed substrates for *Pseudomonas putida* F1. *Biotechnol Bioeng.* 69, 385–400.
- Reddy, K.S. Yusuf, S., 1998. Emerging epidemic of cardiovascular disease in developing countries. *Circul.* 97, 596-601.
- Reij, M.W., Keurentjes, J.T. and Hartmans, S., 1998. Membrane bioreactors for waste gas treatment. *J. Biotechnol.* 59, 155-167.
- Robledo-Ortíz, J.R., Ramírez-Arreola, D.E., Pérez-Fonseca, A.A., Gómez, C., González-Reynoso, O., Ramos-Quirarte, J. and González-Núñez, R., 2011. Benzene, toluene, and o-xylene degradation by free and immobilized *P. putida* F1 of postconsumer agave-fiber/polymer foamed composites. *Int Biodeterior Biodegradation*, 65, 539-546.
- Ryu, H.W., Cho, K.S. and Chung, D.J., 2010. Relationships between biomass, pressure drop, and performance in a polyurethane biofilter. *Bioresour technol*, 101, 745-1751.
- Saitou, N. and Nei, M., 1987. The neighbor-joining method: a new method for reconstructing phylogenetic trees. *Mol Biol Evol.* 4, 406-425..
- Sambrook, j., Russell, D.W., 2001. Molecular cloning a laboratory manual 3rd edition “ Coldspning-Harbour Laboratory Press, UK.
- Sene,L., Converti,A., Felipe,M.G.A., Zilli,M., 2002. Sugarcane bagasse as alternative packing material for biofiltration of benzene polluted gaseous streams: a preliminary study. *Bioresour Technol.* 8, 153-157.
- Sessa, L., Di BIasi, L., Parisi, R., Concilio, S., Piotto, S., 2016. Receptor flexibility in molecular cross-docking. *Peer. J.Preprints.* 4, 2199.

- Shareefdeen, Z., Singh, A., 2005. Biotechnology for odour and air pollution control. Springer, Berlin, Heidelberg, New York.
- Shawaqfeh, A.T., 2010. Removal of pesticides from water using anaerobic-aerobic biological treatment. *Chin. J. Chem. Eng.* 18,672-680.
- Shevchenko, A., Tomas, H., Havli, J., Olsen, J.V., Mann, M., 2006. In-gel digestion for mass spectrometric characterization of proteins and proteomes. *Nat. Protoc.*,1, 2856-2860.
- Shi, D., Adinolfi, V., Comin, R., Yuan, M., Alarousu, E., Buin, A., Chen, Y., Hoogland, S., Rothenberger, A., Katsiev, K. and Losovyj, Y., 2015. Low trap-state density and long carrier diffusion in organolead trihalide perovskite single crystals. *Science*, 347,519-522.
- Shim, H., Yang, S.T., 1999. Biodegradation of benzene, toluene, ethylbenzene, and oxylene by a coculture of *Pseudomonas putida* and *Pseudomonas fluorescens* immobilized in a fibrous-bed bioreactor. *J. Biotechnol.* 67, 99–112.
- Shrivastava, A.K., Chatterjee, A., Yadav, S., Singh, P.K., Singh, S. and Rai, L.C., 2015. UV-B stress induced metabolic rearrangements explored with comparative proteomics in three *Anabaena* species. *J. Proteom.*, 127, 122-133..
- Shukla, A .K., Vishwakarm, P., Singh, R.S., Upadhyay, S.N., Dubey, S. K., 2010. Biofiltration of trichloroethylene using diazotrophic bacterial community. *Biores Technol.* 101, 2126–2133.

- Sigrist, C.J., De Castro, E., Cerutti, L., Cuche, B.A., Hulo, N., Bridge, A., Bougueret, L. Xenarios, I., 2012. New and continuing developments at PROSITE. *Nucleic Acids Res.* 41, D344-D347.
- Simantiraki, F., Kollias, C.G., Maratos, D., Hahladakis, J. and Gidarakos, E., 2013. Qualitative determination and application of sewage sludge and municipal solid waste compost for BTEX removal from groundwater. *J Environ Chem Engg.* 1, 9-17.
- Singh, D., Fulekar, M.H., 2010. Benzene bioremediation using cow dung microflora in two phase partitioning bioreactor. *J Hazard Mater.* 175, 336–343.
- Singh, K., Giri, B.S., Sahi, A., Geed, S.R., Kureel, M.K., Singh, S., Dubey, S.K., Rai, B.N., Kumar, S., Upadhyay, S.N. and Singh, R.S., 2017. Biofiltration of xylene using wood charcoal as the biofilter media under transient and high loading conditions. *Bioresource Technology*.
- Singh, P.K., Shrivastava, A.K., Chatterjee, A., Pandey, S., Rai, S., Singh, S. and Rai, L.C., 2015. Cadmium toxicity in diazotrophic *Anabaena* spp. adjudged by hasty up-accumulation of transporter and signaling and severe down-accumulation of nitrogen metabolism proteins. *J. Proteom.* 127, 134-146.
- Singh, R. and Celin, S.M., 2010. Biodegradation of BTEX (benzene, toluene, ethyl benzene and xylene) compounds by bacterial strain under aerobic conditions. *J. Ecobiotechnol.*
- Singh, R., 2014. Microorganism as a tool of bioremediation technology for cleaning environment: a review. *Proceedings of the International Academy of Ecology and Environmental Sciences*, 4(1).
- Singh, R.S., Agnihotri, S.S., Upadhyay, S.N., 2006. Removal of toluene vapour using agro-waste as biofilter media, *Bioresour Technol.* 97, 2296-2301.

- Sperfeld, M., Rauschenbach, C., Diekert, G. and Studenik, S., 2018. Microbial community of a gasworks aquifer and identification of nitrate-reducing *Azoarcus* and *Georgfuchsia* as key players in BTEX degradation. *Water Res.* 132, 146-157.
- Stackebrandt, E., Liesack, W. and Goebel, B.M., 1993. Bacterial diversity in a soil sample from a subtropical Australian environment as determined by 16S rDNA analysis. *FASEB J.* 7, 232-236.
- Stasik, S., Wick, L.Y. and Wendt-Pothoff, K., 2015. Anaerobic BTEX degradation in oil sands tailings ponds: impact of labile organic carbon and sulfate-reducing bacteria. *Chemosphere*, 138, pp.133-139.
- Steele, J.A., Ozis, F., Fuhrman, J.A., Devinny, J.S., 2005. Structure of microbial communities in ethanol biofilters, *Chemical Engg. J.* 113, 135-143.
- Szewczyk, R., Sobo , A., Sylwia, R., Dzitko, K., Waidelich, D. and Długo ski, J., 2014. Intracellular proteome expression during 4-n-nonylphenol biodegradation by the filamentous fungus *Metarhizium robertsii*. *Int Biodeterior Biodegradation*. 93, 44-53.
- Tamura K., Stecher G., Peterson D., Filipski A., and Kumar S., 2013. MEGA6: Molecular Evolutionary Genetics Analysis version 6.0. *Mol Biol Evol.* 30, 2725-2729.
- Tamura, K., Nei, M., Kumar, S., 2004. Prospects for inferring very large phylogenies by using the neighbor-joining method. *Proceedings of the National Academy of Sciences of the United States of America*. 101, 11030-11035.
- Tamura, K., Peterson, D., Peterson, N., Stecher, G., Nei, M., Kumar, S., 2011. molecular evolutionary genetics analysis using maximum likelihood, evolutionary distance, and maximum parsimony methods MEGA6. *Mol Biol Evol.* 28, 2731-2739.

- Thompson, J.D., Gibson, T.J., Plewniak, F., Jeanmougin, F., Higgins, D.G., 1997. The CLUSTAL_X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. Nucleic Acids Res.25, 4876-4882.
- Tomei, M.C., Annesini, M.C. and Bussoletti, S., 2004. 4-nitrophenol biodegradation in a sequencing batch reactor: kinetic study and effect of filling time. Water Res. 38, 375-384.
- Tsai, S.L., Lin, CW., Wu, C.H., Shen, C.M., 2013. Kinetics of xenobiotic biodegradation by the *Pseudomonas* sp. YATO411 strain in suspension and cell-immobilized beads. J Taiwan Inst Chem Eng. 44, 303-309.
- Tyagi, M., Fonseca, D., M.M.R. and Carvalho, D.C.C., 2011. Bioaugmentation and biostimulation strategies to improve the effectiveness of bioremediation processes. Biodegradation. 22(2), 231-241.
- USEPA., (2009). United States Environmental Protection Agency. National primary drinking water regulations. EPA. 816, 09-004.
- Van Groenestijn, J.W. and Hesselink, P.G., 1993. Biotechniques for air pollution control. Biodegradation. 4, 283-301.
- Vidali, M., 2001. Bioremediation. an overview. Pure Appl. Chem. 73, 1163-1172.
- Vyas, V.K., Ukawala, R.D., Ghate, M. and Chintha, C., 2012. Homology modeling a fast tool for drug discovery: current perspectives. Indian J Pharm Sci, 74, 1.
- Webster, T. S., Devinny, J.S., Torres, E.M., Basrai, S. S., 1995. Control of air emissions from POTWs using biofiltration. In: R.E. Hinchee, G.D. Sayles and R.S. Skeen,

- Editors, Biological Unit Processes for Hazardous Waste Treatment, In Situ and On-Site Bioreclamation Symposium, Battelle Press, Columbus, OH 227-234.
- WHO., 1997. World Health Organization. Environmental Health Criteria 190: Xylenes. World Health Organization, Geneva.
- Wiedemeier, T.H., Swanson, M.A., Wilson, J.T., Campbell, D.H., Miller, R.N. and Hansen, J.E., 1995. Patterns of intrinsic bioremediation at two US Air Force bases. In Intrinsic bioremediation.
- Yadav, M., Srivastva, N., Singh, R.S., Upadhyay, S. N., Dubey, S. K., 2014. Biodegradation of chlorpyrifos by *Pseudomonas* sp. in a continuous packed bed bioreactor. *Bioresour Technol.* 165, 265–269.
- Yeh,C.-H., Lin,C.W., Wu, C.H., 2010. A permeable reactive barrier for thebioremediation of BTEX-contaminated groundwater: microbial communitydistribution and removal efficiencies. *J. Hazard. Mater.* 178, 74–80.
- Yu, H., Kim, B., Rittmann, B.E., 2001. The roles of intermediates in biodegradation of benzene, toluene, and p-xylene by *Pseudomonas putida* F1. *Biodegradion.* 12, 455-463
- Zhou, W., Guo, W., Zhou, H., Chen, X., 2016. Phenol degradation by *Sulfobacillus acidophilus* TPY via the meta-pathway. *Microbiol. Res.* 190, 37-45
- Zilli M, Palazzi E, Sene L, Converti A & Borghi M D, 2001. Toluene and styrene removal from air in biofilters, *Process Biochem.* 37, 423-429.
- Zilli, M., Borghi, A.D., and Converti, A., 2000. Toluene vapour removal in a laboratory – scale biofilter. *Appl. Microbiol. Biotechnol.* 54, 248-254.

Zilli, M., Daffonchio D., Felice, R.D., Giordani, M., Converti, A., 2004. Treatment of benzene-contaminated air streams in laboratory-scale biofilters packed with raw and sieved sugarcane bagasse and with peat. Biodegradation.15, 87–96.