Table of Contents

Title of the thesis

| | | Page |
|-----------------------------------|---|-------------|
| Thesis certificate | | iii |
| Acknowledgement | | vi |
| Table of contents | | viii |
| List of figures List of tables | | xiv |
| List of abbreviations and symbols | | xvii xix |
| Preface | | xxi |
| Chapter 1 | Introduction | 1-21 |
| 1.1 1.2 | Background and problem statement Biomass as a source of renewable energy | 1 3 |
| 1.2.1 | Components of biomass | 4 |
| 1.2.1.1 | Cellulose | 5 |
| 1.2.1.2 | Hemicellulose | 5 |
| 1.2.1.3 | Lignin | 6 |
| 1.2.1.4 | Organic extractives | 7 |
| 1.2.1.5 | Inorganic minerals | 8 |
| 1.3 | Extraction of energy from biomass | 8 |
| 1.3.1 | Thermochemical conversion of biomass | 8 |
| 1.3.1.1 | Pyrolysis of biomass | 8 |
| 1.3.1.2 | Combustion of biomass | 9 |
| 1.3.1.3 | Liquefaction of biomass | 10 |
| 1.3.1.4 | Gasification of biomass | 10 |
| 1.4 | Demerits of raw biomass | 10 |
| 1.5 | Pretreatment of raw biomass | 12 |
| 1.5.1 | Physical pretreatment | 13 |
| 1.5.2 | Biological pretreatment | 13 |
| 1.5.3 | Chemical pretreatment | 14 |
| 1.5.4 | Thermochemical pretreatment | 15 |
| 1.5.4.1 | Torrefaction of biomass | 15 |
| 1.6 | Characteristics of torrefied biomass | 17 |
| 1.7 | Application of biochar from pyrolysis of biomass | 20 |
| 1.8 | Structure of thesis | 20 |
| Chapter 2 | Literature Review and Objectives | 22-48 |

| 2.1 | Literature review | 22 |
|---|---|--|
| 2.1.1 | Torrefaction of biomass and optimization of torrefaction process | 22 |
| 2.1.1.1 | Torrefaction of biomass | 22 |
| 2.1.1.1.1 | Effect of torrefaction on proximate and ultimate analysis of biomass | 23 |
| 2.1.1.1.2 | Effect of torrefaction on mass yield, energy yield and higher heating value of biomass | 27 |
| 2.1.1.1.3 | Effect of torrefaction on grindability and moisture absorption capacity of biomass | 31 |
| 2.1.1.2 | Optimization of torrefaction process | 33 |
| 2.1.2 | Pyrolysis of raw and torrefied biomass and optimization of process parameters | 36 |
| 2.1.2.1 | Pyrolysis of raw biomass and optimization of process parameters | 36 |
| 2.1.2.2 | Pyrolysis of torrefied biomass | 40 |
| 2.1.2.2.1 | Effect of torrefaction on kinetics of biomass during pyrolysis | 40 |
| 2.1.2.2.2 | Effect of torrefaction on product distribution during pyrolysis of biomass | 42 |
| 2.1.3 | Application of biochar from pyrolysis of biomass for removal of aqueous methylene blue | 44 |
| | 1 2 | |
| 2.2 | Objectives | 47 |
| 2.2 Chapter 3 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel | 47 49-86 |
| 2.2Chapter 33.1 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction | 47 49-86 50 |
| 2.2Chapter 33.13.2 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction Experimental section | 47 49-86 50 53 |
| 2.2 Chapter 3 3.1 3.2 3.2.1 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction Experimental section Materials | 47 49-86 50 53 53 |
| 2.2 Chapter 3 3.1 3.2 3.2.1 3.2.2 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction Experimental section Materials Experimental setup and procedure for torrefaction | 47 49-86 50 53 53 53 |
| 2.2 Chapter 3 3.1 3.2 3.2.1 3.2.2 3.2.3 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction Experimental section Materials Experimental setup and procedure for torrefaction Physicochemical properties of raw and torrefied biomass | 47 49-86 50 53 53 53 53 57 |
| 2.2 Chapter 3 3.1 3.2 3.2.1 3.2.2 3.2.3 3.2.3.1 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction Experimental section Materials Experimental setup and procedure for torrefaction Physicochemical properties of raw and torrefied biomass Proximate and ultimate analysis | 47 49-86 50 53 53 53 53 57 57 |
| 2.2 Chapter 3 3.1 3.2 3.2.1 3.2.2 3.2.3 3.2.3.1 3.2.3.2 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction Experimental section Materials Experimental setup and procedure for torrefaction Physicochemical properties of raw and torrefied biomass Proximate and ultimate analysis Density, porosity, and particle size of raw and torrefied biomass | 47 49-86 50 53 53 53 53 57 57 58 |
| 2.2 Chapter 3 3.1 3.2 3.2.1 3.2.2 3.2.3 3.2.3.1 3.2.3.2 3.2.3.2 3.2.3.3 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction Experimental section Materials Experimental setup and procedure for torrefaction Physicochemical properties of raw and torrefied biomass Proximate and ultimate analysis Density, porosity, and particle size of raw and torrefied biomass Moisture sorption test of raw and torrefied biomass | 47 49-86 50 53 53 53 53 57 57 57 58 60 |
| 2.2 Chapter 3 3.1 3.2 3.2.1 3.2.2 3.2.3 3.2.3.1 3.2.3.2 3.2.3.3 3.2.3.3.1 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction Experimental section Materials Experimental setup and procedure for torrefaction Physicochemical properties of raw and torrefied biomass Proximate and ultimate analysis Density, porosity, and particle size of raw and torrefied biomass Moisture sorption test of raw and torrefied biomass Open environment test | 47 49-86 50 53 53 53 53 57 57 58 60 60 |
| 2.2 Chapter 3 3.1 3.2 3.2.1 3.2.2 3.2.3 3.2.3.1 3.2.3.2 3.2.3.3 3.2.3.3.1 3.2.3.3.1 3.2.3.3.2 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction Experimental section Materials Experimental setup and procedure for torrefaction Physicochemical properties of raw and torrefied biomass Proximate and ultimate analysis Density, porosity, and particle size of raw and torrefied biomass Moisture sorption test of raw and torrefied biomass Open environment test Contact angle measurement | 47 49-86 50 53 53 53 53 57 57 58 60 60 60 |
| 2.2 Chapter 3 3.1 3.2 3.2.1 3.2.2 3.2.3 3.2.3.1 3.2.3.2 3.2.3.3.1 3.2.3.3.1 3.2.3.3.2 3.2.3.4 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction Experimental section Materials Experimental setup and procedure for torrefaction Physicochemical properties of raw and torrefied biomass Proximate and ultimate analysis Density, porosity, and particle size of raw and torrefied biomass Moisture sorption test of raw and torrefied biomass Open environment test Contact angle measurement Flowability and combustion indices of raw and torrefied biomass | 47 49-86 50 53 53 53 57 57 58 60 60 61 61 |
| 2.2 Chapter 3 3.1 3.2 3.2.1 3.2.2 3.2.3 3.2.3.1 3.2.3.3 3.2.3.3.1 3.2.3.3.2 3.2.3.4 3.2.3.5 | Objectives Torrefaction of woody biomass (<i>Acacia nilotica</i>): Investigation of fuel and flow properties to study its suitability as a good quality solid fuel Introduction Experimental section Materials Experimental setup and procedure for torrefaction Physicochemical properties of raw and torrefied biomass Proximate and ultimate analysis Density, porosity, and particle size of raw and torrefied biomass Moisture sorption test of raw and torrefied biomass Open environment test Contact angle measurement Flowability and combustion indices of raw and torrefied biomass Analytical instruments used to characterize raw and torrefied biomass | 47 49-86 50 53 53 53 57 57 58 60 60 61 61 61 |

| 3.3.1 | Solid product and energy yield of torrefied biomass | 62 |
|-----------|--|--------|
| 3.3.2 | Physicochemical Characteristics of raw and torrefied products | 64 |
| 3.3.3 | Density, porosity, and particle size of raw and torrefied biomass | 70 |
| 3.3.4 | Moisture sorption characteristics of raw and torrefied biomass | 75 |
| 3.3.5 | Flowability of raw and torrefied biomass | 77 |
| 3.3.6 | Combustion indices of raw and torrefied biomass | 79 |
| 3.3.7 | Thermogravimetric analysis | 80 |
| 3.3.8 | FTIR analysis of raw and torrefied biomass | 82 |
| 3.3.9 | SEM-EDX analysis of raw and torrefied biomass | 83 |
| 3.4 | Conclusions | 86 |
| Chapter 4 | Intrinsic kinetics, thermodynamic parameters and reaction mechanism of non-isothermal degradation of torrefied <i>Acacia</i> <i>nilotica</i> using isoconversional methods | 87-121 |
| 4.1 | Introduction | 88 |
| 4.2 | Materials and methods | 89 |
| 4.2.1 | Material collection, preparation and characterization | 89 |
| 4.2.2 | Experimental procedure for torrefaction and pyrolysis of torrefied biomass | 89 |
| 4.2.3 | Kinetic analysis | 90 |
| 4.2.4 | Model-free isoconversional methods | 92 |
| 4.2.4.1 | Kissinger-Akahira-Sunose (KAS) method | 92 |
| 4.2.4.2 | Ozawa-Wall- Flynn (OWF) method | 93 |
| 4.2.4.3 | Friedman method | 93 |
| 4.2.4.4 | Starink method | 94 |
| 4.2.5 | Prediction of reaction model | 95 |
| 4.2.6 | Estimation of pre-exponential factor and thermodynamic parameters | 97 |
| 4.3 | Results and discussion | 98 |
| 4.3.1 | Yield of product and physicochemical characteristics of DAN and torrefied biomass | 98 |
| 4.3.2 | Thermogravimeric analysis | 99 |
| 4.3.3 | Kinetic analysis | 104 |
| 4.3.4 | Prediction of reaction mechanism (Criado analysis) | 112 |
| 4.3.4.1 | Reaction mechanism at lower conversion ($\alpha < 0.5$) | 114 |
| 4.3.4.2 | Reaction mechanism at higher conversion ($\alpha > 0.5$) | 115 |

| 4.3.5 | Thermodynamic parameters | 116 |
|-----------|--|---------|
| 4.4 | Conclusions | 121 |
| Chapter 5 | Optimization of process parameters for torrefaction of <i>Acacia</i> <i>nilotica</i> using response surface methodology and characteristics of torrefied biomass as upgraded fuel | 122-153 |
| 5.1 | Introduction | 123 |
| 5.2 | Materials and methods | 124 |
| 5.2.1 | Sample preparation | 124 |
| 5.2.2 | Experimental design using RSM | 124 |
| 5.2.3 | Experimental setup and torrefaction procedure | 127 |
| 5.2.4 | Characteristics of raw and torrefied biomass | 128 |
| 5.3 | Results and discussion | 129 |
| 5.3.1 | Solid product yield and Energy yield | 129 |
| 5.3.2 | Response surface analysis for HHV and EY of Torrefied biomass | 130 |
| 5.3.3 | Optimization of HHV and EY of Torrefied biomass | 138 |
| 5.3.4 | Physical and chemical properties of raw and torrefied biomass | 140 |
| 5.3.5 | Fuel and flow properties of torrefied biomass | 142 |
| 5.3.6 | BET surface area and density of raw and torrefied biomass | 143 |
| 5.3.7 | Thermogravimetric analysis | 144 |
| 5.3.8 | Fourier transform infrared spectroscopy (FTIR) | 146 |
| 5.3.9 | SEM and EDX analysis | 147 |
| 5.3.10 | X-Ray diffraction (XRD) analysis | 149 |
| 5.3.11 | Moisture absorption | 151 |
| 5.4 | Conclusions | 152 |
| Chapter 6 | Pyrolysis of torrefied biomass: Optimization of process parameters using response surface methodology, characterization, and comparison of properties of pyrolysis oil from raw biomass | 154-199 |
| 6.1 | Introduction | 155 |
| 6.2 | Experimental segment | 157 |
| 6.2.1 | Sample preparation | 157 |
| 6.2.2 | Design of experimental condition using RSM | 157 |
| 6.2.3 | Experimental procedure for pyrolysis | 161 |
| 6.2.4 | Analysis of pyrolysis oil, biochar and pyrolytic gases obtained at optimum condition of pyrolysis | 162 |

| 6.3 | Results and discussion | 163 |
|-----------|---|---------|
| 6.3.1 | Statistical analysis of developed model | 163 |
| 6.3.2 | Effect of process variables on yield of pyrolysis oil | 165 |
| 6.3.2.1 | Individual effect of process parameters | 165 |
| 6.3.2.2 | Interaction effect of process parameters based on RSM on yield of pyrolysis oil | 166 |
| 6.3.3 | Validation of process parameters for yield of pyrolysis oil | 172 |
| 6.3.4 | Yield of pyrolysis oil, biochar and pyrolytic gases at optimum condition from pyrolysis of DAN and TAN-252-60-5 | 173 |
| 6.3.5 | Characteristics of pyrolysis oil obtained at optimum condition of pyrolysis | 175 |
| 6.3.5.1 | Fourier transform infrared spectroscopy of pyrolysis oil | 175 |
| 6.3.5.2 | Gas chromatography-mass spectrometry analysis pyrolysis oil | 176 |
| 6.3.5.3 | ¹³ C NMR analysis of pyrolysis oil | 181 |
| 6.3.5.4 | Physicochemical characteristics of pyrolysis oil | 185 |
| 6.3.6 | Characteristics of biochar obtained at optimum condition from pyrolysis of DAN and TAN-252-60-5 | 187 |
| 6.3.6.1 | Proximate and ultimate analyses of biochar | 187 |
| 6.3.6.2 | SEM-EDX analysis of biochar | 188 |
| 6.3.6.3 | FTIR analysis of biochar | 189 |
| 6.3.7 | Characteristics of pyrolytic gases obtained at optimum condition from pyrolysis of DAN and TAN-252-60-5 | 191 |
| 6.3.8 | Mechanism of pyrolysis of TAN-252-60-5 | 193 |
| 6.3.9 | Sustainability of integrated torrefaction-pyrolysis process and implication for cleaner production of pyrolysis oil | 194 |
| 6.4 | Conclusions | 198 |
| Chapter 7 | Comparative study for removal of aqueous methylene blue using biochar from pyrolysis of raw and torrefied biomass: kinetics, isotherm, thermodynamics and mass transfer studies | 200-242 |
| 7.1 | Introduction | 201 |
| 7.2 | Material and methods | 203 |
| 7.2.1 | Material | 203 |
| 7.2.2 | Experimental procedure for preparation of biochar from pyrolysis of DAN and TAN-252-60-5 | 203 |
| 7.2.3 | Characterization of biochar obtained from pyrolysis of DAN and TAN-252-60-5 | 203 |
| 7.2.4 | Experimental procedure for removal of MB by batch adsorption | 205 |

process

| | 1 | |
|--------------------|---|------------|
| 7.3 | Resultsand discussion | 206 |
| 7.3.1 | Characteristics of adsorbent Biochar-DAN and Biochar-TAN | 206 |
| 7.3.1.1 | Proximate and ultimate analyses of Biochar-DAN and Biochar-TAN | 206 |
| 7.3.1.2 7.3.1.3 | Point of zero charge (pH_{pzc}) for Biochar-DAN and Biochar-TAN XRD analysis of Biochar-DAN and Biochar-TAN | 206 207 |
| 7.3.1.4 | BET surface area and SEM-EDX analysis of Biochar-DAN and Biochar-TAN | 209 |
| 7.3.1.5 | FTIR analysis of biochar Biochar-DAN and Biochar-TAN | 212 |
| 7.3.2 | Batch adsorption analysis of MB onto Biochar-DAN and Biochar-TAN | 216 |
| 7.3.2.1 | Effect of contact time and initial concentration of MB | 216 |
| 7.3.2.2 | Effect of pH of solution and adsorbent dose | 219 |
| 7.3.3 | Kinetics and mass transfer study for adsorption of MB onto Biochar-DAN and Biochar-TAN | 220 |
| 7.3.3.1 | Adsorption kinetics | 220 |
| 7.3.3.2 | Mass transfer models | 227 |
| 7.3.3.2.1 | Weber and Morris model | 227 |
| 7.3.3.2.2 | Boyd model | 228 |
| 7.3.4 | Effect of temperature and isotherms for adsorption of MB onto Biochar-DAN and Biochar-TAN | 231 |
| 7.3.5 | Thermodynamic parameters for adsorption of MB onto Biochar- DAN and Biochar-TAN | 237 |
| 7.3.6 | Possible mechanism for adsorption of MB onto biochars | 239 |
| 7.4 | Conclusions | 241 |
| Chapter 8 | Summary of thesis and scope for future work | 243-248 |
| 8.1 | Summary of thesis | 244 |
| 8.2 | Scope for future work | 248 |
| | References | 249-269 |
| | Publications and Conferences | |