

## LIST OF FIGURES

Number	Figure captions	Page No.
2.1	Crystal structure of graphite	7
2.2	Graphite unit cell	7
2.3	Side view of layer stacking of Graphite	8
2.4	Plane view of layer stacking of Graphite	8
2.5(a)	Synthesis route of Graphene, graphene oxide and reduced graphene oxide	10
2.5(b)	Synthesis route graphite to graphite oxide, graphene oxide, and reduced graphene oxide	10
2.6	Orbital Hybridization for $sp^2$ and $sp^3$ orbital and their molecular diagram	11
2.7	Molecular orbital diagram of graphite showing the increasing number of orbitals formed, resulting in the formation of a band of orbital when n approaches infinity. The red part of the band represents orbitals filled with electrons. The $sp^2$ C-C $\sigma$ bonds are neglected for simplicity.	12
2.8 (a)	Schematic representation of: Lattice structure and corresponding energy band diagrams of Graphene, GO and rGO;	13
2.8 (b)	Electronic transitions in GO	13
2.8 (c)	Electronic transitions in rGO	13
2.9	Schematic diagram represent the reduction process of graphite into reduced graphene oxide.	27
2.10	Industrial Organic Pollutant	22
3.1	Pyrolytic Graphite Powder	30
3.2	Potassium Permanganate	31
3.3	Sodium nitrate powders	33
3.4	Synthesis process of reduced graphene oxide	36
3.5	Synthesis process of lotus- like ZnO with rGO nanoceramic composites	38
3.6	Synthesis process of Columnar shaped ZnO with rGO nanoceramic composites	40
3.7	Synthesis of hexagonal Zinc oxide Nanoparticles	41

3.8	Schematic diagrams for photocatalytic activity measurement of phenolic compound	44
3.9	Schematic diagram of photocatalytic experiment	45
3.10	Schematic of diffraction of X-rays by a crystal	47
3.11	X-ray measurement setup	48
3.12	FTIR measurement setup	54
3.13	High-resolution transmission electron microscope measurement setup	56
3.14	Schematic diagram of Rayleigh, stokes and Anti-stokes scattering and fluorescence	58
3.15	Schematic diagrams for Pallets preparation Hexagonal Plate-like ZnO	59
4.1	Growth mechanism of inverted and non-inverted lotus-like ZnO morphology with reduced graphene oxide.	66
4.2(a)	XRD Patterns of low temperature synthesized RZ composite that were grown at 70 <sup>0</sup> C,80 <sup>0</sup> C, and 90 <sup>0</sup> C respectively	69
4.2 (b)	Relative intensity (inset) and the relative intensity of (002) peaks vs. synthesis temperature of RZ70, RZ80 and RZ90.	69
4.3(a)	SEM images of RZ composites at temperature 60 <sup>0</sup> C	72
4.3(b)	SEM images of RZ composites at temperature 70 <sup>0</sup> C with increasing magnification	72
4.3(c)	SEM images of RZ composites at temperature 80 <sup>0</sup> C with increasing magnification and with EDX pattern	73
4.3 (d)	SEM images of RZ composites at temperature 90 <sup>0</sup> C with increasing magnification,	74

4.3 (e)	SEM images of RZ composites at temperature 100 <sup>0</sup> C with increasing magnification.	75
4.4(a)	HR-TEM image of RZ80 at low magnification labeled by leaf-like	76
4.4 (b)	HR-TEM image of RZ80 at high magnification labeled by leaf-like	76
4.4 (c)	SAED pattern of RZ80.	76
4.5	UV-vis absorption spectra of RZ70, RZ80 and RZ90 composites and with their extracted optical band gap in the inset.	78
4.6	PL spectra of RZ70, RZ80 and RZ90	79
4.7	FTIR spectra of RZ70, RZ80 and RZ90	80
4.8	Raman spectrum of RZ70, RZ80 and RZ90	81
4.9 (a)	The time-dependent UV-Visible absorption spectra of phenol in the presence of catalysts RZ70	82
4.9 (b)	The time-dependent UV-Visible absorption spectra of phenol in the presence of catalysts RZ80	83
4.9 (c)	The time-dependent UV-Visible absorption spectra of phenol in the presence of catalysts RZ90	84
4.10 (a)	Photocatalytic degradation of phenol with time under sunlight irradiation and with their degradation value in the inset.	85
4.10 (b)	Comparison of the photocatalytic degradation efficiency of the photocatalyst towards phenol with their degradation value in the inset	86
4.10 (c)	Reusability study of RZ70, RZ80 and RZ90 nanocomposite for degradation of phenol,	87
4.10 (d)	Kinetic plot of RZ70, RZ80, and RZ90.	88
5. 1(a)	XRD patterns of graphite (GR), Graphene oxide (GO), RZpH6,RZ-Ph9 and RZ-pH12.	98
5.1 (b)	Corresponding XRD peak shift of RZ-pH6, RZ-pH9 and RZ-pH12	99
5.1 (c)	Williamson-Hall analysis of RZ-pH6, RZ-Ph9 and RZ-pH12	100
5. 2 (a)	SEM Image of RZ-pH6	102
5. 2 (b)	EDX Image of RZ-pH6	102
5. 2 (c)	SEM Image of RZ-pH9	103
5. 2 (d)	SEM Image of RZ-pH12	103
5. 2 (e)	SEM Image of reduced grapheme oxide	104
5. 3 (a)	HR-TEM images of RZ-pH9 with labeled by rod and belt like	105

5. 3 (b)	HR-TEM images of RZ-pH9 with labeled by Pencil like	105
5. 3 (c)	HR-TEM images of RZ-pH9 with labeled by hammer and palm like	105
5. 3 (d)	HR-TEM images of RZ-pH9 with labeled by T-shape like, in inset was the SAED pattern of ZnO	105
5.4	FTIR spectra of RZ-pH6, RZ-pH9 and RZ-pH12	106
5. 5 (a)	UV-vis absorption spectra of RZ-pH6, RZ-pH9 and RZ-pH12	107
5. 5 (b)	Plot of $\alpha h\nu^2$ versus Photon energy for RZ-pH6, RZ-pH9 and RZ-pH12	107
5. 6	Raman spectrum of RZ-pH6, RZ-pH9 and RZ-pH12.	109
5.7 (a)	UV-Vis Spectrum of ND and RZ-pH6 with ND solution and Insert of Plot of $(\alpha h\nu)^2$ vs. Photon energy $h\nu$ for ND and RZ-pH6 with ND solution	111
5.7 (b)	Schematic diagram of photocatalytic experiment	112
5. 7(c)	Time-dependent absorption spectra of ND solution with RZ-pH6 photocatalytic	112
5.7(d)	Photo-stability of ND solution with RZ-pH6 by three times of cycling uses.	113
5.7(e)	Photocatalytic degradation efficiency of ND solution with catalyst RZ-pH6	114
5. 7(f)	Kinetic plot of ND solution with catalyst RZ-pH6	115
5.8	Photocatalytic degradation process of ND by the RZ-pH6 composite under visible light illumination.	117
6.1 (a)	XRD pattern of sol-gel derived ZnO powder and their annealing at different temperature	125
6.1 (b)	The relative intensity of (002) peak vs. annealing at different temperature.	125
6.1 (c)	The variation of crystalline size of ZnO, ZnO700 °C, ZnO900 °C and ZnO1100 °C	126
6.2	XRD pattern of shifting in peaks position of (100), (002) and (101) of ZnO, ZnO700 °C, ZnO900 °C and ZnO1100 °C	128
6.3(a-c)	Schematics representation of Unstrained, Uniform tensile strain and nonuniform strain	129

6.4 (a)	Variation of lattice constant a and c of the plane (100) and (002) with different annealing temperature	132
6.4 (b)	Variation of FWHM of the plane (100) (002) and (101) with different annealing temperature.	133
6.4 (c)	Variation of grain size and strain of the plane (100) with different annealing temperature.	133
6.4 (d)	Variation of grain size and strain of the plane (002) with different annealing temperature.	134
6.4 (e)	Variation of FWHM and grain size with stress of ZnO700 <sup>0</sup> C, ZnO900 <sup>0</sup> C and ZnO1100 <sup>0</sup> C	134
6.4 (f)	Stress and stain plot of hexagonal plates	135
6.5 (a-d)	Williamson-Hall analysis's of ZnO, ZnO700 <sup>0</sup> C, ZnO900 <sup>0</sup> C and ZnO1100 <sup>0</sup> C	137
6.5(e)	Variation of dislocation density at the different annealing temperature.	137
6.6 (a)	SEM image of sol-gel derived ZnO powder with increasing magnification and with EDX pattern.	139
6. 6 (b)	SEM image of ZnO700 <sup>0</sup> Cwith increasing magnification and with EDX pattern.	140
6.6 (c)	SEM image of ZnO900 <sup>0</sup> C with increasing magnification and with EDX pattern.	140
6.6 (d)	SEM image of ZnO1100 <sup>0</sup> C with increasing magnification	141
6.6 [(e), (f)].	HR-TEM images of ZnO900 <sup>0</sup> C with increasing magnification	142
6.6(g)	Bar graph of ZnO900 <sup>0</sup> C	142
6.6 (h)	SAED pattern of annealed ZnO900 <sup>0</sup> C	142
6.7 (a)	FTIR spectrum of prepared ZnO and annealing at ZnO700 <sup>0</sup> C, ZnO900 <sup>0</sup> C, ZnO1100 <sup>0</sup> C.	143
6.7 (b)	FTIR spectrum of ZnO900 <sup>0</sup> C and ZnO1100 <sup>0</sup> C	143
6.8 (a)	UV-vis absorption spectra of ZnO and with their extracted optical band gap in the inset	145
6.8(b)	UV-vis absorption spectra of ZnO700 <sup>0</sup> C and with their extracted optical band gap in the inset	145
6.8 (c)	UV-vis absorption spectra of ZnO and with their extracted optical band gap in the inset	146
6.8 (d)	UV-vis absorption spectra of ZnO900 and ZnO1100	146
6.9	PL spectra of ZnO, ZnO 700, ZnO 900 and ZnO 1100	147

6.10 (a-d)	Variation of the real part of the dielectric constant of ZnO at temperature 75-125 <sup>0</sup> C (b) at temperature 150 <sup>0</sup> C (c) at temperature 175 <sup>0</sup> C (d) at temperature 200-225 <sup>0</sup> C in inset and at temperature 250-500 <sup>0</sup> C	149
6.11 (a-d)	Variation of the imaginary part of the dielectric constant of ZnO at temperature 75-150 <sup>0</sup> C (b) at temperature 175 <sup>0</sup> C (c) at temperature 225-300 <sup>0</sup> C (d) at temperature 325-500 <sup>0</sup> C.	150
6.12 (a)	Variation of the real part of the dielectric constant of ZnO700 at different temperature.	151
6.12(b)	Variation of the imaginary part of the dielectric constant of ZnO700 at different temperature.	152
6.13 (a)	Variation of the real part of the dielectric constant of ZnO900 at different temperature	153
6.13(b)	Variation of the imaginary part of the dielectric constant of ZnO900 at various temperatures.	154
6.14(a-d)	Variation of the real part of the dielectric constant of ZnO1100 at temperature 100-150 <sup>0</sup> C (b) at temperature 175 <sup>0</sup> C and inset at 200 <sup>0</sup> C,(c) at temperature 225 <sup>0</sup> C, 250 <sup>0</sup> C and inset at temperature 275- 350 <sup>0</sup> C,(d) at temperature 375-425 <sup>0</sup> C and inset at 450- 500 <sup>0</sup> C.	155
6.14(e-h)	Variation of the imaginary part of the dielectric constant of ZnO1100 at temperature 100-150 <sup>0</sup> C and inset at temperature 175 <sup>0</sup> C (f) Inset at temperature 200 <sup>0</sup> C and at temperature 225- 325 <sup>0</sup> C, (g) at temperature 350-400 <sup>0</sup> C (h) at temperature 450-500 <sup>0</sup> C	156
6.15(a)	Variation conductivity at different temperature of ZnO	159
6.15(b)	Variation conductivity at different temperature of ZnO700	160
6.15(c)	Variation conductivity at different temperature of ZnO900	161
6.15 (d)	Variation conductivity at different temperature of ZnO1100	161