List of Figures

1.1	Percentage rice production in the world	7
1.2	Rice straw after harvesting	8
1.3	Rural and Urban population in India	9
2.1	SEM images of specimens with (a) 100% PC (b) 85% PC & 15% MK (c) 75% PC & 25% MK [61]	20
2.2	SEM images of specimens with (a) 100% cement (b) 90% cement & 10% RHA [79]	22
2.3	SEM images of specimen with (a) 100% OPC (b) 9%-40 nm NS [125]	31
2.4	SEM images of specimen with (a) 100% OPC (b) 15% RHA (c) 20% MK (d) 15% RHA + 15% MK [170]	45
2.5	Processing of SBA for its usage as an SCM [199]	57
2.6	Carbonation of concrete (after 200 days) with (a) 100% OPC (b) 2.5% NS (c) 5% NS (d) 7.5% NS (e) 2.5% MS (f) 5% MS (g) 7.5% MS (Massana et al. 2018) [217]	64
3.1	Flowchart of the Research	74
3.2	Le Chatelier flask for determining density/specific gravity of OPC/RSA/MS	79
3.3	Blaine air permeability apparatus for specific surface area of OPC	80
3.4	ARL OPTIM X X-Ray Analyzer for XRF analysis of OPC/RSA/MS	80
3.5	CIS-50 ANKERSMID particle size analyser for particle size distribution of OPC, RSA and MS	80
3.6	Rigaku Ultima IV X-Ray Diffractometer for XRD analysis	81
3.7	FEI QUANTA 450 Scanning Electron Microscope for SEM analysis	81
3.8	NETZSCH Thermo Gravimetric Analyser for TGA analysis of RSA	81
3.9	Vicat's apparatus with different attachments for consistency and setting times tests	82
3.10	(a) RIGAKU SmartLab X-Ray Diffractometer for XRD analysis of different specimens (b) Cementitious paste cake prepared for their XRD analysis	84

3.11	Marsh cone test	85
3.12	(a) Indian standard sand of different grades (b) Curing of mortar cubes(c) Compressive strength test of mortar cube	87
3.13	Slump test of concrete	89
3.14	(a) Casting (b) Demoulding (c) Curing (d) Compressive strength test of 150 mm size concrete cubes.	90
3.15	(a) Flexural strength test setup (b) Position of support and load rollers marked on the beam	91
3.16	Dimensions of concrete cylinder and load position	92
3.17	FEI Nova NANOSEM 450 Scanning Electron Microscope for microstructural analysis of concrete specimens	94
3.18	LEICA optical microscope for petrographic study of concrete specimens	94
3.19	Set-up for air entrainment of fresh concrete	95
3.20	Setup for rate and coefficient of water absorption test of concrete	97
3.21	(a) Slab casting (b) Chloride ion penetration test of the concrete slab by ponding method (c) Drilled holes of 10-20 mm and 25-35 mm depth to obtain samples for chloride ion penetration test	98
3.22	(a) Concrete cubes under acidic solution (b) Concrete Cubes washed with potable water after HCl solution (left) and H ₂ SO ₄ solution (right) immersion.	100
3.23	Concrete prisms in a carbonation chamber for ACC	102
4.1	Particle size distribution of OPC, RSA and MS	109
4.2	XRD pattern of OPC, RSA and MS	111
4.3	SEM micrographs of OPC, RSA and MS at different magnification levels	112
4.4	TGA analysis of RSA	114
5.1	Comparison between normal consistency of cement paste of various mixtures.	120

5.2	Comparison between initial setting times of cement paste of various mixes	121
5.3	Comparison between final setting times of cement paste of multiple mixes	122
5.4	Comparison between expansion in cement paste of various mixtures	124
5.5	Comparison between HRWR dosages for cement mortar of various mixtures	126
5.6	XRD diffractograms of OPC-RSA paste	128
5.7	XRD diffractograms of OPC-MS paste	129
5.8	Graphical comparisons between compressive strength of mortar at various ages of water curing	131
5.9	Compressive strength of mortar at 3 days of water curing	134
5.10	Compressive strength of mortar at 7 days of water curing	134
5.11	Compressive strength of mortar at 28 days of water curing	135
5.12	Compressive strength of mortar at 60 days of water curing	135
5.13	Compressive strength of mortar at 90 days of water curing	136
5.14	Compressive strength of mortar at 365 days of water curing	136
5.15	Graphical comparisons between hardened densities of mortar at various ages of water curing	138
6.1	Graphical comparison of compressive strength of concrete at various ages of water curing	144
6.2	Relative percentage change in compressive strength of admixed concrete w.r.t. control concrete (R0)	145
6.3	Graphical comparison of flexural strength of concrete at various ages of water curing	148
6.4	Relative percentage change in flexural strength of admixed concrete w.r.t. control concrete (R0)	149
6.5	Graphical comparison of split tensile strength of concrete at various ages of water curing	151

6.6	Relative percentage change in split tensile strength of admixed concrete w.r.t. control concrete (R0)	152
6.7	XRD diffractograms of control concrete (R0) and concrete of mix R10, R5M5, R5M7.5, R10M5 and R10M7.5	154
6.8	SEM micrograph of control concrete (R0) at 7, 28 and 90 days of curing at 10,000 (left) and 20,000 (right) times magnification levels	156
6.9	SEM micrograph of control concrete (R10) at 7, 28 and 90 days of curing at 10,000 (left) and 20,000 (right) times magnification levels	158
6.10	SEM micrograph of control concrete (R10M5) at 7, 28 and 90 days of curing at 10,000 (left) and 20,000 (right) times magnification levels	160
6.11	SEM micrograph of control concrete (R10M7.5) at 7, 28 and 90 days of curing at 10,000 (left) and 20,000 (right) times magnification levels.	161
6.12	SEM micrograph of control concrete (R5M5) at 7, 28 and 90 days of curing at 10,000 (left) and 20,000 (right) times magnification levels	162
6.13	SEM micrograph of control concrete (R5M7.5) at 7, 28 and 90 days of curing at 10,000 (left) and 20,000 (right) times magnification levels	163
6.14	Thin section photomicrographs of R0 after 28 days of water curing	165
6.15	Thin section photomicrographs of R10 after 28 days of water curing	166-167
6.16	Thin section photomicrographs of R10M5 after 28 days of water curing	169-170
6.17	Thin section photomicrographs of R10M7.5 after 28 days of water curing	171-172
6.18	Thin section photomicrographs of R5M5 after 28 days of water curing.	173-174
6.19	Thin section photomicrographs of R5M7.5 after 28 days of water curing	175-177
6.20	Comparison between compressive strength (f_c) and flexural strength (f_r)	180
6.21	Comparison between compressive strength (f_c) and split tensile strength (f_t)	183
6.22	Comparison between flexural strength (f_r) and split tensile strength (f_t)	186

7.1	Saturated water absorption of various mix of concrete	195
7.2	Initial rate of water absorption of various mix of concrete	197
7.3	Secondary rate of water absorption of various mix of concrete	197
7.4	Coefficient of water absorption of various mix of concrete	201
7.5	Percentage of chloride ions at 10-20 mm depth in concrete of different mix	203
7.6	Percentage of chloride ions at 25-35 mm depth in concrete of different mix	203
7.7	Percentage loss of mass in concrete	207
7.8	Compressive strength of concrete mixes at different curing conditions	210
7.9	Loss of compressive strength of concrete mixes at different curing conditions	211
7.10	Cubes of (a) control and MS admixed concrete (b) RSA admixed and RSA-MS admixed concrete after 28 days of water curing and 30 days in H ₂ SO ₄ solution	215
7.11	Cubes of (a) control and MS admixed concrete (b) RSA admixed and RSA-MS admixed concrete after 28 days in water and 30 days in HCl solution	216
7.12	Concrete cubes of mix (a) M10 (10% MS) (b) R5M5 (5% RSA and 5% MS) (c) R10 (10% RSA) after 28 days of water curing and 30 days in H ₂ SO ₄ solution	218
7.13	Concrete cubes of mix (a) M10 (10% MS) (b) R5M5 (5% RSA and 5% MS) (c) R10 (10% RSA) after 28 days of water curing and 30 days in HCl solution	219
7.14	XRD analysis of concrete of mix R0, R10, M7.5, R5M7.5 and R10M7.5 at 365 days of water curing and 30 days of HCl immersion	220
7.15	XRD analysis of concrete of mix R0, R10, M7.5, R5M7.5 and R10M7.5 at 365 days of water curing and 30 days of H ₂ SO ₄ immersion	222
7.16	SEM micrographs of concrete of mix (a) R0 (b) R10 (c) M7.5 (d) R5M7.5 (e) R10M7.5 at 365 days of water curing and 30 days of HCl immersion.	226

7.17	SEM micrographs of concrete of mix (a) R0 (b) R10 (c) M7.5 (d) R5M7.5 (e) R10M7.5 at 365 days of water curing and 30 days of H ₂ SO ₄ immersion.	227
7.18	Graphs showing the effect of accelerated carbonation curing on (a) Compressive strength (b) Flexural strength (c) Split tensile strength	228-229
7.19	Comparison of carbonation depth and compressive strength at 28 days of combined curing	234
7.20	Depth of carbonation in concrete of mix (a) R0 (b) R10 (c) M2.5 (d) M5 (e) M7.5 (f) M10 (g) R5M5 (h) R5M7.5 (i) R10M5 (j) R10M7.5	235-236
7.21	Predictive charts of the various mix for M40 grade PQC (a) R0 (b) R10 (c) M2.5 (d) M5 (e) M7.5 (f) M10 (g) R5M5 (h) R5M7.5 (i) R10M5 (j) R10M7.5	242-246