

Table of contents

List of figures	xxi
List of tables	xxvii
List of symbols	xxix
1 Introduction	1
1.1 Motivations behind the work	1
1.2 Scientific contributions of the work	2
1.3 Recent trends in off-grid/ distribution generation	3
1.4 Recent trends in Wind Energy Conversion System (WECS)	5
1.4.1 WECS in off-grid	6
1.4.2 Application and usage	7
1.5 Rooftop Wind Energy Conversion System (RWECS)	8
1.5.1 Choices of the Wind Turbine	10
1.5.2 Choices of the Wind Generator	11
1.5.3 Choices of the Power Conditioning Unit	24
1.6 Plan for work	33
1.7 Conclusion	34
2 Voltage regulation in the proposed RWECS	35

2.1	Introduction	35
2.2	Electrically excited Variable Flux Permanent Magnet Machine (EE VFPM)	39
2.2.1	Series-flux EE VFPM:	39
2.2.2	Parallel-flux EE VFPM	41
2.3	Mechanical Excited VFPM (ME VFPM)	43
2.3.1	Altering air-gap length	44
2.3.2	Misalignment of rotors and stators	44
2.3.3	Varying path of leakage flux	47
2.4	Selection of field weakening technique in the proposed RWECS	49
2.5	Conclusion	50
3	Fabrication of Dual-Stator Axial-Flux Permanent Magnet Synchronous Generator	51
3.1	Introduction	51
3.2	Design of Dual-stator Axial-Flux Permanent Magnet Synchronous Generator (DSAF PMSG)	52
3.2.1	Stator design	52
3.2.2	Rotor design	63
3.2.3	Assembly of the machine	65
3.3	Conclusion	67
4	Design of the experimental setup of proposed RWECS	69
4.1	Introduction	69
4.2	Wind Turbine Emulator	71
4.2.1	Modelling of wind turbine emulator	71
4.2.2	DC-motor drive	72
4.3	Power conditioning unit	78

4.4	Generator loading	79
4.5	Conclusion	80
5	Stability study of the proposed controller	81
5.1	Introduction	81
5.2	Transfer function model of proposed RWECS	81
5.3	Time-domain stability analysis	88
5.4	Conclusion	89
6	Experimental results and discussions	91
6.1	Introduction	91
6.2	Effect of the proposed controller on the performance of the wind generator	92
6.3	Performance of the proposed RWECS under variable wind conditions and constant load	100
6.4	Performance of the proposed RWECS under constant wind and variable load	108
6.5	Low-voltage-ride-through (LVRT) capability of the system	112
6.6	Conclusion	117
7	Solar-Wind hybrid Roof-top wind energy conversion system	121
7.1	Introduction	121
7.2	Control strategy	123
7.2.1	Case 1: Extracted Wind Power Greater than Load Demand	126
7.2.2	Case 2: Extracted Wind Power Less than Load Demand	127
7.2.3	Case 3: Extracted Wind Power and Solar Power Less Than Load Demand	127
7.3	Results and discussions	128
7.3.1	Extracted wind power higher than load demand	129
7.3.2	Extracted wind power less than load demand	129

7.4	Conclusion	133
8	Conclusion and Future Scope	135
8.1	Conclusion	135
8.2	Future Scope	138
	References	141
	Appendix A Wind turbine emulator	157
A.1	Step-by-step process of DC-motor drive	157
A.2	WTE parameters	158
A.2.1	Design parameters of WTE	158
A.2.2	PI Controller Parameters	158
	Appendix B Routh-Hurwitz table	159
	Appendix C Solar Energy conversion system	161
	Appendix D Publications	163