

References

- [1] P. F. Schewe, *The grid: A journey through the heart of our electrified world*. National Academies Press, 2007.
- [2] M. Jamil and X.-S. Yang, “A literature survey of benchmark functions for global optimization problems,” *arXiv preprint arXiv:1308.4008*, 2013.
- [3] I. P. E. Society, “Ieee standard test procedure for polyphase induction motors and generators,” 1996.
- [4] P. Pillay and M. Manyage, “Definitions of voltage unbalance,” *IEEE Power Engineering Review*, vol. 21, no. 5, pp. 50–51, 2001.
- [5] P. Pillay, P. Hofmann, and M. Manyage, “Derating of induction motors operating with a combination of unbalanced voltages and over or undervoltages,” *IEEE Transactions on Energy Conversion*, vol. 17, no. 4, pp. 485–491, 2002.
- [6] J. Dunfield, “Method and apparatus for dynamic low voltage spindle motor operation,” May 27 1997, uS Patent 5,633,568.
- [7] N. C. Woolley and J. V. Milanovic, “Statistical estimation of the source and level of voltage unbalance in distribution networks,” *IEEE Transactions on Power Delivery*, vol. 27, no. 3, pp. 1450–1460, 2012.
- [8] Z. Liu and J. Milanović, “Probabilistic estimation of voltage unbalance in mv distribution networks with unbalanced load,” *IEEE Transactions on Power Delivery*, vol. 30, no. 2, pp. 693–703, 2014.
- [9] D. Schwanz, F. Möller, S. K. Rönnerberg, J. Meyer, and M. H. Bollen, “Stochastic assessment of voltage unbalance due to single-phase-connected

- solar power,” *IEEE Transactions on Power Delivery*, vol. 32, no. 2, pp. 852–861, 2016.
- [10] C.-C. Chen and Y.-Y. Hsu, “A novel approach to the design of a shunt active filter for an unbalanced three-phase four-wire system under nonsinusoidal conditions,” *IEEE transactions on power delivery*, vol. 15, no. 4, pp. 1258–1264, 2000.
- [11] P. J. Douglass and I. Trintis, “Balancing distribution systems with three-phase active front end rectifiers: field experiment results,” *IET Generation, Transmission & Distribution*, vol. 11, no. 15, pp. 3749–3755, 2017.
- [12] A. Ukil and W. Siti, “Feeder load balancing using fuzzy logic and combinatorial optimization-based implementation,” *Electric Power Systems Research*, vol. 78, no. 11, pp. 1922–1932, 2008.
- [13] T.-H. Chen and J.-T. Cherng, “Optimal phase arrangement of distribution transformers connected to a primary feeder for system unbalance improvement and loss reduction using a genetic algorithm,” in *Power Industry Computer Applications, 1999. PICA '99. Proceedings of the 21st 1999 IEEE International Conference*. IEEE, 1999, pp. 145–151.
- [14] D. Rizy, J. Lawler, J. Patton, and W. Nelson, “Measuring and analyzing the impact of voltage and capacitor control with high speed data acquisition (distribution system),” *IEEE Transactions on Power Delivery*, vol. 4, no. 1, pp. 704–714, 1989.
- [15] —, “Measuring and analyzing the impact of voltage and capacitor control with high speed data acquisition (distribution system),” *IEEE Transactions on Power Delivery*, vol. 4, no. 1, pp. 704–714, 1989.
- [16] M. T. Bina and A. Kashefi, “Three-phase unbalance of distribution systems: Complementary analysis and experimental case study,” *International Journal of Electrical Power & Energy Systems*, vol. 33, no. 4, pp. 817–826, 2011.

- [17] W.-M. Lin, Y.-S. Su, H.-C. Chin, and J.-H. Teng, “Three-phase unbalanced distribution power flow solutions with minimum data preparation,” *IEEE Transactions on power Systems*, vol. 14, no. 3, pp. 1178–1183, 1999.
- [18] V. Ajjarapu, *Computational techniques for voltage stability assessment and control*. Springer Science & Business Media, 2007.
- [19] P. Kundur, N. J. Balu, and M. G. Lauby, *Power system stability and control*. McGraw-hill New York, 1994, vol. 7.
- [20] M. E. El-Hawary, *Electrical power systems: design and analysis*. John Wiley & Sons, 1995, vol. 2.
- [21] F. Zhang and C. S. Cheng, “A modified newton method for radial distribution system power flow analysis,” *IEEE Transactions on Power Systems*, vol. 12, no. 1, pp. 389–397, 1997.
- [22] A. G. Esposito and E. R. Ramos, “Reliable load flow technique for radial distribution networks,” *IEEE Transactions on Power Systems*, vol. 14, no. 3, pp. 1063–1069, 1999.
- [23] H. Le Nguyen, “Newton-raphson method in complex form [power system load flow analysis],” *IEEE Transactions on Power Systems*, vol. 12, no. 3, pp. 1355–1359, 1997.
- [24] D. Shirmohammadi, H. W. Hong, A. Semlyen, and G. Luo, “A compensation-based power flow method for weakly meshed distribution and transmission networks,” *IEEE Transactions on power systems*, vol. 3, no. 2, pp. 753–762, 1988.
- [25] G.-X. Luo and A. Semlyen, “Efficient load flow for large weakly meshed networks,” *IEEE Transactions on Power Systems*, vol. 5, no. 4, pp. 1309–1316, 1990.
- [26] T.-H. Chen, M.-S. Chen, K.-J. Hwang, P. Kotas, and E. A. Chebli, “Distribution system power flow analysis—a rigid approach,” *IEEE Transactions on Power Delivery*, vol. 6, no. 3, pp. 1146–1152, 1991.

- [27] C. S. Cheng and D. Shirmohammadi, “A three-phase power flow method for real-time distribution system analysis,” *IEEE Transactions on Power Systems*, vol. 10, no. 2, pp. 671–679, 1995.
- [28] V. M. da Costa, N. Martins, and J. L. R. Pereira, “Developments in the newton raphson power flow formulation based on current injections,” *IEEE Transactions on power systems*, vol. 14, no. 4, pp. 1320–1326, 1999.
- [29] L. Pereira, V. Da Costa, and A. Rosa, “Interval arithmetic in current injection power flow analysis,” *International Journal of Electrical Power & Energy Systems*, vol. 43, no. 1, pp. 1106–1113, 2012.
- [30] P. A. Garcia, J. Pereira, S. Carneiro, M. P. Vinagre, and F. V. Gomes, “Improvements in the representation of pv buses on three-phase distribution power flow,” *IEEE Transactions on Power Delivery*, vol. 19, no. 2, pp. 894–896, 2004.
- [31] S. Kamel, M. Abdel-Akher, and M. Song, “Load flow analysis for large scale networks using newton–raphson current injections method and sparsity technique,” *Appl Math Inf Sci*, vol. 6, no. 8S, 2012.
- [32] D. R. R. Penido, L. R. de Araujo, S. Carneiro, J. L. R. Pereira, and P. A. N. Garcia, “Three-phase power flow based on four-conductor current injection method for unbalanced distribution networks,” *IEEE Transactions on Power Systems*, vol. 23, no. 2, pp. 494–503, 2008.
- [33] L. R. de Araujo, D. R. R. Penido, S. C. Júnior, J. L. R. Pereira, and P. A. N. Garcia, “Comparisons between the three-phase current injection method and the forward/backward sweep method,” *International Journal of Electrical Power & Energy Systems*, vol. 32, no. 7, pp. 825–833, 2010.
- [34] D. R. R. Penido, L. R. de Araujo, S. C. Júnior, and J. L. R. Pereira, “A new tool for multiphase electrical systems analysis based on current injection method,” *International Journal of Electrical Power & Energy Systems*, vol. 44, no. 1, pp. 410–420, 2013.

- [35] A. G. Expósito and E. R. Ramos, “Augmented rectangular load flow model,” *IEEE Transactions on Power Systems*, vol. 17, no. 2, pp. 271–276, 2002.
- [36] Y. Zhang and Y. Lu, “A novel newton current equation method on power flow analysis in microgrid,” in *Power & Energy Society General Meeting, 2009. PES’09. IEEE*. IEEE, 2009, pp. 1–6.
- [37] S. Kamel, M. Abdel-Akher, and F. Jurado, “Improved nr current injection load flow using power mismatch representation of pv bus,” *International Journal of Electrical Power & Energy Systems*, vol. 53, pp. 64–68, 2013.
- [38] —, “Improved nr current injection load flow using power mismatch representation of pv bus,” *International Journal of Electrical Power & Energy Systems*, vol. 53, pp. 64–68, 2013.
- [39] B. Stott, “Review of load-flow calculation methods,” *Proceedings of the IEEE*, vol. 62, no. 7, pp. 916–929, 1974.
- [40] T. Kulworawanichpong, “Simplified newton–raphson power-flow solution method,” *International Journal of Electrical Power & Energy Systems*, vol. 32, no. 6, pp. 551–558, 2010.
- [41] J. D. Smith, “The remarkable ibn al-haytham,” *The Mathematical Gazette*, vol. 76, no. 475, pp. 189–198, 1992.
- [42] A. Torn and A. Zilinskas, *Global optimization*. Springer-Verlag New York, Inc., 1989.
- [43] S. K. Nayar and Y. Nakagawa, “Shape from focus,” *IEEE Transactions on Pattern analysis and machine intelligence*, vol. 16, no. 8, pp. 824–831, 1994.
- [44] G. E. Box and D. R. Cox, “An analysis of transformations,” *Journal of the Royal Statistical Society. Series B (Methodological)*, pp. 211–252, 1964.
- [45] J. A. Nelder and R. Mead, “A simplex method for function minimization,” *The computer journal*, vol. 7, no. 4, pp. 308–313, 1965.

- [46] J. H. Holland, “Adaptation in natural and artificial systems: an introductory analysis with applications to biology, control, and artificial intelligence,” 1975.
- [47] S. Kirkpatrick, C. D. Gelatt, and M. P. Vecchi, “Optimization by simulated annealing,” *science*, vol. 220, no. 4598, pp. 671–680, 1983.
- [48] M. Dorigo and G. Di Caro, “Ant colony optimization: a new meta-heuristic,” in *Evolutionary Computation, 1999. CEC 99. Proceedings of the 1999 Congress on*, vol. 2. IEEE, 1999, pp. 1470–1477.
- [49] R. Eberhart and J. Kennedy, “A new optimizer using particle swarm theory,” in *Micro Machine and Human Science, 1995. MHS’95., Proceedings of the Sixth International Symposium on*. IEEE, 1995, pp. 39–43.
- [50] I. Moser, “Hooke-jeeves revisited,” in *2009 IEEE Congress on Evolutionary Computation*. IEEE, 2009, pp. 2670–2676.
- [51] J. C. Lagarias, J. A. Reeds, M. H. Wright, and P. E. Wright, “Convergence properties of the nelder–mead simplex method in low dimensions,” *SIAM Journal on optimization*, vol. 9, no. 1, pp. 112–147, 1998.
- [52] S. Lin and B. W. Kernighan, “An effective heuristic algorithm for the traveling-salesman problem,” *Operations research*, vol. 21, no. 2, pp. 498–516, 1973.
- [53] J. Heidecker and R. Leuthold, “The organisation of collective foraging in the harvester termite *hodotermes mossambicus* (isoptera),” *Behavioral Ecology and Sociobiology*, vol. 14, no. 3, pp. 195–202, 1984.
- [54] C. W. Reynolds, “Flocks, herds and schools: A distributed behavioral model,” in *ACM SIGGRAPH computer graphics*, vol. 21, no. 4. ACM, 1987, pp. 25–34.
- [55] J.-L. Deneubourg, S. Goss, N. Franks, A. Sendova-Franks, C. Detrain, and L. Chrétien, “The dynamics of collective sorting robot-like ants and ant-like robots,” in *Proceedings of the first international conference on simulation of*

- adaptive behavior on From animals to animats.* MIT press, 1991, pp. 356–363.
- [56] Z. Q. Zhang, W. Zhang, N. Q. Wang, M. Bani-Yaghoub, Z. X. Lin, and C. Naus, “Suppression of tumorigenicity of human lung carcinoma cells after transfection with connexin43.” *Carcinogenesis*, vol. 19, no. 11, pp. 1889–1894, 1998.
- [57] D. Karaboga and B. Basturk, “A powerful and efficient algorithm for numerical function optimization: artificial bee colony (abc) algorithm,” *Journal of global optimization*, vol. 39, no. 3, pp. 459–471, 2007.
- [58] A. Kumar, R. Kumar Misra, and D. Singh, “Butterfly optimizer,” 12 2015.
- [59] C.-S. Chen, T.-T. Ku, and C.-H. Lin, “Design of phase identification system to support three-phase loading balance of distribution feeders,” in *Industrial and Commercial Power Systems Technical Conference (I&CPS), 2011 IEEE*. IEEE, 2011, pp. 1–8.
- [60] M. K. Mishra, A. Joshi, and A. Ghosh, “A new compensation algorithm for balanced and unbalanced distribution systems using generalized instantaneous reactive power theory,” *Electric Power Systems Research*, vol. 60, no. 1, pp. 29–37, 2001.
- [61] C.-S. Chen, C.-T. Tsai, C.-H. Lin, W.-L. Hsieh, and T.-T. Ku, “Loading balance of distribution feeders with loop power controllers considering photovoltaic generation,” *IEEE Transactions on Power Systems*, vol. 26, no. 3, pp. 1762–1768, 2011.
- [62] L. R. Araujo, D. Penido, S. Carneiro, and J. L. R. Pereira, “A three-phase optimal power-flow algorithm to mitigate voltage unbalance,” *IEEE Transactions on Power Delivery*, vol. 28, no. 4, pp. 2394–2402, 2013.
- [63] W. M. Siti, A. Jimoh, and D. Nicolae, “Distribution network phase load balancing as a combinatorial optimization problem using fuzzy logic and newton–

- raphson,” *Electric Power Systems Research*, vol. 81, no. 5, pp. 1079–1087, 2011.
- [64] C.-H. Lin, C.-S. Chen, H.-J. Chuang, M.-Y. Huang, and C.-W. Huang, “An expert system for three-phase balancing of distribution feeders,” *IEEE Transactions on Power Systems*, vol. 23, no. 3, pp. 1488–1496, 2008.
- [65] M.-T. Tsay and S.-Y. Chan, “Improvement in system unbalance and loss reduction of distribution feeders using transformer phase rearrangement and load diversity,” *International journal of electrical power & energy systems*, vol. 25, no. 5, pp. 395–401, 2003.
- [66] V. Knyazkin, C. A. Canizares, and L. H. Soder, “On the parameter estimation and modeling of aggregate power system loads,” *IEEE Transactions on Power Systems*, vol. 19, no. 2, pp. 1023–1031, 2004.
- [67] J. Ma, D. Han, R.-M. He, Z.-Y. Dong, and D. J. Hill, “Reducing identified parameters of measurement-based composite load model,” *IEEE Transactions on Power Systems*, vol. 23, no. 1, pp. 76–83, 2008.
- [68] W. Price, H. Chiang, H. Clark, C. Concordia, D. Lee, J. Hsu, S. Ihara, C. King, C. Lin, Y. Mansour *et al.*, “Load representation for dynamic performance analysis,” *IEEE Transactions on Power Systems (Institute of Electrical and Electronics Engineers);(United States)*, vol. 8, no. 2, 1993.
- [69] D. Singh and R. K. Misra, “Load type impact on distribution system re-configuration,” *International Journal of Electrical Power & Energy Systems*, vol. 42, no. 1, pp. 583–592, 2012.
- [70] C. S. Cheng and D. Shirmohammadi, “A three-phase power flow method for real-time distribution system analysis,” *IEEE Transactions on Power Systems*, vol. 10, no. 2, pp. 671–679, 1995.
- [71] J. Kennedy, “Swarm intelligence,” in *Handbook of nature-inspired and innovative computing*. Springer, 2006, pp. 187–219.

- [72] C. W. Reynolds, “Flocks, herds and schools: A distributed behavioral model,” in *ACM SIGGRAPH computer graphics*, vol. 21, no. 4. ACM, 1987, pp. 25–34.
- [73] G. V. Raju and P. Bijwe, “Efficient reconfiguration of balanced and unbalanced distribution systems for loss minimisation,” *IET Generation, Transmission & Distribution*, vol. 2, no. 1, pp. 7–12, 2008.
- [74] D. Singh, R. K. Misra, and S. Mishra, “Distribution system feeder re-phasing considering voltage-dependency of loads,” *International Journal of Electrical Power & Energy Systems*, vol. 76, pp. 107–119, 2016.