

REFERENCES

Alexis G.K. Performance parameters for the design of a combined refrigeration and electrical power cogeneration system. *International Journal of Refrigeration* 2007;30:1097–1103.

Ali S, Sørensen K, Nielsen M.P, Modeling a novel combined solid oxide electrolysis cell (SOEC) - biomass gasification renewable methanol production system.

Antal M.J, Allen S.G, Schulman D, Xu X. Biomass Gasification in Supercritical Water. *Ind. Eng. Chem. Res.* 2000; 39:4040-405.

Barkhordarian O, Behbahaninia A, Bahrampoury R. A novel ammonia-water combined power and refrigeration cycle with two different cooling temperature levels. *Energy* 2017; 120: 816-26.

Bai T, Yan G, Yu J. Thermodynamics analysis of a modified dual-evaporator CO₂transcritical refrigeration cycle with two-stage ejector. *Energy* 2015; 84: 325-35.

Bajpai P. Management of Pulp and Paper Mill Waste, Springer International Publishing, Switzerland (2015).

Becker WL, Braun RJ, Penev M, Melaina M. Production of Fischer–Tropsch liquid fuels from high temperature solid oxide co-electrolysis units. *Energy* 2012;47:99–115.

Bierschenk DM, Wilson JR, Barnett SA. High efficiency electrical energy storage using a methane–oxygen solid oxide cell. *Energy Environ Sci* 2011;4:944–51.

Braun RJ, Kameswaran S, Yamanis J, Sun E, Highly efficient IGFC hybrid power systems employing bottoming organic Rankine cycles with optional carbon capture. *ASME J Eng Gas Turbines Power* February 2012; 134:021801-1-021801-15.

Byrd A.J, Pant K, Gupta, R.B. Hydrogen production from glycerol by reforming in supercritical water over Ru/Al₂O₃ catalyst. *Fuel* 2008; 87: 2956–2960.

Channiwala SA, Parikh PP. A unified correlation for estimating HHV of solid, liquid and gaseous fuels. *Fuel* 2002; 81:1051–1063.

Dai Y, Wang J, Gao L. Exergy analysis, parametric analysis and optimization for a novel combined power and ejector refrigeration cycle. *Applied Thermal Engineering* 2009;29:1983–90.

Damartzis Th, Michailos S, Zabaniotou A. Energetic assessment of a combined heat and power integrated biomass gasification–internal combustion engine system by using Aspen Plus®. *Fuel Processing Technology*. 2012; 95:37–44.

Deeba F, Pruthi V, Negi YS. Converting paper mill sludge into neutral lipids by oleaginous yeast *Cryptococcus vishniacii* for biodiesel production. *Bioresour Technol* 2016;213:96-102.

Ebbesen SD, Graves C, Mogensen M. Production of Synthetic Fuels by Co-Electrolysis of Steam and Carbon Dioxide. *Int J Green Energy* 2009;6:646–60.

European Commission report on Best Available Techniques for the Tanning of Hides and Skins, 2003. <http://www.eippcb.jrc.es>.

Giglio E, Lanzini A, Santarelli M, Leone P. Synthetic natural gas via integrated high-temperature electrolysis and methanation: Part II-Economic analysis. *J Energy Storage* 2015;2:64–79.

Goswami D.Y, Vijayaraghavan S, Lu S, Tamn G. New and emerging developments in solar energy. *Solar Energy* 2004;76:33–43.

Graves C, Ebbesen SD, Mogensen M. Co-electrolysis of CO₂ and H₂O in solid oxide cells: Performance and durability. *Solid State Ionics* 2011;192:398–403.

Hasan A.A, Goswami G.Y, Vijayaraghavan S. First and second law analysis of a new power and refrigeration thermodynamic cycle using a solar heat source. *Solar Energy* 2002; 73: 385–93.

Hathaway, B.J., Kittelson, D.B., Davidson, J.H., Integration of solar gasification with conventional fuel production: the roles of storage and hybridization, *J. Sol. Energy Eng.* 2013, 136:10906–10910.

Hiloidhari M, Das D, Baruah DC. Bioenergy potential from crop residue biomass in India. *Renew Sustain Energy Rev* 2014;32:504-12.

Hirsch R.L, Gallagher J.E, Lessard R.R, Wesselhoft R.D, Catalytic Coal Gasification: An Emerging Technology, *Science*. 1982; 215:121-127.

Huang Y, Wang YD, Rezvani S, McIlveen-Wright DR, Anderson M, Mondol J, et al. A techno-economic assessment of biomass fuelled trigeneration system integrated with organic Rankine cycle. *Applied Thermal Engineering* 2013;53:325–31.

Ince B.K, Cetecioglu Z, Ince O. Pollution prevention in the pulp and paper industries, In: E. Broniewicz, *Environmental Management in Practice*, 2011.

Jensen SH, Larsen PH, Mogensen M. Hydrogen and synthetic fuel productions from renewable energy sources. *Int J Hydrogen Energy* 2007; 32:3253-7.

Jensen SH, Sun X, Ebbesen SD, Knibbe R, Mogensen M. Hydrogen and synthetic fuel production using pressurized solid oxide electrolysis cells. *Int J Hydrogen Energy* 2010;35:9544–9.

Kabalina N, Costa M, Yang W, Martin A. Production of synthetic natural gas from refuse-derived fuel gasification for use in a polygeneration district heating and cooling system, *Energies* 9 (2016) 1080.

Kabalina N, Costa M, Yang W, Martin A, Santarelli M. Exergy analysis of a polygeneration-enabled district heating and cooling system based on gasification of refuse derived fuel, *J Clean Prod* 141 (2017) 760–773.

Kalina J. Retrofitting of municipal coal fired heating plant with integrated biomass gasification gas turbine based cogeneration block. *Energy Conversion and Management* 2010; 51:1085–1092.

Kaniyal, A.A., van Eyk, P.J., Nathan, G.J., Ashman, P.J., Pincus, J.J., Polygeneration of liquid fuels and electricity by the atmospheric pressure hybrid solar gasification of coal, *Energy Fuel*. 2013; 27: 3538–3555.

Kaul S.N, Nandy T, Vyas R.D, Szpyrkowicz L. Waste management in tanneries: experience & outlook. *J. Ind. Ass. Environ. Mgmt* 2001; 28:56-76. Project Proposal to ACIAR by CSIRO on Salinity Reduction in Tannery Effluents in India & Australia, 2001.

Kirkels A.F, Verbong G.P.J. Biomass gasification: still promising? A 30-year global overview, *Renew Sustain Energy Rev.*, 2011; 15: 471–481.

Klara JM, The potential of advanced technologies to reduce carbon capture costs in future IGCC power plants. *Energy Procedia* 2009; 1:3827-34.

Kalina J, Retrofitting of municipal coal fired heating plant with integrated biomass gasification gas turbine based cogeneration block, *Energy Convers Manag.* 2010; 51:1085–1092.

Liu M, Zhang N. Proposal and analysis of a novel ammonia-water cycle for power and refrigeration cogeneration. *Energy* 2007;32:961–70.

Marquesa A, Guedesa G, Ferreira F. Leather wastes in the Portuguese footwear industry: new framework according design principles and circular economy. *Procedia Engineering* 2017;200:303–08.

Martin C, Goswami D.Y. Effectiveness of cooling production with a combined power and cooling thermodynamic cycle. *Applied Thermal Engineering* 2006; 26: 576–82.

Maraver D, SinA, Sebastián F, Royo J. Environmental assessment of CCHP (combined cooling heating and power) systems based on biomass combustion in comparison to conventional generation. *Energy* 2013;57:17–23.

McKellar MG, Sohal MS, Stoots CM, Mulloth L, Luna B, Abney MB. Mathematical analysis of high-temperature coelectrolysis of CO₂ and O₂ production in a closed-loop atmosphere revitalization system; 2010. Final report, INL/ EXT-10-19726, prepared by Idaho National Labs for NASA under contract DEAC07- 05ID14517.

Megdouli K, Ejemni N, Nahdi E, Mhimid A, Kairouani L. Thermodynamic analysis of a novel ejector expansion transcritical CO₂/N₂O cascade refrigeration (NEETCR) system for cooling applications at low temperatures. *Energy* 2017; 128: 586-600.

Mertzis D, Mitsakis P, Tsiakmakis S, Manara P, Zabaniotou A, Samaras Z. Performance analysis of a small-scale combined heat and power system using agricultural biomass residues: The SMART-CHP demonstration project. *Energy*. 2014; 64: 367-374.

Mondal S, De S. Ejector based organic flash combined power and refrigeration cycle (EBOFCP&RC) – A scheme for low grade waste heat recovery. *Energy* 2017; 134: 638-48.

Muroyama, A.P., Guscetti, I., Schieber, G.L., Haussener, S., Loutzenhiser, P.G., Design and demonstration of a prototype 1.5 kWth hybrid solar/autothermal steam gasifier, *Fuel*. 2018;211:331–340.

Nikoo MB, Nader M. Simulation of biomass gasification in fluidized bed reactor using ASPEN PLUS. *Biomass and Bioenergy* 2008; 32:1245–1254.

Naidu BR. Pulp and paper industry – regulatory overview on Environment Friendly Techniques in Identified Industry Sectors. Indo German Environment Partnership (IGEP). 2013.

O'Brien JM, McKellar MG, Stoots CM, Herring JS, Hawkes GL, Parametric study of large-scale production of syngas via high-temperature co-electrolysis. *J Hydrogen Energy* 2009; 34:4216-26.

Perkins, C, Weimer, A.W. Solar-thermal production of renewable hydrogen. *AIChE J.* 2009; 55: 286–293.

Ouzzane M, Aidoun Z. Model development and numerical procedure for detailed ejector analysis and design. *Applied Thermal Engineering* 2003; 23:2337–51.

Piatkowski, N., Steinfeld, A. Solar gasification of carbonaceous waste feedstocks in a packed-bed reactor—dynamic modeling and experimental validation. *AIChE J.* 2011; 57:3522–3533.

Prakash M , Sarkar A, Sarkar J, Mondal S.S, Chakraborty J.P. Proposal and design of a new biomass based syngas production system integrated with combined heat and power generation. *Energy* 2017; 133:986-97.

Rao PV, Baral SS, Dey R, Mutnuri S. Biogas generation potential by anaerobic digestion for sustainable energy development in India. *Renew Sustain Energy Rev* 2010;14:2086-94.

Ravikiran A, Renganathan T, Pushpavanam S, Voolapalli R.K, Cho Y.S. Generalised analysis of gasifier performance using equilibrium modeling. *Ind. Eng. Chem. Res.* 2012; 51:1601–1611.

Ravindranath NH, Somashekar HI, Nagaraja MS, Sudha P, Sangeetha G, Bhattacharya SC, et al. Assessment of sustainable non-plantation biomass resources potential for energy in India. *Biomass Bioenergy* 2005;29:178-90.

Ravindranath NH, Hall DO. Biomass, energy and environment: a developing country perspective from India. Oxford: Oxford University Press; 1995.

Sarkar J. A novel pinch point design methodology based energy and economic analyses of organic Rankine cycle. *ASME Journal of Energy Resources Technology* 2018; 140: 052004.

Sarkar J, Bhattacharyya S, Potential of organic Rankine cycle technology in India: working fluid selection and feasibility study, *Energy*. 2015; 90:1618–1625.

Sadrameli S.M, Goswami D.Y. Optimum operating conditions for a combined power and cooling thermodynamic cycle. *Applied Energy* 2007; 84:254–65.

Sahasranaman A, Jackson M. Salinity Reduction in Tannery Effluents in India & Australia: Project Review; ACIAR, 2005.

Sigurvinsson J, Mansilla C, Lovera P, Werkoffa F. Can high temperature steam electrolysis function with geothermal heat? *Int J Hydrogen Energy* 2007; 32:1174-82.

Steinfeld, A. Solar thermochemical production of hydrogen: a review. *Solar Energy*. 2005; 78 : 603–615.

Stoots CM, O'Brien JE, Herring JS, Hartvigsen JJ. Syngas Production via High-Temperature Coelectrolysis of Steam and Carbon Dioxide. *J Fuel Cell Sci Technol* 2009;6:11014.

Sun X, Chen M, Jensen SH, Ebbesen SD, Graves C, Mogensen M. Thermodynamic analysis of synthetic hydrocarbon fuel production in pressurized solid oxide electrolysis cells. *Int J Hydrogen Energy* 2012;37:17101–10.

Tamm G, Goswami D.Y, Lu S, Hasan A.A. Theoretical and experimental investigation of an ammonia-water power and refrigeration thermodynamic cycle. *Solar Energy* 2004; 76:217 28.

Udagawa J, Aguiar P, Brandon NP. Hydrogen production through steam electrolysis: model-based steady state performance of a cathode-supported intermediate temperature solid oxide electrolysis cell. *J Power Sources* 2007; 166:127-36.

Vijayaraghavan S, Goswami D.Y. A combined power and cooling cycle modified to improve resource utilization efficiency using a distillation stage. *Energy* 2006; 31: 1177–1196.

Wang J, Yang Y, Energy, exergy and environmental analysis of a hybrid combined cooling heating and power system utilizing biomass and solar energy, *Energy Convers Manag*. 2016;124: 566–577.

Wang J, Xu Z, Jin H, Shi G, Fu C, Yang K, Design optimization and analysis of a biomass gasification based BCHP system: a case study in Harbin, China, *Renew Energy*. 2014; 71:572–583.

Wang X, Yu J. An experimental investigation on a novel ejector enhanced refrigeration cycle applied in the domestic refrigerator-freezer. *Energy* 2015; 93: 202-09.

Wang X, Yu J, Zhou M, Lv X. Comparative studies of ejector-expansion vapor compression refrigeration cycles for applications in domestic refrigerator-freezers. *Energy* 2014; 70: 635-42.
Working Group Report On Pulp & Paper Sector for 12th Five Year Plan. In: Indian PCo, 2011. 16.

www.coconutboard.gov.in, Website of Coconut Board, Govt. of India, accessed on 1/18/2017.

www.indiacoffee.org; Website of Coffee Board, Govt. of India, accessed on 1/ 27/2017.

Xu F, Goswami D.Y, Bhagwat S.S. A combined power/cooling cycle. *Energy* 2000; 25:233–46.

Yan G, Bai T, Yu J. Thermodynamic analysis on a modified ejector expansion refrigeration cycle with zeotropic mixture (R290/R600a) for freezers. *Energy* 2016; 95:144-54.

Vega RC, Pina GL, Castaneda HAV, Oomah BD. Spent Coffee Grounds: a review on current research and future prospects. *Trends Food Sci Technol* 2015;45(1):24-36.

Yidal A, Best R, Rivero R, Cervantes J. Analysis of a combined power and refrigeration cycle by the exergy method. *Energy* 2006; 31: 3401–14.

Zhang^a N, Lior N. Development of a novel combined absorption cycle for power generation and refrigeration. *ASME Journal of Energy Resources Technology* 2007; 129:254–65.

Zhang^b N, Lior N. Methodology for thermal design of novel combined refrigeration/power binary fluid systems. *International Journal of Refrigeration* 2007; 30:1072–85.

Zheng D, Chen B, Qi Y, Jin H. Thermodynamic analysis of a novel absorption power/cooling combined-cycle. *Applied Energy* 2006; 83:311–23.