

## References

### Chapter- 1

- [1] [www.dspace.vpmthane.org](http://www.dspace.vpmthane.org) consulted on May 19, 2019.
- [2] O. Ellabban, H. Abu-Rub, and F. Blaabjerg, “Renewable energy resources: current status, future prospects and their enabling technology,” *Renewable and Sustainable Energy Reviews*, vol. 39, pp. 748 – 764, 2014,
- [3] <http://www.altenergy.org> consulted on May 19, 2019.
- [4] [www.iaea.org](http://www.iaea.org) World Energy Outlook 2012 accessed on May 19, 2019.
- [5] P. Basu, “Biomass gasification and pyrolysis practical design,” Academic Press is an imprint of Elsevier 30 Corporate Drive, Suite 400 Burlington, MA 01803, USA.
- [6] P. Abdul Salam, S. Kumar and Manjula Siriwardhana, “Report on the status of biomass gasification in Thailand and Cambodia,” Prepared for: Energy Environment Partnership (EEP), Mekong Region, Asian Institute of technology (AIT), October 2010.
- [7] J. P. Ciferno, and J. J. Marano, “Benchmarking biomass gasification technologies for fuels, chemicals and hydrogen production,” report prepared for U.S. Department of Energy and National Energy Technology Laboratory, 2002.
- [8] S. Dasappa, P. J. Paul, H. S. Mukunda, N. K. S. Rajan, G. Sridhar, and H. V. Sridhar, “Biomass gasification technology – a route to meet energy needs,” *Current Science Special section: Application of S&T to rural areas*, 87 (7), 10 October 2004.
- [9] M. Balat, M. Balat, E. Kırtay, and H. Balat, “Main routes for the thermo-conversion of biomass into fuels and chemicals: Part 2: Gasification systems,” *Energy Conversion and Management*, vol. 50, Issue-12, pp. 3158–3168, 2009.

- [10] P. Schapfer, and J. Tobler, "Theoretical and practical investigations upon the driving of motor vehicles with wood gas," Bern 1937.
- [11] D.L. Klass, "Biomass for renewable energy, fuels, and chemicals," Academic Press, pp. 30, 276–277, 233, 239, 1998.
- [12] C. Higman, and M. van der Burgt, "Gasification, 2nd edition," Gulf Professional Publishing/ Elsevier. 2008.
- [13] H.A.M. Knoef, "Handbook biomass gasification," BTG Publisher, Enschede, The Netherlands, pp. 32, 239–241. 2005.
- [14] C. Andrea Jordan, Galip Akay, "Effect of CaO on tar production and dew point depression during gasification of fuel cane bagasse in a novel downdraft gasifier," Fuel Processing Technology, vol. 106, pp. 654–660, 2013.
- [15] Jianfen Li, R. Yan, B. Xiao, D. T. Liang, and L. Du, "Development of nano-NiO/Al<sub>2</sub>O<sub>3</sub> catalyst to be used for tar removal in biomass gasification," Environ. Sci. Technol, vol. 42, pp. 6224–6229, 2008.
- [16] N. Gao, A. Li, C. Quan, and F. Gao, "Hydrogen-rich gas production from biomass steam gasification in an updraft fixed-bed gasifier combined with a porous ceramic reformer," International Journal of Hydrogen Energy, vol. 33, Issue- 20, pp. 5430-5438, 2008.
- [17] N. Abdoulmoumine, S. Adhikari, A. Kulkarni, and S. Chattanathan, "A review on biomass gasification syngas cleanup," Applied Energy, vol. 155, pp. 294-307, 2015.
- [18] L. D. Dung, K Morishita and T. Takarada, "Catalytic decomposition of biomass tars at low-temperature, "http://dx.doi.org/10.5772/55356.

- [19] W. Torres, S. S. Pansare and J. G. Goodwin Jr, "Hot gas removal of tars, ammonia, and hydrogen sulfide from biomass gasification gas," *Catalysis Review*, vol. 49. Issue- 4, pp. 407-456, 2007.
- [20] R. Zhang, R. C. Brown, A. Suby, and K. Cummer, "Catalytic destruction of tar in biomass derived producer gas," *Energy Conversion and Management*, vol. 45, Issue- (7-8), pp. 995-1014, 2003.
- [21] J. Tientong, S. Garcia, C. R. Thurber, and T. D. Golden, "Synthesis of nickel and nickel hydroxide nanopowders by simplified chemical reduction," *Journal of Nanotechnology*, vol. 2014, pp. 6, 2014.
- [22] F. V. Tinaut, A. Melgar, J. F. Pérez , and A. Horrillo, "Effect of biomass particle size and air superficial velocity on the gasification process in a downdraft fixed bed gasifier. An experimental and modelling study," *Fuel Processing Technology*, vol. 89, pp. 1076–1089, 2008.
- [23] P. N. Sheth, and B.V. Babu, "Experimental studies on producer gas generation from wood waste in a downdraft biomass gasifier," *Bioresource Technology*, vol. 100, pp. 3127-3133, 2009.
- [24] Z.A. Zainal, A. Rifau, G.A. Quadir, and K.N. Seetharamu, "Experimental investigation of a downdraft biomass gasifier," *Biomass and Bioenergy*, vol. 23, pp. 283–289, 2002.
- [25] P.C. Roy, A. Datta, and N. Chakraborty, "An assessment of different biomass feedstocks in a downdraft gasifier for engine application," *Fuel*, vol. 106, pp. 864–868, 2013.
- [26] A. K. Sharma, "Experimental study on 75 kWth downdraft (biomass) gasifier system," *Renewable Energy*, vol. 34, pp. 1726–1733, 2009.

- [27] Y. Son, S. J. Yoon, Y. K. Kim, and J-G. Lee, "Gasification and power generation characteristics of wood biomass utilizing a downdraft gasifier," *Biomass and Bioenergy*, vol. 35, pp. 4215-4220, 2011.
- [28] C. Gai, and Y. Dong, "Experimental study on non-woody biomass gasification in a downdraft gasifier," *International Journal of Hydrogen Energy*, vol. 37, pp. 4935-4944, 2012.
- [29] N.R. Banapurmath, and P.G. Tewari, "Comparative performance studies of a 4-stroke CI engine operated on dual fuel mode with producer gas and Honge oil and its methyl ester (HOME) with and without carburettor," *Renewable Energy*, vol. 34, pp. 1009–1015, 2009.
- [30] M-S. Shin, H-S. Kim, D-S. Jang, J-D. Chung, and M. Bohnet, "A numerical and experimental study on a high efficiency cyclone dust separator for high temperature and pressurized environments," *Applied Thermal Engineering*, vol. 25, pp. 1821–1835, 2005.
- [31] F. L. Fassani, and L. Goldstein Jr, "A study of the effect of high inlet solids loading on a cyclone separator pressure drop and collection efficiency," *Powder Technology*, vol. 107, pp. 60–65. 2000.
- [32] P.K. Senapati, D. Singh, and B. Korado, "Some cold model studies on design and developmental aspects of a cyclone type entrained flow gasification system using blended low grade coal with dolochar wastes," *International Journal of Engineering and Technical Research (IJETR)*, vol. 2, Issue-11, ISSN: 2321-0869, 2014.
- [33] S. Altmeyer, V. Mathieu, S. Jullemier, P. Contal, N. Midoux, S. Rode, and J. P. Leclerc, "Comparison of different models of cyclone prediction performance for various operating conditions using a general software," *Chemical Engineering and Processing*, vol. 43, pp. 511–522, 2004.

- [34] J. Gimbut, T.G. Chuah, T. S. Y. Choong and A. f. I-razi, "Evaluation on empirical models for the prediction of cyclone efficiency," *Journal the Institution of Engineers, Malaysia*, vol. 67, no. 3, 2006.
- [35] L.C. Meher, D. VidyaSagar, and S.N. Naik, "Technical aspects of biodiesel production by transesterification—a review," *Renewable and Sustainable Energy Reviews*, vol. 10, pp. 248-68, 2006.
- [36] M. S. Graboski and R. L. McCormick, "Combustion of fat and vegetable oil derived fuels in diesel engines," *Progress in Energy and Combustion Science*, Vol. 24, pp. 125-164, 1998.
- [37] G. Karavalakis, D. Hilari, L. Givalou, D. Karonis, and S. Stournas, "Storage stability and ageing effect of biodiesel blends treated with different antioxidants," *Energy*, vol. 36, pp. 369-74, 2011.
- [38] C-Y. Lin, and C-C. Chiu, "Burning characteristics of palm-oil biodiesel under long-term storage conditions," *Energy Conversion and Management*, vol. 51, pp. 1464-67, 2010.
- [39] G. Karavalakis, D. Hilari, L. Givalou, D. Karonis, and S. Stournas, "Storage stability and ageing effect of biodiesel blends treated with different antioxidants," *Energy*, vol. 36, pp. 369-74, 2011.
- [40] Z. Yang , B. P. Hollebone , Z. Wang , C. Yang , and Mike Landriault, "Effect of storage period on the dominant weathering processes of biodiesel and its blends with diesel in ambient conditions," *Fuel*, vol. 104, pp. 342-50, 2013.
- [41] A. Khalida, N. Tamaldinb, M. Jaata, M.F.M. Alia, B. Manshoora, and I. Zaman, "Impacts of biodiesel storage duration on fuel properties and emissions," *Procedia Engineering*, vol. 68. pp. 225-30, 20

## Chapter- 2

- [1] S. J. Ojolo , S. M. Abolarin and O. Adeqbenro, “Development of a laboratory scale updraft gasifier,” *International Journal of Manufacturing Systems*, vol. 2, pp. 21 - 42, 2012.
- [2] U. Henriksen, J. Ahrenfeldt, T. K. Jensen, B. Gobel, J. D. Bentzen, C. Hindsgaul and L. H. Sorensen, “The design, construction and operation of a 75 kW two-stage gasifier”, *Energy*, vol. 31, pp. 1542–1553, 2006.
- [3] G. Gautham, “Parametric study of a commercial-scale biomass downdraft gasifier: experiments and equilibrium modelling”, Master Thesis, Auburn University, 2010.
- [4] “Wood gas as engine fuels”, FAO Forestry paper 72, Food and Agriculture Organizations of United Nations, ISBN 92-5-102436-7, 1986.
- [5] Carlos, “Influence of process parameters and feedstock characteristics on wood biomass gasification using up-draft fixed bed gasifier”.
- [6] T. B. Reed and A. Das, “Handbook of biomass downdraft gasifier engine systems”, SERI, U. S. Department of Energy, Colorado, 1988.
- [7] Z. A. El-Rub, “Biomass Char as an in-situ catalyst for tar removal in gasification systems,” PhD thesis, Twente University, Enschede, The Netherlands. 2008.
- [8] L. Devi, K. J. Ptasinski and F. J. J. G. Janssen, “A review of the primary measures for tar elimination in biomass gasification processes,” *Biomass and Bioenergy*, vol. 24, pp. 125 – 140, 2003.
- [9] P. Basu, “Biomass Gasification and Pyrolysis Practical Design,” Academic Press is an imprint of Elsevier 30 Corporate Drive, Suite 400 Burlington, MA 01803, USA, 2010.

### Chapter- 3

- [1] A. K. Rajvanshi, Director, Nimbkar Agricultural Research Institute," Biomass Gasification," pp. 3-7.
- [2] P. Hasler and T. Nussbaumer, " Gas cleaning for IC engine applications from fixed bed biomass gasification". Journal of Biomass and Bioenergy, Vol. 16, pp. 385-395, 1999.
- [3] H. Jun, and K. Heejoon, "The reduction and control technology of tar during biomass gasification/pyrolysis: An overview," Journal of Renewable and Sustainable Energy Reviews, Vol. 12, pp. 397-416, 2008.
- [4] "Air pollution control technology fact sheet", EPA-452/F-03-005, pp. 3-4.
- [5] [https://en.wikipedia.org/wiki/Cyclonic\\_separation](https://en.wikipedia.org/wiki/Cyclonic_separation), accessed on November 24, 2019.
- [6] P. A. Funk and K. D. Baker, " Engineering and Ginning Dust Cyclone Technology – A Literature Review". The Journal of Cotton Science, Vol. 17, pp. 40–51, 2013.
- [7] M. Rhodes," Introduction to Particle Technology"2<sup>nd</sup> edition, John Wiley & Sons Ltd. ISBN: 978-0-470 -01427-1, pp. 250-255, 2008.
- [8] C. R. Wilke, " A viscosity equation for gas mixtures," The Journal of Chemical Physics, Vol. 18. Number-4, April, 1950.
- [9] N. d. Charisiou, G. J. Tsevrenis and M. A. Goula, "Software development for the design of control equipment for particulate pollutants", 12<sup>th</sup> International conference on environmental science and technology, Rhodes Greece, 8-10 September 2011.

- [10] L. Wang, C. B. Parnell, B. W. Shaw and R. E. Lacey, "A theoretical approach for predicting number of turns and cyclone pressure drop", *American Society of Agricultural and Biological Engineers*, Vol. 49 (2), pp. 491–503, 2006.
- [11] L.C. Meher, D. V. Sagar and S. N. Naik, "Technical aspects of biodiesel production by transesterification—a review," *Renewable and Sustainable Energy Reviews*, Vol. 10, pp. 248-68, 2006.
- [12] S. Jaichandar and K. Annamalai, "The Status of Biodiesel as an Alternative Fuel for Diesel Engine– An Overview," *Journal of Sustainable Energy & Environment*, Vol. 2, pp. 71-75, 2011.
- [13] D. Viesturs and L. Melece, "Advantages and Disadvantages of Biofuels: Observations in Latvia," *Engineering for Rural Development*, 2014.
- [14] F. Ma and M. A. Hanna, "Biodiesel production: a review," *Bioresource Technology*, Vol. 70, pp. 1-15, 1999.
- [15] A. K. Agarwal, and T. P. Bajaj, "Process optimisation of base catalysed transesterification of Karanja oil for biodiesel production," *Int. J. Oil, Gas and Coal Technology*, Vol. 2, No. 3, pp. 297–310, 2009.
- [16] A. K. Agarwal and D. Khurana, "Long-term storage oxidation stability of Karanja biodiesel with the use of antioxidants," *Fuel Processing Technology*, Vol. 106, pp. 447-52, 2013.
- [17] S. S. Damasceno, N. A. Santos, I. M.G. Santos, A. L. Souza, A. G. Souza, and N. Queiroz, "Caffeic and ferulic acids: An investigation of the effect of antioxidants on the stability of soybean biodiesel during storage," *Fuel*, Vol. 107, pp. 641-46, 2013.



- [18] A. khalid N. Tamaldin, M. Jaat, M.F.M. Ali, B. Manshoor and I. Zaman, “Impacts of biodiesel storage duration on fuel properties and emissions,” *Procedia Engineering*, Vol. 68, pp. 225-30, 2013
- [19] D. Han, A. M. Icker, S. V. Bohac, Z. Huang, and D. N. Assanis, “HC and CO emissions of premixed low-temperature combustion fueled by blends of diesel and gasoline,” *Fuel*, Vol. 99, pp. 13-19, 2012.

## **Chapter- 4**

- [1] S. Malavasi, G. Messa, U. Fratino and A. Pagano, “On the pressure losses through perforated plates.” *Flow Measurement and Instrumentation*, vol. 28, pp. 57-66, 2012.
- [2] J. P. Tullis, “Hydraulics of pipelines—pumps, valves, cavitation, transients,” New York: John Wiley and Sons. 1989.
- [3] G. Gan, and S. B. Riffat, “Pressure loss characteristics of orifice and perforated plates,” *Experimental Thermal and Fluid Science*, vol.14 (2), pp. 160-165, 1997.
- [4] E. M. Laws, and A. K. Ouazzane, “A further investigation into flow conditioner design yielding compact installations for orifice plate flow metering. *Flow Measurement and Instrumentation*,” vol. 6(3), pp. 187-199, 1995.
- [5] A. Erdal, “A numerical investigation of different parameters that affect the performance of a flow conditioner,” *Flow Measurement and Instrumentation*, vol. 8(2), pp. 93-102, 1997.
- [6] S. Malavasi, S. Macchi, and E. Mereghetti, “Cavitation and dissipation efficiency of multi hole orifices,” In: C.Z. Prague, I. Zolotarev, and J. Horacek, editors. *Proceedings of the 9th international conference on flow-induced vibrations FIV2008*. Prague: Institute of Thermomechanics Academy of Sciences of the Czech Republic. 581–586. 2008.

- [7] S. Malavasi, G. V. Messa, and S. Macchi, "The pressure loss coefficient through sharp-edged perforated plates," In: W. Farina, editor. *Atti del XXXII Convegno Nazionale di Idraulica e Costruzioni Idrauliche*. Dipt. of IIAA University of Palermo. 193. 2010.
- [8] E. Ozahi, "An analysis on the pressure loss through perforated plates at moderate Reynolds numbers in turbulent flow regime," *Flow Measurement and Instrumentation*, vol. 43, pp. 6-13, 2015.
- [9] P. Dokmaingam, R. S. Kempegowda, S. Assabumrungrat, and N. Laosiripojana, "System Efficiency Analysis of SOFC Coupling with Air, Mixed Air-Steam and Steam Gasification Fueled by Thailand Rice Husk," *Engineering Journal*, vol. 21(4), pp. 95-110, 2017.
- [10] D. S. Mandwe, S. R. Gadge, A. K. Dubey, and V. P. Khambalkar, "Design and development of a 20 kW cleaning and cooling system for a wood-chip gasifier," *Journal of Energy in Southern Africa*, vol. 17(4), pp. 65-69, 2006.
- [11] R. Ramasamy, and M. K. Gounder, Performance of hybrid compact filter system in a down-draft gasifier: An experimental Performance of hybrid compact filter system in a down-draft gasifier: An experimental study, *Journal of Renewable and Sustainable Energy*, vol. 5, 2013.
- [12] T. Pongnam, and V. Plermkamon, "Improvement of Pulp and Paper Mill Industries Effluent Quality Using Bagasse Fly Ash," *Engineering Journal*, vol. 22(4), pp. 13-22, 2018.
- [13] J. Delgado, M. P. Aznar, and J. Corella, "Biomass Gasification with Steam in Fluidized Bed: Effectiveness of CaO, MgO, and CaO-MgO for Hot Raw Gas Cleaning," *Industrial & Engineering Chemistry Research*, vol. 36(5), pp. 1535–1543, 1997.

- [14] P. Hasler, and T. Nussbaumer, “Gas cleaning for IC engine applications from fixed bed biomass gasification,” *Biomass and Bioenergy*, vol. 16(6), pp. 385–395, 1999.
- [15] T. Zhao, J. Zhang, and L. Ma, “A general structural design methodology for multi-hole orifices and its experimental application,” *Journal of Mechanical Science and Technology*, vol. 25(9), pp. 2237-2246, 2011.
- [16] U. Fratino, “Hydraulic and cavitation characteristics of multi hole orifices” In: *Proceedings of the hydraulic machinery and system 20th IAHR symposium*, 2000.
- [17] L. J. Weber, M. P. Cherian, M. E. Allen, and M. Muste, “Head loss characteristics for perforated plates and flat bar screens,” Technical report. Iowa City (IA), USA: Iowa Institute of Hydraulic Engineering, College of Engineering, University of Iowa. Mar. Report no. 411, 2000.
- [18] I. E. Idelcick, “Handbook of hydraulic resistance,” 1986, Washington (DC), USA: Hemisphere.
- [19] G. J. Holt, D. Maynes, and J. Blotter, “Cavitation at sharp edge multi-hole baffle plates,” In: *Proceedings of the ASME 2011 International Mechanical Engineering Congress & Exposition (IMECE)*, November 11-17, Denver, Colorado, USA, 2011.
- [20] D. S. Miller, “Internal flow system,” Bedford, UK: Cranfield, 1990.
- [21] ESDU, 81039. “Flow of liquids. Pressure losses across orifice plates, perforated plates and thick orifice plates in ducts. Internal Flow and Physical Properties Group,” Technical report, London, UK, 1981.
- [22] C. Suvanjumrat, “Implementation and Validation of OpenFOAM for Thermal Convection of Airflow,” *Engineering Journal*, vol. 21(5), pp. 225-241, 2017.

- [23] P. Chaiwang, B. Chalermssinsuwan, and P. Piumsomboon, "Two-dimensional CFD simulation of reducing operating pressure effect on the system hydrodynamics in a downer reactor," *Engineering Journal*, vol. 21(2), pp. 133-149, 2017.
- [24] Z. Feng, Z. Long, and Q. Chen, "Assessment of various CFD models for predicting airflow and pressure drop through pleated filter system", *Building and Environment*, vol. 75, pp. 132-141, 2014.