

## TABLE OF CONTENTS

---

	<b>Page No.</b>
<b>List of Figures</b>	<b>xii-xiv</b>
<b>List of Tables</b>	<b>xvi</b>
<b>List of Abbreviations</b>	<b>xviii</b>
<b>Preface</b>	<b>xx-xxiv</b>
<b>Chapter 1: Introduction</b>	<b>1-13</b>
<b>1.1 General</b>	<b>1</b>
<b>1.2 Literature Survey</b>	<b>2</b>
<b>1.3 Motivation</b>	<b>9</b>
<b>1.4 Organization</b>	<b>11</b>
<b>Chapter 2: Survey of Smart Metering Project in India</b>	<b>15-26</b>
<b>2.1 Introduction</b>	<b>15</b>
<b>2.2 Protocols Gateway Used</b>	<b>16</b>
2.2.1 SYNC 2000	16
2.2.2 SYNC 5000	17
<b>2.3 Methodology and Approach</b>	<b>18</b>
<b>2.4 Working/Case study of the Project</b>	<b>22</b>
2.4.1 SYNC Interface Communication Unit (ICU)	22
2.4.2 SYNC-2000 Data Concentration Unit (DCU)	22
2.4.3 SYNC-5000 Meter Data Acquisition System (MDAS)	23
<b>2.5 Summary</b>	<b>26</b>
<b>Chapter 3: Monitoring, Control, and Protection of Radial Distribution Networks Through Smart Metering</b>	<b>27-65</b>
<b>3.1 Introduction</b>	<b>27</b>
<b>3.2 Proposed Smart Distribution System</b>	<b>28</b>
3.2.1 Functional algorithm for load balancing	32
3.2.2 Functional algorithm for overcurrent protection of feeder	33
3.2.3 Functional algorithm for theft detection	35
3.2.4 Simultaneous control of events: load balancing, overcurrent protection of feeder, and power theft	36
<b>3.3 Case Studies</b>	<b>38</b>
3.3.1 Load shedding/Load reconnection based on available	

power	42
3.3.2 Load balancing	45
3.3.3 Overcurrent protection of feeder	51
3.3.4 Theft detection	57
3.3.5 Simultaneous control of events	58
<b>3.4 Summary</b>	<b>65</b>
<b>Chapter 4: Development of MATLAB/LABVIEW Model of Phasor Measurement Unit</b>	<b>67-81</b>
<b>4.1 Introduction</b>	<b>67</b>
<b>4.2 Methodology for Phasors Estimation</b>	<b>67</b>
4.2.1 Non-Recursive phasor computation	68
4.2.2 Recursive phasor computation	69
<b>4.3 Phasor Measurement Unit Model in MATLAB/SIMULINK</b>	<b>69</b>
4.3.1 Input Signal (Sine Wave)	70
4.3.2 Filter	70
4.3.3 Analog-to-Digital Converter (ADC)	71
4.3.4 Discrete Fourier Transform (DFT)	71
4.3.5 Sequence Analyzer	72
<b>4.4 Phasor Measurement Unit Model in LABVIEW</b>	<b>72</b>
<b>4.5 Case Studies</b>	<b>76</b>
<b>4.6 Summary</b>	<b>81</b>
<b>Chapter 5: IEC-61850 Communication Assisted Monitoring, Control and Protection of Distribution Systems using Phasor Measurement Units (PMUs)</b>	<b>83-110</b>
<b>5.1 Introduction</b>	<b>83</b>
<b>5.2 Proposed Architecture of Distribution Network using IEC-61850 Communication Protocol &amp; PMUs</b>	<b>83</b>
<b>5.3 Case Studies</b>	<b>87</b>
5.3.1 Op61850 Merging Unit Mask	87
5.3.2 Op61850 SV Subscriber mask	87
5.3.3 Phasor Measurement Unit (PMU)	90
<b>5.3.3.1 Available power at the substation with the help of PMU</b>	<b>90</b>
5.3.3.1.1 Input voltage and current to PMU at substation	91
5.3.3.1.2 PMU output- Magnitude of the voltage and	

current at substation	92
5.3.3.1.3 PMU output- Phase angle of voltage and current at substation	94
5.3.3.1.4 PMU output- Frequency (Hz) of voltage and current at substation	95
5.3.3.1.5 Power factor and available power at the substation	97
<b>5.3.3.2 Available power at the distribution transformer with the help of PMU</b>	<b>100</b>
5.3.3.2.1 Input voltage and current to PMU at DT <sub>1</sub>	100
5.3.3.2.2 PMU output- Magnitude of the voltage and current at DT <sub>1</sub>	102
5.3.3.2.3 PMU output- Phase angle of voltage and current at DT <sub>1</sub>	103
5.3.3.2.4 PMU output- Frequency (Hz) of voltage and current at DT <sub>1</sub>	105
5.3.3.2.5 Power factor and available power at DT <sub>1</sub>	107
<b>5.4 Summary</b>	<b>110</b>
<b>Chapter 6: Conclusions</b>	<b>111-113</b>
6.1 General	111
6.2 Summary of Important Findings	112
6.3 Scope for Future Research	113
<b>References</b>	<b>115-124</b>
<b>List of Publications</b>	